



Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 03:23 am BST

PDB ID : 4QLQ
Title : yCP in complex with tripeptidic epoxyketone inhibitor 8
Authors : De Bruin, G.; Huber, E.; Xin, B.; Van Rooden, E.; Al-Ayed, K.; Kim, K.; Kisselev, A.; Driessen, C.; Van der Marel, G.; Groll, M.; Overkleeft, H.
Deposited on : 2014-06-13
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div> <div>2%</div> <div> <div></div> <div>93%</div> <div>6%</div> <div>•</div> </div> </div>
1	O	250	<div> <div>2%</div> <div> <div></div> <div>92%</div> <div>7%</div> <div>•</div> </div> </div>
2	B	258	<div> <div>3%</div> <div> <div></div> <div>81%</div> <div>12%</div> <div>• 5%</div> </div> </div>
2	P	258	<div> <div>5%</div> <div> <div></div> <div>81%</div> <div>12%</div> <div>• 5%</div> </div> </div>
3	C	254	<div> <div>5%</div> <div> <div></div> <div>79%</div> <div>13%</div> <div>• 6%</div> </div> </div>
3	Q	254	<div> <div>8%</div> <div> <div></div> <div>78%</div> <div>14%</div> <div>• 6%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	260	
4	R	260	
5	E	234	
5	S	234	
6	F	288	
6	T	288	
7	G	252	
7	U	252	
8	H	232	
8	V	232	
9	I	205	
9	W	205	
10	J	198	
10	X	198	
11	K	212	
11	Y	212	
12	L	222	
12	Z	222	
13	M	246	
13	a	246	
14	N	196	
14	b	196	

2 Entry composition

There are 18 unique types of molecules in this entry. The entry contains 50332 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	222	Total	C	N	O	S	0	0	0
			1684	1061	293	323	7			
8	V	222	Total	C	N	O	S	0	0	0
			1684	1061	293	323	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			
11	Y	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			

- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	G	1	Total	Mg	0	0
			1	1		
15	K	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	H	1	Total	Mg	0	0
			1	1		
15	I	1	Total	Mg	0	0
			1	1		
15	V	1	Total	Mg	0	0
			1	1		
15	Z	1	Total	Mg	0	0
			1	1		
15	N	1	Total	Mg	0	0
			1	1		
15	Y	1	Total	Mg	0	0
			1	1		


- Molecule 16 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
16	H	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
16	K	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
16	V	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
16	Y	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 17 is N-(morpholin-4-ylacetyl)-L-alanyl-N-[(2S,4R)-1-cyclohexyl-5-hydroxy-

4-methyl-3-oxopentan-2-yl]-O-methyl-L-tyrosinamide (three-letter code: 38N) (formula: $C_{31}H_{48}N_4O_7$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
17	H	1	Total	C	N	O	0	0
			42	31	4	7		
17	K	1	Total	C	N	O	0	0
			42	31	4	7		
17	V	1	Total	C	N	O	0	0
			42	31	4	7		
17	Y	1	Total	C	N	O	0	0
			42	31	4	7		

- Molecule 18 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	A	34	Total	O	0	0
			34	34		
18	B	29	Total	O	0	0
			29	29		
18	C	21	Total	O	0	0
			21	21		
18	D	12	Total	O	0	0
			12	12		
18	E	7	Total	O	0	0
			7	7		
18	F	17	Total	O	0	0
			17	17		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
18	G	42	Total O 42 42	0	0
18	H	38	Total O 38 38	0	0
18	I	46	Total O 46 46	0	0
18	J	42	Total O 42 42	0	0
18	K	43	Total O 43 43	0	0
18	L	48	Total O 48 48	0	0
18	M	28	Total O 28 28	0	0
18	N	17	Total O 17 17	0	0
18	O	20	Total O 20 20	0	0
18	P	17	Total O 17 17	0	0
18	Q	9	Total O 9 9	0	0
18	R	14	Total O 14 14	0	0
18	S	7	Total O 7 7	0	0
18	T	23	Total O 23 23	0	0
18	U	36	Total O 36 36	0	0
18	V	34	Total O 34 34	0	0
18	W	42	Total O 42 42	0	0
18	X	34	Total O 34 34	0	0
18	Y	38	Total O 38 38	0	0
18	Z	40	Total O 40 40	0	0
18	a	43	Total O 43 43	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	b	31	Total	O	0	0
			31	31		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-3




- Molecule 2: Proteasome subunit alpha type-3





- Molecule 3: Proteasome subunit alpha type-4

Chain C: 





- Molecule 3: Proteasome subunit alpha type-4

Chain Q: 





- Molecule 4: Proteasome subunit alpha type-5

Chain D: 




- Molecule 4: Proteasome subunit alpha type-5


Chain R: 





- Molecule 5: Proteasome subunit alpha type-6

Chain E: 











- Molecule 5: Proteasome subunit alpha type-6





- Molecule 6: Probable proteasome subunit alpha type-7




- Molecule 6: Probable proteasome subunit alpha type-7




- Molecule 7: Proteasome subunit alpha type-1




- Molecule 7: Proteasome subunit alpha type-1







• Molecule 8: Proteasome subunit beta type-2




• Molecule 8: Proteasome subunit beta type-2




• Molecule 9: Proteasome subunit beta type-3




• Molecule 9: Proteasome subunit beta type-3



• Molecule 10: Proteasome subunit beta type-4



• Molecule 10: Proteasome subunit beta type-4








- Molecule 11: Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6





- Molecule 13: Proteasome subunit beta type-7



- Molecule 13: Proteasome subunit beta type-7



- Molecule 14: Proteasome subunit beta type-1



● Molecule 14: Proteasome subunit beta type-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	136.65Å 299.59Å 144.82Å 90.00° 112.85° 90.00°	Depositor
Resolution (Å)	15.00 – 2.40 15.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	98.4 (15.00-2.40) 98.4 (15.00-2.40)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.98 (at 2.39Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.199 , 0.215 0.201 , 0.218	Depositor DCC
R_{free} test set	20403 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	52.6	Xtriage
Anisotropy	0.028	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 47.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	50332	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, MES, 38N

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/1952	0.57	0/2642
1	O	0.29	0/1952	0.57	0/2642
2	B	0.29	0/1934	0.60	0/2618
2	P	0.29	0/1934	0.60	0/2618
3	C	0.30	0/1910	0.60	0/2586
3	Q	0.30	0/1910	0.60	0/2586
4	D	0.30	0/1837	0.60	1/2475 (0.0%)
4	R	0.30	0/1837	0.60	1/2475 (0.0%)
5	E	0.29	0/1800	0.56	1/2433 (0.0%)
5	S	0.29	0/1800	0.56	1/2433 (0.0%)
6	F	0.30	0/1932	0.54	0/2609
6	T	0.30	0/1932	0.54	0/2609
7	G	0.30	0/1945	0.57	0/2634
7	U	0.30	0/1945	0.56	0/2634
8	H	0.28	0/1715	0.57	0/2326
8	V	0.28	0/1715	0.57	0/2326
9	I	0.29	0/1611	0.57	0/2174
9	W	0.29	0/1611	0.57	0/2174
10	J	0.28	0/1589	0.55	0/2142
10	X	0.28	0/1589	0.55	0/2142
11	K	0.29	0/1681	0.59	2/2274 (0.1%)
11	Y	0.29	0/1681	0.59	2/2274 (0.1%)
12	L	0.29	0/1795	0.56	0/2420
12	Z	0.29	0/1795	0.56	0/2420
13	M	0.30	0/1855	0.62	0/2514
13	a	0.30	0/1855	0.63	1/2514 (0.0%)
14	N	0.27	0/1541	0.53	0/2087
14	b	0.27	0/1541	0.52	0/2087
All	All	0.29	0/50194	0.58	9/67868 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
9	I	0	1
9	W	0	1
12	L	0	1
12	Z	0	1
13	M	0	1
13	a	0	1
All	All	0	6

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	K	4	LEU	CA-CB-CG	5.58	128.14	115.30
11	Y	4	LEU	CA-CB-CG	5.55	128.07	115.30
11	Y	106	ARG	NE-CZ-NH1	5.36	122.98	120.30
11	K	106	ARG	NE-CZ-NH1	5.35	122.97	120.30
5	E	71	LEU	CA-CB-CG	5.17	127.20	115.30
4	D	51	LEU	CA-CB-CG	5.14	127.11	115.30
5	S	71	LEU	CA-CB-CG	5.13	127.09	115.30
4	R	51	LEU	CA-CB-CG	5.10	127.03	115.30
13	a	187	ARG	NE-CZ-NH1	5.04	122.82	120.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
9	I	192	ASP	Peptide
12	L	135	GLN	Peptide
13	M	1	THR	Peptide
9	W	192	ASP	Peptide
12	Z	135	GLN	Peptide
13	a	1	THR	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	8	0
1	O	1915	0	1929	10	0
2	B	1904	0	1904	17	0
2	P	1904	0	1904	18	0
3	C	1881	0	1895	21	0
3	Q	1881	0	1895	22	0
4	D	1813	0	1797	14	0
4	R	1813	0	1797	13	0
5	E	1773	0	1775	18	0
5	S	1773	0	1775	17	0
6	F	1892	0	1883	16	0
6	T	1892	0	1883	18	0
7	G	1907	0	1901	11	0
7	U	1907	0	1901	15	0
8	H	1684	0	1685	5	0
8	V	1684	0	1685	6	0
9	I	1581	0	1574	11	0
9	W	1581	0	1574	12	0
10	J	1561	0	1569	13	0
10	X	1561	0	1569	13	0
11	K	1644	0	1592	13	0
11	Y	1644	0	1592	14	0
12	L	1757	0	1711	12	0
12	Z	1757	0	1711	14	0
13	M	1824	0	1832	7	0
13	a	1824	0	1832	0	0
14	N	1512	0	1481	9	0
14	b	1512	0	1481	0	0
15	G	1	0	0	0	0
15	H	1	0	0	0	0
15	I	1	0	0	0	0
15	K	1	0	0	0	0
15	N	1	0	0	0	0
15	V	1	0	0	0	0
15	Y	1	0	0	0	0
15	Z	1	0	0	0	0
16	H	12	0	13	0	0
16	K	12	0	13	0	0
16	V	12	0	13	0	0
16	Y	12	0	13	0	0
17	H	42	0	47	1	0
17	K	42	0	47	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
17	V	42	0	47	1	0
17	Y	42	0	47	2	0
18	A	34	0	0	0	0
18	B	29	0	0	0	0
18	C	21	0	0	0	0
18	D	12	0	0	1	0
18	E	7	0	0	0	0
18	F	17	0	0	0	0
18	G	42	0	0	0	0
18	H	38	0	0	0	0
18	I	46	0	0	0	0
18	J	42	0	0	0	0
18	K	43	0	0	0	0
18	L	48	0	0	0	0
18	M	28	0	0	0	0
18	N	17	0	0	0	0
18	O	20	0	0	0	0
18	P	17	0	0	0	0
18	Q	9	0	0	0	0
18	R	14	0	0	0	0
18	S	7	0	0	0	0
18	T	23	0	0	0	0
18	U	36	0	0	0	0
18	V	34	0	0	0	0
18	W	42	0	0	0	0
18	X	34	0	0	0	0
18	Y	38	0	0	0	0
18	Z	40	0	0	0	0
18	a	43	0	0	0	0
18	b	31	0	0	0	0
All	All	50332	0	49296	318	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (318) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:Y:100:MET:HE3	11:Y:127:PHE:HB2	1.41	1.02
11:K:100:MET:HE3	11:K:127:PHE:HB2	1.44	0.98
2:P:50:LYS:HA	2:P:50:LYS:HE3	1.49	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:50:LYS:HE3	2:B:50:LYS:HA	1.48	0.93
11:K:100:MET:CE	11:K:127:PHE:HB2	2.09	0.82
11:Y:100:MET:CE	11:Y:127:PHE:HB2	2.08	0.82
11:Y:106:ARG:HH11	11:Y:106:ARG:HB3	1.45	0.81
11:K:106:ARG:HB3	11:K:106:ARG:HH11	1.45	0.79
2:B:93:HIS:HB3	2:B:113:ARG:HH21	1.51	0.76
2:P:93:HIS:HB3	2:P:113:ARG:HH21	1.51	0.75
6:T:146:MET:CE	6:T:161:THR:HB	2.17	0.74
4:R:99:ILE:CD1	4:R:104:LEU:HB2	2.18	0.73
6:F:146:MET:CE	6:F:161:THR:HB	2.17	0.73
4:D:99:ILE:CD1	4:D:104:LEU:HB2	2.18	0.73
3:C:51:LYS:O	3:C:52:LEU:HB2	1.89	0.72
3:Q:51:LYS:O	3:Q:52:LEU:HB2	1.89	0.71
2:B:12:PHE:H	3:C:17:GLN:HE22	1.39	0.70
11:K:53:GLN:O	11:K:57:THR:HG23	1.91	0.70
11:Y:53:GLN:O	11:Y:57:THR:HG23	1.91	0.70
10:X:126:VAL:HG12	10:X:128:LEU:HG	1.74	0.69
11:Y:100:MET:HE3	11:Y:127:PHE:CB	2.20	0.69
6:F:146:MET:HE3	6:F:161:THR:HB	1.74	0.69
11:K:100:MET:HE3	11:K:127:PHE:CB	2.22	0.69
10:J:126:VAL:HG12	10:J:128:LEU:HG	1.74	0.68
6:T:146:MET:HE3	6:T:161:THR:HB	1.76	0.67
12:Z:13:LEU:HD13	12:Z:150:LEU:HD21	1.76	0.67
12:L:13:LEU:HD13	12:L:150:LEU:HD21	1.76	0.66
5:E:12:PHE:H	6:F:19:GLN:HE22	1.42	0.66
17:H:303:38N:O32	17:H:303:38N:O40	2.15	0.65
17:V:303:38N:O32	17:V:303:38N:O40	2.15	0.65
3:C:160:GLN:HE22	3:C:170:ARG:HE	1.46	0.64
8:H:196:ARG:NH2	9:I:150:GLU:O	2.31	0.64
5:S:12:PHE:H	6:T:19:GLN:HE22	1.44	0.64
4:R:32:ILE:HD12	4:R:192:VAL:HG23	1.79	0.64
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.80	0.63
4:D:32:ILE:HD12	4:D:192:VAL:HG23	1.79	0.63
3:Q:160:GLN:HE22	3:Q:170:ARG:HE	1.46	0.63
5:S:155:LEU:HD13	5:S:158:THR:HB	1.81	0.63
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.81	0.62
4:D:138:GLY:HA2	4:D:214:ILE:HG12	1.82	0.62
5:E:155:LEU:HD13	5:E:158:THR:HB	1.81	0.62
14:N:35:THR:HG21	14:N:45:ARG:HE	1.66	0.61
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.64	0.61
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.64	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:176:GLU:HG3	2:B:55:LEU:HD22	1.81	0.60
4:R:138:GLY:HA2	4:R:214:ILE:HG12	1.82	0.60
2:B:180:LYS:O	2:B:183:MET:HB2	2.02	0.60
2:P:180:LYS:O	2:P:183:MET:HB2	2.02	0.60
5:E:9:THR:HG21	5:E:119:THR:HA	1.85	0.59
8:V:196:ARG:NH2	9:W:150:GLU:O	2.37	0.58
5:S:136:TYR:CE1	5:S:217:LYS:HA	2.39	0.58
5:E:136:TYR:CE1	5:E:217:LYS:HA	2.38	0.57
1:O:122:THR:CG2	2:P:128:ARG:HH21	2.17	0.57
5:S:9:THR:HG21	5:S:119:THR:HA	1.85	0.57
13:M:161:ARG:HH11	13:M:161:ARG:HG3	1.69	0.57
14:N:20:THR:HG23	14:N:28:ASN:HB3	1.87	0.57
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.53	0.57
12:L:8:ASN:HA	12:L:30:ILE:O	2.05	0.56
11:Y:106:ARG:HH11	11:Y:106:ARG:CB	2.16	0.56
1:O:12:PHE:H	2:P:20:GLN:HE22	1.53	0.56
12:L:49:ASN:HD21	12:L:211:GLY:HA2	1.70	0.56
3:Q:201:VAL:O	3:Q:202:GLN:HB2	2.05	0.56
3:C:201:VAL:O	3:C:202:GLN:HB2	2.05	0.56
1:A:122:THR:CG2	2:B:128:ARG:HH21	2.19	0.56
7:U:23:PHE:O	7:U:26:THR:HB	2.06	0.56
6:F:172:LEU:HD13	6:F:195:ILE:HD13	1.88	0.56
3:C:201:VAL:O	3:C:202:GLN:CB	2.53	0.56
6:T:172:LEU:HD13	6:T:195:ILE:HD13	1.88	0.56
14:N:20:THR:HG22	14:N:31:THR:OG1	2.06	0.56
12:Z:49:ASN:HD21	12:Z:211:GLY:HA2	1.70	0.56
3:C:161:THR:HG21	3:C:169:VAL:HG22	1.87	0.55
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.05	0.55
3:Q:9:PHE:H	4:R:15:GLN:HE22	1.52	0.55
2:B:47:ALA:HB1	2:B:64:LYS:HD2	1.88	0.55
11:K:106:ARG:CB	11:K:106:ARG:HH11	2.16	0.55
10:J:23:ARG:NH2	11:K:120:THR:OG1	2.39	0.55
3:Q:202:GLN:CG	3:Q:203:THR:H	2.19	0.54
10:X:23:ARG:NH2	11:Y:120:THR:OG1	2.40	0.54
3:Q:161:THR:HG21	3:Q:169:VAL:HG22	1.88	0.54
7:G:23:PHE:O	7:G:26:THR:HB	2.06	0.54
14:N:176:VAL:HG12	14:N:178:LEU:HD13	1.89	0.54
2:P:47:ALA:HB1	2:P:64:LYS:HD2	1.88	0.54
2:B:8:ARG:HD2	3:C:4:ARG:NH2	2.22	0.54
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.38	0.54
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.38	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:202:GLN:CG	3:C:203:THR:H	2.19	0.54
8:H:52:THR:O	8:H:56:THR:HB	2.09	0.53
6:T:146:MET:HE1	6:T:161:THR:HB	1.89	0.53
4:R:99:ILE:HD11	4:R:104:LEU:HB2	1.90	0.53
6:F:123:ASN:C	6:F:123:ASN:HD22	2.12	0.53
10:X:1:MET:HA	10:X:34:LYS:CE	2.39	0.53
4:R:77:ALA:O	4:R:81:ILE:HG12	2.08	0.53
3:Q:198:LEU:HA	3:Q:201:VAL:HG12	1.91	0.53
6:T:123:ASN:HD22	6:T:123:ASN:C	2.12	0.52
12:Z:195:HIS:HD2	12:Z:197:GLN:H	1.57	0.52
4:D:99:ILE:HD11	4:D:104:LEU:HB2	1.90	0.52
2:P:12:PHE:H	3:Q:17:GLN:HE22	1.57	0.52
3:C:202:GLN:HG3	3:C:203:THR:N	2.24	0.52
3:Q:51:LYS:HA	3:Q:51:LYS:HE3	1.91	0.52
1:A:55:LEU:HD12	7:G:170:THR:HG23	1.91	0.52
8:V:52:THR:O	8:V:56:THR:HB	2.10	0.52
4:D:30:ILE:HD12	4:D:196:LEU:HG	1.91	0.52
4:D:77:ALA:O	4:D:81:ILE:HG12	2.09	0.52
3:Q:202:GLN:HG3	3:Q:203:THR:N	2.24	0.52
3:C:198:LEU:HA	3:C:201:VAL:HG12	1.91	0.51
3:C:51:LYS:HA	3:C:51:LYS:HE3	1.91	0.51
3:Q:202:GLN:HG3	3:Q:203:THR:H	1.75	0.51
3:C:202:GLN:HG3	3:C:203:THR:H	1.75	0.51
13:M:127:LEU:HG	13:M:142:LEU:HD12	1.93	0.51
4:R:30:ILE:HD12	4:R:196:LEU:HG	1.91	0.51
9:W:101:PRO:HB3	9:W:126:ILE:HD12	1.93	0.51
10:J:1:MET:HA	10:J:34:LYS:CE	2.39	0.51
5:S:87:LEU:HD21	5:S:107:ALA:HB1	1.92	0.51
9:I:101:PRO:HB3	9:I:126:ILE:HD12	1.93	0.51
12:L:195:HIS:HD2	12:L:197:GLN:H	1.57	0.51
10:X:36:ARG:NH1	10:X:58:GLU:OE2	2.45	0.50
10:J:36:ARG:NH1	10:J:58:GLU:OE2	2.44	0.50
9:W:20:VAL:HG13	9:W:118:PRO:HB3	1.93	0.50
3:C:9:PHE:H	4:D:15:GLN:HE22	1.58	0.50
10:J:3:ILE:HD12	10:J:176:PHE:CG	2.46	0.50
14:N:103:ASP:HB2	14:N:106:ASN:HB2	1.93	0.50
5:E:87:LEU:HD21	5:E:107:ALA:HB1	1.93	0.50
10:X:3:ILE:HD12	10:X:176:PHE:CG	2.46	0.50
2:B:151:ASN:HB2	2:B:152:PRO:HD2	1.94	0.50
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.94	0.49
9:I:20:VAL:HG13	9:I:118:PRO:HB3	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:152:MET:HE3	10:J:156:GLU:HB3	1.93	0.49
14:N:13:ILE:HG21	14:N:175:MET:HE2	1.93	0.49
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.48	0.49
3:C:37:LYS:HB2	3:C:184:ALA:HA	1.95	0.49
3:C:38:ASN:HD22	3:C:38:ASN:N	2.10	0.49
5:E:68:HIS:HE1	5:E:102:LEU:O	1.95	0.49
10:J:1:MET:O	10:J:2:ASP:HB2	2.12	0.49
2:P:151:ASN:HB2	2:P:152:PRO:HD2	1.95	0.49
4:R:88:ALA:HA	4:R:99:ILE:HG21	1.95	0.49
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.47	0.49
6:F:146:MET:HE1	6:F:161:THR:HB	1.92	0.49
4:D:88:ALA:HA	4:D:99:ILE:HG21	1.95	0.49
9:I:65:MET:HE1	9:I:93:SER:HB3	1.95	0.49
3:Q:37:LYS:HB2	3:Q:184:ALA:HA	1.95	0.49
7:G:242:GLN:HA	7:G:242:GLN:OE1	2.13	0.49
6:T:155:GLY:HA3	7:U:59:THR:HG21	1.95	0.48
7:U:242:GLN:OE1	7:U:242:GLN:HA	2.13	0.48
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.94	0.48
2:B:95:GLN:HE22	9:I:71:ASN:HD22	1.62	0.48
10:X:1:MET:O	10:X:2:ASP:HB2	2.12	0.48
1:A:30:GLN:HA	1:A:30:GLN:HE21	1.78	0.48
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.78	0.48
6:F:240:GLN:HA	6:F:240:GLN:HE21	1.78	0.48
14:N:20:THR:CG2	14:N:31:THR:OG1	2.61	0.48
11:Y:33:LYS:HE2	17:Y:303:38N:H34	1.96	0.48
6:T:240:GLN:HA	6:T:240:GLN:HE21	1.78	0.48
1:O:30:GLN:HE21	1:O:30:GLN:HA	1.78	0.48
3:Q:38:ASN:N	3:Q:38:ASN:HD22	2.10	0.48
4:R:185:LEU:O	4:R:189:GLU:HG3	2.14	0.48
1:A:12:PHE:H	2:B:20:GLN:HE22	1.61	0.48
8:H:163:ILE:HG23	8:H:170:GLY:HA2	1.95	0.48
5:S:134:ILE:HD12	5:S:215:VAL:HG12	1.96	0.48
13:M:96:LEU:O	13:M:100:MET:HG2	2.14	0.48
1:O:55:LEU:HB3	7:U:159:ALA:O	2.14	0.48
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.77	0.48
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.79	0.48
5:S:68:HIS:HE1	5:S:102:LEU:O	1.96	0.48
4:D:185:LEU:O	4:D:189:GLU:HG3	2.14	0.47
5:S:70:GLY:HA3	5:S:221:PHE:CE2	2.49	0.47
6:F:34:ILE:HG22	6:F:160:ALA:HB2	1.94	0.47
5:E:70:GLY:HA3	5:E:221:PHE:CE2	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:158:LEU:O	10:J:162:LYS:HG3	2.15	0.47
10:X:1:MET:HA	10:X:34:LYS:HE3	1.96	0.47
7:G:195:GLU:HG3	7:G:235:ARG:HG3	1.96	0.47
6:T:34:ILE:HG22	6:T:160:ALA:HB2	1.95	0.47
8:V:163:ILE:HG23	8:V:170:GLY:HA2	1.95	0.47
9:I:65:MET:CE	9:I:93:SER:HB3	2.44	0.47
9:W:65:MET:CE	9:W:93:SER:HB3	2.44	0.47
4:D:37:GLY:HA2	4:D:145:TYR:CE1	2.50	0.47
7:U:195:GLU:HG3	7:U:235:ARG:HG3	1.96	0.47
12:L:136:CYS:SG	12:L:150:LEU:HB3	2.55	0.47
11:Y:145:LYS:HB2	11:Y:148:LEU:HD13	1.97	0.47
5:E:134:ILE:HD12	5:E:215:VAL:HG12	1.96	0.46
10:J:1:MET:HA	10:J:34:LYS:HE3	1.95	0.46
12:L:23:LEU:HD13	12:L:43:VAL:HG13	1.96	0.46
12:L:13:LEU:HD12	12:L:14:GLY:N	2.30	0.46
1:O:149:GLN:O	1:O:156:TYR:HA	2.15	0.46
12:Z:13:LEU:HD12	12:Z:14:GLY:N	2.30	0.46
5:E:155:LEU:HD23	6:F:55:LEU:HD23	1.96	0.46
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.50	0.46
7:U:63:ILE:HD12	7:U:215:GLU:HG2	1.98	0.46
10:X:158:LEU:O	10:X:162:LYS:HG3	2.15	0.46
11:K:33:LYS:HE2	17:K:303:38N:H34	1.96	0.46
11:Y:86:LEU:HD13	11:Y:86:LEU:C	2.36	0.46
7:G:34:LEU:HD23	7:G:34:LEU:C	2.35	0.46
12:L:17:GLY:HA3	12:L:20:PHE:CE1	2.51	0.46
12:Z:23:LEU:HD13	12:Z:43:VAL:HG13	1.97	0.46
1:A:149:GLN:O	1:A:156:TYR:HA	2.16	0.46
4:R:37:GLY:HA2	4:R:145:TYR:CE1	2.51	0.46
7:U:167:GLN:HE21	7:U:171:THR:HG23	1.81	0.46
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.98	0.46
5:S:155:LEU:HD23	6:T:55:LEU:HD23	1.97	0.46
12:Z:17:GLY:HA3	12:Z:20:PHE:CE1	2.51	0.46
7:G:167:GLN:HE21	7:G:171:THR:HG23	1.81	0.46
11:K:86:LEU:HD13	11:K:86:LEU:C	2.36	0.46
9:W:14:MET:HB3	9:W:162:LEU:HD11	1.98	0.46
1:A:115:ALA:HB1	1:A:154:GLY:O	2.16	0.46
5:E:170:TYR:CZ	5:E:194:GLU:HG2	2.50	0.46
6:F:34:ILE:HG22	6:F:160:ALA:CB	2.46	0.46
5:S:170:TYR:CZ	5:S:194:GLU:HG2	2.51	0.46
6:F:172:LEU:CD1	6:F:195:ILE:HD13	2.46	0.45
1:A:122:THR:HG22	2:B:128:ARG:HH21	1.81	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:T:172:LEU:CD1	6:T:195:ILE:HD13	2.46	0.45
7:G:78:ILE:N	7:G:79:PRO:CD	2.80	0.45
9:I:14:MET:HB3	9:I:162:LEU:HD11	1.98	0.45
10:J:126:VAL:CG1	10:J:128:LEU:HG	2.44	0.45
1:O:115:ALA:HB1	1:O:154:GLY:O	2.16	0.45
7:U:34:LEU:C	7:U:34:LEU:HD23	2.36	0.45
11:K:145:LYS:HB2	11:K:148:LEU:HD13	1.98	0.45
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.98	0.45
7:G:63:ILE:HD12	7:G:215:GLU:HG2	1.98	0.45
13:M:128:ARG:HH11	13:M:138:SER:HB2	1.81	0.45
10:X:126:VAL:CG1	10:X:128:LEU:HG	2.44	0.45
12:Z:136:CYS:SG	12:Z:150:LEU:HB3	2.57	0.44
6:F:238:PHE:O	6:F:242:GLU:HG2	2.17	0.44
4:R:99:ILE:HD13	4:R:104:LEU:HB2	1.98	0.44
7:U:187:GLU:HG2	7:U:192:LYS:HB2	1.98	0.44
9:I:101:PRO:HB3	9:I:126:ILE:CD1	2.47	0.44
14:N:13:ILE:HG21	14:N:175:MET:CE	2.48	0.44
9:W:101:PRO:HB3	9:W:126:ILE:CD1	2.47	0.44
7:G:187:GLU:HG2	7:G:192:LYS:HB2	1.99	0.44
6:T:34:ILE:HG22	6:T:160:ALA:CB	2.46	0.44
6:T:238:PHE:O	6:T:242:GLU:HG2	2.17	0.44
6:T:240:GLN:CA	6:T:240:GLN:HE21	2.31	0.44
2:P:139:TYR:CE2	2:P:144:GLY:HA2	2.53	0.44
6:T:240:GLN:HA	6:T:240:GLN:NE2	2.33	0.44
12:Z:125:PHE:HA	12:Z:130:SER:O	2.18	0.44
2:B:139:TYR:CE2	2:B:144:GLY:HA2	2.53	0.44
7:U:78:ILE:N	7:U:79:PRO:CD	2.80	0.44
2:B:162:ILE:HG13	2:B:163:SER:N	2.33	0.43
10:J:193:ASP:OD1	10:J:193:ASP:N	2.51	0.43
3:C:186:VAL:O	3:C:190:VAL:HG23	2.18	0.43
6:T:13:PRO:O	7:U:24:LYS:HD2	2.18	0.43
6:F:240:GLN:HA	6:F:240:GLN:NE2	2.33	0.43
17:K:303:38N:O40	17:K:303:38N:H19	2.18	0.43
17:Y:303:38N:O40	17:Y:303:38N:H19	2.18	0.43
2:P:110:LEU:HD23	2:P:110:LEU:C	2.40	0.43
3:Q:186:VAL:O	3:Q:190:VAL:HG23	2.19	0.43
5:S:178:PHE:HA	5:S:181:ILE:HG13	2.00	0.43
3:C:202:GLN:CG	3:C:203:THR:N	2.81	0.43
2:P:162:ILE:HG13	2:P:163:SER:N	2.34	0.43
5:S:170:TYR:CD1	5:S:170:TYR:C	2.92	0.43
6:F:240:GLN:CA	6:F:240:GLN:HE21	2.31	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:S:155:LEU:CD2	6:T:55:LEU:HD23	2.49	0.43
8:V:104:ASP:OD1	8:V:106:THR:HB	2.19	0.43
4:D:125:LEU:HD12	4:D:125:LEU:O	2.20	0.42
9:I:120:ILE:HD12	9:I:136:ILE:HG12	2.01	0.42
4:D:99:ILE:HG22	18:D:303:HOH:O	2.18	0.42
12:L:125:PHE:HA	12:L:130:SER:O	2.19	0.42
9:W:120:ILE:HD12	9:W:136:ILE:HG12	2.01	0.42
4:R:125:LEU:HD12	4:R:125:LEU:O	2.20	0.42
5:S:71:LEU:HD23	5:S:71:LEU:C	2.40	0.42
5:E:178:PHE:HA	5:E:181:ILE:HG13	2.01	0.42
3:C:108:THR:HG21	3:C:146:TYR:HB3	2.02	0.42
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.01	0.42
5:E:118:ASN:N	5:E:118:ASN:HD22	2.18	0.42
4:D:99:ILE:HD13	4:D:104:LEU:HB2	1.98	0.42
6:F:201:GLU:O	6:F:204:LYS:HD2	2.20	0.42
9:W:98:ARG:HD2	9:W:126:ILE:HG12	2.02	0.42
10:X:152:MET:CE	10:X:156:GLU:HB3	2.50	0.42
10:X:152:MET:HE3	10:X:156:GLU:HB3	2.02	0.42
11:Y:6:PHE:HA	11:Y:125:ASP:O	2.20	0.42
12:Z:149:PHE:CE1	12:Z:153:GLN:HG3	2.55	0.42
2:B:110:LEU:HD23	2:B:110:LEU:C	2.40	0.42
8:H:104:ASP:OD1	8:H:106:THR:HB	2.20	0.42
11:K:37:ILE:HB	11:K:41:LEU:HB3	2.02	0.42
11:K:6:PHE:HA	11:K:125:ASP:O	2.20	0.42
9:I:98:ARG:HD2	9:I:126:ILE:HG12	2.02	0.42
10:J:152:MET:CE	10:J:156:GLU:HB3	2.50	0.42
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.01	0.42
9:W:65:MET:HE1	9:W:93:SER:HB3	2.02	0.42
2:P:119:GLN:CG	3:Q:78:ALA:HB1	2.49	0.41
2:P:119:GLN:HG3	3:Q:78:ALA:HB1	2.03	0.41
11:K:35:ILE:HB	11:K:45:MET:CE	2.49	0.41
12:L:149:PHE:CE1	12:L:153:GLN:HG3	2.55	0.41
2:P:89:THR:HG21	2:P:117:ILE:CD1	2.50	0.41
10:X:193:ASP:OD1	10:X:193:ASP:N	2.51	0.41
11:Y:37:ILE:HB	11:Y:41:LEU:HB3	2.02	0.41
11:Y:35:ILE:HB	11:Y:45:MET:CE	2.50	0.41
12:Z:22:VAL:HG12	12:Z:206:ILE:HG13	2.02	0.41
5:E:170:TYR:C	5:E:170:TYR:CD1	2.92	0.41
5:E:71:LEU:HD23	5:E:71:LEU:C	2.41	0.41
5:E:155:LEU:CD2	6:F:55:LEU:HD23	2.50	0.41
12:L:43:VAL:HG12	12:L:205:LEU:HD22	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:M:97:ALA:HA	13:M:130:VAL:HG21	2.02	0.41
3:Q:160:GLN:HE21	3:Q:161:THR:H	1.69	0.41
3:C:160:GLN:HE21	3:C:161:THR:H	1.69	0.41
1:O:247:LEU:O	1:O:250:LEU:HB2	2.21	0.41
11:Y:12:ILE:HB	11:Y:180:VAL:HB	2.03	0.41
5:S:118:ASN:N	5:S:118:ASN:HD22	2.19	0.41
2:B:89:THR:HG21	2:B:117:ILE:CD1	2.51	0.41
7:G:25:ALA:O	7:G:28:GLN:HB2	2.20	0.41
13:M:182:ARG:NH2	13:M:215:GLU:O	2.51	0.41
3:Q:108:THR:HG21	3:Q:146:TYR:HB3	2.02	0.41
5:E:60:LYS:H	5:E:60:LYS:HG2	1.69	0.41
7:U:25:ALA:O	7:U:28:GLN:HB2	2.21	0.41
7:G:239:ILE:O	7:G:242:GLN:HB3	2.20	0.41
7:U:239:ILE:O	7:U:242:GLN:HB3	2.20	0.41
12:Z:43:VAL:HG12	12:Z:205:LEU:HD22	2.02	0.41
5:E:61:LYS:O	5:E:72:SER:HA	2.21	0.41
5:S:170:TYR:CE2	5:S:194:GLU:HG2	2.56	0.41
6:T:201:GLU:O	6:T:204:LYS:HD2	2.20	0.41
8:V:215:GLU:HG2	9:W:197:ARG:HG2	2.03	0.41
13:M:43:ILE:HA	13:M:44:PRO:HD3	1.86	0.40
1:O:158:PRO:HB2	2:P:57:GLU:HB3	2.01	0.40
14:N:35:THR:CG2	14:N:45:ARG:HE	2.32	0.40
2:P:95:GLN:HE22	9:W:71:ASN:HD22	1.68	0.40
7:U:44:VAL:HG21	7:U:73:VAL:HG11	2.03	0.40
3:Q:202:GLN:CG	3:Q:203:THR:N	2.81	0.40
5:S:231:LYS:HD2	5:S:232:TYR:CE2	2.56	0.40
5:E:231:LYS:HD2	5:E:232:TYR:CE2	2.56	0.40
12:Z:3:ASN:HD22	12:Z:4:PRO:HD2	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	240 (97%)	6 (2%)	2 (1%)	19	29
1	O	248/250 (99%)	241 (97%)	5 (2%)	2 (1%)	19	29
2	B	242/258 (94%)	230 (95%)	10 (4%)	2 (1%)	19	29
2	P	242/258 (94%)	231 (96%)	9 (4%)	2 (1%)	19	29
3	C	238/254 (94%)	227 (95%)	8 (3%)	3 (1%)	12	17
3	Q	238/254 (94%)	227 (95%)	8 (3%)	3 (1%)	12	17
4	D	231/260 (89%)	225 (97%)	6 (3%)	0	100	100
4	R	231/260 (89%)	225 (97%)	6 (3%)	0	100	100
5	E	229/234 (98%)	213 (93%)	14 (6%)	2 (1%)	17	25
5	S	229/234 (98%)	213 (93%)	14 (6%)	2 (1%)	17	25
6	F	241/288 (84%)	233 (97%)	8 (3%)	0	100	100
6	T	241/288 (84%)	233 (97%)	8 (3%)	0	100	100
7	G	239/252 (95%)	234 (98%)	5 (2%)	0	100	100
7	U	239/252 (95%)	234 (98%)	5 (2%)	0	100	100
8	H	220/232 (95%)	213 (97%)	7 (3%)	0	100	100
8	V	220/232 (95%)	213 (97%)	7 (3%)	0	100	100
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	190 (98%)	2 (1%)	1 (0%)	29	41
10	X	193/198 (98%)	190 (98%)	2 (1%)	1 (0%)	29	41
11	K	210/212 (99%)	205 (98%)	4 (2%)	1 (0%)	29	41
11	Y	210/212 (99%)	205 (98%)	4 (2%)	1 (0%)	29	41
12	L	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
12	Z	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
13	M	231/246 (94%)	223 (96%)	8 (4%)	0	100	100
13	a	231/246 (94%)	223 (96%)	8 (4%)	0	100	100
14	N	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
14	b	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
All	All	6276/6614 (95%)	6068 (97%)	186 (3%)	22 (0%)	34	48

All (22) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2	THR
2	B	51	VAL
3	C	202	GLN
3	C	205	ALA
10	J	2	ASP
1	O	2	THR
2	P	51	VAL
3	Q	202	GLN
3	Q	205	ALA
10	X	2	ASP
1	A	166	LYS
5	E	231	LYS
11	K	9	GLN
5	S	217	LYS
5	S	231	LYS
11	Y	9	GLN
3	C	183	PRO
5	E	217	LYS
1	O	166	LYS
3	Q	183	PRO
2	B	221	ASP
2	P	221	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	199 (95%)	10 (5%)	25	41
1	O	209/209 (100%)	199 (95%)	10 (5%)	25	41
2	B	203/216 (94%)	189 (93%)	14 (7%)	15	25
2	P	203/216 (94%)	189 (93%)	14 (7%)	15	25
3	C	212/226 (94%)	191 (90%)	21 (10%)	8	11
3	Q	212/226 (94%)	191 (90%)	21 (10%)	8	11
4	D	194/215 (90%)	174 (90%)	20 (10%)	7	10
4	R	194/215 (90%)	174 (90%)	20 (10%)	7	10

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	E	190/193 (98%)	168 (88%)	22 (12%)	5	7
5	S	190/193 (98%)	169 (89%)	21 (11%)	6	8
6	F	201/239 (84%)	181 (90%)	20 (10%)	7	11
6	T	201/239 (84%)	181 (90%)	20 (10%)	7	11
7	G	206/210 (98%)	190 (92%)	16 (8%)	12	19
7	U	206/210 (98%)	190 (92%)	16 (8%)	12	19
8	H	181/190 (95%)	174 (96%)	7 (4%)	32	50
8	V	181/190 (95%)	174 (96%)	7 (4%)	32	50
9	I	172/173 (99%)	164 (95%)	8 (5%)	26	42
9	W	172/173 (99%)	164 (95%)	8 (5%)	26	42
10	J	173/175 (99%)	163 (94%)	10 (6%)	20	32
10	X	173/175 (99%)	163 (94%)	10 (6%)	20	32
11	K	169/169 (100%)	160 (95%)	9 (5%)	22	37
11	Y	169/169 (100%)	160 (95%)	9 (5%)	22	37
12	L	185/185 (100%)	178 (96%)	7 (4%)	33	51
12	Z	185/185 (100%)	178 (96%)	7 (4%)	33	51
13	M	199/208 (96%)	186 (94%)	13 (6%)	17	27
13	a	199/208 (96%)	186 (94%)	13 (6%)	17	27
14	N	162/162 (100%)	154 (95%)	8 (5%)	25	40
14	b	162/162 (100%)	154 (95%)	8 (5%)	25	40
All	All	5312/5540 (96%)	4943 (93%)	369 (7%)	15	25

All (369) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	THR
1	A	17	LYS
1	A	29	LYS
1	A	30	GLN
1	A	59	GLU
1	A	61	LEU
1	A	108	LYS
1	A	122	THR
1	A	157	PHE
1	A	231	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	50	LYS
2	B	54	THR
2	B	55	LEU
2	B	56	LEU
2	B	58	GLN
2	B	79	LEU
2	B	119	GLN
2	B	149	THR
2	B	180	LYS
2	B	184	LYS
2	B	191	LEU
2	B	194	LYS
2	B	237	ILE
2	B	244	THR
3	C	4	ARG
3	C	38	ASN
3	C	48	SER
3	C	49	THR
3	C	51	LYS
3	C	55	THR
3	C	61	LYS
3	C	70	VAL
3	C	77	ASN
3	C	116	GLN
3	C	147	GLN
3	C	160	GLN
3	C	167	LYS
3	C	169	VAL
3	C	175	LYS
3	C	180	LYS
3	C	187	GLU
3	C	206	LYS
3	C	235	GLU
3	C	239	GLN
3	C	240	GLU
4	D	4	VAL
4	D	12	ARG
4	D	20	LEU
4	D	40	LEU
4	D	51	LEU
4	D	54	ASP
4	D	60	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	99	ILE
4	D	125	LEU
4	D	169	GLU
4	D	176	LEU
4	D	190	LEU
4	D	193	LEU
4	D	197	LYS
4	D	202	GLU
4	D	214	ILE
4	D	224	ASP
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	8	ASP
5	E	9	THR
5	E	10	VAL
5	E	25	LEU
5	E	29	LYS
5	E	55	LEU
5	E	60	LYS
5	E	61	LYS
5	E	71	LEU
5	E	99	ASN
5	E	112	CYS
5	E	118	ASN
5	E	144	LEU
5	E	179	ILE
5	E	184	ASN
5	E	188	LEU
5	E	194	GLU
5	E	202	ASP
5	E	207	VAL
5	E	208	ASP
5	E	222	THR
5	E	231	LYS
6	F	14	ASP
6	F	58	GLN
6	F	94	SER
6	F	96	LYS
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	148	GLU
6	F	163	LYS
6	F	165	ARG
6	F	166	GLN
6	F	167	SER
6	F	172	LEU
6	F	181	GLU
6	F	203	ASN
6	F	206	LYS
6	F	214	TRP
6	F	221	ASN
6	F	240	GLN
6	F	241	LYS
7	G	24	LYS
7	G	26	THR
7	G	28	GLN
7	G	34	LEU
7	G	39	LYS
7	G	53	LYS
7	G	83	ASN
7	G	115	LEU
7	G	117	GLN
7	G	165	LYS
7	G	166	GLN
7	G	178	LYS
7	G	221	LYS
7	G	230	GLU
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN
8	H	34	LEU
8	H	56	THR
8	H	68	LEU
8	H	127	LEU
8	H	153	LYS
8	H	196	ARG
9	I	1	SER
9	I	37	ASN
9	I	92	SER
9	I	114	LYS
9	I	126	ILE
9	I	171	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	182	TRP
9	I	192	ASP
10	J	2	ASP
10	J	23	ARG
10	J	35	THR
10	J	75	LEU
10	J	78	GLN
10	J	110	LYS
10	J	144	LEU
10	J	163	LEU
10	J	174	MET
10	J	194	ASP
11	K	4	LEU
11	K	9	GLN
11	K	31	VAL
11	K	35	ILE
11	K	41	LEU
11	K	73	ARG
11	K	106	ARG
11	K	148	LEU
11	K	182	GLU
12	L	1	GLN
12	L	3	ASN
12	L	13	LEU
12	L	23	LEU
12	L	49	ASN
12	L	150	LEU
12	L	167	LYS
13	M	2	GLN
13	M	43	ILE
13	M	48	ASN
13	M	68	LYS
13	M	70	LEU
13	M	104	ARG
13	M	138	SER
13	M	161	ARG
13	M	187	ARG
13	M	212	LEU
13	M	213	GLN
13	M	215	GLU
13	M	223	LYS
14	N	9	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	N	20	THR
14	N	36	ARG
14	N	44	CYS
14	N	104	ASP
14	N	119	VAL
14	N	144	GLU
14	N	178	LEU
1	O	2	THR
1	O	17	LYS
1	O	29	LYS
1	O	30	GLN
1	O	59	GLU
1	O	61	LEU
1	O	108	LYS
1	O	122	THR
1	O	157	PHE
1	O	231	LYS
2	P	50	LYS
2	P	54	THR
2	P	55	LEU
2	P	56	LEU
2	P	58	GLN
2	P	79	LEU
2	P	119	GLN
2	P	149	THR
2	P	180	LYS
2	P	184	LYS
2	P	191	LEU
2	P	194	LYS
2	P	237	ILE
2	P	244	THR
3	Q	4	ARG
3	Q	38	ASN
3	Q	48	SER
3	Q	49	THR
3	Q	51	LYS
3	Q	55	THR
3	Q	61	LYS
3	Q	70	VAL
3	Q	77	ASN
3	Q	116	GLN
3	Q	147	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	Q	160	GLN
3	Q	167	LYS
3	Q	169	VAL
3	Q	175	LYS
3	Q	180	LYS
3	Q	187	GLU
3	Q	206	LYS
3	Q	235	GLU
3	Q	239	GLN
3	Q	240	GLU
4	R	4	VAL
4	R	12	ARG
4	R	20	LEU
4	R	40	LEU
4	R	51	LEU
4	R	54	ASP
4	R	60	VAL
4	R	99	ILE
4	R	125	LEU
4	R	169	GLU
4	R	176	LEU
4	R	190	LEU
4	R	193	LEU
4	R	197	LYS
4	R	202	GLU
4	R	214	ILE
4	R	224	ASP
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	8	ASP
5	S	9	THR
5	S	10	VAL
5	S	25	LEU
5	S	29	LYS
5	S	55	LEU
5	S	60	LYS
5	S	61	LYS
5	S	71	LEU
5	S	112	CYS
5	S	118	ASN
5	S	144	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	S	179	ILE
5	S	184	ASN
5	S	188	LEU
5	S	194	GLU
5	S	202	ASP
5	S	207	VAL
5	S	208	ASP
5	S	222	THR
5	S	231	LYS
6	T	14	ASP
6	T	58	GLN
6	T	94	SER
6	T	96	LYS
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	148	GLU
6	T	163	LYS
6	T	165	ARG
6	T	166	GLN
6	T	167	SER
6	T	172	LEU
6	T	181	GLU
6	T	203	ASN
6	T	206	LYS
6	T	214	TRP
6	T	221	ASN
6	T	240	GLN
6	T	241	LYS
7	U	24	LYS
7	U	26	THR
7	U	28	GLN
7	U	34	LEU
7	U	39	LYS
7	U	53	LYS
7	U	83	ASN
7	U	115	LEU
7	U	117	GLN
7	U	165	LYS
7	U	166	GLN
7	U	178	LYS
7	U	221	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	U	230	GLU
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN
8	V	34	LEU
8	V	56	THR
8	V	68	LEU
8	V	127	LEU
8	V	153	LYS
8	V	196	ARG
9	W	1	SER
9	W	37	ASN
9	W	92	SER
9	W	114	LYS
9	W	126	ILE
9	W	171	LEU
9	W	182	TRP
9	W	192	ASP
10	X	2	ASP
10	X	23	ARG
10	X	35	THR
10	X	75	LEU
10	X	78	GLN
10	X	110	LYS
10	X	144	LEU
10	X	163	LEU
10	X	174	MET
10	X	194	ASP
11	Y	4	LEU
11	Y	9	GLN
11	Y	31	VAL
11	Y	35	ILE
11	Y	41	LEU
11	Y	73	ARG
11	Y	106	ARG
11	Y	148	LEU
11	Y	182	GLU
12	Z	1	GLN
12	Z	3	ASN
12	Z	13	LEU
12	Z	23	LEU
12	Z	49	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	150	LEU
12	Z	167	LYS
13	a	2	GLN
13	a	43	ILE
13	a	48	ASN
13	a	68	LYS
13	a	70	LEU
13	a	104	ARG
13	a	138	SER
13	a	161	ARG
13	a	187	ARG
13	a	212	LEU
13	a	213	GLN
13	a	215	GLU
13	a	223	LYS
14	b	9	LYS
14	b	20	THR
14	b	36	ARG
14	b	44	CYS
14	b	104	ASP
14	b	119	VAL
14	b	144	GLU
14	b	178	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (151) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	30	GLN
1	A	94	HIS
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
2	B	176	GLN
3	C	17	GLN
3	C	38	ASN
3	C	77	ASN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	160	GLN
4	D	15	GLN
4	D	100	ASN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	151	ASN
5	E	165	GLN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
6	F	240	GLN
7	G	30	ASN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	167	GLN
7	G	175	ASN
7	G	186	ASN
8	H	30	ASN
8	H	57	GLN
8	H	66	HIS
8	H	86	HIS
8	H	144	GLN
8	H	165	ASN
8	H	172	ASN
8	H	189	ASN
9	I	31	GLN
9	I	37	ASN
10	J	55	GLN
10	J	118	GLN
10	J	146	HIS
10	J	147	HIS
10	J	191	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	K	85	ASN
11	K	143	ASN
11	K	176	ASN
12	L	3	ASN
12	L	49	ASN
12	L	70	ASN
12	L	76	HIS
12	L	158	ASN
12	L	195	HIS
13	M	48	ASN
13	M	102	GLN
13	M	108	ASN
13	M	179	ASN
13	M	194	ASN
13	M	213	GLN
14	N	38	HIS
14	N	69	GLN
14	N	161	GLN
1	O	30	GLN
1	O	94	HIS
2	P	20	GLN
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
3	Q	17	GLN
3	Q	38	ASN
3	Q	77	ASN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	100	ASN
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	S	151	ASN
5	S	165	GLN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
6	T	240	GLN
7	U	30	ASN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	167	GLN
7	U	175	ASN
7	U	186	ASN
8	V	30	ASN
8	V	57	GLN
8	V	66	HIS
8	V	86	HIS
8	V	144	GLN
8	V	165	ASN
8	V	172	ASN
8	V	189	ASN
9	W	31	GLN
9	W	37	ASN
10	X	55	GLN
10	X	86	GLN
10	X	118	GLN
10	X	146	HIS
10	X	147	HIS
10	X	191	GLN
11	Y	85	ASN
11	Y	143	ASN
11	Y	176	ASN
12	Z	3	ASN
12	Z	49	ASN
12	Z	70	ASN
12	Z	76	HIS
12	Z	79	HIS
12	Z	158	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	195	HIS
13	a	48	ASN
13	a	102	GLN
13	a	108	ASN
13	a	179	ASN
13	a	194	ASN
13	a	213	GLN
14	b	38	HIS
14	b	69	GLN
14	b	161	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 16 ligands modelled in this entry, 8 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
16	MES	Y	302	-	12,12,12	2.30	1 (8%)	14,16,16	1.42	2 (14%)
16	MES	K	302	-	12,12,12	2.30	1 (8%)	14,16,16	1.39	1 (7%)
17	38N	Y	303	-	43,44,44	2.39	4 (9%)	51,58,58	1.43	5 (9%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
16	MES	H	302	-	12,12,12	2.20	1 (8%)	14,16,16	1.48	1 (7%)
17	38N	V	303	-	43,44,44	2.38	4 (9%)	51,58,58	1.44	5 (9%)
17	38N	H	303	-	43,44,44	2.35	4 (9%)	51,58,58	1.46	6 (11%)
16	MES	V	302	-	12,12,12	2.15	1 (8%)	14,16,16	1.44	3 (21%)
17	38N	K	303	-	43,44,44	2.43	4 (9%)	51,58,58	1.42	5 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	MES	Y	302	-	-	0/6/14/14	0/1/1/1
16	MES	K	302	-	-	0/6/14/14	0/1/1/1
17	38N	Y	303	-	-	10/44/60/60	0/3/3/3
16	MES	H	302	-	-	3/6/14/14	0/1/1/1
17	38N	V	303	-	-	8/44/60/60	0/3/3/3
17	38N	H	303	-	-	8/44/60/60	0/3/3/3
16	MES	V	302	-	-	3/6/14/14	0/1/1/1
17	38N	K	303	-	-	10/44/60/60	0/3/3/3

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	K	303	38N	O32-C31	13.87	1.44	1.21
17	Y	303	38N	O32-C31	13.61	1.43	1.21
17	V	303	38N	O32-C31	13.55	1.43	1.21
17	H	303	38N	O32-C31	13.29	1.43	1.21
16	Y	302	MES	C8-S	-7.71	1.66	1.77
16	K	302	MES	C8-S	-7.70	1.66	1.77
16	H	302	MES	C8-S	-7.34	1.67	1.77
16	V	302	MES	C8-S	-7.19	1.67	1.77
17	H	303	38N	C17-C18	-4.53	1.40	1.51
17	V	303	38N	C17-C18	-4.51	1.40	1.51
17	Y	303	38N	C37-C31	4.07	1.65	1.52
17	K	303	38N	C17-C18	-3.99	1.41	1.51
17	Y	303	38N	C17-C18	-3.98	1.41	1.51
17	K	303	38N	C37-C31	3.96	1.64	1.52
17	V	303	38N	C37-C31	3.78	1.64	1.52
17	H	303	38N	C37-C31	3.71	1.64	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	K	303	38N	C29-C31	3.09	1.57	1.52
17	Y	303	38N	C29-C31	2.95	1.57	1.52
17	H	303	38N	C29-C31	2.91	1.57	1.52
17	V	303	38N	C29-C31	2.71	1.56	1.52

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	Y	303	38N	O32-C31-C37	-6.33	109.53	121.26
17	K	303	38N	O32-C31-C37	-6.32	109.54	121.26
17	H	303	38N	O32-C31-C37	-5.64	110.80	121.26
17	V	303	38N	O32-C31-C37	-5.62	110.83	121.26
17	Y	303	38N	C4-N5-C10	4.39	117.90	111.09
17	K	303	38N	C4-N5-C10	4.35	117.84	111.09
16	H	302	MES	O2S-S-C8	4.17	111.94	106.92
17	V	303	38N	C7-C6-N5	-3.80	104.34	110.10
17	H	303	38N	C7-C6-N5	-3.77	104.38	110.10
16	V	302	MES	O2S-S-C8	3.76	111.44	106.92
16	Y	302	MES	O3S-S-C8	3.74	111.81	105.77
16	K	302	MES	O3S-S-C8	3.69	111.74	105.77
17	H	303	38N	C2-C4-N5	-3.19	105.95	113.36
17	V	303	38N	C2-C4-N5	-3.10	106.16	113.36
17	V	303	38N	C9-C10-N5	2.87	114.45	110.10
17	H	303	38N	C9-C10-N5	2.84	114.41	110.10
17	K	303	38N	O8-C9-C10	-2.82	105.58	111.80
17	Y	303	38N	O8-C9-C10	-2.72	105.81	111.80
17	Y	303	38N	C30-C41-C46	-2.69	105.88	111.73
17	K	303	38N	C30-C41-C46	-2.69	105.89	111.73
17	Y	303	38N	C43-C42-C41	-2.46	107.50	112.15
17	K	303	38N	C43-C42-C41	-2.44	107.53	112.15
17	H	303	38N	C30-C41-C46	-2.37	106.58	111.73
17	V	303	38N	C30-C41-C46	-2.31	106.71	111.73
16	Y	302	MES	O2S-S-C8	2.10	109.45	106.92
16	V	302	MES	O3S-S-C8	2.06	109.10	105.77
17	H	303	38N	O8-C7-C6	-2.05	107.27	111.80
16	V	302	MES	O1S-S-C8	2.04	109.37	106.92

There are no chirality outliers.

All (42) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	Y	303		C2-C4-N5-C10

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
17	Y	303	38N	C29-C31-C37-C38
17	Y	303	38N	O32-C31-C37-C38
16	H	302	MES	C7-C8-S-O1S
16	H	302	MES	C7-C8-S-O3S
17	V	303	38N	C29-C31-C37-C38
17	V	303	38N	O32-C31-C37-C38
17	V	303	38N	C31-C37-C39-O40
17	V	303	38N	C38-C37-C39-O40
17	H	303	38N	C29-C31-C37-C38
17	H	303	38N	O32-C31-C37-C38
17	H	303	38N	C31-C37-C39-O40
17	H	303	38N	C38-C37-C39-O40
17	K	303	38N	C2-C4-N5-C10
17	K	303	38N	C29-C31-C37-C38
17	K	303	38N	O32-C31-C37-C38
17	K	303	38N	C24-C21-O22-C23
17	K	303	38N	C20-C21-O22-C23
17	Y	303	38N	C24-C21-O22-C23
17	Y	303	38N	C20-C21-O22-C23
16	V	302	MES	C7-C8-S-O3S
17	Y	303	38N	O3-C2-C4-N5
17	K	303	38N	O3-C2-C4-N5
17	Y	303	38N	N1-C2-C4-N5
17	V	303	38N	N1-C2-C4-N5
17	H	303	38N	N1-C2-C4-N5
17	K	303	38N	N1-C2-C4-N5
17	H	303	38N	O3-C2-C4-N5
17	V	303	38N	O3-C2-C4-N5
16	H	302	MES	C7-C8-S-O2S
16	V	302	MES	C7-C8-S-O1S
16	V	302	MES	C7-C8-S-O2S
17	Y	303	38N	C29-C31-C37-C39
17	K	303	38N	C29-C31-C37-C39
17	Y	303	38N	C30-C29-C31-O32
17	V	303	38N	C30-C29-C31-O32
17	H	303	38N	C30-C29-C31-O32
17	K	303	38N	C30-C29-C31-O32
17	Y	303	38N	N28-C29-C31-C37
17	V	303	38N	N28-C29-C31-C37
17	H	303	38N	N28-C29-C31-C37
17	K	303	38N	N28-C29-C31-C37


There are no ring outliers.

4 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	Y	303	38N	2	0
17	V	303	38N	1	0
17	H	303	38N	1	0
17	K	303	38N	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





Ligand 38N H 303





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.37	5 (2%) 65 63	37, 52, 85, 135	0
1	O	250/250 (100%)	-0.34	6 (2%) 59 57	40, 57, 102, 133	0
2	B	244/258 (94%)	-0.24	9 (3%) 41 41	35, 56, 105, 152	0
2	P	244/258 (94%)	-0.18	13 (5%) 26 25	41, 60, 108, 157	0
3	C	240/254 (94%)	-0.08	13 (5%) 25 24	37, 59, 121, 145	0
3	Q	240/254 (94%)	0.20	21 (8%) 10 9	44, 74, 146, 162	0
4	D	235/260 (90%)	-0.35	1 (0%) 92 91	39, 60, 91, 129	0
4	R	235/260 (90%)	-0.23	4 (1%) 70 68	44, 65, 102, 130	0
5	E	231/234 (98%)	-0.17	5 (2%) 62 60	45, 64, 99, 151	0
5	S	231/234 (98%)	-0.04	9 (3%) 39 38	48, 70, 111, 143	0
6	F	243/288 (84%)	-0.34	9 (3%) 41 41	41, 58, 109, 141	0
6	T	243/288 (84%)	-0.21	11 (4%) 33 31	43, 62, 107, 145	0
7	G	241/252 (95%)	-0.32	7 (2%) 51 50	39, 55, 92, 144	0
7	U	241/252 (95%)	-0.37	4 (1%) 70 68	40, 55, 91, 112	0
8	H	222/232 (95%)	-0.51	2 (0%) 84 82	37, 49, 71, 124	0
8	V	222/232 (95%)	-0.46	2 (0%) 84 82	37, 51, 75, 124	0
9	I	204/205 (99%)	-0.67	2 (0%) 82 80	35, 46, 74, 102	0
9	W	204/205 (99%)	-0.61	1 (0%) 91 89	33, 47, 74, 122	0
10	J	195/198 (98%)	-0.55	2 (1%) 82 80	32, 47, 74, 135	0
10	X	195/198 (98%)	-0.51	3 (1%) 73 72	36, 50, 79, 149	0
11	K	212/212 (100%)	-0.55	1 (0%) 91 89	33, 48, 75, 103	0
11	Y	212/212 (100%)	-0.55	2 (0%) 84 82	36, 50, 76, 111	0
12	L	222/222 (100%)	-0.59	0 100 100	33, 50, 73, 87	0
12	Z	222/222 (100%)	-0.55	1 (0%) 91 89	36, 50, 74, 95	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.56	2 (0%) 84 82	34, 52, 76, 88	0
13	a	233/246 (94%)	-0.53	1 (0%) 92 91	34, 50, 75, 90	0
14	N	196/196 (100%)	-0.39	2 (1%) 82 80	33, 53, 81, 112	0
14	b	196/196 (100%)	-0.44	0 100 100	34, 52, 80, 108	0
All	All	6336/6614 (95%)	-0.37	138 (2%) 62 60	32, 55, 98, 162	0

All (138) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	P	219	ALA	9.8
2	P	51	VAL	7.3
2	B	219	ALA	6.6
3	Q	49	THR	6.4
3	C	206	LYS	6.2
3	Q	50	LEU	6.2
8	V	221	CYS	6.1
3	C	49	THR	5.8
10	X	194	ASP	5.5
5	E	202	ASP	5.4
3	Q	239	GLN	5.4
2	P	218	GLY	5.3
5	S	202	ASP	4.8
3	Q	240	GLU	4.8
3	Q	206	LYS	4.7
3	Q	48	SER	4.6
2	B	220	ASN	4.6
10	X	1	MET	4.6
6	F	243	ILE	4.6
3	Q	238	LYS	4.5
3	C	202	GLN	4.4
2	B	51	VAL	4.4
3	Q	203	THR	4.4
9	W	1	SER	4.3
8	V	222	ASP	4.1
4	D	242	GLU	4.1
7	G	240	ALA	4.1
2	P	220	ASN	4.1
2	B	221	ASP	4.0
2	B	218	GLY	4.0
2	P	222	GLY	3.9
8	H	221	CYS	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
10	J	194	ASP	3.8
1	O	249	ALA	3.8
1	A	1	MET	3.8
3	C	225	GLU	3.8
6	T	243	ILE	3.8
6	T	241	LYS	3.7
7	G	242	GLN	3.7
1	O	52	SER	3.6
3	Q	236	GLN	3.6
10	J	1	MET	3.6
3	C	236	GLN	3.6
5	S	204	SER	3.6
6	F	205	GLU	3.5
3	C	180	LYS	3.5
2	P	59	ASP	3.5
3	C	203	THR	3.4
3	C	238	LYS	3.4
3	C	240	GLU	3.3
13	M	1	THR	3.3
6	F	202	ASP	3.3
1	A	249	ALA	3.3
2	B	50	LYS	3.3
8	H	222	ASP	3.3
6	F	244	ASN	3.3
2	P	221	ASP	3.1
7	U	242	GLN	3.1
5	E	123	GLY	3.1
2	B	203	SER	3.1
3	Q	202	GLN	3.1
1	A	201	GLU	3.0
3	Q	223	SER	3.0
3	C	175	LYS	2.9
1	O	201	GLU	2.9
14	N	104	ASP	2.9
6	F	215	CYS	2.9
6	T	244	ASN	2.9
13	a	1	THR	2.9
6	T	215	CYS	2.9
1	O	231	LYS	2.8
1	A	248	GLU	2.8
1	O	1	MET	2.8
3	C	239	GLN	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	250	LEU	2.8
3	C	50	LEU	2.8
7	U	2	GLY	2.7
6	F	203	ASN	2.7
1	O	2	THR	2.7
3	Q	229	GLN	2.7
4	R	241	ALA	2.7
11	Y	212	GLY	2.7
6	T	181	GLU	2.6
4	R	125	LEU	2.6
5	S	233	ILE	2.6
2	B	60	THR	2.6
5	S	54	GLU	2.6
5	S	173	ARG	2.6
7	G	241	GLU	2.6
9	I	1	SER	2.6
11	Y	106	ARG	2.6
3	Q	59	PRO	2.5
6	F	180	PRO	2.5
5	E	201	ARG	2.5
14	N	105	LYS	2.5
3	Q	225	GLU	2.5
7	G	3	TYR	2.5
2	P	240	LYS	2.5
13	M	216	ASN	2.5
5	E	233	ILE	2.5
2	P	203	SER	2.5
7	U	241	GLU	2.5
3	Q	141	ASP	2.5
5	S	203	GLU	2.5
5	S	180	LYS	2.5
6	T	180	PRO	2.5
7	G	2	GLY	2.5
2	P	52	THR	2.4
10	X	193	ASP	2.4
7	U	206	GLY	2.4
3	Q	233	GLN	2.4
6	F	2	THR	2.4
2	P	182	ASP	2.3
2	P	244	THR	2.3
3	C	59	PRO	2.3
6	T	2	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	R	2	ARG	2.3
5	S	58	TYR	2.3
12	Z	210	ASP	2.3
7	G	181	LYS	2.2
3	Q	51	LYS	2.2
6	T	53	LYS	2.2
2	B	240	LYS	2.2
7	G	179	LYS	2.2
3	Q	175	LYS	2.2
3	Q	237	GLU	2.1
3	Q	181	GLU	2.1
6	F	181	GLU	2.1
3	Q	47	ARG	2.1
6	T	205	GLU	2.1
9	I	192	ASP	2.1
5	E	30	GLN	2.1
5	S	201	ARG	2.1
6	T	230	ASP	2.1
11	K	212	GLY	2.1
4	R	230	GLU	2.1
2	P	230	LYS	2.1
6	T	217	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
15	MG	H	301	1/1	0.71	0.15	69,69,69,69	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
17	38N	H	303	42/42	0.92	0.15	31,42,62,69	0
15	MG	G	301	1/1	0.93	0.12	54,54,54,54	0
17	38N	V	303	42/42	0.94	0.13	34,44,60,69	0
15	MG	I	301	1/1	0.94	0.23	58,58,58,58	0
17	38N	K	303	42/42	0.94	0.13	34,39,51,61	0
17	38N	Y	303	42/42	0.95	0.12	31,41,54,62	0
16	MES	H	302	12/12	0.95	0.14	60,72,79,83	0
16	MES	V	302	12/12	0.95	0.17	70,75,80,81	0
16	MES	Y	302	12/12	0.96	0.13	42,45,53,56	0
15	MG	N	201	1/1	0.96	0.09	48,48,48,48	0
16	MES	K	302	12/12	0.96	0.12	43,47,53,58	0
15	MG	K	301	1/1	0.96	0.10	51,51,51,51	0
15	MG	Z	301	1/1	0.97	0.27	57,57,57,57	0
15	MG	Y	301	1/1	0.98	0.05	49,49,49,49	0
15	MG	V	301	1/1	0.98	0.04	54,54,54,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 38N H 303:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 38N V 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 38N K 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 38N Y 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.