



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 22, 2020 – 05:47 AM BST

PDB ID : 6QNZ
Title : Crystal structure of the site-specific DNA nickase N.BspD6I E418A Mutant
Authors : Artyukh, R.I.; Kachalova, G.S.; Yunusova, A.K.; Gabdulkhakov, A.G.; Fatkhullin, B.F.; Atanasov, B.P.; Perevyazova, T.A.; Popov, A.N.; Zhelez-naya, L.A.
Deposited on : 2019-02-12
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	604	<div> <div>4%</div> <div> <div></div> <div>83%</div> <div>10%</div> <div>• 5%</div> </div> </div>
1	B	604	<div> <div>5%</div> <div> <div></div> <div>74%</div> <div>19%</div> <div>• 6%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PO4	A	703	-	-	X	-
3	PO4	B	703	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 9515 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Heterodimeric restriction endonuclease R.BspD6I large subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	575	Total	C	N	O	S	0	3	0
			4774	3065	806	888	15			
1	B	567	Total	C	N	O	S	0	0	0
			4695	3016	792	872	15			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	418	ALA	GLU	engineered mutation	UNP A3FEV7
B	418	ALA	GLU	engineered mutation	UNP A3FEV7

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	6	Total	O	0	0
			6	6		
4	B	3	Total	O	0	0
			3	3		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Heterodimeric restriction endonuclease R.BspD6I large subunit



- Molecule 1: Heterodimeric restriction endonuclease R.BspD6I large subunit



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	76.43 Å 92.25 Å 113.80 Å 90.00° 105.61° 90.00°	Depositor
Resolution (Å)	47.11 – 2.45 47.11 – 2.45	Depositor EDS
% Data completeness (in resolution range)	87.8 (47.11-2.45) 88.0 (47.11-2.45)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.89 (at 2.45 Å)	Xtriage
Refinement program	PHENIX (1.11.1 _2575: ???)	Depositor
R, R_{free}	0.231 , 0.243 0.231 , 0.244	Depositor DCC
R_{free} test set	2468 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	58.8	Xtriage
Anisotropy	0.514	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 48.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9515	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 67.82 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.8327e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/4868	0.44	0/6553
1	B	0.29	0/4786	0.43	0/6442
All	All	0.29	0/9654	0.43	0/12995

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4774	0	4813	53	0
1	B	4695	0	4744	80	0
2	A	12	0	16	5	0
3	A	10	0	0	5	0
3	B	15	0	0	3	0
4	A	6	0	0	1	0
4	B	3	0	0	1	0
All	All	9515	0	9573	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:228:GLU:HA	1:B:231:MET:SD	1.88	1.14
1:B:228:GLU:HA	1:B:231:MET:CG	1.79	1.12
1:B:228:GLU:HA	1:B:231:MET:HG2	1.33	1.10
1:B:228:GLU:CA	1:B:231:MET:HG2	1.89	1.02
1:A:187:LYS:HE3	1:A:187:LYS:N	1.78	0.98
1:B:228:GLU:O	1:B:231:MET:HG2	1.65	0.96
1:A:264:LYS:HE2	2:A:702:GOL:H11	1.48	0.93
1:A:412[A]:ASN:HD21	3:A:703:PO4:P	1.93	0.91
1:A:187:LYS:H	1:A:187:LYS:HE3	1.33	0.91
1:B:228:GLU:C	1:B:231:MET:HG2	1.93	0.88
1:A:412[A]:ASN:ND2	3:A:703:PO4:P	2.47	0.86
1:A:3:LYS:HD3	1:A:132:GLU:OE1	1.81	0.80
1:B:449:HIS:ND1	3:B:703:PO4:O2	2.15	0.79
1:B:396:GLU:HG2	1:B:400:VAL:HG11	1.67	0.77
1:A:264:LYS:HE2	2:A:702:GOL:C1	2.17	0.74
1:A:436:ASN:HD21	2:A:701:GOL:H12	1.54	0.73
1:B:146:LYS:NZ	1:B:269:ASP:OD1	2.21	0.73
1:A:186:ILE:HD13	1:A:186:ILE:N	2.03	0.71
1:B:181:ASN:O	1:B:185:LYS:HG2	1.92	0.69
1:B:199:TYR:HA	1:B:202:LYS:HG2	1.73	0.69
1:B:228:GLU:CA	1:B:231:MET:SD	2.77	0.67
1:A:412[A]:ASN:ND2	3:A:703:PO4:O2	2.26	0.67
1:A:404:LYS:O	1:A:408:ARG:NH1	2.27	0.67
1:B:175:GLU:OE2	1:B:203:ARG:NH1	2.28	0.65
1:B:228:GLU:O	1:B:232:ARG:N	2.25	0.65
1:B:232:ARG:HG3	1:B:233:ASN:N	2.13	0.64
1:B:318:ASN:HD22	1:B:339:LEU:HD21	1.61	0.64
1:A:254:ARG:HD2	1:A:259:VAL:HG21	1.80	0.62
1:B:186:ILE:O	1:B:192:LYS:NZ	2.33	0.61
1:A:412[A]:ASN:ND2	3:A:703:PO4:O1	2.33	0.61
1:A:50:LEU:HD12	1:A:53:LEU:HD12	1.82	0.61
1:B:412:ASN:OD1	1:B:413:LYS:N	2.34	0.60
1:B:529:VAL:HG12	1:B:530:GLN:HG2	1.84	0.59
1:B:184:GLU:OE1	1:B:187:LYS:NZ	2.32	0.59
1:B:201:PHE:CE1	1:B:227:ILE:HG12	2.39	0.58
1:B:228:GLU:O	1:B:231:MET:CG	2.46	0.58
1:A:252:VAL:HG11	1:A:443:GLU:HG3	1.85	0.58
1:B:470:VAL:HG12	1:B:511:ILE:HB	1.84	0.58
1:B:579:GLU:OE2	1:B:584:GLN:HG3	2.03	0.58
1:A:222:SER:OG	1:A:223:HIS:N	2.39	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:330:PRO:O	1:B:333:LYS:HG3	2.07	0.54
1:A:392:GLU:OE1	1:A:543:ASN:ND2	2.41	0.54
1:B:252:VAL:HG21	1:B:443:GLU:HG3	1.88	0.54
1:A:194:GLU:OE2	1:B:283:ARG:NH1	2.41	0.54
1:A:175[A]:GLU:CD	1:A:203:ARG:HH12	2.10	0.53
1:B:192:LYS:O	1:B:196:THR:HG23	2.08	0.53
1:B:342:ILE:HD12	1:B:365:LEU:HD22	1.90	0.53
1:B:412:ASN:O	1:B:416:VAL:HG23	2.09	0.52
1:A:2:ALA:O	1:A:127:GLU:HG2	2.09	0.52
1:B:104:ARG:NH2	3:B:701:PO4:O3	2.29	0.52
1:A:440:ILE:H	2:A:701:GOL:H32	1.74	0.52
1:A:449:HIS:HD2	1:A:450:ALA:O	1.93	0.51
1:B:229:THR:HA	1:B:232:ARG:HG2	1.93	0.51
1:A:549:GLN:NE2	4:A:801:HOH:O	2.28	0.51
1:B:172:ILE:O	1:B:176:ILE:HG23	2.09	0.51
1:B:115:LYS:NZ	1:B:293:ASN:O	2.43	0.51
1:B:159:PHE:CD2	1:B:176:ILE:HG22	2.46	0.50
1:B:176:ILE:HG13	1:B:177:MET:N	2.26	0.50
1:A:334:VAL:HG21	1:A:432:LEU:HB3	1.93	0.50
1:B:569:VAL:O	1:B:573:ARG:HG2	2.12	0.49
1:B:342:ILE:HD13	1:B:361:HIS:HB3	1.94	0.49
1:A:483:SER:OG	1:A:522:GLU:HG2	2.13	0.49
1:B:339:LEU:HG	1:B:365:LEU:HD23	1.95	0.49
1:A:440:ILE:H	2:A:701:GOL:C3	2.26	0.49
1:B:310:LEU:HD23	1:B:359:ILE:HD13	1.95	0.48
1:A:158:MET:HG2	1:A:200:PHE:CD1	2.49	0.48
1:B:97:LYS:HE3	1:B:101:ASN:HD21	1.79	0.48
1:B:513:PRO:HA	1:B:539:LEU:HB3	1.96	0.48
1:A:318:ASN:HB3	1:A:339:LEU:HD21	1.96	0.47
1:A:310:LEU:HD23	1:A:359:ILE:HD13	1.97	0.47
1:B:280:ASN:O	1:B:280:ASN:ND2	2.47	0.47
1:A:232:ARG:HG3	1:A:232:ARG:HH11	1.80	0.47
1:B:399:ASN:OD1	1:B:400:VAL:N	2.48	0.47
1:B:2:ALA:O	1:B:127:GLU:HG2	2.15	0.47
1:A:569:VAL:O	1:A:573:ARG:HG2	2.15	0.47
1:A:401:ILE:O	1:A:405:ILE:HG12	2.15	0.46
1:A:543:ASN:O	1:A:547:MET:HG3	2.16	0.46
1:B:401:ILE:O	1:B:405:ILE:HG12	2.16	0.46
1:B:442:GLU:HG2	4:B:802:HOH:O	2.15	0.46
1:B:594:ASN:O	1:B:598:VAL:HG23	2.16	0.46
1:B:183:ARG:HE	1:B:196:THR:HG21	1.80	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:186:ILE:N	1:A:186:ILE:CD1	2.73	0.46
1:B:335:GLU:HG3	1:B:369:LEU:HD23	1.97	0.46
1:B:471:THR:HB	1:B:482:GLU:OE2	2.15	0.46
1:B:525:LYS:O	1:B:529:VAL:HB	2.16	0.46
1:A:175[A]:GLU:OE1	1:A:203:ARG:NH2	2.42	0.45
1:A:453:ASN:HA	1:A:488:ARG:HH12	1.81	0.45
1:B:365:LEU:HA	1:B:365:LEU:HD12	1.73	0.45
1:B:600:LYS:HD3	1:B:600:LYS:HA	1.84	0.45
1:B:156:ILE:HA	1:B:160:CYS:HB2	1.98	0.45
1:A:398:LYS:O	1:A:402:GLU:HG3	2.17	0.45
1:B:493:LYS:O	1:B:497:LEU:HG	2.17	0.44
1:A:223:HIS:O	1:A:227:ILE:HG22	2.17	0.44
1:B:200:PHE:CE1	1:B:231:MET:HB2	2.53	0.44
1:B:97:LYS:HD2	1:B:97:LYS:HA	1.67	0.44
1:B:202:LYS:HG3	1:B:203:ARG:N	2.33	0.44
1:B:399:ASN:OD1	1:B:400:VAL:HG23	2.18	0.44
1:B:545:LEU:HD21	1:B:593:LEU:HD11	2.00	0.43
1:B:29:PHE:CZ	1:B:46:PHE:HA	2.54	0.43
1:A:8:TYR:CZ	1:A:10:SER:HA	2.53	0.43
1:A:315:ARG:HH11	1:A:339:LEU:HD23	1.83	0.43
1:A:2:ALA:O	1:A:127:GLU:CG	2.66	0.43
1:B:449:HIS:HD1	3:B:703:PO4:P	2.38	0.43
1:B:228:GLU:CA	1:B:231:MET:CG	2.61	0.43
1:B:9:VAL:H	1:B:237:VAL:HG13	1.84	0.43
1:B:313:ARG:O	1:B:317:GLU:HG3	2.19	0.43
1:B:305:GLU:OE1	1:B:305:GLU:N	2.36	0.42
1:A:318:ASN:CB	1:A:339:LEU:HD21	2.48	0.42
1:B:111:LYS:HD2	1:B:294:PRO:O	2.19	0.42
1:B:39:GLY:O	1:B:43:GLN:HG3	2.20	0.42
1:B:464:PHE:CE1	1:B:565:LYS:HB2	2.54	0.42
1:B:484:GLU:HB3	1:B:485:PRO:HD3	2.01	0.42
1:A:463:ASP:N	1:A:463:ASP:OD1	2.51	0.42
1:A:9:VAL:HG13	1:A:79:TYR:OH	2.20	0.42
1:A:175[A]:GLU:OE2	1:A:203:ARG:NH1	2.38	0.42
1:A:186:ILE:HG22	1:A:191:LYS:HB3	2.02	0.42
1:A:315:ARG:HD3	1:A:343:TYR:CE1	2.55	0.42
1:A:464:PHE:CE1	1:A:565:LYS:HB2	2.55	0.41
1:B:520:PHE:CE2	1:B:536:PRO:HG2	2.55	0.41
1:A:365:LEU:HA	1:A:365:LEU:HD12	1.76	0.41
1:A:565:LYS:O	1:A:569:VAL:HG23	2.20	0.41
1:A:104:ARG:NH2	3:A:704:PO4:O4	2.48	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:187:LYS:O	1:B:191:LYS:HD2	2.21	0.41
1:B:363:LYS:HD2	1:B:363:LYS:HA	1.60	0.41
1:B:231:MET:HE3	1:B:231:MET:HB3	1.74	0.41
1:B:97:LYS:HE3	1:B:101:ASN:ND2	2.36	0.41
1:A:374:LEU:HD11	1:A:444:LEU:HD23	2.02	0.41
1:A:37:VAL:HA	1:A:40:TYR:CE2	2.56	0.41
1:B:338:VAL:HB	1:B:365:LEU:HD21	2.03	0.41
1:B:321:LEU:HD23	1:B:321:LEU:HA	1.83	0.40
1:B:3:LYS:NZ	1:B:129:PRO:HG2	2.36	0.40
1:B:543:ASN:O	1:B:547:MET:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	571/604 (94%)	560 (98%)	11 (2%)	0	100	100
1	B	561/604 (93%)	550 (98%)	11 (2%)	0	100	100
All	All	1132/1208 (94%)	1110 (98%)	22 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	525/547 (96%)	508 (97%)	17 (3%)	39	50
1	B	516/547 (94%)	489 (95%)	27 (5%)	23	30
All	All	1041/1094 (95%)	997 (96%)	44 (4%)	30	39

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LYS
1	A	4	LYS
1	A	8	TYR
1	A	126	LYS
1	A	145	LEU
1	A	146	LYS
1	A	175[A]	GLU
1	A	186	ILE
1	A	187	LYS
1	A	200	PHE
1	A	232	ARG
1	A	254	ARG
1	A	283	ARG
1	A	315	ARG
1	A	339	LEU
1	A	370	LYS
1	A	480	LYS
1	B	3	LYS
1	B	8	TYR
1	B	18	LYS
1	B	24	LYS
1	B	132	GLU
1	B	152	SER
1	B	154	LEU
1	B	158	MET
1	B	175	GLU
1	B	177	MET
1	B	187	LYS
1	B	200	PHE
1	B	226	LYS
1	B	230	LYS
1	B	231	MET
1	B	232	ARG
1	B	321	LEU
1	B	328	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	339	LEU
1	B	340	GLU
1	B	382	ARG
1	B	392	GLU
1	B	396	GLU
1	B	408	ARG
1	B	514	GLU
1	B	515	ILE
1	B	578	CYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	B	701	-	4,4,4	1.18	0	6,6,6	0.50	0
2	GOL	A	701	-	5,5,5	0.18	0	5,5,5	0.43	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	A	702	-	5,5,5	0.20	0	5,5,5	0.65	0
3	PO4	A	704	-	4,4,4	1.22	0	6,6,6	0.73	0
3	PO4	B	702	-	4,4,4	1.11	0	6,6,6	0.44	0
3	PO4	A	703	-	4,4,4	1.37	0	6,6,6	0.56	0
3	PO4	B	703	-	4,4,4	1.49	0	6,6,6	0.91	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	701	-	-	4/4/4/4	-
2	GOL	A	702	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	GOL	O1-C1-C2-O2
2	A	701	GOL	O1-C1-C2-C3
2	A	701	GOL	C1-C2-C3-O3
2	A	702	GOL	O1-C1-C2-C3
2	A	702	GOL	C1-C2-C3-O3
2	A	701	GOL	O2-C2-C3-O3
2	A	702	GOL	O2-C2-C3-O3
2	A	702	GOL	O1-C1-C2-O2

There are no ring outliers.

6 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	701	PO4	1	0
2	A	701	GOL	3	0
2	A	702	GOL	2	0
3	A	704	PO4	1	0
3	A	703	PO4	4	0
3	B	703	PO4	2	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	575/604 (95%)	0.50	22 (3%) 40 37	38, 58, 93, 104	4 (0%)
1	B	567/604 (93%)	0.61	28 (4%) 29 27	44, 68, 94, 107	9 (1%)
All	All	1142/1208 (94%)	0.55	50 (4%) 34 32	38, 63, 93, 107	13 (1%)

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	185	LYS	6.7
1	B	37	VAL	4.5
1	A	207	ILE	4.4
1	B	183	ARG	4.2
1	A	2	ALA	4.1
1	A	37	VAL	3.9
1	B	191	LYS	3.8
1	B	553	ILE	3.7
1	A	176	ILE	3.5
1	B	189	GLN	3.5
1	A	208	TYR	3.5
1	B	176	ILE	3.5
1	B	2	ALA	3.5
1	A	36	GLY	3.5
1	A	209	GLY	3.4
1	B	193	LEU	3.3
1	A	283	ARG	3.2
1	B	186	ILE	3.2
1	B	159	PHE	3.1
1	A	226	LYS	3.1
1	B	479	PHE	2.9
1	B	69	THR	2.7
1	A	48	LYS	2.7
1	A	204	PHE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	40	TYR	2.6
1	A	39	GLY	2.6
1	B	3	LYS	2.6
1	B	190	ASN	2.5
1	A	225	SER	2.5
1	B	33	TYR	2.5
1	A	200	PHE	2.5
1	B	595	ASN	2.4
1	B	204	PHE	2.4
1	B	384	LEU	2.4
1	B	8	TYR	2.3
1	A	70	ARG	2.3
1	A	53	LEU	2.3
1	B	39	GLY	2.2
1	B	4	LYS	2.2
1	B	529	VAL	2.1
1	A	46	PHE	2.1
1	B	7	TRP	2.1
1	A	173	ALA	2.1
1	B	38	LYS	2.1
1	B	194	GLU	2.1
1	A	69	THR	2.1
1	A	203	ARG	2.1
1	B	151	LEU	2.0
1	A	480	LYS	2.0
1	B	559	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	GOL	A	702	6/6	0.57	0.29	80,84,88,90	0
2	GOL	A	701	6/6	0.83	0.34	38,51,59,60	6
3	PO4	B	702	5/5	0.84	0.30	55,60,63,76	5
3	PO4	A	704	5/5	0.89	0.20	57,59,64,72	5
3	PO4	B	703	5/5	0.92	0.20	61,61,69,78	5
3	PO4	A	703	5/5	0.95	0.13	52,53,55,60	5
3	PO4	B	701	5/5	0.97	0.16	54,55,64,65	5

6.5 Other polymers [i](#)

There are no such residues in this entry.