



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 15, 2020 – 06:48 am BST

PDB ID : 4QWS  
Title : yCP beta5-C63F mutant in complex with carfilzomib  
Authors : Huber, E.M.; Heinemeyer, W.; Groll, M.  
Deposited on : 2014-07-17  
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div><div>98%</div><div><div></div><div></div><div></div><div></div><div></div></div><div></div></div>
1	O	250	<div><div>%</div><div><div></div><div></div><div></div><div></div><div></div></div><div></div></div>
2	B	258	<div><div>2%</div><div><div></div><div></div><div></div><div></div><div></div></div><div></div></div>
2	P	258	<div><div>2%</div><div><div></div><div></div><div></div><div></div><div></div></div><div></div></div>
3	C	254	<div><div>2%</div><div><div></div><div></div><div></div><div></div><div></div></div><div></div></div>
3	Q	254	<div><div>4%</div><div><div></div><div></div><div></div><div></div><div></div></div><div></div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	260	 87% 10%
4	R	260	 87% 10%
5	E	234	 94% 5%
5	S	234	 93% 6%
6	F	288	 81% 16%
6	T	288	 81% 16%
7	G	252	 91% 5%
7	U	252	 90% 5%
8	H	232	 91% 5%
8	V	232	 91% 5%
9	I	205	 96%
9	W	205	 96%
10	J	198	 94%
10	X	198	 94%
11	K	212	 94% 5%
11	Y	212	 94% 6%
12	L	222	 95% 5%
12	Z	222	 95% 5%
13	M	246	 91% 5%
13	a	246	 92% 5%
14	N	196	 98%
14	b	196	 99%

## 2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 49824 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1906	1214	320	364	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	222	Total	C	N	O	S	0	0	0
			1684	1061	293	323	7			
8	V	222	Total	C	N	O	S	0	0	0
			1684	1061	293	323	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	212	Total	C	N	O	S	0	0	0
			1649	1051	280	312	6			
11	Y	212	Total	C	N	O	S	0	0	0
			1649	1051	280	312	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	63	PHE	CYS	ENGINEERED MUTATION	UNP P30656
Y	63	PHE	CYS	ENGINEERED MUTATION	UNP P30656

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			


- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			

- Molecule 15 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	G	1	Total Cl 1 1	0	0
15	b	1	Total Cl 1 1	0	0
15	N	1	Total Cl 1 1	0	0
15	U	1	Total Cl 1 1	0	0


- Molecule 16 is N-[(2S)-2-[(morpholin-4-ylacetyl)amino]-4-phenylbutanoyl]-L-leucyl-N-[(2R,3S,4S)-1,3-dihydroxy-2,6-dimethylheptan-4-yl]-L-phenylalaninamide (three-letter code: 3BV) (formula: C<sub>40</sub>H<sub>61</sub>N<sub>5</sub>O<sub>7</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	H	1	Total C N O 52 40 5 7	0	0
16	K	1	Total C N O 52 40 5 7	0	0
16	N	1	Total C N O 52 40 5 7	0	0
16	V	1	Total C N O 52 40 5 7	0	0
16	Y	1	Total C N O 52 40 5 7	0	0
16	b	1	Total C N O 52 40 5 7	0	0

- Molecule 17 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES)

(formula: C<sub>6</sub>H<sub>13</sub>NO<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
17	H	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
17	K	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
17	V	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
17	Y	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 18 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	I	1	Total	Mg	0	0
			1	1		
18	K	1	Total	Mg	0	0
			1	1		
18	N	1	Total	Mg	0	0
			1	1		
18	Y	1	Total	Mg	0	0
			1	1		

- Molecule 19 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	A	4	Total	O	0	0
			4	4		

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
19	B	8	Total O 8 8	0	0
19	C	5	Total O 5 5	0	0
19	D	4	Total O 4 4	0	0
19	E	3	Total O 3 3	0	0
19	F	2	Total O 2 2	0	0
19	G	5	Total O 5 5	0	0
19	H	6	Total O 6 6	0	0
19	I	2	Total O 2 2	0	0
19	J	10	Total O 10 10	0	0
19	K	4	Total O 4 4	0	0
19	L	9	Total O 9 9	0	0
19	M	8	Total O 8 8	0	0
19	N	3	Total O 3 3	0	0
19	O	4	Total O 4 4	0	0
19	P	5	Total O 5 5	0	0
19	Q	6	Total O 6 6	0	0
19	R	3	Total O 3 3	0	0
19	S	4	Total O 4 4	0	0
19	T	4	Total O 4 4	0	0
19	U	3	Total O 3 3	0	0
19	V	8	Total O 8 8	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	W	1	Total 1	O 1	0	0
19	X	9	Total 9	O 9	0	0
19	Y	7	Total 7	O 7	0	0
19	Z	8	Total 8	O 8	0	0
19	a	8	Total 8	O 8	0	0
19	b	8	Total 8	O 8	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proteasome subunit alpha type-2

Chain A:  98%



- Molecule 1: Proteasome subunit alpha type-2

Chain O:  97%




- Molecule 2: Proteasome subunit alpha type-3

Chain B:  90% 5%




- Molecule 2: Proteasome subunit alpha type-3

Chain P:  90% 5%




- Molecule 3: Proteasome subunit alpha type-4



Chain C:  89% 6%



- Molecule 3: Proteasome subunit alpha type-4



- Molecule 4: Proteasome subunit alpha type-5




- Molecule 4: Proteasome subunit alpha type-5





- Molecule 5: Proteasome subunit alpha type-6




- Molecule 5: Proteasome subunit alpha type-6




- Molecule 6: Probable proteasome subunit alpha type-7



- Molecule 6: Probable proteasome subunit alpha type-7





- Molecule 7: Proteasome subunit alpha type-1

Chain G: 91% 5% .




- Molecule 7: Proteasome subunit alpha type-1

Chain U: 90% 5% .




- Molecule 8: Proteasome subunit beta type-2

Chain H: 91% 5% .



- Molecule 8: Proteasome subunit beta type-2

Chain V: 91% 5% .




- Molecule 9: Proteasome subunit beta type-3

Chain I: 96% .



- Molecule 9: Proteasome subunit beta type-3

Chain W: 96% .



- Molecule 10: Proteasome subunit beta type-4



- Molecule 10: Proteasome subunit beta type-4




- Molecule 11: Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6



- Molecule 12: Proteasome subunit beta type-6



- Molecule 13: Proteasome subunit beta type-7




- Molecule 13: Proteasome subunit beta type-7

Chain a: 

92%

• 5%



- Molecule 14: Proteasome subunit beta type-1

Chain N: 

98%

•



- Molecule 14: Proteasome subunit beta type-1

Chain b: 

99%

•



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	137.68Å 300.99Å 145.99Å 90.00° 112.96° 90.00°	Depositor
Resolution (Å)	15.00 – 3.00 15.00 – 3.00	Depositor EDS
% Data completeness (in resolution range)	98.1 (15.00-3.00) 98.1 (15.00-3.00)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.98 (at 3.01Å)	Xtriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.174 , 0.214 0.182 , 0.218	Depositor DCC
$R_{free}$ test set	10591 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	73.9	Xtriage
Anisotropy	0.138	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 46.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	49824	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	80.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.67% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 3BV, MES, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.28	0/1952	0.47	0/2642
1	O	0.28	0/1952	0.47	0/2642
2	B	0.28	0/1934	0.48	0/2618
2	P	0.28	0/1934	0.48	0/2618
3	C	0.28	0/1910	0.50	0/2586
3	Q	0.28	0/1910	0.50	0/2586
4	D	0.28	0/1837	0.47	0/2475
4	R	0.28	0/1837	0.47	0/2475
5	E	0.28	0/1800	0.47	0/2433
5	S	0.28	0/1800	0.46	0/2433
6	F	0.28	0/1932	0.45	0/2609
6	T	0.28	0/1932	0.45	0/2609
7	G	0.28	0/1945	0.46	0/2634
7	U	0.28	0/1944	0.46	0/2632
8	H	0.26	0/1715	0.47	0/2326
8	V	0.27	0/1715	0.46	0/2326
9	I	0.29	0/1611	0.48	0/2174
9	W	0.29	0/1611	0.48	0/2174
10	J	0.28	0/1589	0.48	0/2142
10	X	0.28	0/1589	0.48	0/2142
11	K	0.28	0/1687	0.49	0/2282
11	Y	0.28	0/1687	0.49	0/2282
12	L	0.29	0/1795	0.47	0/2420
12	Z	0.28	0/1795	0.47	0/2420
13	M	0.28	0/1855	0.51	0/2514
13	a	0.28	0/1855	0.51	0/2514
14	N	0.27	0/1541	0.47	0/2087
14	b	0.27	0/1541	0.47	0/2087
All	All	0.28	0/50205	0.48	0/67882

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	1	0
1	O	1915	0	1929	3	0
2	B	1904	0	1904	6	0
2	P	1904	0	1904	4	0
3	C	1881	0	1895	7	0
3	Q	1881	0	1895	8	0
4	D	1813	0	1797	0	0
4	R	1813	0	1797	1	0
5	E	1773	0	1775	2	0
5	S	1773	0	1775	3	0
6	F	1892	0	1883	1	0
6	T	1892	0	1883	2	0
7	G	1907	0	1901	3	0
7	U	1906	0	1901	4	0
8	H	1684	0	1686	5	0
8	V	1684	0	1686	5	0
9	I	1581	0	1574	3	0
9	W	1581	0	1574	3	0
10	J	1561	0	1569	5	0
10	X	1561	0	1569	3	0
11	K	1649	0	1597	6	0
11	Y	1649	0	1597	5	0
12	L	1757	0	1711	5	0
12	Z	1757	0	1711	3	0
13	M	1824	0	1832	2	0
13	a	1824	0	1832	0	0
14	N	1512	0	1478	1	0
14	b	1512	0	1478	0	0
15	G	1	0	0	0	0
15	N	1	0	0	0	0
15	U	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
15	b	1	0	0	0	0
16	H	52	0	59	3	0
16	K	52	0	59	4	0
16	N	52	0	59	1	0
16	V	52	0	59	3	0
16	Y	52	0	59	2	0
16	b	52	0	59	0	0
17	H	12	0	13	0	0
17	K	12	0	13	1	0
17	V	12	0	13	1	0
17	Y	12	0	13	0	0
18	I	1	0	0	0	0
18	K	1	0	0	0	0
18	N	1	0	0	0	0
18	Y	1	0	0	0	0
19	A	4	0	0	0	0
19	B	8	0	0	0	0
19	C	5	0	0	0	0
19	D	4	0	0	0	0
19	E	3	0	0	0	0
19	F	2	0	0	0	0
19	G	5	0	0	0	0
19	H	6	0	0	0	0
19	I	2	0	0	0	0
19	J	10	0	0	0	0
19	K	4	0	0	0	0
19	L	9	0	0	0	0
19	M	8	0	0	0	0
19	N	3	0	0	0	0
19	O	4	0	0	0	0
19	P	5	0	0	0	0
19	Q	6	0	0	4	0
19	R	3	0	0	0	0
19	S	4	0	0	0	0
19	T	4	0	0	0	0
19	U	3	0	0	0	0
19	V	8	0	0	0	0
19	W	1	0	0	0	0
19	X	9	0	0	0	0
19	Y	7	0	0	0	0
19	Z	8	0	0	0	0
19	a	8	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	b	8	0	0	0	0
All	All	49824	0	49468	87	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:Q:223:SER:N	19:Q:305:HOH:O	1.97	0.70
10:J:23:ARG:NH1	11:K:118:ASP:OD2	2.25	0.70
8:V:49:ALA:HB2	16:V:301:3BV:H52	1.79	0.64
8:H:49:ALA:HB2	16:H:301:3BV:H52	1.80	0.64
8:V:168:GLY:O	16:V:301:3BV:H57	2.01	0.61
3:Q:226:GLU:HB2	19:Q:305:HOH:O	2.00	0.60
12:Z:13:LEU:HD13	12:Z:150:LEU:HD21	1.83	0.60
11:Y:59:LEU:HG	11:Y:63:PHE:CZ	2.37	0.60
11:K:59:LEU:HG	11:K:63:PHE:CZ	2.37	0.60
12:L:13:LEU:HD13	12:L:150:LEU:HD21	1.83	0.59
8:H:168:GLY:O	16:H:301:3BV:H57	2.01	0.59
16:N:201:3BV:O48	16:N:201:3BV:O60	2.21	0.59
11:Y:5:ALA:HB3	11:Y:100:MET:HE2	1.88	0.54
7:G:23:PHE:O	7:G:26:THR:HB	2.10	0.52
10:J:23:ARG:NH2	17:K:303:MES:O1	2.42	0.52
16:V:301:3BV:O60	17:V:302:MES:O1S	2.22	0.52
7:U:23:PHE:O	7:U:26:THR:HB	2.10	0.51
11:K:100:MET:HE3	11:K:127:PHE:HB2	1.93	0.51
3:Q:226:GLU:CD	19:Q:305:HOH:O	2.49	0.51
10:J:174:MET:HA	10:X:174:MET:HA	1.92	0.50
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.60	0.49
3:C:201:VAL:O	3:C:202:GLN:CB	2.61	0.49
11:K:5:ALA:HB3	11:K:100:MET:HE2	1.93	0.49
11:Y:49:ALA:HB2	16:Y:301:3BV:H52	1.96	0.48
8:V:1:THR:HG22	8:V:2:THR:N	2.29	0.47
16:K:301:3BV:H55	16:K:301:3BV:H62	1.62	0.47
11:K:49:ALA:HB2	16:K:301:3BV:H52	1.95	0.47
8:H:1:THR:HG22	8:H:2:THR:N	2.29	0.47
10:J:67:TYR:CE1	10:J:75:LEU:HD13	2.50	0.47
9:I:20:VAL:HG13	9:I:118:PRO:HB3	1.97	0.47
10:X:67:TYR:CE1	10:X:75:LEU:HD13	2.50	0.47
2:B:14:PRO:HA	3:C:20:TYR:CE1	2.49	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:169:VAL:HG23	3:C:196:SER:HB2	1.98	0.46
3:Q:169:VAL:HG23	3:Q:196:SER:HB2	1.97	0.46
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.98	0.46
9:W:20:VAL:HG13	9:W:118:PRO:HB3	1.97	0.46
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.98	0.45
9:I:36:SER:HB2	10:J:126:VAL:HG11	1.99	0.45
3:Q:201:VAL:HG13	3:Q:202:GLN:N	2.32	0.44
5:S:87:LEU:HD21	5:S:107:ALA:HB1	1.99	0.44
11:Y:100:MET:HE3	11:Y:127:PHE:HB2	1.98	0.44
1:O:119:GLN:O	1:O:122:THR:HB	2.18	0.44
3:C:201:VAL:HG13	3:C:202:GLN:N	2.32	0.44
2:B:14:PRO:HA	3:C:20:TYR:CD1	2.53	0.43
3:C:160:GLN:HA	3:C:160:GLN:HE21	1.82	0.43
14:N:152:VAL:HA	14:N:175:MET:HE1	1.99	0.43
16:Y:301:3BV:O60	16:Y:301:3BV:O48	2.37	0.43
5:E:87:LEU:HD21	5:E:107:ALA:HB1	2.00	0.43
3:Q:160:GLN:HA	3:Q:160:GLN:HE21	1.83	0.43
4:R:159:TYR:CE2	5:S:56:SER:HB3	2.54	0.43
11:K:1:THR:HG22	11:K:2:THR:N	2.34	0.43
8:V:1:THR:HG23	8:V:33:LYS:NZ	2.34	0.43
9:W:10:ILE:HG21	9:W:141:ALA:HB3	2.00	0.43
9:I:10:ILE:HG21	9:I:141:ALA:HB3	2.01	0.42
16:K:301:3BV:H16	12:L:108:HIS:CE1	2.54	0.42
7:G:78:ILE:N	7:G:79:PRO:CD	2.83	0.42
6:F:172:LEU:CD1	6:F:195:ILE:HD13	2.50	0.42
13:M:27:LEU:HD21	13:M:34:LEU:HD22	2.01	0.42
8:H:1:THR:HG23	8:H:33:LYS:NZ	2.34	0.42
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.50	0.42
6:T:172:LEU:CD1	6:T:195:ILE:HD13	2.49	0.42
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.54	0.42
9:W:36:SER:HB2	10:X:126:VAL:HG11	2.02	0.42
1:A:119:GLN:O	1:A:122:THR:HB	2.20	0.41
3:Q:226:GLU:CG	19:Q:305:HOH:O	2.67	0.41
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.20	0.41
7:U:78:ILE:N	7:U:79:PRO:CD	2.83	0.41
12:L:147:MET:N	12:L:148:PRO:HD2	2.35	0.41
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.50	0.41
11:Y:1:THR:HG22	11:Y:2:THR:N	2.34	0.41
12:Z:147:MET:N	12:Z:148:PRO:HD2	2.35	0.41
16:K:301:3BV:H59	16:K:301:3BV:H44	1.96	0.41
12:L:8:ASN:HA	12:L:30:ILE:O	2.21	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:S:77:ALA:N	5:S:78:PRO:CD	2.84	0.41
5:E:77:ALA:N	5:E:78:PRO:CD	2.84	0.41
13:M:227:GLY:HA3	13:M:231:GLN:HB3	2.02	0.41
2:P:50:LYS:O	2:P:51:VAL:C	2.59	0.41
2:B:151:ASN:HB2	2:B:152:PRO:HD2	2.03	0.41
16:H:301:3BV:O40	16:H:301:3BV:H53	2.21	0.41
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.51	0.41
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.51	0.40
1:O:14:PRO:HA	2:P:23:TYR:CD1	2.56	0.40
2:P:151:ASN:HB2	2:P:152:PRO:HD2	2.04	0.40
12:L:136:CYS:SG	12:L:150:LEU:HB3	2.62	0.40
6:T:14:ASP:HB2	6:T:16:ARG:HD3	2.04	0.40
2:B:50:LYS:O	2:B:51:VAL:C	2.60	0.40
2:B:161:ALA:HB3	3:C:52:LEU:HD23	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	242 (98%)	6 (2%)	0	100	100
1	O	248/250 (99%)	242 (98%)	6 (2%)	0	100	100
2	B	242/258 (94%)	234 (97%)	6 (2%)	2 (1%)	19	57
2	P	242/258 (94%)	233 (96%)	7 (3%)	2 (1%)	19	57
3	C	238/254 (94%)	230 (97%)	6 (2%)	2 (1%)	19	57
3	Q	238/254 (94%)	230 (97%)	6 (2%)	2 (1%)	19	57
4	D	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
4	R	231/260 (89%)	225 (97%)	6 (3%)	0	100	100
5	E	229/234 (98%)	223 (97%)	6 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	S	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
6	F	241/288 (84%)	234 (97%)	7 (3%)	0	100	100
6	T	241/288 (84%)	234 (97%)	7 (3%)	0	100	100
7	G	239/252 (95%)	234 (98%)	5 (2%)	0	100	100
7	U	239/252 (95%)	234 (98%)	5 (2%)	0	100	100
8	H	220/232 (95%)	213 (97%)	7 (3%)	0	100	100
8	V	220/232 (95%)	213 (97%)	7 (3%)	0	100	100
9	I	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
9	W	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
10	J	193/198 (98%)	187 (97%)	5 (3%)	1 (0%)	29	68
10	X	193/198 (98%)	187 (97%)	5 (3%)	1 (0%)	29	68
11	K	210/212 (99%)	207 (99%)	3 (1%)	0	100	100
11	Y	210/212 (99%)	207 (99%)	3 (1%)	0	100	100
12	L	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
12	Z	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
13	M	231/246 (94%)	221 (96%)	10 (4%)	0	100	100
13	a	231/246 (94%)	221 (96%)	10 (4%)	0	100	100
14	N	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
14	b	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
All	All	6276/6614 (95%)	6096 (97%)	170 (3%)	10 (0%)	47	82

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
2	P	51	VAL
3	Q	202	GLN
3	C	205	ALA
3	Q	205	ALA
2	B	221	ASP
10	J	2	ASP
2	P	221	ASP
10	X	2	ASP

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	67	88
1	O	209/209 (100%)	206 (99%)	3 (1%)	67	88
2	B	203/216 (94%)	196 (97%)	7 (3%)	37	72
2	P	203/216 (94%)	196 (97%)	7 (3%)	37	72
3	C	212/226 (94%)	205 (97%)	7 (3%)	38	73
3	Q	212/226 (94%)	205 (97%)	7 (3%)	38	73
4	D	194/215 (90%)	186 (96%)	8 (4%)	30	67
4	R	194/215 (90%)	186 (96%)	8 (4%)	30	67
5	E	190/193 (98%)	182 (96%)	8 (4%)	30	66
5	S	190/193 (98%)	182 (96%)	8 (4%)	30	66
6	F	201/239 (84%)	193 (96%)	8 (4%)	31	68
6	T	201/239 (84%)	192 (96%)	9 (4%)	27	64
7	G	206/210 (98%)	200 (97%)	6 (3%)	42	76
7	U	206/210 (98%)	200 (97%)	6 (3%)	42	76
8	H	181/190 (95%)	176 (97%)	5 (3%)	43	77
8	V	181/190 (95%)	176 (97%)	5 (3%)	43	77
9	I	172/173 (99%)	169 (98%)	3 (2%)	60	85
9	W	172/173 (99%)	169 (98%)	3 (2%)	60	85
10	J	173/175 (99%)	168 (97%)	5 (3%)	42	76
10	X	173/175 (99%)	168 (97%)	5 (3%)	42	76
11	K	169/169 (100%)	165 (98%)	4 (2%)	49	79
11	Y	169/169 (100%)	165 (98%)	4 (2%)	49	79
12	L	185/185 (100%)	180 (97%)	5 (3%)	44	77
12	Z	185/185 (100%)	179 (97%)	6 (3%)	39	74
13	M	199/208 (96%)	193 (97%)	6 (3%)	41	75
13	a	199/208 (96%)	193 (97%)	6 (3%)	41	75

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
14	N	162/162 (100%)	160 (99%)	2 (1%)	71	90
14	b	162/162 (100%)	160 (99%)	2 (1%)	71	90
All	All	5312/5540 (96%)	5156 (97%)	156 (3%)	42	76

All (156) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	LYS
1	A	61	LEU
1	A	157	PHE
2	B	50	LYS
2	B	52	THR
2	B	55	LEU
2	B	58	GLN
2	B	114	LEU
2	B	184	LYS
2	B	191	LEU
3	C	4	ARG
3	C	38	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	203	THR
4	D	99	ILE
4	D	125	LEU
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	224	ASP
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	54	GLU
5	E	71	LEU
5	E	174	THR
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
6	F	14	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
6	F	123	ASN
6	F	172	LEU
6	F	181	GLU
6	F	203	ASN
6	F	206	LYS
6	F	214	TRP
6	F	221	ASN
7	G	115	LEU
7	G	125	MET
7	G	166	GLN
7	G	181	LYS
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN
8	H	31	CYS
8	H	56	THR
8	H	68	LEU
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
9	I	182	TRP
10	J	23	ARG
10	J	75	LEU
10	J	78	GLN
10	J	144	LEU
10	J	174	MET
11	K	4	LEU
11	K	9	GLN
11	K	106	ARG
11	K	118	ASP
12	L	1	GLN
12	L	23	LEU
12	L	49	ASN
12	L	136	CYS
12	L	167	LYS
13	M	43	ILE
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	22	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
14	N	39	ASP
1	O	17	LYS
1	O	61	LEU
1	O	157	PHE
2	P	50	LYS
2	P	52	THR
2	P	55	LEU
2	P	58	GLN
2	P	114	LEU
2	P	184	LYS
2	P	191	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	203	THR
4	R	99	ILE
4	R	125	LEU
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	224	ASP
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	54	GLU
5	S	71	LEU
5	S	174	THR
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
6	T	14	ASP
6	T	117	GLN
6	T	123	ASN
6	T	172	LEU
6	T	181	GLU
6	T	203	ASN
6	T	206	LYS
6	T	214	TRP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
6	T	221	ASN
7	U	115	LEU
7	U	125	MET
7	U	166	GLN
7	U	181	LYS
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN
8	V	31	CYS
8	V	56	THR
8	V	68	LEU
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU
9	W	182	TRP
10	X	23	ARG
10	X	75	LEU
10	X	78	GLN
10	X	144	LEU
10	X	174	MET
11	Y	4	LEU
11	Y	9	GLN
11	Y	106	ARG
11	Y	118	ASP
12	Z	1	GLN
12	Z	23	LEU
12	Z	49	ASN
12	Z	136	CYS
12	Z	150	LEU
12	Z	167	LYS
13	a	43	ILE
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	22	THR
14	b	39	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (73) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
2	B	176	GLN
3	C	38	ASN
3	C	147	GLN
3	C	160	GLN
4	D	91	HIS
4	D	146	GLN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	184	ASN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
6	F	240	GLN
7	G	83	ASN
7	G	117	GLN
7	G	121	GLN
8	H	66	HIS
10	J	55	GLN
11	K	85	ASN
11	K	176	ASN
12	L	3	ASN
12	L	70	ASN
12	L	79	HIS
12	L	158	ASN
13	M	48	ASN
13	M	102	GLN
13	M	194	ASN
13	M	213	GLN
1	O	94	HIS
2	P	20	GLN
2	P	119	GLN
2	P	123	GLN
2	P	176	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	Q	38	ASN
3	Q	147	GLN
3	Q	160	GLN
4	R	91	HIS
4	R	146	GLN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	184	ASN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
6	T	240	GLN
7	U	83	ASN
7	U	117	GLN
7	U	121	GLN
10	X	55	GLN
11	Y	85	ASN
11	Y	176	ASN
12	Z	3	ASN
12	Z	70	ASN
12	Z	158	ASN
13	a	48	ASN
13	a	102	GLN
13	a	194	ASN
13	a	213	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 8 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
16	3BV	N	201	14	54,54,54	1.21	4 (7%)	68,71,71	1.32	7 (10%)
17	MES	Y	303	-	12,12,12	2.21	1 (8%)	14,16,16	1.35	2 (14%)
16	3BV	K	301	11	54,54,54	1.13	3 (5%)	68,71,71	1.63	11 (16%)
17	MES	V	302	-	12,12,12	2.19	1 (8%)	14,16,16	1.48	2 (14%)
16	3BV	b	201	14	54,54,54	1.20	4 (7%)	68,71,71	1.31	7 (10%)
16	3BV	Y	301	11	54,54,54	1.12	3 (5%)	68,71,71	1.61	10 (14%)
17	MES	K	303	-	12,12,12	2.26	1 (8%)	14,16,16	1.38	2 (14%)
16	3BV	H	301	8	54,54,54	1.06	3 (5%)	68,71,71	1.46	10 (14%)
16	3BV	V	301	8	54,54,54	1.04	3 (5%)	68,71,71	1.49	9 (13%)
17	MES	H	302	-	12,12,12	2.13	1 (8%)	14,16,16	1.41	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	3BV	N	201	14	-	12/59/67/67	0/3/3/3
17	MES	Y	303	-	-	0/6/14/14	0/1/1/1
16	3BV	K	301	11	-	6/59/67/67	0/3/3/3
17	MES	V	302	-	-	0/6/14/14	0/1/1/1
16	3BV	b	201	14	-	12/59/67/67	0/3/3/3
16	3BV	Y	301	11	-	6/59/67/67	0/3/3/3

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	MES	K	303	-	-	0/6/14/14	0/1/1/1
16	3BV	H	301	8	-	8/59/67/67	0/3/3/3
16	3BV	V	301	8	-	8/59/67/67	0/3/3/3
17	MES	H	302	-	-	5/6/14/14	0/1/1/1

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	K	303	MES	C8-S	-7.50	1.66	1.77
17	Y	303	MES	C8-S	-7.35	1.67	1.77
17	V	302	MES	C8-S	-7.24	1.67	1.77
17	H	302	MES	C8-S	-7.00	1.67	1.77
16	N	201	3BV	C51-C47	4.74	1.61	1.53
16	K	301	3BV	C32-C33	-4.63	1.40	1.51
16	H	301	3BV	C32-C33	-4.59	1.40	1.51
16	N	201	3BV	C32-C33	-4.53	1.40	1.51
16	Y	301	3BV	C32-C33	-4.53	1.40	1.51
16	V	301	3BV	C32-C33	-4.53	1.40	1.51
16	b	201	3BV	C32-C33	-4.51	1.40	1.51
16	b	201	3BV	C51-C47	4.50	1.61	1.53
16	Y	301	3BV	C13-C14	-3.86	1.40	1.51
16	K	301	3BV	C13-C14	-3.84	1.40	1.51
16	K	301	3BV	C51-C47	3.69	1.60	1.53
16	Y	301	3BV	C51-C47	3.60	1.59	1.53
16	b	201	3BV	C13-C14	-3.57	1.41	1.51
16	N	201	3BV	C13-C14	-3.54	1.41	1.51
16	H	301	3BV	C13-C14	-3.29	1.42	1.51
16	V	301	3BV	C13-C14	-3.27	1.42	1.51
16	H	301	3BV	C51-C47	3.14	1.59	1.53
16	V	301	3BV	C51-C47	2.89	1.58	1.53
16	N	201	3BV	C59-C51	2.19	1.55	1.52
16	b	201	3BV	C59-C51	2.10	1.55	1.52

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	K	301	3BV	C43-C42-N41	-5.87	102.60	110.18
16	V	301	3BV	C43-C42-N41	-5.82	102.65	110.18
16	H	301	3BV	C43-C42-N41	-5.81	102.67	110.18
16	Y	301	3BV	C43-C42-N41	-5.65	102.87	110.18
16	K	301	3BV	C7-N4-C5	4.93	118.75	111.09

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	Y	301	3BV	C7-N4-C5	4.84	118.59	111.09
16	N	201	3BV	C58-C51-C59	-4.58	103.86	109.88
16	b	201	3BV	C58-C51-C59	-4.43	104.06	109.88
16	b	201	3BV	C43-C42-N41	-4.42	104.47	110.18
16	N	201	3BV	C43-C42-N41	-4.29	104.64	110.18
16	Y	301	3BV	C58-C51-C59	-4.03	104.58	109.88
17	V	302	MES	O1S-S-C8	3.99	111.72	106.92
16	K	301	3BV	C58-C51-C59	-3.94	104.70	109.88
16	H	301	3BV	C25-C24-C23	-3.89	104.74	115.43
16	V	301	3BV	C25-C24-C23	-3.80	104.98	115.43
16	V	301	3BV	O1-C6-C5	-3.74	103.56	111.80
16	V	301	3BV	C58-C51-C59	-3.69	105.03	109.88
16	H	301	3BV	O1-C6-C5	-3.68	103.68	111.80
16	K	301	3BV	C6-C5-N4	-3.67	104.53	110.10
16	Y	301	3BV	O1-C6-C5	-3.58	103.90	111.80
16	N	201	3BV	O1-C6-C5	-3.55	103.97	111.80
16	K	301	3BV	C33-C32-C31	-3.49	103.75	113.39
16	Y	301	3BV	C33-C32-C31	-3.47	103.82	113.39
16	Y	301	3BV	C6-C5-N4	-3.46	104.86	110.10
16	K	301	3BV	O1-C6-C5	-3.44	104.22	111.80
17	H	302	MES	O2S-S-C8	3.44	111.06	106.92
16	V	301	3BV	C13-C12-C11	-3.35	106.60	113.21
16	H	301	3BV	C58-C51-C59	-3.34	105.49	109.88
16	b	201	3BV	O1-C6-C5	-3.32	104.48	111.80
16	H	301	3BV	C13-C12-C11	-3.28	106.74	113.21
16	N	201	3BV	O1-C2-C3	-2.97	105.25	111.80
16	V	301	3BV	C33-C32-C31	-2.96	105.22	113.39
16	H	301	3BV	C33-C32-C31	-2.92	105.33	113.39
16	Y	301	3BV	C13-C12-C11	-2.92	107.46	113.21
17	Y	303	MES	O2S-S-C8	2.90	110.41	106.92
16	K	301	3BV	C13-C12-C11	-2.90	107.50	113.21
17	Y	303	MES	O1S-S-C8	2.84	110.34	106.92
16	b	201	3BV	C33-C32-C31	-2.83	105.58	113.39
16	K	301	3BV	O60-C59-C51	-2.79	105.62	111.33
16	V	301	3BV	O60-C59-C51	-2.79	105.63	111.33
16	N	201	3BV	C33-C32-C31	-2.75	105.81	113.39
16	H	301	3BV	O60-C59-C51	-2.57	106.08	111.33
16	Y	301	3BV	O60-C59-C51	-2.53	106.17	111.33
16	b	201	3BV	O1-C2-C3	-2.48	106.34	111.80
16	b	201	3BV	C12-C13-C14	-2.44	104.70	113.18
17	K	303	MES	O1S-S-C8	2.41	109.82	106.92
16	H	301	3BV	C44-C43-C42	-2.40	111.07	115.84

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	N	201	3BV	C12-C13-C14	-2.39	104.87	113.18
16	Y	301	3BV	C44-C43-C42	-2.38	111.11	115.84
16	V	301	3BV	C44-C43-C42	-2.37	111.13	115.84
16	K	301	3BV	C44-C43-C42	-2.34	111.19	115.84
17	H	302	MES	O1S-S-C8	2.28	109.66	106.92
17	K	303	MES	O2S-S-C8	2.27	109.65	106.92
17	H	302	MES	O3S-S-C8	2.24	109.38	105.77
16	V	301	3BV	C20-C11-N10	-2.23	105.08	111.16
16	H	301	3BV	C20-C11-N10	-2.18	105.24	111.16
16	N	201	3BV	C25-C24-C23	-2.15	109.53	115.43
17	V	302	MES	O3S-S-C8	2.14	109.23	105.77
16	b	201	3BV	C25-C24-C23	-2.11	109.62	115.43
16	K	301	3BV	C7-N4-C3	-2.10	107.84	111.09
16	H	301	3BV	O1-C2-C3	-2.09	107.19	111.80
16	Y	301	3BV	C7-N4-C3	-2.03	107.94	111.09
16	K	301	3BV	C25-C24-C23	-2.01	109.90	115.43

There are no chirality outliers.

All (57) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
16	N	201	3BV	N41-C42-C43-C44
16	N	201	3BV	C42-C47-C51-C58
16	N	201	3BV	C42-C47-C51-C59
16	K	301	3BV	C8-C7-N4-C5
16	K	301	3BV	N41-C42-C43-C44
16	K	301	3BV	C47-C42-C43-C44
16	b	201	3BV	N41-C42-C43-C44
16	b	201	3BV	C42-C47-C51-C58
16	b	201	3BV	C42-C47-C51-C59
16	Y	301	3BV	C8-C7-N4-C5
16	Y	301	3BV	N41-C42-C43-C44
16	Y	301	3BV	C47-C42-C43-C44
16	H	301	3BV	C47-C42-C43-C44
16	V	301	3BV	C47-C42-C43-C44
16	H	301	3BV	N10-C11-C12-C13
16	V	301	3BV	N10-C11-C12-C13
16	H	301	3BV	C20-C11-C12-C13
16	V	301	3BV	C20-C11-C12-C13
17	H	302	MES	C7-C8-S-O3S
16	N	201	3BV	O48-C47-C51-C59
16	b	201	3BV	O48-C47-C51-C59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
16	N	201	3BV	O48-C47-C51-C58
16	b	201	3BV	O48-C47-C51-C58
16	N	201	3BV	C11-C12-C13-C14
16	b	201	3BV	C11-C12-C13-C14
16	N	201	3BV	N10-C11-C20-N22
16	N	201	3BV	C42-C43-C44-C46
17	H	302	MES	C8-C7-N4-C3
16	b	201	3BV	C42-C43-C44-C46
16	b	201	3BV	N10-C11-C20-N22
16	N	201	3BV	N10-C11-C20-O21
16	b	201	3BV	N10-C11-C20-O21
16	H	301	3BV	N41-C42-C43-C44
16	V	301	3BV	N41-C42-C43-C44
16	K	301	3BV	C8-C7-N4-C3
16	Y	301	3BV	C8-C7-N4-C3
17	H	302	MES	C7-C8-S-O1S
17	H	302	MES	C7-C8-S-O2S
16	N	201	3BV	C47-C42-C43-C44
16	b	201	3BV	C47-C42-C43-C44
17	H	302	MES	C8-C7-N4-C5
16	V	301	3BV	N30-C31-C39-O40
16	N	201	3BV	N30-C31-C39-O40
16	H	301	3BV	N30-C31-C39-O40
16	b	201	3BV	N30-C31-C39-O40
16	Y	301	3BV	N30-C31-C39-O40
16	K	301	3BV	N30-C31-C39-O40
16	H	301	3BV	C12-C13-C14-C19
16	V	301	3BV	C12-C13-C14-C19
16	H	301	3BV	C12-C13-C14-C15
16	V	301	3BV	C12-C13-C14-C15
16	b	201	3BV	N30-C31-C39-N41
16	N	201	3BV	N30-C31-C39-N41
16	K	301	3BV	N41-C42-C47-C51
16	Y	301	3BV	N41-C42-C47-C51
16	H	301	3BV	N30-C31-C39-N41
16	V	301	3BV	N30-C31-C39-N41

There are no ring outliers.

7 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
16	N	201	3BV	1	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
16	K	301	3BV	4	0
17	V	302	MES	1	0
16	Y	301	3BV	2	0
17	K	303	MES	1	0
16	H	301	3BV	3	0
16	V	301	3BV	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




## Ligand 3BV K 301




## Ligand 3BV b 201




## Ligand 3BV Y 301



## Ligand 3BV H 301





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	250/250 (100%)	-0.66	1 (0%) 92 79	54, 69, 103, 157	0
1	O	250/250 (100%)	-0.57	3 (1%) 79 54	58, 77, 121, 161	0
2	B	244/258 (94%)	-0.56	5 (2%) 65 36	53, 74, 119, 173	0
2	P	244/258 (94%)	-0.52	5 (2%) 65 36	58, 81, 128, 176	0
3	C	240/254 (94%)	-0.48	6 (2%) 57 29	57, 82, 147, 176	0
3	Q	240/254 (94%)	-0.31	10 (4%) 36 14	63, 96, 176, 199	0
4	D	235/260 (90%)	-0.64	0 100 100	60, 81, 113, 154	0
4	R	235/260 (90%)	-0.56	1 (0%) 92 79	59, 84, 127, 173	0
5	E	231/234 (98%)	-0.53	1 (0%) 92 79	62, 85, 122, 170	0
5	S	231/234 (98%)	-0.50	1 (0%) 92 79	64, 89, 131, 165	0
6	F	243/288 (84%)	-0.67	0 100 100	55, 77, 120, 154	0
6	T	243/288 (84%)	-0.62	1 (0%) 92 79	56, 83, 134, 175	0
7	G	241/252 (95%)	-0.69	0 100 100	52, 71, 112, 159	0
7	U	241/252 (95%)	-0.66	1 (0%) 92 79	52, 73, 107, 143	0
8	H	222/232 (95%)	-0.74	0 100 100	52, 68, 104, 127	0
8	V	222/232 (95%)	-0.74	1 (0%) 91 75	52, 71, 105, 135	0
9	I	204/205 (99%)	-0.86	1 (0%) 91 75	47, 65, 94, 120	0
9	W	204/205 (99%)	-0.83	0 100 100	52, 70, 96, 132	0
10	J	195/198 (98%)	-0.74	2 (1%) 82 59	54, 71, 99, 137	0
10	X	195/198 (98%)	-0.75	2 (1%) 82 59	56, 73, 104, 153	0
11	K	212/212 (100%)	-0.73	1 (0%) 91 75	42, 72, 102, 130	0
11	Y	212/212 (100%)	-0.76	0 100 100	55, 70, 102, 128	0
12	L	222/222 (100%)	-0.78	0 100 100	47, 72, 100, 123	0
12	Z	222/222 (100%)	-0.79	0 100 100	50, 68, 97, 114	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
13	M	233/246 (94%)	-0.76	0 100 100	51, 69, 95, 105	0
13	a	233/246 (94%)	-0.76	1 (0%) 92 79	51, 68, 91, 107	0
14	N	196/196 (100%)	-0.82	0 100 100	47, 65, 95, 121	0
14	b	196/196 (100%)	-0.81	0 100 100	53, 67, 97, 119	0
All	All	6336/6614 (95%)	-0.67	43 (0%) 87 69	42, 74, 120, 199	0

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	Q	49	THR	6.2
3	Q	50	LEU	4.8
3	C	206	LYS	4.5
2	B	220	ASN	3.7
1	O	1	MET	3.6
5	S	202	ASP	3.6
8	V	222	ASP	3.6
3	Q	206	LYS	3.5
2	P	218	GLY	3.5
1	A	1	MET	3.5
3	Q	48	SER	3.4
10	J	1	MET	3.3
2	P	59	ASP	3.3
5	E	202	ASP	3.2
3	C	49	THR	3.1
10	X	1	MET	3.0
2	B	218	GLY	2.9
1	O	249	ALA	2.9
3	Q	236	GLN	2.8
3	Q	239	GLN	2.8
2	P	220	ASN	2.7
3	C	225	GLU	2.7
10	X	194	ASP	2.6
13	a	1	THR	2.5
6	T	244	ASN	2.5
2	B	59	ASP	2.5
2	P	221	ASP	2.5
9	I	1	SER	2.5
2	P	219	ALA	2.4
10	J	194	ASP	2.4
3	C	238	LYS	2.3
11	K	212	GLY	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
7	U	222	ASP	2.3
3	C	202	GLN	2.3
2	B	51	VAL	2.2
2	B	221	ASP	2.2
3	C	240	GLU	2.1
4	R	242	GLU	2.1
1	O	201	GLU	2.1
3	Q	51	LYS	2.1
3	Q	240	GLU	2.1
3	Q	238	LYS	2.0
3	Q	205	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
16	3BV	N	201	52/52	0.87	0.26	53,66,147,147	0
16	3BV	b	201	52/52	0.88	0.25	58,70,147,150	0
16	3BV	H	301	52/52	0.90	0.23	63,71,116,124	0
16	3BV	K	301	52/52	0.91	0.22	57,67,119,123	0
16	3BV	V	301	52/52	0.91	0.23	63,70,118,123	0
17	MES	V	302	12/12	0.93	0.34	86,90,124,129	0
17	MES	H	302	12/12	0.93	0.32	81,89,95,116	0
16	3BV	Y	301	52/52	0.94	0.19	53,64,119,125	0
15	CL	b	202	1/1	0.94	0.16	59,59,59,59	0
18	MG	N	202	1/1	0.96	0.12	52,52,52,52	0
18	MG	I	301	1/1	0.97	0.14	68,68,68,68	0
17	MES	K	303	12/12	0.97	0.30	55,59,76,80	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
17	MES	Y	303	12/12	0.98	0.26	54,58,73,76	0
18	MG	K	302	1/1	0.98	0.04	66,66,66,66	0
15	CL	U	301	1/1	0.98	0.20	59,59,59,59	0
18	MG	Y	302	1/1	0.99	0.04	57,57,57,57	0
15	CL	G	301	1/1	0.99	0.18	63,63,63,63	0
15	CL	N	203	1/1	0.99	0.08	55,55,55,55	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



**Electron density around 3BV N 201:**

2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 3BV b 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 3BV H 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 3BV K 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 3BV V 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around 3BV Y 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.