



Full wwPDB X-ray Structure Validation Report ⓘ

May 24, 2020 – 05:01 am BST

PDB ID : 6R63
Title : Crystal structure of indoleamine 2,3-dioxygenase 1 (IDO1) in complex with ferric heme and MMG-0358
Authors : Roehrig, U.F.; Reynaud, A.; Pojer, F.; Michielin, O.; Zoete, V.
Deposited on : 2019-03-26
Resolution : 2.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	423	<div> <div>7%</div> <div> <div></div> <div>72%</div> <div>15%</div> <div>•</div> <div>12%</div> </div> </div>
1	B	423	<div> <div>14%</div> <div> <div></div> <div>69%</div> <div>19%</div> <div></div> <div>12%</div> </div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6037 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Indoleamine 2,3-dioxygenase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	371	Total	C	N	O	S	0	0	0
			2952	1898	503	534	17			
1	B	373	Total	C	N	O	S	0	0	0
			2960	1902	505	536	17			

There are 42 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP P14902
A	-18	GLY	-	expression tag	UNP P14902
A	-17	SER	-	expression tag	UNP P14902
A	-16	SER	-	expression tag	UNP P14902
A	-15	HIS	-	expression tag	UNP P14902
A	-14	HIS	-	expression tag	UNP P14902
A	-13	HIS	-	expression tag	UNP P14902
A	-12	HIS	-	expression tag	UNP P14902
A	-11	HIS	-	expression tag	UNP P14902
A	-10	HIS	-	expression tag	UNP P14902
A	-9	SER	-	expression tag	UNP P14902
A	-8	SER	-	expression tag	UNP P14902
A	-7	GLY	-	expression tag	UNP P14902
A	-6	LEU	-	expression tag	UNP P14902
A	-5	VAL	-	expression tag	UNP P14902
A	-4	PRO	-	expression tag	UNP P14902
A	-3	ARG	-	expression tag	UNP P14902
A	-2	GLY	-	expression tag	UNP P14902
A	-1	SER	-	expression tag	UNP P14902
A	0	HIS	-	expression tag	UNP P14902
A	3	SER	HIS	conflict	UNP P14902
B	-19	MET	-	initiating methionine	UNP P14902
B	-18	GLY	-	expression tag	UNP P14902
B	-17	SER	-	expression tag	UNP P14902
B	-16	SER	-	expression tag	UNP P14902

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-15	HIS	-	expression tag	UNP P14902
B	-14	HIS	-	expression tag	UNP P14902
B	-13	HIS	-	expression tag	UNP P14902
B	-12	HIS	-	expression tag	UNP P14902
B	-11	HIS	-	expression tag	UNP P14902
B	-10	HIS	-	expression tag	UNP P14902
B	-9	SER	-	expression tag	UNP P14902
B	-8	SER	-	expression tag	UNP P14902
B	-7	GLY	-	expression tag	UNP P14902
B	-6	LEU	-	expression tag	UNP P14902
B	-5	VAL	-	expression tag	UNP P14902
B	-4	PRO	-	expression tag	UNP P14902
B	-3	ARG	-	expression tag	UNP P14902
B	-2	GLY	-	expression tag	UNP P14902
B	-1	SER	-	expression tag	UNP P14902
B	0	HIS	-	expression tag	UNP P14902
B	3	SER	HIS	conflict	UNP P14902

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is 4-chloranyl-2-(2 {H}-1,2,3-triazol-4-yl)phenol (three-letter code: JTB) (formula: C₈H₆ClN₃O) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	O	0	0
			13	8	1	3	1		
3	B	1	Total	C	Cl	N	O	0	0
			13	8	1	3	1		
3	B	1	Total	C	Cl	N	O	0	0
			13	8	1	3	1		

- Molecule 1: Indoleamine 2,3-dioxygenase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	90.91Å 97.87Å 119.23Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.45 – 2.89 45.45 – 2.89	Depositor EDS
% Data completeness (in resolution range)	99.0 (45.45-2.89) 99.0 (45.45-2.89)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.54 (at 2.91Å)	Xtriage
Refinement program	PHENIX 1.14 _3260	Depositor
R, R_{free}	0.234 , 0.286 0.234 , 0.286	Depositor DCC
R_{free} test set	1992 reflections (8.26%)	wwPDB-VP
Wilson B-factor (Å ²)	71.7	Xtriage
Anisotropy	0.635	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 29.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6037	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, JTB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/3020	0.42	0/4084
1	B	0.32	0/3028	0.42	0/4094
All	All	0.29	0/6048	0.42	0/8178

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2952	0	2966	41	0
1	B	2960	0	2972	50	0
2	A	43	0	30	5	0
2	B	43	0	30	2	0
3	A	13	0	0	1	0
3	B	26	0	0	2	0
All	All	6037	0	5998	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:ARG:HG3	1:A:250:GLU:HG2	1.71	0.72
1:B:56:ARG:NH1	1:B:98:ASP:O	2.24	0.68
1:B:67:ILE:HD11	1:B:110:PRO:HA	1.76	0.67
2:A:501:HEM:HBC2	2:A:501:HEM:HHD	1.78	0.66
1:B:177:ALA:HB1	1:B:203:ILE:HD13	1.78	0.64
1:A:265:GLY:O	1:A:271:GLN:NE2	2.31	0.63
1:B:63:ASN:HA	1:B:106:ASN:HD22	1.64	0.62
1:B:109:VAL:HG12	1:B:252:PHE:HB2	1.82	0.61
1:A:50:ILE:O	1:A:94:LYS:NZ	2.36	0.59
1:B:67:ILE:HG21	1:B:114:LEU:HB2	1.85	0.58
1:B:280:GLN:HB3	1:B:283:ALA:HB3	1.85	0.58
1:B:33:PRO:HG2	1:B:36:TYR:HD2	1.69	0.57
1:A:22:GLY:HA3	1:A:175:ALA:HB1	1.87	0.57
1:A:23:PHE:HD2	1:A:269:VAL:HG13	1.69	0.57
1:A:356:ILE:HG13	1:A:357:PRO:HD3	1.88	0.56
1:B:23:PHE:HD2	1:B:269:VAL:HG13	1.72	0.55
1:A:384:LEU:HD23	1:A:384:LEU:H	1.72	0.55
1:A:343:ARG:NE	2:A:501:HEM:O1D	2.37	0.54
1:B:33:PRO:HG2	1:B:36:TYR:CD2	2.43	0.54
1:B:49:LEU:HD12	1:B:54:GLN:HB2	1.90	0.53
1:B:82:VAL:HG23	1:B:83:LEU:HD12	1.89	0.53
1:A:101:LYS:HA	1:A:247:LEU:HD12	1.89	0.53
1:A:50:ILE:HD11	1:A:55:LEU:HD22	1.91	0.53
1:B:23:PHE:CD2	1:B:269:VAL:HG13	2.44	0.53
1:B:168:LEU:O	1:B:172:ILE:HG12	2.09	0.52
1:A:266:GLN:HG2	1:A:298:TYR:HB2	1.91	0.52
1:A:74:LYS:H	1:A:74:LYS:HD2	1.74	0.52
1:A:177:ALA:HB2	1:A:206:CYS:HB2	1.92	0.51
1:B:84:GLY:O	1:B:88:MET:HG2	2.10	0.51
1:A:339:LEU:O	1:A:343:ARG:HG3	2.10	0.51
1:B:79:ALA:HA	1:B:82:VAL:HG22	1.92	0.51
1:B:49:LEU:HG	1:B:55:LEU:HA	1.93	0.51
1:A:173:ALA:O	1:A:176:SER:OG	2.28	0.50
1:B:105:ARG:HB3	1:B:250:GLU:HB3	1.92	0.50
1:A:343:ARG:HH11	1:A:395:THR:HG21	1.77	0.49
1:A:345:TYR:O	1:A:349:ILE:HG12	2.12	0.49
1:A:334:ALA:HA	1:A:337:LYS:HE2	1.94	0.49
1:A:115:SER:HB3	1:A:120:LEU:O	2.12	0.49
2:B:501:HEM:HBB2	2:B:501:HEM:HMB2	1.95	0.49
1:A:280:GLN:HB3	1:A:283:ALA:HB3	1.93	0.49
1:A:80:ARG:NH2	1:A:128:ASP:OD2	2.45	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:268:SER:OG	1:B:303:HIS:HB3	2.13	0.48
1:A:325:ASP:HB3	1:A:328:LEU:HB2	1.96	0.47
1:A:351:THR:O	1:A:356:ILE:HG12	2.15	0.47
1:A:384:LEU:CD2	1:A:384:LEU:H	2.28	0.47
1:A:346:HIS:HE1	2:A:501:HEM:NA	2.09	0.47
1:B:279:ILE:HD13	1:B:395:THR:HG23	1.97	0.47
1:B:343:ARG:CZ	3:B:503:JTB:O1	2.64	0.46
1:B:23:PHE:HZ	1:B:306:PHE:CD2	2.33	0.46
1:A:24:ALA:HA	1:A:131:LEU:HB3	1.98	0.45
1:B:51:GLU:O	1:B:94:LYS:NZ	2.46	0.45
1:A:354:ILE:C	1:A:357:PRO:HD2	2.36	0.45
1:B:179:LYS:HB3	1:B:179:LYS:HE2	1.77	0.45
1:B:225:ALA:O	1:B:229:VAL:HG22	2.16	0.45
1:B:386:ASN:OD1	1:B:387:PHE:N	2.50	0.45
1:B:343:ARG:NH2	3:B:503:JTB:O1	2.50	0.45
1:B:42:ILE:HD12	1:B:62:LEU:HD11	1.99	0.45
1:B:299:MET:HE1	1:B:307:LEU:HD12	1.99	0.45
1:B:29:GLN:HG3	1:B:78:LEU:HD22	2.00	0.44
1:A:13:LYS:O	1:A:15:TYR:N	2.50	0.44
1:B:383:ASP:HA	1:B:386:ASN:ND2	2.31	0.44
1:A:264:ALA:HB2	3:A:502:JTB:C1	2.48	0.44
1:B:80:ARG:NH2	1:B:123:ILE:O	2.50	0.44
1:B:209:LYS:HD3	1:B:209:LYS:HA	1.84	0.44
1:A:351:THR:HA	1:A:355:LEU:HB2	2.00	0.43
1:B:257:LYS:HA	1:B:257:LYS:HD3	1.83	0.43
1:B:57:GLU:HA	1:B:60:GLU:OE1	2.18	0.43
1:A:121:PRO:HG2	1:A:298:TYR:CD2	2.53	0.43
1:A:125:VAL:CG2	1:A:298:TYR:HB3	2.48	0.43
1:A:356:ILE:CG1	1:A:357:PRO:HD3	2.48	0.43
1:B:121:PRO:HG2	1:B:298:TYR:CD2	2.52	0.43
1:B:155:ARG:N	1:B:158:ASP:OD2	2.37	0.43
1:B:186:LYS:HE3	1:B:186:LYS:HB3	1.82	0.43
1:A:270:PHE:CZ	1:A:342:LEU:HD13	2.54	0.43
2:A:501:HEM:HMB2	2:A:501:HEM:HBB2	2.01	0.43
1:B:42:ILE:O	1:B:46:LEU:HG	2.18	0.43
1:A:125:VAL:HG21	1:A:298:TYR:HB3	2.01	0.42
1:A:264:ALA:HB3	2:A:501:HEM:C1D	2.54	0.42
1:B:343:ARG:HH21	2:B:501:HEM:CGD	2.32	0.42
1:A:18:ASP:HB2	1:A:26:PRO:HG3	2.01	0.42
1:B:23:PHE:CD2	1:B:268:SER:HB2	2.55	0.42
1:B:50:ILE:HG23	1:B:155:ARG:HD3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:45:HIS:O	1:B:49:LEU:HB2	2.20	0.41
1:A:47:PRO:O	1:A:51:GLU:HG2	2.21	0.41
1:B:122:PRO:HG3	1:B:253:TRP:CH2	2.56	0.41
1:B:64:MET:HE2	1:B:106:ASN:HA	2.02	0.41
1:A:334:ALA:HA	1:A:337:LYS:HG2	2.02	0.41
1:B:116:LYS:N	1:B:116:LYS:HD2	2.35	0.41
1:B:205:SER:O	1:B:209:LYS:HG2	2.21	0.41
1:A:280:GLN:HB3	1:A:283:ALA:CB	2.51	0.40
1:B:267:SER:OG	1:B:270:PHE:CD2	2.68	0.40
1:B:126:TYR:CE2	1:B:267:SER:HB3	2.56	0.40
1:B:296:ARG:HA	1:B:299:MET:HG3	2.04	0.40
1:A:328:LEU:HA	1:A:328:LEU:HD23	1.97	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	367/423 (87%)	344 (94%)	23 (6%)	0	100	100
1	B	369/423 (87%)	349 (95%)	20 (5%)	0	100	100
All	All	736/846 (87%)	693 (94%)	43 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	323/365 (88%)	310 (96%)	13 (4%)	31	65
1	B	323/365 (88%)	312 (97%)	11 (3%)	37	71
All	All	646/730 (88%)	622 (96%)	24 (4%)	34	68

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	ASP
1	A	81	LEU
1	A	101	LYS
1	A	125	VAL
1	A	186	LYS
1	A	214	PHE
1	A	237	TRP
1	A	255	ASP
1	A	272	CYS
1	A	312	SER
1	A	329	ARG
1	A	355	LEU
1	A	360	GLN
1	B	19	GLU
1	B	35	PHE
1	B	38	ASP
1	B	40	MET
1	B	68	ASP
1	B	77	ARG
1	B	80	ARG
1	B	186	LYS
1	B	214	PHE
1	B	272	CYS
1	B	382	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	JTB	A	502	2	14,14,14	1.48	4 (28%)	17,19,19	1.39	3 (17%)
2	HEM	B	501	1,3	27,50,50	0.82	1 (3%)	17,82,82	1.51	5 (29%)
3	JTB	B	502	2	14,14,14	1.49	4 (28%)	17,19,19	1.61	4 (23%)
3	JTB	B	503	-	14,14,14	1.38	2 (14%)	17,19,19	1.88	4 (23%)
2	HEM	A	501	1,3	27,50,50	0.85	1 (3%)	17,82,82	1.35	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	JTB	A	502	2	-	1/3/4/4	0/2/2/2
2	HEM	B	501	1,3	-	2/6/54/54	-
3	JTB	B	502	2	-	1/3/4/4	0/2/2/2
3	JTB	B	503	-	-	1/3/4/4	0/2/2/2
2	HEM	A	501	1,3	-	1/6/54/54	-

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	JTB	N2-N1	2.72	1.42	1.33
3	B	502	JTB	N2-N1	2.45	1.41	1.33
2	A	501	HEM	C3B-C2B	-2.45	1.37	1.40
3	B	503	JTB	N3-N1	2.40	1.38	1.34
3	B	502	JTB	C8-CL1	2.39	1.79	1.74
3	A	502	JTB	C8-CL1	2.30	1.79	1.74
3	B	502	JTB	O1-C6	2.22	1.40	1.36
3	A	502	JTB	O1-C6	2.19	1.40	1.36
3	A	502	JTB	N3-N1	2.13	1.38	1.34
3	B	503	JTB	N2-N1	2.06	1.40	1.33
3	B	502	JTB	N3-N1	2.03	1.38	1.34
2	B	501	HEM	C4D-C3D	2.03	1.47	1.42

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	503	JTB	C3-C2-N3	5.74	130.06	120.93
3	B	503	JTB	C1-C2-C3	-3.12	122.10	129.15
2	A	501	HEM	CAD-CBD-CGD	-3.01	107.63	112.67
3	B	502	JTB	C4-C8-C7	-2.98	117.57	121.53
3	B	502	JTB	N2-N1-N3	-2.86	107.68	111.24
3	B	503	JTB	N2-N1-N3	-2.72	107.85	111.24
3	A	502	JTB	N2-N1-N3	-2.67	107.92	111.24
3	B	502	JTB	C7-C3-C6	2.62	120.77	117.55
2	A	501	HEM	CMB-C2B-C3B	2.49	129.34	124.68
2	B	501	HEM	CMC-C2C-C3C	2.39	129.14	124.68
3	A	502	JTB	C4-C8-C7	-2.35	118.41	121.53
3	A	502	JTB	C7-C3-C6	2.33	120.42	117.55
2	B	501	HEM	CMB-C2B-C3B	2.26	128.90	124.68
2	B	501	HEM	CMA-C3A-C4A	-2.25	125.00	128.46
2	B	501	HEM	C4A-C3A-C2A	2.23	108.55	107.00
2	B	501	HEM	C3C-C4C-NC	-2.06	107.06	110.94
3	B	502	JTB	C7-C3-C2	-2.05	114.33	120.18
3	B	503	JTB	C7-C3-C6	2.01	120.02	117.55

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	502	JTB	C1-C2-C3-C6
3	B	502	JTB	C1-C2-C3-C6
3	B	503	JTB	C1-C2-C3-C6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	501	HEM	C3A-C2A-CAA-CBA
2	A	501	HEM	C2A-CAA-CBA-CGA
2	B	501	HEM	C2A-CAA-CBA-CGA


There are no ring outliers.


4 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	JTB	1	0
2	B	501	HEM	2	0
3	B	503	JTB	2	0
2	A	501	HEM	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	371/423 (87%)	0.72	29 (7%) 13 10	43, 62, 85, 107	0
1	B	373/423 (88%)	1.11	61 (16%) 1 1	51, 76, 112, 124	0
All	All	744/846 (87%)	0.92	90 (12%) 4 3	43, 66, 108, 124	0

All (90) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	41	PHE	6.5
1	B	55	LEU	6.0
1	B	54	GLN	5.5
1	B	39	TRP	5.1
1	B	107	ILE	5.1
1	B	45	HIS	4.9
1	B	294	ASP	4.4
1	B	111	TYR	4.4
1	B	104	PRO	4.3
1	B	93	GLY	4.3
1	B	23	PHE	4.2
1	B	29	GLN	4.1
1	B	69	HIS	4.0
1	A	15	TYR	4.0
1	A	187	ALA	3.8
1	A	31	ASN	3.8
1	B	96	HIS	3.7
1	B	99	VAL	3.7
1	B	51	GLU	3.6
1	B	36	TYR	3.6
1	B	146	GLU	3.5
1	A	339	LEU	3.3
1	B	32	LEU	3.3
1	A	39	TRP	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	114	LEU	3.2
1	B	143	LEU	3.1
1	B	49	LEU	3.1
1	A	293	GLN	3.0
1	B	287	HIS	3.0
1	A	16	HIS	3.0
1	B	242	GLN	3.0
1	A	273	PHE	2.9
1	B	184	VAL	2.9
1	B	90	TYR	2.9
1	B	31	ASN	2.9
1	B	152	PHE	2.8
1	B	103	LEU	2.8
1	B	63	ASN	2.8
1	A	135	LYS	2.7
1	B	282	THR	2.7
1	B	98	ASP	2.7
1	B	402	GLU	2.6
1	B	280	GLN	2.6
1	A	332	TYR	2.6
1	A	348	GLN	2.6
1	A	35	PHE	2.6
1	A	303	HIS	2.6
1	A	284	GLY	2.6
1	A	282	THR	2.6
1	A	65	LEU	2.6
1	B	68	ASP	2.6
1	A	23	PHE	2.6
1	B	20	GLU	2.5
1	B	289	ALA	2.5
1	A	30	GLU	2.5
1	B	247	LEU	2.5
1	A	388	LEU	2.4
1	B	59	VAL	2.4
1	B	83	LEU	2.4
1	B	66	SER	2.4
1	B	295	MET	2.4
1	B	292	LEU	2.4
1	B	328	LEU	2.3
1	B	270	PHE	2.3
1	B	95	GLY	2.3
1	B	298	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	65	LEU	2.3
1	B	197	LEU	2.3
1	B	52	SER	2.2
1	A	214	PHE	2.2
1	A	300	PRO	2.2
1	B	229	VAL	2.2
1	A	118	LEU	2.2
1	B	271	GLN	2.2
1	B	310	LEU	2.2
1	A	17	ILE	2.1
1	A	83	LEU	2.1
1	B	100	ARG	2.1
1	B	141	LYS	2.1
1	B	89	ALA	2.1
1	B	283	ALA	2.1
1	A	292	LEU	2.1
1	B	201	LEU	2.1
1	B	43	ALA	2.1
1	B	299	MET	2.1
1	A	385	MET	2.1
1	A	290	GLN	2.0
1	B	94	LYS	2.0
1	B	268	SER	2.0
1	A	295	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	JTB	B	503	13/13	0.87	0.33	59,63,69,81	13
3	JTB	B	502	13/13	0.89	0.32	56,59,69,75	13
2	HEM	B	501	43/43	0.90	0.34	55,65,70,80	0
2	HEM	A	501	43/43	0.92	0.28	49,60,66,69	0
3	JTB	A	502	13/13	0.94	0.29	52,58,63,64	13

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around JTB B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around JTB B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEM B 501:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.