



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 21, 2020 – 02:09 PM BST

PDB ID : 6R7P
Title : Crystal structure of oxidized Aquifex aeolicus NADH-quinone oxidoreductase subunits NuoE and NuoF S96M
Authors : Wohlwend, D.; Gnannt, E.; Friedrich, T.
Deposited on : 2019-03-29
Resolution : 3.22 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.22 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1335 (3.24-3.20)
Clashscore	141614	1460 (3.24-3.20)
Ramachandran outliers	138981	1437 (3.24-3.20)
Sidechain outliers	138945	1436 (3.24-3.20)
RSRZ outliers	127900	1291 (3.24-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	160	<div> <div>2%</div> <div> <div></div> <div>88%</div> <div>9%</div> <div>••</div> </div> </div>
1	C	160	<div> <div>2%</div> <div> <div></div> <div>83%</div> <div>14%</div> <div>•</div> </div> </div>
2	B	434	<div> <div>2%</div> <div> <div></div> <div>83%</div> <div>12%</div> <div>•</div> </div> </div>
2	D	434	<div> <div>4%</div> <div> <div></div> <div>84%</div> <div>12%</div> <div>•</div> </div> </div>

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 9380 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADH-quinone oxidoreductase subunit E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	157	Total	C	N	O	S	0	0	0
			1275	825	205	236	9			
1	C	155	Total	C	N	O	S	0	0	0
			1259	816	203	231	9			

- Molecule 2 is a protein called NADH-quinone oxidoreductase subunit F.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	417	Total	C	N	O	S	0	4	0
			3322	2134	554	620	14			
2	D	417	Total	C	N	O	S	0	3	0
			3312	2129	552	617	14			

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	96	MET	SER	engineered mutation	UNP O66841
B	427	ALA	-	expression tag	UNP O66841
B	428	GLY	-	expression tag	UNP O66841
B	429	HIS	-	expression tag	UNP O66841
B	430	HIS	-	expression tag	UNP O66841
B	431	HIS	-	expression tag	UNP O66841
B	432	HIS	-	expression tag	UNP O66841
B	433	HIS	-	expression tag	UNP O66841
B	434	HIS	-	expression tag	UNP O66841
D	96	MET	SER	engineered mutation	UNP O66841
D	427	ALA	-	expression tag	UNP O66841
D	428	GLY	-	expression tag	UNP O66841
D	429	HIS	-	expression tag	UNP O66841
D	430	HIS	-	expression tag	UNP O66841
D	431	HIS	-	expression tag	UNP O66841
D	432	HIS	-	expression tag	UNP O66841

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	433	HIS	-	expression tag	UNP O66841
D	434	HIS	-	expression tag	UNP O66841

- Molecule 3 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Fe	S	0	0
			4	2	2		
3	C	1	Total	Fe	S	0	0
			4	2	2		

- Molecule 4 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	Fe	S		0	0
			8	4	4			
4	D	1	Total	Fe	S		0	0
			8	4	4			

- Molecule 5 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C₁₇H₂₁N₄O₉P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
5	D	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	1	Total	Cl	0	0
			1	1		
7	D	1	Total	Cl	0	0
			1	1		
7	C	1	Total	Cl	0	0
			1	1		

- Molecule 8 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	1	Total	Na	0	0
			1	1		
8	D	1	Total	Na	0	0
			1	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	13	Total 13	O 13	0	0
9	B	49	Total 49	O 49	0	0
9	C	11	Total 11	O 11	0	0
9	D	38	Total 38	O 38	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: NADH-quinone oxidoreductase subunit E





- Molecule 1: NADH-quinone oxidoreductase subunit E



- Molecule 2: NADH-quinone oxidoreductase subunit F



- Molecule 2: NADH-quinone oxidoreductase subunit F



SER
ALA
SER
LEU
PRO
LEU
ALA
GLY
HIS
HIS
HIS
HIS
HIS
HIS

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	63.41Å 114.64Å 187.87Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	31.73 – 3.22 31.71 – 3.22	Depositor EDS
% Data completeness (in resolution range)	99.6 (31.73-3.22) 99.8 (31.71-3.22)	Depositor EDS
R_{merge}	0.27	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.11 (at 3.24Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.208 , 0.257 0.210 , 0.255	Depositor DCC
R_{free} test set	1112 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	56.3	Xtriage
Anisotropy	0.347	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 46.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9380	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 46.86 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.0784e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, NA, SF4, FMN, SO4, FES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.64	0/1304	0.75	0/1762
1	C	0.65	0/1288	0.73	0/1740
2	B	0.64	0/3403	0.76	0/4603
2	D	0.64	0/3393	0.76	0/4591
All	All	0.64	0/9388	0.75	0/12696

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1275	0	1276	8	0
1	C	1259	0	1263	13	0
2	B	3322	0	3293	40	0
2	D	3312	0	3286	32	0
3	A	4	0	0	0	0
3	C	4	0	0	1	0
4	B	8	0	0	1	0
4	D	8	0	0	1	0
5	B	31	0	19	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	31	0	19	0	0
6	B	10	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
8	B	1	0	0	0	0
8	D	1	0	0	0	0
9	A	13	0	0	0	0
9	B	49	0	0	0	0
9	C	11	0	0	0	0
9	D	38	0	0	0	0
All	All	9380	0	9156	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:96:MET:HB2	2:D:180:TYR:HD1	1.37	0.88
2:B:96:MET:CB	2:B:180:TYR:HD1	1.89	0.85
2:B:96:MET:HG3	2:B:180:TYR:HA	1.60	0.83
2:B:96:MET:HB2	2:B:180:TYR:HD1	1.47	0.78
2:D:77:TRP:HE1	2:D:219:ASN:HD21	1.35	0.72
2:D:72:PRO:HB2	2:D:75:LYS:HG2	1.71	0.72
2:B:93:ALA:HB3	2:B:134:ILE:HA	1.75	0.69
2:B:96:MET:CB	2:B:180:TYR:CD1	2.76	0.68
2:B:96:MET:HB3	2:B:180:TYR:HD1	1.62	0.64
2:B:96:MET:HB2	2:B:180:TYR:CD1	2.31	0.64
2:D:77:TRP:HE1	2:D:219:ASN:ND2	1.95	0.63
2:B:96:MET:HB3	2:B:180:TYR:CD1	2.33	0.62
2:D:391:SER:HB2	4:D:501:SF4:S1	2.39	0.62
2:D:96:MET:HB2	2:D:180:TYR:CD1	2.28	0.61
2:D:17:ASN:ND2	2:D:21:LYS:HD2	2.17	0.60
2:B:391:SER:HB2	4:B:501:SF4:S1	2.43	0.59
2:D:229:PHE:O	2:D:233:MET:HG2	2.02	0.59
1:A:39:ASN:HD22	1:A:39:ASN:C	2.07	0.58
2:D:201:LEU:HD12	2:D:201:LEU:H	1.68	0.58
2:D:96:MET:HG3	2:D:180:TYR:HA	1.84	0.58
2:B:79:PHE:O	2:B:82:GLN:HG2	2.03	0.58
2:B:377:TRP:CD2	2:B:418:ARG:HD3	2.38	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:7:ILE:HD11	2:B:140:ALA:HB1	1.86	0.57
2:D:180:TYR:HB3	2:D:345:GLU:HB3	1.87	0.57
2:B:360:GLN:NE2	2:B:384:ASN:HD22	2.02	0.56
2:D:7:ILE:HD11	2:D:140:ALA:HB1	1.89	0.55
2:D:360:GLN:HE22	2:D:400:GLY:HA2	1.72	0.55
2:D:96:MET:CB	2:D:180:TYR:HD1	2.15	0.55
1:A:50:LYS:HB3	1:A:51:PRO:HD3	1.89	0.54
1:C:50:LYS:HB3	1:C:51:PRO:HD3	1.90	0.54
1:C:135:PRO:HG2	1:C:146:PHE:HB3	1.91	0.53
2:D:186:THR:HB	2:D:200:ARG:HB2	1.90	0.53
2:B:93:ALA:HB3	2:B:134:ILE:CA	2.39	0.53
2:D:360:GLN:NE2	2:D:384:ASN:HD22	2.06	0.52
2:B:96:MET:CG	2:B:180:TYR:HA	2.33	0.52
2:D:335:ALA:HB1	2:D:403:ILE:HG12	1.92	0.52
1:A:43:TYR:O	1:A:45:PRO:HD3	2.11	0.51
2:B:181:ILE:HD12	5:B:502:FMN:HM72	1.93	0.50
2:B:203:PRO:HA	2:B:204:PRO:C	2.32	0.49
1:A:154:GLU:O	1:A:157:SER:OG	2.25	0.49
2:B:7:ILE:HD11	2:B:140:ALA:CB	2.43	0.47
2:B:360:GLN:HE22	2:B:400:GLY:HA2	1.80	0.46
2:B:93:ALA:CB	2:B:134:ILE:HA	2.45	0.46
2:B:276:ILE:O	2:B:280:ALA:HB3	2.16	0.46
2:B:20:LEU:HA	2:B:23:ALA:HB3	1.96	0.46
2:B:253:PRO:HG2	2:B:321:THR:HA	1.98	0.46
2:B:252:PHE:CE1	2:B:309:MET:HB3	2.51	0.46
2:D:52:GLU:H	2:D:52:GLU:CD	2.18	0.45
2:B:237:GLU:O	2:B:240:TYR:HB2	2.16	0.45
1:C:130:ALA:HB3	1:C:136:VAL:HG21	1.99	0.45
2:D:360:GLN:HE21	2:D:384:ASN:HD22	1.64	0.45
2:B:87:ARG:NH2	2:B:125:ILE:O	2.50	0.45
2:D:17:ASN:HD21	2:D:21:LYS:HD2	1.83	0.44
1:A:138:MET:HG2	1:A:143:GLU:HG3	1.98	0.44
1:A:100:LEU:HD22	1:A:111:PRO:HG3	2.00	0.44
1:C:131:CYS:SG	2:D:99:GLY:HA2	2.57	0.44
2:B:388[B]:GLN:N	2:B:389:PRO:CD	2.81	0.44
2:D:121:SER:O	2:D:124:ALA:HB3	2.19	0.43
2:B:388[B]:GLN:HE21	2:B:388[B]:GLN:HB2	1.58	0.43
2:B:351:THR:HB	2:B:352:PRO:HD3	2.00	0.43
2:B:211:LEU:HG	2:B:212:TRP:CD1	2.54	0.43
2:D:135:ARG:NE	2:D:137:GLU:HB2	2.34	0.42
2:B:76:LYS:NZ	2:B:218:VAL:O	2.42	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:388[A]:GLN:N	2:B:389:PRO:CD	2.82	0.42
2:D:412:GLU:CD	2:D:412:GLU:H	2.22	0.42
2:B:294:SER:O	2:B:297:LEU:HB3	2.20	0.42
1:C:110:LYS:HB3	1:C:111:PRO:CD	2.50	0.42
1:C:91:CYS:HA	1:C:134:ALA:HB1	2.02	0.42
2:B:360:GLN:HE21	2:B:384:ASN:HD22	1.66	0.42
2:B:377:TRP:CE3	2:B:418:ARG:HD3	2.55	0.42
2:B:93:ALA:HB3	2:B:133:TYR:O	2.19	0.42
1:C:131:CYS:SG	2:D:99:GLY:CA	3.08	0.42
1:A:139:VAL:HG11	1:A:159:TYR:CD2	2.55	0.42
2:D:257:LYS:HD3	2:D:284:LEU:HD12	2.01	0.42
1:C:95:GLY:HA3	1:C:98:LYS:HD3	2.02	0.41
2:B:95:GLU:HG2	2:B:100:THR:O	2.20	0.41
2:D:330:ASP:HB3	2:D:333:GLU:HB3	2.01	0.41
2:B:52:GLU:CD	2:B:52:GLU:H	2.23	0.41
2:B:187:ALA:HB2	2:B:199:PRO:HG3	2.02	0.41
1:C:90:VAL:HB	3:C:201:FES:S1	2.61	0.41
2:D:388[B]:GLN:N	2:D:389:PRO:HD2	2.36	0.41
1:C:83:ILE:HA	1:C:138:MET:O	2.20	0.41
1:A:75:ARG:H	1:A:75:ARG:NE	2.19	0.41
2:B:106:ILE:HD11	2:B:251:LEU:HD11	2.03	0.41
2:D:139:PRO:O	2:D:142:TYR:HB3	2.21	0.41
1:C:99:LEU:HD21	1:C:137:PHE:HB3	2.02	0.40
1:C:48:SER:O	1:C:51:PRO:HD2	2.21	0.40
2:D:182:CYS:O	2:D:188:LEU:HB2	2.22	0.40
2:D:394:GLY:O	2:D:398:VAL:HG22	2.21	0.40
1:C:8:PHE:CE2	1:C:51:PRO:HB2	2.57	0.40
2:D:388[A]:GLN:N	2:D:389:PRO:HD2	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	155/160 (97%)	147 (95%)	8 (5%)	0	100	100
1	C	153/160 (96%)	146 (95%)	7 (5%)	0	100	100
2	B	419/434 (96%)	400 (96%)	18 (4%)	1 (0%)	47	79
2	D	418/434 (96%)	400 (96%)	18 (4%)	0	100	100
All	All	1145/1188 (96%)	1093 (96%)	51 (4%)	1 (0%)	51	83

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	313	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	143/146 (98%)	139 (97%)	4 (3%)	43	73
1	C	141/146 (97%)	139 (99%)	2 (1%)	67	85
2	B	347/357 (97%)	339 (98%)	8 (2%)	50	77
2	D	346/357 (97%)	335 (97%)	11 (3%)	39	70
All	All	977/1006 (97%)	952 (97%)	25 (3%)	46	75

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	ASN
1	A	75	ARG
1	A	78	LYS
1	A	101	LYS
2	B	9	ARG
2	B	208	GLN
2	B	209	LYS
2	B	244	SER
2	B	288	LYS
2	B	313	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	393	CYS
2	B	412	GLU
1	C	39	ASN
1	C	101	LYS
2	D	3	SER
2	D	9	ARG
2	D	25	LYS
2	D	36	LYS
2	D	44	GLU
2	D	201	LEU
2	D	245	ASP
2	D	305	LEU
2	D	328	GLU
2	D	393	CYS
2	D	415	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	ASN
1	A	39	ASN
1	A	97	ASN
2	B	198	HIS
2	B	360	GLN
1	C	21	ASN
1	C	39	ASN
2	D	198	HIS
2	D	208	GLN
2	D	219	ASN
2	D	360	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 5 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FES	C	201	1	0,4,4	0.00	-	-		
4	SF4	B	501	2	0,12,12	0.00	-	-		
5	FMN	B	502	-	31,33,33	1.79	5 (16%)	40,50,50	2.63	6 (15%)
4	SF4	D	501	2	0,12,12	0.00	-	-		
5	FMN	D	502	-	31,33,33	1.79	5 (16%)	40,50,50	2.63	6 (15%)
3	FES	A	200	1	0,4,4	0.00	-	-		
6	SO4	B	504	-	4,4,4	0.38	0	6,6,6	0.07	0
6	SO4	B	503	-	4,4,4	0.38	0	6,6,6	0.06	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FES	C	201	1	-	-	0/1/1/1
4	SF4	B	501	2	-	-	0/6/5/5
5	FMN	B	502	-	-	5/18/18/18	0/3/3/3
4	SF4	D	501	2	-	-	0/6/5/5
5	FMN	D	502	-	-	4/18/18/18	0/3/3/3
3	FES	A	200	1	-	-	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	502	FMN	C4A-C10	7.19	1.46	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	502	FMN	C4A-C10	7.18	1.46	1.38
5	D	502	FMN	C4-N3	3.46	1.39	1.33
5	B	502	FMN	C4-N3	3.42	1.39	1.33
5	D	502	FMN	C9A-N10	3.10	1.42	1.38
5	B	502	FMN	C4-C4A	3.08	1.46	1.41
5	B	502	FMN	C9A-N10	3.03	1.42	1.38
5	D	502	FMN	C4-C4A	2.89	1.46	1.41
5	B	502	FMN	C5A-N5	2.48	1.39	1.35
5	D	502	FMN	C5A-N5	2.31	1.39	1.35

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	502	FMN	C4-N3-C2	12.85	126.00	115.14
5	B	502	FMN	C4-N3-C2	12.79	125.94	115.14
5	B	502	FMN	C4A-C4-N3	-7.24	113.53	123.43
5	D	502	FMN	C4A-C4-N3	-6.91	113.98	123.43
5	D	502	FMN	C10-C4A-N5	4.44	124.33	121.26
5	B	502	FMN	C10-C4A-N5	4.40	124.30	121.26
5	D	502	FMN	C4-C4A-C10	-3.86	117.40	119.95
5	B	502	FMN	C4-C4A-C10	-3.75	117.47	119.95
5	D	502	FMN	C4A-C10-N10	-3.09	117.12	120.30
5	B	502	FMN	C4A-C10-N10	-2.95	117.27	120.30
5	B	502	FMN	C1'-N10-C9A	2.43	120.21	118.29
5	D	502	FMN	C1'-N10-C10	2.06	120.25	118.41

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	D	502	FMN	C3'-C4'-C5'-O5'
5	B	502	FMN	N10-C1'-C2'-O2'
5	B	502	FMN	N10-C1'-C2'-C3'
5	D	502	FMN	C5'-O5'-P-O1P
5	B	502	FMN	O2'-C2'-C3'-C4'
5	D	502	FMN	O4'-C4'-C5'-O5'
5	B	502	FMN	C3'-C4'-C5'-O5'
5	B	502	FMN	O2'-C2'-C3'-O3'
5	D	502	FMN	N10-C1'-C2'-O2'


There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	201	FES	1	0
4	B	501	SF4	1	0
5	B	502	FMN	1	0
4	D	501	SF4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	157/160 (98%)	-0.11	3 (1%) 66 54	34, 69, 90, 159	0
1	C	155/160 (96%)	0.08	3 (1%) 66 54	43, 72, 98, 106	0
2	B	417/434 (96%)	-0.20	9 (2%) 62 49	33, 56, 106, 119	0
2	D	417/434 (96%)	-0.05	16 (3%) 40 27	34, 58, 109, 125	0
All	All	1146/1188 (96%)	-0.10	31 (2%) 54 40	33, 62, 105, 159	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	5	GLU	3.9
2	D	369	LYS	3.6
1	A	4	THR	3.5
2	D	371	GLU	3.5
2	D	370	GLY	3.5
2	B	368	TYR	3.4
2	B	371	GLU	3.1
2	B	370	GLY	2.8
1	C	108	GLY	2.7
2	B	369	LYS	2.7
2	D	313	PRO	2.6
2	D	393	CYS	2.6
1	C	111	PRO	2.6
2	D	372	ALA	2.6
2	B	379	GLY	2.6
2	D	375[A]	GLN	2.5
2	B	314	LEU	2.5
2	B	393	CYS	2.5
2	D	378	GLU	2.4
2	D	368	TYR	2.4
1	C	105	ASN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	376	ASP	2.4
2	D	202	LYS	2.3
2	D	373	THR	2.3
2	D	203	PRO	2.3
1	A	6	PHE	2.3
2	B	374	GLU	2.2
2	D	417	TYR	2.1
2	D	390	THR	2.1
2	B	376	ASP	2.0
2	D	374	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	NA	D	504	1/1	0.81	0.52	69,69,69,69	0
7	CL	C	202	1/1	0.83	0.10	58,58,58,58	0
7	CL	B	505	1/1	0.86	0.38	45,45,45,45	0
8	NA	B	506	1/1	0.87	0.29	76,76,76,76	0
7	CL	D	503	1/1	0.89	0.24	34,34,34,34	0
6	SO4	B	504	5/5	0.92	0.21	83,84,86,86	0
5	FMN	B	502	31/31	0.93	0.20	44,69,73,74	0
5	FMN	D	502	31/31	0.93	0.22	43,74,78,80	0
6	SO4	B	503	5/5	0.94	0.20	79,80,82,85	0
4	SF4	B	501	8/8	0.98	0.15	77,80,84,85	0
3	FES	C	201	4/4	0.99	0.09	33,34,35,36	0
3	FES	A	200	4/4	0.99	0.08	33,35,36,37	0
4	SF4	D	501	8/8	0.99	0.16	82,85,86,90	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.