



Full wwPDB X-ray Structure Validation Report ⓘ

May 27, 2020 – 03:21 am BST

PDB ID : 1RJL
Title : Structure of the complex between OspB-CT and bactericidal Fab-H6831
Authors : Becker, M.; Bunikis, J.; Lade, B.D.; Dunn, J.J.; Barbour, A.G.; Lawson, C.L.
Deposited on : 2003-11-19
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	212	<div> <div>%</div> <div> <div></div> <div>75%</div> <div>23%</div> <div>•</div> </div> </div>
2	B	221	<div> <div>3%</div> <div> <div></div> <div>62%</div> <div>33%</div> <div>• •</div> </div> </div>
3	C	95	<div> <div>3%</div> <div> <div></div> <div>65%</div> <div>33%</div> <div>•</div> </div> </div>
4	D	5	<div> <div></div> <div>100%</div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4188 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fab H6831 L-chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	212	Total	C	N	O	S	0	0	0
			1632	1019	275	331	7			

- Molecule 2 is a protein called Fab H6831 H-chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	221	Total	C	N	O	S	0	0	0
			1663	1045	278	332	8			

- Molecule 3 is a protein called Outer surface protein B.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	95	Total	C	N	O	0	0	0
			723	448	120	155			

- Molecule 4 is a protein called Outer surface protein B.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	D	5	Total	C	N	O	0	0	0
			26	15	5	6			


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	68	Total	O	0	0
			68	68		
5	B	58	Total	O	0	0
			58	58		
5	C	18	Total	O	0	0
			18	18		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fab H6831 L-chain



- Molecule 2: Fab H6831 H-chain



- Molecule 3: Outer surface protein B



- Molecule 4: Outer surface protein B



There are no outlier residues recorded for this chain.

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	186.29Å 37.27Å 87.94Å 90.00° 90.66° 90.00°	Depositor
Resolution (Å)	30.09 – 2.60 30.09 – 2.60	Depositor EDS
% Data completeness (in resolution range)	92.6 (30.09-2.60) 92.6 (30.09-2.60)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.05 (at 2.61Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.191 , 0.235 0.188 , 0.230	Depositor DCC
R_{free} test set	1745 reflections (9.85%)	wwPDB-VP
Wilson B-factor (Å ²)	35.1	Xtriage
Anisotropy	0.176	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 59.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.011 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4188	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/1670	0.85	2/2269 (0.1%)
2	B	0.38	0/1707	1.02	4/2331 (0.2%)
3	C	0.31	0/727	0.58	0/975
All	All	0.38	0/4104	0.89	6/5575 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
2	B	0	3
All	All	0	5

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	155	GLU	O-C-N	-29.10	76.14	122.70
1	A	29	ILE	O-C-N	-24.51	83.48	122.70
2	B	155	GLU	CA-C-N	17.34	155.34	117.20
1	A	29	ILE	CA-C-N	11.64	142.82	117.20
2	B	139	THR	C-N-CA	-8.73	103.97	122.30
2	B	141	SER	N-CA-C	-7.65	90.34	111.00

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	29	ILE	Mainchain,Peptide
2	B	140	GLY	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
2	B	155	GLU	Mainchain,Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1632	0	1570	36	0
2	B	1663	0	1610	77	0
3	C	723	0	746	39	0
4	D	26	0	8	0	0
5	A	68	0	0	2	0
5	B	58	0	0	3	0
5	C	18	0	0	0	0
All	All	4188	0	3934	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:135:CYS:HA	2:B:221:GLY:O	1.57	1.02
2:B:123:THR:HG23	2:B:154:PRO:HG3	1.45	0.96
2:B:163:SER:H	2:B:203:ASN:HD21	1.15	0.93
2:B:123:THR:HA	2:B:154:PRO:HD3	1.51	0.91
3:C:216:ILE:HG13	3:C:222:VAL:HG22	1.53	0.90
2:B:160:LEU:HD13	2:B:203:ASN:HD22	1.34	0.89
1:A:187:GLU:HA	1:A:211:ARG:NH2	1.87	0.88
2:B:154:PRO:HG2	2:B:206:HIS:CE1	2.09	0.88
3:C:261:LEU:H	3:C:261:LEU:HD13	1.39	0.87
2:B:127:PRO:HD2	2:B:150:LYS:O	1.77	0.83
1:A:119:PRO:HB2	2:B:220:ARG:HH12	1.43	0.81
2:B:153:PHE:H	2:B:154:PRO:HD2	1.49	0.77
3:C:214:ARG:HH21	3:C:214:ARG:HG2	1.50	0.76
2:B:154:PRO:HB2	2:B:208:ALA:HB3	1.67	0.75
2:B:154:PRO:HG2	2:B:206:HIS:NE2	2.02	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:160:LEU:CD1	2:B:203:ASN:HD22	2.01	0.73
2:B:163:SER:H	2:B:203:ASN:ND2	1.86	0.73
2:B:126:PRO:HB3	2:B:152:TYR:HB3	1.70	0.72
1:A:190:ASN:HD22	1:A:191:SER:N	1.86	0.72
3:C:217:GLU:HG2	3:C:221:LYS:HB2	1.72	0.71
3:C:209:THR:HB	3:C:229:THR:OG1	1.92	0.70
1:A:119:PRO:HB2	2:B:220:ARG:NH1	2.06	0.69
3:C:291:LEU:HD23	3:C:291:LEU:O	1.94	0.68
2:B:154:PRO:HB2	2:B:208:ALA:CB	2.23	0.67
2:B:98:ARG:HD2	5:B:235:HOH:O	1.96	0.66
1:A:183:LYS:HE2	1:A:187:GLU:OE2	1.95	0.66
3:C:261:LEU:HD23	3:C:263:ASP:HB3	1.77	0.65
1:A:2:ILE:HD12	1:A:27:GLN:HG2	1.78	0.65
3:C:288:LEU:O	3:C:292:LYS:HG3	1.97	0.65
3:C:216:ILE:HD12	3:C:216:ILE:N	2.12	0.64
3:C:217:GLU:CG	3:C:221:LYS:HB2	2.29	0.63
3:C:212:LEU:HD13	3:C:226:LEU:HD13	1.79	0.63
2:B:126:PRO:HD3	2:B:206:HIS:ND1	2.15	0.62
1:A:151:ASP:OD2	1:A:189:HIS:HB3	1.99	0.62
2:B:155:GLU:HB2	2:B:182:TYR:CE2	2.35	0.62
1:A:187:GLU:HA	1:A:211:ARG:HH21	1.61	0.61
2:B:124:THR:H	2:B:154:PRO:CD	2.12	0.61
2:B:160:LEU:CD1	2:B:203:ASN:HB2	2.30	0.61
2:B:140:GLY:O	2:B:192:SER:HB3	1.99	0.61
1:A:193:THR:HA	1:A:208:SER:HB3	1.83	0.60
1:A:39:LYS:HD3	5:A:264:HOH:O	2.01	0.60
2:B:135:CYS:HA	2:B:221:GLY:C	2.22	0.60
2:B:154:PRO:HG2	2:B:206:HIS:HE2	1.63	0.60
2:B:153:PHE:O	2:B:155:GLU:N	2.35	0.59
1:A:155:ARG:HG3	1:A:155:ARG:HH11	1.67	0.59
2:B:123:THR:HG23	2:B:154:PRO:CG	2.25	0.59
2:B:138:THR:OG1	2:B:138:THR:O	2.19	0.58
1:A:2:ILE:HD13	1:A:2:ILE:N	2.18	0.58
1:A:190:ASN:HD22	1:A:191:SER:H	1.52	0.58
1:A:190:ASN:O	1:A:210:ASN:HA	2.03	0.57
2:B:139:THR:O	2:B:140:GLY:O	2.23	0.56
3:C:214:ARG:NH2	3:C:214:ARG:HG2	2.20	0.56
1:A:2:ILE:HD12	1:A:27:GLN:CG	2.35	0.56
3:C:214:ARG:NH2	3:C:216:ILE:HD11	2.21	0.56
3:C:214:ARG:HH22	3:C:216:ILE:HD11	1.70	0.56
3:C:202:THR:HG22	3:C:215:GLU:HB2	1.88	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:122:LYS:H	2:B:122:LYS:HD3	1.71	0.55
1:A:126:THR:O	1:A:126:THR:HG22	2.06	0.55
3:C:287:ASN:OD1	3:C:289:SER:HB3	2.06	0.55
2:B:153:PHE:N	2:B:154:PRO:HD2	2.18	0.55
3:C:217:GLU:OE2	3:C:221:LYS:HD2	2.06	0.55
1:A:91:GLY:HA2	1:A:96:LEU:HD22	1.88	0.55
2:B:58:THR:HG1	2:B:60:TYR:HE2	1.55	0.55
3:C:214:ARG:HG3	3:C:224:VAL:HG22	1.88	0.54
2:B:137:ASP:OD1	2:B:138:THR:N	2.40	0.54
2:B:140:GLY:O	2:B:192:SER:CB	2.56	0.54
3:C:261:LEU:CD2	3:C:263:ASP:HB3	2.38	0.54
1:A:31:VAL:HG13	1:A:31:VAL:O	2.07	0.54
2:B:160:LEU:HD11	2:B:203:ASN:HB2	1.90	0.53
2:B:119:SER:HB3	2:B:153:PHE:HZ	1.74	0.52
2:B:51:ILE:O	2:B:53:PRO:HD3	2.10	0.52
3:C:214:ARG:HH22	3:C:216:ILE:CD1	2.23	0.52
3:C:261:LEU:HD21	3:C:265:THR:OG1	2.09	0.51
2:B:62:GLU:HA	2:B:65:LYS:HE3	1.91	0.51
3:C:217:GLU:HG3	3:C:219:ASP:OD1	2.10	0.51
1:A:160:LEU:HG	2:B:176:VAL:HG21	1.92	0.51
2:B:51:ILE:HD13	2:B:72:VAL:HG13	1.93	0.51
2:B:91:SER:O	2:B:92:ALA:HB2	2.11	0.50
1:A:34:ASN:OD1	1:A:49:TYR:HA	2.11	0.50
2:B:40:ARG:HG3	2:B:92:ALA:HB2	1.93	0.49
2:B:123:THR:CG2	2:B:154:PRO:HG3	2.32	0.49
3:C:267:THR:HA	3:C:283:SER:O	2.12	0.49
1:A:181:LEU:N	1:A:181:LEU:HD23	2.27	0.49
2:B:1:GLN:N	2:B:1:GLN:CD	2.66	0.49
2:B:124:THR:H	2:B:154:PRO:HD2	1.78	0.49
2:B:19:LYS:HD3	2:B:82:ASP:OD1	2.14	0.48
1:A:187:GLU:CA	1:A:211:ARG:NH2	2.69	0.48
2:B:61:ASN:HD21	2:B:63:LYS:HE2	1.78	0.48
2:B:62:GLU:CD	2:B:62:GLU:H	2.17	0.48
2:B:35:HIS:CE1	2:B:50:GLU:HB2	2.48	0.48
2:B:178:GLN:HA	2:B:178:GLN:NE2	2.29	0.47
3:C:293:ASN:HD22	3:C:296:LYS:NZ	2.12	0.47
3:C:207:GLU:OE2	3:C:292:LYS:HB3	2.14	0.47
2:B:178:GLN:HE21	2:B:178:GLN:HA	1.78	0.47
1:A:19:ILE:HD11	1:A:75:ILE:HD12	1.96	0.47
1:A:67:SER:HA	1:A:71:PHE:CE2	2.50	0.47
2:B:106:ALA:HA	5:B:233:HOH:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:2:VAL:HG13	2:B:27:PHE:CD2	2.50	0.46
1:A:91:GLY:HA2	1:A:96:LEU:CD2	2.46	0.46
2:B:36:TRP:CD2	2:B:81:VAL:HG21	2.51	0.46
2:B:134:VAL:HG22	2:B:135:CYS:N	2.31	0.45
2:B:36:TRP:CD1	2:B:70:LEU:HD22	2.51	0.45
1:A:53:ASN:ND2	5:A:256:HOH:O	2.50	0.45
2:B:126:PRO:HA	2:B:127:PRO:HD3	1.76	0.45
2:B:36:TRP:CD2	2:B:81:VAL:CG2	3.00	0.45
2:B:36:TRP:CE2	2:B:81:VAL:CG2	3.00	0.45
2:B:128:VAL:CG1	2:B:213:VAL:HG11	2.47	0.45
1:A:14:SER:O	1:A:17:ASP:HB2	2.17	0.44
2:B:127:PRO:CD	2:B:150:LYS:O	2.59	0.44
1:A:188:ARG:HG3	1:A:188:ARG:HH11	1.82	0.44
3:C:240:GLU:HA	3:C:240:GLU:OE1	2.17	0.44
1:A:155:ARG:NH1	1:A:157:ASN:O	2.50	0.44
1:A:54:LEU:HD11	1:A:60:SER:HA	1.99	0.44
2:B:67:LYS:NZ	2:B:90:ASP:OD1	2.51	0.44
3:C:262:THR:C	3:C:264:GLY:N	2.70	0.44
2:B:127:PRO:HB3	5:B:257:HOH:O	2.17	0.43
2:B:217:ILE:N	2:B:217:ILE:HD12	2.33	0.43
3:C:261:LEU:H	3:C:261:LEU:CD1	2.19	0.43
2:B:83:LEU:HB3	2:B:86:LEU:HD21	1.99	0.43
1:A:167:ASP:O	1:A:171:SER:HA	2.18	0.43
2:B:9:SER:HA	2:B:115:SER:O	2.19	0.43
1:A:163:TRP:CE2	1:A:175:MET:HG3	2.54	0.43
1:A:206:VAL:HG12	1:A:207:LYS:N	2.34	0.43
2:B:147:CYS:HB2	2:B:161:TRP:CH2	2.53	0.43
2:B:52:HIS:HE1	3:C:251:ASP:OD1	2.02	0.42
3:C:262:THR:C	3:C:264:GLY:H	2.22	0.42
3:C:220:GLY:O	3:C:221:LYS:HG3	2.19	0.42
3:C:202:THR:HG22	3:C:215:GLU:CB	2.48	0.42
2:B:142:SER:OG	2:B:189:THR:CG2	2.67	0.42
3:C:263:ASP:OD2	3:C:263:ASP:O	2.38	0.42
3:C:284:GLU:OE1	3:C:284:GLU:N	2.51	0.42
2:B:27:PHE:HE1	2:B:32:SER:HG	1.64	0.42
3:C:207:GLU:OE1	3:C:207:GLU:HA	2.19	0.42
2:B:145:LEU:N	2:B:145:LEU:HD12	2.36	0.41
3:C:293:ASN:ND2	3:C:296:LYS:HZ3	2.19	0.41
2:B:175:ALA:HB2	2:B:184:LEU:HB2	2.02	0.41
2:B:195:TRP:CG	2:B:196:PRO:HA	2.56	0.41
2:B:160:LEU:HD13	2:B:203:ASN:ND2	2.17	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:30:THR:O	2:B:54:ASN:HB2	2.19	0.41
3:C:214:ARG:CG	3:C:214:ARG:NH2	2.83	0.41
1:A:190:ASN:C	1:A:190:ASN:HD22	2.24	0.41
3:C:293:ASN:ND2	3:C:296:LYS:NZ	2.69	0.41
2:B:157:VAL:HG23	2:B:205:ALA:O	2.21	0.40
2:B:191:THR:HG22	2:B:193:SER:H	1.86	0.40
3:C:291:LEU:HD23	3:C:291:LEU:C	2.41	0.40
1:A:155:ARG:CG	1:A:155:ARG:HH11	2.31	0.40
1:A:187:GLU:CA	1:A:211:ARG:HH22	2.35	0.40
2:B:173:PHE:HA	2:B:174:PRO:HD3	1.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	210/212 (99%)	194 (92%)	14 (7%)	2 (1%)	15	32
2	B	219/221 (99%)	195 (89%)	19 (9%)	5 (2%)	6	11
3	C	93/95 (98%)	85 (91%)	7 (8%)	1 (1%)	14	30
All	All	522/528 (99%)	474 (91%)	40 (8%)	8 (2%)	10	21

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	135	CYS
2	B	140	GLY
3	C	218	LYS
1	A	51	ALA
1	A	211	ARG
2	B	154	PRO
2	B	126	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	153	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/188 (100%)	176 (94%)	12 (6%)	17	35
2	B	189/189 (100%)	180 (95%)	9 (5%)	25	49
3	C	83/83 (100%)	81 (98%)	2 (2%)	49	74
All	All	460/460 (100%)	437 (95%)	23 (5%)	24	47

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	LEU
1	A	15	LEU
1	A	24	HIS
1	A	30	ASN
1	A	31	VAL
1	A	33	LEU
1	A	47	LEU
1	A	72	THR
1	A	133	VAL
1	A	145	ASN
1	A	190	ASN
1	A	212	ASN
2	B	5	GLN
2	B	112	GLN
2	B	122	LYS
2	B	126	PRO
2	B	139	THR
2	B	141	SER
2	B	160	LEU
2	B	192	SER
2	B	218	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	219	ASP
3	C	261	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	ASN
1	A	55	HIS
1	A	79	GLN
1	A	138	ASN
1	A	161	ASN
1	A	190	ASN
1	A	198	HIS
2	B	1	GLN
2	B	5	GLN
2	B	54	ASN
2	B	57	ASN
2	B	112	GLN
2	B	171	HIS
2	B	178	GLN
2	B	203	ASN
3	C	233	ASN
3	C	269	GLN
3	C	293	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	212/212 (100%)	-0.50	2 (0%) 84 82	7, 26, 60, 81	0
2	B	221/221 (100%)	-0.20	7 (3%) 47 40	18, 35, 61, 90	0
3	C	95/95 (100%)	0.16	3 (3%) 47 40	25, 58, 85, 96	0
4	D	0/5	-	-	-	-
All	All	528/533 (99%)	-0.26	12 (2%) 60 54	7, 35, 75, 96	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	138	THR	8.7
3	C	218	LYS	4.3
2	B	136	GLY	3.8
3	C	262	THR	3.3
2	B	135	CYS	3.3
3	C	217	GLU	3.2
2	B	137	ASP	2.9
1	A	202	THR	2.7
2	B	140	GLY	2.6
2	B	139	THR	2.3
2	B	43	GLN	2.3
1	A	188	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.