



# Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 09:51 am BST

PDB ID : 1RS9  
Title : Bovine endothelial NOS heme domain with D-phenylalanine-D-nitroarginine amide bound  
Authors : Flinspach, M.; Li, H.; Jamal, J.; Yang, W.; Huang, H.; Silverman, R.B.; Poulos, T.L.  
Deposited on : 2003-12-09  
Resolution : 2.22 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.22 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	6646 (2.24-2.20)
Ramachandran outliers	138981	6543 (2.24-2.20)
Sidechain outliers	138945	6544 (2.24-2.20)
RSRZ outliers	127900	5797 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	416	<div> <div>5%</div> <div> <div></div> <div>77%</div> <div>19%</div> <div>..</div> </div> </div>
1	B	416	<div> <div>4%</div> <div> <div></div> <div>74%</div> <div>21%</div> <div>..</div> </div> </div>

## 2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 7008 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Nitric-oxide synthase, endothelial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	406	Total	C	N	O	S	0	0	0
			3227	2052	569	590	16			
1	B	404	Total	C	N	O	S	0	0	0
			3216	2045	567	588	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	100	ARG	CYS	SEE REMARK 999	UNP P29473
B	100	ARG	CYS	SEE REMARK 999	UNP P29473

- Molecule 2 is CACODYLATE ION (three-letter code: CAC) (formula:  $C_2H_6AsO_2$ ).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	As	C	0
			3	1	2	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	As	C	0	0
			3	1	2		

- Molecule 3 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
4	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 5 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula:  $C_9H_{15}N_5O_3$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			17	9	5	3		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 6 is D-PHENYLALANYL-N 5 -[(2,2-DIHYDROXYHYDRAZINO)(IMINO)METHYL]-D-ORNITHINAMIDE (three-letter code: D7P) (formula: C<sub>15</sub>H<sub>25</sub>N<sub>7</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			26	15	7	4		
6	B	1	Total	C	N	O	0	0
			26	15	7	4		

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	1	Total	Zn	0	0
			1	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	182	Total	O	0	0
			182	182		
9	B	184	Total	O	0	0
			184	184		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nitric-oxide synthase, endothelial



- Molecule 1: Nitric-oxide synthase, endothelial





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	58.79Å 106.65Å 157.66Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.50 – 2.22 39.50 – 2.22	Depositor EDS
% Data completeness (in resolution range)	98.3 (39.50-2.22) 88.4 (39.50-2.22)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.62 (at 2.22Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.215 , 0.264 0.208 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	36.5	Xtriage
Anisotropy	0.978	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 40.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7008	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.58% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, H4B, D7P, ACT, CAC, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.40	0/3318	0.65	2/4520 (0.0%)
1	B	0.39	0/3306	0.64	1/4503 (0.0%)
All	All	0.39	0/6624	0.64	3/9023 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	360	MET	N-CA-C	-5.88	95.14	111.00
1	B	360	MET	N-CA-C	-5.40	96.43	111.00
1	A	243	PHE	N-CA-C	-5.31	96.65	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3227	0	3135	74	0
1	B	3216	0	3125	80	0
2	A	3	0	0	3	0
2	B	3	0	0	1	0
3	A	4	0	3	1	0
3	B	4	0	3	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	43	0	30	2	0
4	B	43	0	30	2	0
5	A	17	0	15	1	0
5	B	17	0	15	1	0
6	A	26	0	24	1	0
6	B	26	0	24	0	0
7	A	6	0	8	2	0
7	B	6	0	8	0	0
8	B	1	0	0	0	0
9	A	182	0	0	10	0
9	B	184	0	0	12	0
All	All	7008	0	6420	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:ARG:HH11	1:A:109:ARG:HA	1.01	1.14
1:A:99:ARG:HH11	1:A:99:ARG:HB2	1.23	0.97
1:B:281:TRP:HB2	1:B:304:LEU:HD11	1.48	0.94
1:A:109:ARG:NH1	1:A:109:ARG:HA	1.82	0.93
1:A:249:GLN:HE21	1:A:252:ARG:HE	1.12	0.92
1:A:384:CYS:SG	2:A:850:CAC:AS	2.91	0.88
4:B:500:HEM:HBC2	4:B:500:HEM:HMC2	1.55	0.88
1:B:259:GLN:HG3	1:B:260:ASP:H	1.46	0.81
1:A:92:GLN:HE21	1:A:476:ARG:HH22	1.37	0.73
1:B:378:LEU:HB2	9:B:944:HOH:O	1.89	0.73
1:B:340:ASN:HD22	1:B:340:ASN:H	1.36	0.73
1:B:444:PRO:HG3	1:B:469:TYR:CE1	2.23	0.72
1:A:338:VAL:HG23	9:A:1057:HOH:O	1.90	0.71
1:B:178:GLN:HE22	1:B:181:ARG:HH11	1.37	0.71
1:B:455:SER:HB3	1:B:458:LEU:HD12	1.74	0.69
1:B:384:CYS:SG	2:B:852:CAC:AS	3.11	0.69
1:A:75:ASN:HD22	1:A:464:GLN:NE2	1.91	0.68
1:A:92:GLN:HE21	1:A:476:ARG:NH2	1.91	0.68
1:A:264:ARG:HG3	1:A:264:ARG:HH11	1.59	0.68
1:A:99:ARG:NH1	1:A:99:ARG:HB2	2.05	0.68
1:A:340:ASN:HD22	1:A:340:ASN:H	1.40	0.67
1:B:249:GLN:HB2	1:B:252:ARG:HG2	1.74	0.67

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:270:VAL:HG13	1:B:271:GLU:N	2.12	0.65
1:B:453:PRO:HG3	9:B:904:HOH:O	1.97	0.64
1:B:409:LEU:O	1:B:413:GLN:HG3	1.99	0.63
1:A:414:LEU:HD23	1:A:414:LEU:O	1.99	0.63
1:A:249:GLN:HB2	1:A:252:ARG:HG3	1.80	0.63
1:B:434:ASP:OD1	1:B:438:LYS:HE2	1.99	0.62
1:B:331:ARG:HD2	9:B:1070:HOH:O	1.98	0.62
1:A:109:ARG:HH11	1:A:109:ARG:CA	1.94	0.62
1:B:126:LEU:HD11	1:B:156:GLU:OE1	2.00	0.61
1:A:204:SER:O	1:A:205:SER:HB3	2.01	0.61
1:A:285:ASN:C	1:A:285:ASN:HD22	2.03	0.61
1:B:254:ALA:HA	1:B:291:LEU:HD21	1.83	0.61
1:B:124:GLN:HA	1:B:124:GLN:OE1	2.01	0.60
1:A:92:GLN:HE22	1:A:472:SER:HB2	1.67	0.59
1:B:155:VAL:HG23	9:B:1054:HOH:O	2.01	0.59
1:B:259:GLN:HG3	1:B:260:ASP:OD1	2.01	0.59
1:B:151:ARG:NH1	9:B:1054:HOH:O	2.35	0.59
1:A:444:PRO:HG3	1:A:469:TYR:CE1	2.38	0.58
1:A:366:THR:HG21	1:A:454:ILE:HG23	1.85	0.58
1:B:254:ALA:HB2	1:B:291:LEU:HD13	1.84	0.58
1:B:70:PHE:CD1	1:B:85:THR:HG22	2.39	0.57
1:B:74:LYS:O	1:B:465:GLU:HG3	2.05	0.56
1:A:72:ARG:HD2	9:A:1040:HOH:O	2.06	0.56
1:A:245:ILE:HB	9:A:1036:HOH:O	2.05	0.56
1:A:470:ILE:HD12	1:A:470:ILE:N	2.20	0.56
1:A:72:ARG:NE	9:A:934:HOH:O	2.38	0.56
7:A:880:GOL:H32	1:B:76:TRP:HB3	1.88	0.55
4:B:500:HEM:HMC2	4:B:500:HEM:CBC	2.31	0.55
1:A:75:ASN:HD22	1:A:464:GLN:HE21	1.54	0.55
1:A:453:PRO:HG3	9:A:884:HOH:O	2.07	0.55
1:A:474:ALA:HB3	1:A:476:ARG:HE	1.72	0.55
1:A:203:CYS:SG	1:A:208:GLU:HB3	2.48	0.54
1:A:414:LEU:HD23	1:A:414:LEU:C	2.28	0.54
1:A:341:MET:HE2	1:A:475:PHE:HB3	1.90	0.54
1:A:122:ALA:O	1:A:126:LEU:HD23	2.08	0.54
1:A:378:LEU:HB2	9:A:881:HOH:O	2.08	0.54
1:A:214:CYS:O	1:A:218:LYS:HG3	2.08	0.53
1:A:77:GLU:HG3	1:B:372:PRO:HG2	1.89	0.53
4:A:500:HEM:HBA2	6:A:797:D7P:HG2	1.90	0.53
1:A:281:TRP:HB2	1:A:304:LEU:HD11	1.91	0.53
1:A:455:SER:HB3	1:A:458:LEU:HD12	1.89	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:167:LEU:HG	1:B:348:LEU:HD12	1.92	0.52
1:B:308:PRO:HB3	1:B:310:GLU:OE1	2.09	0.52
1:B:182:ASN:O	1:B:184:PRO:HD3	2.09	0.52
1:A:340:ASN:HD22	1:A:340:ASN:N	2.03	0.52
1:B:223:ARG:HH11	1:B:223:ARG:HG3	1.75	0.52
1:A:237:ALA:HB3	1:A:240:ARG:HH11	1.76	0.51
1:A:449:TRP:HA	5:A:760:H4B:N1	2.26	0.51
1:B:270:VAL:HG13	1:B:271:GLU:H	1.75	0.51
1:B:449:TRP:HA	5:B:761:H4B:N1	2.26	0.51
1:B:185:ARG:HD3	1:B:449:TRP:CD2	2.45	0.50
1:B:161:SER:HB3	9:B:1037:HOH:O	2.11	0.50
1:B:281:TRP:HB2	1:B:304:LEU:CD1	2.33	0.50
1:B:319:HIS:CG	1:B:320:PRO:HD2	2.46	0.50
1:A:285:ASN:C	1:A:285:ASN:ND2	2.65	0.50
1:A:304:LEU:HD23	1:A:304:LEU:C	2.31	0.50
1:B:145:SER:O	1:B:149:GLU:HG3	2.12	0.50
1:A:99:ARG:HH11	1:A:99:ARG:CB	2.10	0.49
1:B:249:GLN:HB2	1:B:252:ARG:CG	2.39	0.49
1:A:81:ILE:HG22	1:A:82:THR:N	2.27	0.49
7:A:880:GOL:H2	9:A:932:HOH:O	2.13	0.49
1:B:340:ASN:N	1:B:340:ASN:HD22	2.03	0.49
1:B:249:GLN:HE21	1:B:252:ARG:NE	2.11	0.49
1:B:342:LEU:HD23	1:B:342:LEU:C	2.33	0.49
1:A:126:LEU:CD1	1:A:156:GLU:HG2	2.43	0.49
1:B:254:ALA:N	1:B:291:LEU:HD22	2.29	0.48
1:B:151:ARG:CZ	9:B:1054:HOH:O	2.61	0.48
1:A:359:TYR:O	1:A:419:ILE:HD12	2.13	0.48
1:B:366:THR:O	1:B:370:CYS:HB2	2.14	0.48
1:B:310:GLU:CD	1:B:310:GLU:H	2.18	0.47
1:B:99:ARG:HB2	1:B:99:ARG:HH11	1.78	0.47
1:B:304:LEU:C	1:B:304:LEU:HD23	2.35	0.47
1:A:338:VAL:HB	1:A:355:PHE:CZ	2.50	0.47
1:A:340:ASN:ND2	1:A:340:ASN:H	2.09	0.47
1:A:264:ARG:HG3	1:A:264:ARG:NH1	2.27	0.47
1:A:270:VAL:O	1:A:274:GLU:HG3	2.14	0.47
1:B:125:LEU:HD21	1:B:164:THR:HA	1.96	0.47
1:A:70:PHE:HB3	1:A:84:ASP:O	2.15	0.46
1:A:249:GLN:HE21	1:A:252:ARG:NE	1.96	0.46
3:A:860:ACT:H2	4:A:500:HEM:HMB3	1.96	0.46
1:A:75:ASN:HB2	1:A:464:GLN:HE22	1.81	0.45
1:B:340:ASN:ND2	1:B:340:ASN:H	2.10	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:207:GLN:NE2	1:A:305:PHE:HE2	2.15	0.45
1:B:233:PHE:HB3	1:B:234:PRO:CD	2.46	0.45
1:B:270:VAL:CG1	1:B:271:GLU:N	2.79	0.45
1:A:167:LEU:HG	1:A:348:LEU:HD12	1.98	0.44
1:B:233:PHE:HB3	1:B:234:PRO:HD2	1.98	0.44
1:A:164:THR:O	1:A:165:TYR:HB3	2.16	0.44
1:A:369:LEU:HB2	9:A:1016:HOH:O	2.18	0.44
1:B:148:HIS:CE1	9:B:1036:HOH:O	2.70	0.44
1:A:370:CYS:SG	1:A:378:LEU:HD13	2.58	0.44
1:A:370:CYS:N	9:A:1016:HOH:O	2.50	0.44
1:A:164:THR:HG23	1:A:165:TYR:N	2.33	0.43
1:B:246:TRP:CE2	1:B:481:PRO:HB2	2.53	0.43
1:A:269:ASN:O	1:A:272:ILE:HG22	2.19	0.43
1:A:384:CYS:HB3	2:A:850:CAC:AS	2.79	0.43
1:A:384:CYS:CB	2:A:850:CAC:AS	3.27	0.43
1:B:388:ASP:OD1	1:B:390:ARG:HB2	2.19	0.43
1:A:93:ASP:HB3	1:B:98:PRO:HB2	1.99	0.43
1:B:390:ARG:HB2	1:B:390:ARG:NH1	2.33	0.43
1:B:472:SER:HA	1:B:473:PRO:C	2.39	0.43
1:B:122:ALA:O	1:B:126:LEU:HB2	2.19	0.42
1:A:202:ASP:OD1	1:A:203:CYS:N	2.52	0.42
1:A:443:CYS:HA	1:A:444:PRO:HD3	1.80	0.42
1:B:336:PRO:O	1:B:336:PRO:HG2	2.19	0.42
1:A:380:ASP:HA	9:A:987:HOH:O	2.19	0.42
1:B:252:ARG:HB2	9:B:925:HOH:O	2.19	0.42
1:A:274:GLU:O	1:A:278:GLN:HG3	2.20	0.42
1:A:468:ASN:HD22	1:A:469:TYR:N	2.18	0.42
1:A:68:PRO:HD2	1:A:83:TYR:CE2	2.54	0.42
1:A:187:VAL:O	1:A:187:VAL:HG22	2.20	0.42
1:A:324:TRP:O	1:A:327:ALA:HB3	2.20	0.42
1:B:361:SER:OG	1:B:421:ASP:HA	2.20	0.42
1:B:323:GLU:OE1	1:B:324:TRP:CD1	2.73	0.41
1:B:125:LEU:CD2	1:B:164:THR:HA	2.50	0.41
1:B:253:TYR:C	1:B:291:LEU:HD22	2.40	0.41
1:A:468:ASN:HD22	1:A:469:TYR:H	1.68	0.41
1:B:240:ARG:HG2	1:B:241:GLY:N	2.35	0.41
1:B:291:LEU:HD12	1:B:292:PRO:HD2	2.02	0.41
1:B:228:SER:HA	1:B:356:SER:O	2.20	0.41
1:B:120:PRO:O	1:B:121:PRO:C	2.59	0.41
1:B:130:ARG:HB3	9:B:1035:HOH:O	2.20	0.41
1:B:254:ALA:HB2	1:B:291:LEU:CD1	2.50	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:294:LEU:HA	1:B:294:LEU:HD23	1.94	0.41
1:B:69:LYS:N	9:B:961:HOH:O	2.53	0.41
1:A:86:LEU:HD21	1:A:471:LEU:HD11	2.02	0.41
1:B:258:GLN:O	1:B:259:GLN:C	2.58	0.41
1:B:249:GLN:HG3	1:B:252:ARG:HE	1.86	0.41
1:B:137:TYR:CD2	1:B:140:ILE:HD11	2.56	0.40
1:A:259:GLN:NE2	1:A:259:GLN:H	2.19	0.40
1:B:248:SER:HA	1:B:340:ASN:HB3	2.03	0.40
1:B:400:ALA:O	1:B:404:ILE:HG13	2.21	0.40
1:B:223:ARG:NH1	1:B:223:ARG:HG3	2.36	0.40
1:B:443:CYS:HA	1:B:444:PRO:HD3	1.90	0.40
1:B:201:ARG:HB3	9:B:993:HOH:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	402/416 (97%)	380 (94%)	20 (5%)	2 (0%)	29	30
1	B	400/416 (96%)	375 (94%)	20 (5%)	5 (1%)	12	9
All	All	802/832 (96%)	755 (94%)	40 (5%)	7 (1%)	17	15

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	259	GLN
1	B	281	TRP
1	A	205	SER
1	B	124	GLN
1	B	145	SER
1	A	121	PRO

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	328	LEU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	345/354 (98%)	333 (96%)	12 (4%)	36	44
1	B	344/354 (97%)	337 (98%)	7 (2%)	55	67
All	All	689/708 (97%)	670 (97%)	19 (3%)	43	54

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	99	ARG
1	A	100	ARG
1	A	109	ARG
1	A	225	ASN
1	A	247	ASN
1	A	259	GLN
1	A	285	ASN
1	A	328	LEU
1	A	340	ASN
1	A	341	MET
1	A	376	ASN
1	A	468	ASN
1	B	99	ARG
1	B	100	ARG
1	B	107	LEU
1	B	222	ASN
1	B	291	LEU
1	B	323	GLU
1	B	340	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:



Mol	Chain	Res	Type
1	A	124	GLN
1	A	191	GLN
1	A	207	GLN
1	A	225	ASN
1	A	249	GLN
1	A	259	GLN
1	A	278	GLN
1	A	279	HIS
1	A	285	ASN
1	A	340	ASN
1	A	376	ASN
1	A	413	GLN
1	A	464	GLN
1	A	468	ASN
1	B	89	GLN
1	B	178	GLN
1	B	191	GLN
1	B	222	ASN
1	B	249	GLN
1	B	259	GLN
1	B	278	GLN
1	B	340	ASN
1	B	405	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 1 is monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	H4B	B	761	-	16,18,18	2.03	4 (25%)	11,26,26	4.21	9 (81%)
2	CAC	A	850	-	0,2,4	0.00	-	0,1,6	0.00	-
2	CAC	B	852	-	0,2,4	0.00	-	0,1,6	0.00	-
3	ACT	A	860	-	1,3,3	3.86	1 (100%)	0,3,3	0.00	-
4	HEM	A	500	1	27,50,50	1.87	5 (18%)	17,82,82	1.32	2 (11%)
4	HEM	B	500	1	27,50,50	1.73	7 (25%)	17,82,82	1.47	3 (17%)
6	D7P	A	797	-	21,26,26	1.60	3 (14%)	28,33,33	1.22	2 (7%)
7	GOL	B	882	-	5,5,5	0.30	0	5,5,5	0.25	0
3	ACT	B	861	-	1,3,3	3.87	1 (100%)	0,3,3	0.00	-
7	GOL	A	880	-	5,5,5	0.26	0	5,5,5	0.26	0
5	H4B	A	760	-	16,18,18	2.10	4 (25%)	11,26,26	4.21	8 (72%)
6	D7P	B	798	-	21,26,26	1.42	3 (14%)	28,33,33	1.31	3 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	H4B	B	761	-	-	0/8/17/17	0/2/2/2
4	HEM	A	500	1	-	0/6/54/54	-
4	HEM	B	500	1	-	0/6/54/54	-
7	GOL	B	882	-	-	2/4/4/4	-
6	D7P	A	797	-	-	4/23/27/27	0/1/1/1
7	GOL	A	880	-	-	2/4/4/4	-
5	H4B	A	760	-	-	0/8/17/17	0/2/2/2
6	D7P	B	798	-	-	5/23/27/27	0/1/1/1

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	760	H4B	C4-N3	5.01	1.41	1.33
5	B	761	H4B	C4-N3	4.65	1.41	1.33
5	B	761	H4B	C4A-N5	4.28	1.46	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	500	HEM	C3B-C2B	-4.27	1.34	1.40
4	B	500	HEM	C3B-C2B	-4.19	1.34	1.40
4	A	500	HEM	C3C-CAC	-4.16	1.39	1.47
5	A	760	H4B	C4A-N5	4.08	1.46	1.38
5	A	760	H4B	C6-N5	4.07	1.53	1.45
3	B	861	ACT	CH3-C	3.87	1.53	1.48
3	A	860	ACT	CH3-C	3.86	1.53	1.48
6	A	797	D7P	CA-N	3.66	1.53	1.45
5	B	761	H4B	C6-N5	3.53	1.52	1.45
4	B	500	HEM	C3B-CAB	-3.32	1.41	1.47
4	B	500	HEM	C3C-CAC	-3.32	1.41	1.47
4	B	500	HEM	C3C-C2C	-3.32	1.35	1.40
4	A	500	HEM	C3C-C2C	-3.29	1.35	1.40
6	A	797	D7P	CZ-NH2	3.25	1.38	1.29
6	B	798	D7P	CZ-NH2	3.21	1.38	1.29
4	A	500	HEM	C3B-CAB	-3.17	1.41	1.47
6	B	798	D7P	CA-N	2.64	1.51	1.45
5	B	761	H4B	C8A-N1	2.61	1.39	1.34
4	B	500	HEM	CAA-C2A	2.34	1.55	1.52
4	A	500	HEM	C4A-NA	2.25	1.40	1.36
4	B	500	HEM	C4A-NA	2.19	1.40	1.36
4	B	500	HEM	C4B-NB	2.14	1.40	1.36
6	B	798	D7P	CD-NE	2.13	1.51	1.46
6	A	797	D7P	CD1-CG'	2.06	1.43	1.38
5	A	760	H4B	C7-N8	2.01	1.48	1.44

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	760	H4B	C4-C4A-C8A	8.78	122.36	114.57
5	B	761	H4B	C4-C4A-C8A	8.55	122.16	114.57
5	B	761	H4B	C4-N3-C2	5.98	125.43	115.93
5	A	760	H4B	C4-N3-C2	5.87	125.26	115.93
5	B	761	H4B	N3-C2-N1	-4.97	117.63	125.42
5	A	760	H4B	N3-C2-N1	-4.81	117.88	125.42
6	B	798	D7P	CD-NE-CZ	4.32	131.39	123.50
5	B	761	H4B	N2-C2-N1	3.90	123.32	117.25
5	A	760	H4B	N2-C2-N1	3.84	123.22	117.25
6	A	797	D7P	CD-NE-CZ	3.72	130.30	123.50
5	A	760	H4B	C4A-C4-N3	-3.59	113.81	124.01
5	B	761	H4B	C2-N1-C8A	3.56	122.53	114.54
5	A	760	H4B	C2-N1-C8A	3.56	122.52	114.54

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	761	H4B	C4A-C4-N3	-3.53	113.97	124.01
4	B	500	HEM	CBA-CAA-C2A	-3.35	106.30	112.49
4	A	500	HEM	C4A-C3A-C2A	-3.26	104.73	107.00
5	B	761	H4B	C4A-N5-C6	-3.02	112.94	121.16
5	A	760	H4B	C4A-N5-C6	-2.90	113.26	121.16
6	B	798	D7P	O-C-N1'	-2.74	118.24	123.00
5	A	760	H4B	C4-C4A-N5	-2.60	116.94	119.12
4	B	500	HEM	C4C-C3C-C2C	-2.55	105.12	106.90
6	A	797	D7P	O-C-N1'	-2.42	118.79	123.00
5	B	761	H4B	O9-C9-C6	2.28	114.44	108.98
5	B	761	H4B	C4-C4A-N5	-2.28	117.21	119.12
6	B	798	D7P	CB-CA-N	-2.13	106.57	110.88
4	A	500	HEM	CBA-CAA-C2A	-2.12	108.58	112.49
4	B	500	HEM	CBD-CAD-C3D	-2.05	108.69	112.48

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	882	GOL	O1-C1-C2-C3
6	A	797	D7P	N-CA-CB-CG
6	B	798	D7P	N-CA-CB-CG
6	A	797	D7P	C-CA-CB-CG
7	B	882	GOL	O1-C1-C2-O2
6	B	798	D7P	C-CA-CB-CG
7	A	880	GOL	C1-C2-C3-O3
7	A	880	GOL	O2-C2-C3-O3
6	B	798	D7P	CG-CD-NE-CZ
6	A	797	D7P	CG-CD-NE-CZ
6	A	797	D7P	O-C-CA-N
6	B	798	D7P	N1'-C-CA-N
6	B	798	D7P	O-C-CA-N

There are no ring outliers.

9 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	761	H4B	1	0
2	A	850	CAC	3	0
2	B	852	CAC	1	0
3	A	860	ACT	1	0



*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	500	HEM	2	0
4	B	500	HEM	2	0
6	A	797	D7P	1	0
7	A	880	GOL	2	0
5	A	760	H4B	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	406/416 (97%)	0.17	21 (5%) 27 25	30, 49, 71, 91	0
1	B	404/416 (97%)	0.06	17 (4%) 36 34	31, 51, 72, 92	0
All	All	810/832 (97%)	0.12	38 (4%) 31 29	30, 51, 72, 92	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	120	PRO	7.8
1	B	122	ALA	6.6
1	A	122	ALA	5.4
1	A	239	GLY	5.3
1	A	121	PRO	4.8
1	B	259	GLN	4.5
1	A	259	GLN	4.5
1	A	123	GLU	4.3
1	B	261	GLY	4.1
1	A	69	LYS	4.0
1	B	121	PRO	3.8
1	A	238	PRO	3.8
1	B	123	GLU	3.7
1	A	120	PRO	3.5
1	A	160	ALA	3.2
1	B	323	GLU	2.9
1	B	142	ARG	2.7
1	A	155	VAL	2.6
1	A	476	ARG	2.5
1	B	69	LYS	2.4
1	A	124	GLN	2.4
1	A	156	GLU	2.4
1	A	153	GLN	2.4
1	B	223	ARG	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	414	LEU	2.3
1	A	237	ALA	2.2
1	B	239	GLY	2.2
1	B	146	GLN	2.2
1	B	476	ARG	2.2
1	B	260	ASP	2.2
1	B	338	VAL	2.1
1	A	260	ASP	2.1
1	B	337	ALA	2.1
1	A	449	TRP	2.1
1	A	301	ALA	2.1
1	A	91	GLN	2.1
1	A	338	VAL	2.0
1	A	311	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	ACT	A	860	4/4	0.92	0.12	60,60,60,60	0
3	ACT	B	861	4/4	0.92	0.15	62,63,63,64	0
6	D7P	A	797	26/26	0.93	0.20	35,39,42,44	0
7	GOL	A	880	6/6	0.93	0.20	42,45,45,45	0
6	D7P	B	798	26/26	0.94	0.20	31,37,44,47	0
7	GOL	B	882	6/6	0.95	0.23	43,49,50,51	0
2	CAC	B	852	3/5	0.96	0.15	112,112,112,112	0
5	H4B	A	760	17/17	0.96	0.22	34,35,37,38	0
2	CAC	A	850	3/5	0.96	0.13	85,85,87,88	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	H4B	B	761	17/17	0.97	0.21	29,33,35,38	0
4	HEM	A	500	43/43	0.98	0.18	30,32,39,42	0
4	HEM	B	500	43/43	0.98	0.16	29,32,35,38	0
8	ZN	B	900	1/1	0.99	0.09	40,40,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around D7P A 797:**

2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around D7P B 798:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEM A 500:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.