



wwPDB NMR Structure Validation Summary Report ⓘ

Sep 15, 2021 – 06:51 PM EDT

PDB ID : 7RSC
Title : NMR-driven structure of the KRAS4B-G12D "alpha-alpha" dimer on a lipid bilayer nanodisc
Authors : Lee, K.; Enomoto, M.; Gebregiworgis, T.; Gasmi-Seabrook, G.M.; Ikura, M.; Marshall, C.B.
Deposited on : 2021-08-11

This is a wwPDB NMR Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : 2.23.1
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 1%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	185	<div> <div>77%</div> <div>13%</div> <div>9%</div> <div>.</div> </div>
1	B	185	<div> <div>79%</div> <div>11%</div> <div>9%</div> <div>.</div> </div>
2	D	200	<div> <div>84%</div> <div>8%</div> <div>6%</div> </div>
2	E	200	<div> <div>84%</div> <div>10%</div> <div>6%</div> </div>

2 Ensemble composition and analysis

This entry contains 20 models. Model 5 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:2-A:167, B:2-B:167 (332)	0.57	6
2	D:256-D:441, E:555-E:741 (373)	0.23	5

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters. No single-model clusters were found.

Cluster number	Models
1	2, 4, 7, 10, 12, 17, 18, 20
2	1, 5, 8, 11, 13, 19
3	6, 9, 15, 16
4	3, 14

3 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 14322 atoms, of which 1540 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called GTPase KRas.

Mol	Chain	Residues	Atoms						Trace
1	A	183	Total	C	H	N	O	S	0
			1822	917	356	255	287	7	
1	B	183	Total	C	H	N	O	S	0
			1822	917	356	255	287	7	

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	SER	-	expression tag	UNP P01116
A	12	ASP	GLY	engineered mutation	UNP P01116
B	1	SER	-	expression tag	UNP P01116
B	12	ASP	GLY	engineered mutation	UNP P01116


- Molecule 2 is a protein called Apolipoprotein A-I.

Mol	Chain	Residues	Atoms						Trace
2	D	187	Total	C	H	N	O	S	0
			1892	960	360	273	296	3	
2	E	187	Total	C	H	N	O	S	0
			1892	960	360	273	296	3	

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	242	GLY	-	expression tag	UNP P02647
D	243	PRO	-	expression tag	UNP P02647
E	542	GLY	-	expression tag	UNP P02647
E	543	PRO	-	expression tag	UNP P02647

- Molecule 3 is 5'-GUANOSINE-DIPHOSPHATE-MONOTHIOPHOSPHATE (three-letter code: GSP) (formula: C₁₀H₁₆N₅O₁₃P₃S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						
			Total	C	H	N	O	P	S
3	A	1	38	10	6	5	13	3	1
3	B	1	38	10	6	5	13	3	1

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	
			Total	Mg
4	A	1	1	1
4	B	1	1	1

- Molecule 5 is [(2 {R})-3-[oxidanyl-2-(trimethyl- $\text{S}^{\text{I}}\{4\}$ -azanyl)ethoxy]phosphoryl]oxy-2-propanoyloxy-propyl] ({Z})-octadec-9-enoate (three-letter code: 7Q9) (formula: $\text{C}_{29}\text{H}_{57}\text{NO}_8\text{P}$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				
5	A	1	Total	C	N	O	P
			39	29	1	8	1
5	A	1	Total	C	N	O	P
			39	29	1	8	1
5	A	1	Total	C	N	O	P
			39	29	1	8	1
5	A	1	Total	C	N	O	P
			39	29	1	8	1
5	A	1	Total	C	N	O	P
			39	29	1	8	1
5	A	1	Total	C	N	O	P
			39	29	1	8	1
5	A	1	Total	C	N	O	P
			39	29	1	8	1
5	A	1	Total	C	N	O	P
			39	29	1	8	1
5	A	1	Total	C	N	O	P
			39	29	1	8	1
5	A	1	Total	C	N	O	P
			39	29	1	8	1
5	A	1	Total	C	N	O	P
			39	29	1	8	1

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				
5	B	1	Total	C	N	O	P
			39	29	1	8	1
5	B	1	Total	C	N	O	P
			39	29	1	8	1
5	B	1	Total	C	N	O	P
			39	29	1	8	1
5	B	1	Total	C	N	O	P
			39	29	1	8	1
5	B	1	Total	C	N	O	P
			39	29	1	8	1
5	B	1	Total	C	N	O	P
			39	29	1	8	1
5	D	1	Total	C	N	O	P
			39	29	1	8	1
5	D	1	Total	C	N	O	P
			39	29	1	8	1
5	D	1	Total	C	N	O	P
			39	29	1	8	1
5	D	1	Total	C	N	O	P
			39	29	1	8	1
5	D	1	Total	C	N	O	P
			39	29	1	8	1
5	D	1	Total	C	N	O	P
			39	29	1	8	1
5	D	1	Total	C	N	O	P
			39	29	1	8	1
5	D	1	Total	C	N	O	P
			39	29	1	8	1
5	D	1	Total	C	N	O	P
			39	29	1	8	1
5	D	1	Total	C	N	O	P
			39	29	1	8	1
5	D	1	Total	C	N	O	P
			39	29	1	8	1

Continued on next page...

[illegible]

Continued from previous page...

Mol	Chain	Residues	Atoms				
			Total	C	N	O	P
5	D	1	Total 39	29	1	8	1
5	D	1	Total 39	29	1	8	1
5	D	1	Total 39	29	1	8	1
5	D	1	Total 39	29	1	8	1
5	D	1	Total 39	29	1	8	1
5	D	1	Total 39	29	1	8	1
5	D	1	Total 39	29	1	8	1
5	D	1	Total 39	29	1	8	1
5	D	1	Total 39	29	1	8	1
5	D	1	Total 39	29	1	8	1
5	D	1	Total 39	29	1	8	1
5	E	1	Total 39	29	1	8	1
5	E	1	Total 39	29	1	8	1
5	E	1	Total 39	29	1	8	1
5	E	1	Total 39	29	1	8	1
5	E	1	Total 39	29	1	8	1
5	E	1	Total 39	29	1	8	1
5	E	1	Total 39	29	1	8	1
5	E	1	Total 39	29	1	8	1
5	E	1	Total 39	29	1	8	1
5	E	1	Total 39	29	1	8	1
5	E	1	Total 39	29	1	8	1
5	E	1	Total 39	29	1	8	1

Continued on next page...

[illegible]

Continued from previous page...


Mol	Chain	Residues	Atoms				
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1
5	E	1	Total	C	N	O	P
			39	29	1	8	1

- Molecule 6 is O-[(S)-({(2R)-2,3-bis[(9Z)-octadec-9-enoyloxy]propyl}oxy)(hydroxy)phosphoryl]-L-serine (three-letter code: 17F) (formula: C₄₂H₇₈NO₁₀P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					
6	A	1	Total	C	H	N	O	P
			57	42	3	1	10	1

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					
6	A	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	A	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	A	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	B	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	D	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	D	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	D	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	D	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	D	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	D	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	D	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	D	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	D	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	D	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	E	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	E	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	E	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	E	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	E	1	Total	C	H	N	O	P
			57	42	3	1	10	1

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					
6	E	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	E	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	E	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	E	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	E	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	E	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	E	1	Total	C	H	N	O	P
			57	42	3	1	10	1
6	E	1	Total	C	H	N	O	P
			57	42	3	1	10	1

4 Residue-property plots [i](#)


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


• Molecule 1: GTPase KRas




• Molecule 1: GTPase KRas



• Molecule 2: Apolipoprotein A-I




• Molecule 2: Apolipoprotein A-I




4.2 Residue scores for the representative (medoid) model from the NMR ensemble

The representative model is number 5. Colouring as in section 4.1 above.


• Molecule 1: GTPase KRas




• Molecule 1: GTPase KRas



• Molecule 2: Apolipoprotein A-I



• Molecule 2: Apolipoprotein A-I



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 1000 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
HADDOCK	refinement	
HADDOCK	structure calculation	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	154
Number of shifts mapped to atoms	154
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	1%

6 Model quality

6.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GSP, 17F, 7Q9, MG

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1328	306	1302	17±5
1	B	1328	306	1303	17±4
2	D	1526	358	1531	18±4
2	E	1532	360	1535	21±5
3	A	32	6	12	8±3
3	B	32	6	12	8±2
4	A	1	0	0	1±0
4	B	1	0	0	1±0
5	A	546	0	0	61±7
5	B	273	0	0	35±9
5	D	1755	0	0	187±14
5	E	2418	0	0	275±27
6	A	216	12	304	73±10
6	B	54	3	76	23±7
6	D	594	33	836	199±17
6	E	864	48	1216	213±36
All	All	250000	28760	162529	19712

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 48.

5 of 5532 unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
6:D:510:17F:C9	6:D:517:17F:H9	1.24	1.62	8	8
6:D:510:17F:C9	6:D:517:17F:H8A	1.23	1.64	15	12
6:D:510:17F:C12	6:D:517:17F:H8A	1.21	1.66	3	16
6:D:510:17F:C9	6:D:517:17F:H11	1.19	1.67	4	10
6:D:510:17F:H9A	6:D:517:17F:C8	1.18	1.66	18	19

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	165/185 (89%)	156±2 (95±1%)	8±2 (5±1%)	0±1 (0±0%)	54	85
1	B	165/185 (89%)	156±2 (94±1%)	9±2 (5±1%)	0±1 (0±0%)	50	82
2	D	185/200 (92%)	182±2 (98±1%)	3±2 (2±1%)	0±1 (0±0%)	50	82
2	E	185/200 (92%)	180±2 (97±1%)	4±2 (2±1%)	0±1 (0±0%)	50	82
All	All	14000/15400 (91%)	13482 (96%)	493 (4%)	25 (0%)	50	82

5 of 18 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	47	ASP	3
1	B	64	TYR	3
2	E	718	LEU	2
2	E	708	LYS	2
2	D	333	LYS	2

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	147/165 (89%)	133±3 (90±2%)	14±3 (10±2%)	12	58
1	B	147/165 (89%)	133±3 (91±2%)	14±3 (9±2%)	12	58
2	D	162/175 (93%)	151±2 (93±1%)	11±2 (7±1%)	20	68
2	E	163/175 (93%)	152±4 (93±2%)	11±4 (7±2%)	19	68
All	All	12380/13600 (91%)	11379 (92%)	1001 (8%)	15	63

5 of 230 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	D	388	ARG	18
2	D	402	THR	18
1	B	74	THR	17
2	D	316	ARG	16
1	B	2	THR	16

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.6 Ligand geometry [i](#)

Of 164 ligands modelled in this entry, 2 are monoatomic - leaving 162 for Mogul analysis.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
6	17F	E	802	-	50,53,53	0.78±0.00	0±0 (0±0%)
6	17F	D	518	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	B	207	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	851	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	535	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	831	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	849	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	A	205	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	862	-	38,38,38	0.79±0.00	0±0 (0±0%)
3	GSP	B	201	-	26,34,34	1.38±0.02	4±1 (14±2%)
5	7Q9	A	211	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	B	210	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	528	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	547	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	827	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	803	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	A	208	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	E	864	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	870	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	855	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	B	208	-	50,53,53	0.78±0.00	0±0 (0±0%)
6	17F	E	875	-	50,53,53	0.78±0.00	0±0 (0±0%)
6	17F	E	873	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	E	837	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	529	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	D	533	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	E	805	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	807	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	865	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	866	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	E	806	-	50,53,53	0.78±0.00	0±0 (0±0%)
6	17F	E	810	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	A	204	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	536	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	859	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	878	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	501	-	38,38,38	0.79±0.00	0±0 (0±0%)
3	GSP	A	201	-	26,34,34	1.38±0.02	4±1 (14±2%)
6	17F	D	511	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	E	874	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	507	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	876	-	38,38,38	0.79±0.00	0±0 (0±0%)

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
5	7Q9	E	867	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	545	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	524	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	548	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	815	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	A	210	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	826	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	532	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	848	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	A	215	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	513	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	A	207	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	B	206	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	828	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	843	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	A	219	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	D	522	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	E	818	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	D	503	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	506	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	814	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	834	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	868	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	550	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	B	204	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	D	539	-	50,53,53	0.78±0.00	0±0 (0±0%)
6	17F	D	540	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	B	205	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	553	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	538	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	541	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	525	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	556	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	804	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	514	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	B	209	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	833	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	D	519	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	E	850	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	811	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	551	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	846	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	A	214	-	38,38,38	0.79±0.00	0±0 (0±0%)

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
5	7Q9	A	217	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	E	839	-	50,53,53	0.78±0.00	0±0 (0±0%)
6	17F	A	220	-	50,53,53	0.78±0.00	0±0 (0±0%)
6	17F	E	871	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	E	838	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	A	216	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	544	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	841	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	505	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	845	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	549	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	809	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	823	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	E	856	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	D	537	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	817	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	832	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	523	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	824	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	821	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	816	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	A	203	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	509	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	D	510	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	D	531	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	554	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	526	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	844	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	847	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	546	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	852	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	836	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	853	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	555	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	542	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	872	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	825	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	861	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	E	842	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	A	206	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	D	552	-	50,53,53	0.78±0.00	0±0 (0±0%)
6	17F	E	808	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	D	521	-	38,38,38	0.79±0.00	0±0 (0±0%)

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
5	7Q9	A	218	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	B	203	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	515	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	860	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	801	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	527	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	869	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	835	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	E	819	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	E	877	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	502	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	840	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	A	209	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	E	829	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	D	508	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	854	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	A	212	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	858	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	543	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	D	530	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	D	534	-	50,53,53	0.78±0.00	0±0 (0±0%)
6	17F	D	520	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	D	504	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	E	812	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	D	516	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	E	857	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	D	512	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	863	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	813	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	E	820	-	50,53,53	0.78±0.00	0±0 (0±0%)
6	17F	D	517	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	7Q9	E	822	-	38,38,38	0.79±0.00	0±0 (0±0%)
5	7Q9	E	830	-	38,38,38	0.79±0.00	0±0 (0±0%)
6	17F	A	213	-	50,53,53	0.78±0.00	0±0 (0±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
6	17F	E	802	-	52,60,60	1.13±0.03	4±0 (7±0%)
6	17F	D	518	-	52,60,60	1.16±0.03	5±0 (9±0%)
5	7Q9	B	207	-	44,46,46	1.03±0.02	3±0 (6±0%)
5	7Q9	E	851	-	44,46,46	1.04±0.01	4±0 (8±1%)
5	7Q9	D	535	-	44,46,46	1.03±0.02	3±0 (7±1%)
5	7Q9	E	831	-	44,46,46	1.04±0.01	3±0 (6±0%)
5	7Q9	E	849	-	44,46,46	1.03±0.01	3±0 (6±0%)
5	7Q9	A	205	-	44,46,46	1.03±0.02	3±0 (7±0%)
5	7Q9	E	862	-	44,46,46	1.03±0.02	3±0 (7±1%)
3	GSP	B	201	-	28,54,54	1.99±0.03	7±0 (25±1%)
5	7Q9	A	211	-	44,46,46	1.03±0.02	3±0 (7±1%)
5	7Q9	B	210	-	44,46,46	1.02±0.02	3±0 (7±1%)
5	7Q9	D	528	-	44,46,46	1.05±0.02	4±0 (9±0%)
5	7Q9	D	547	-	44,46,46	1.02±0.01	3±0 (6±0%)
5	7Q9	E	827	-	44,46,46	1.02±0.01	3±0 (6±0%)
5	7Q9	E	803	-	44,46,46	1.05±0.01	3±0 (7±0%)
6	17F	A	208	-	52,60,60	1.10±0.03	4±0 (7±0%)
5	7Q9	E	864	-	44,46,46	1.06±0.02	4±0 (7±1%)
5	7Q9	E	870	-	44,46,46	1.04±0.02	4±0 (8±0%)
5	7Q9	E	855	-	44,46,46	1.02±0.01	3±0 (6±0%)
6	17F	B	208	-	52,60,60	1.08±0.03	4±0 (7±0%)
6	17F	E	875	-	52,60,60	1.12±0.03	4±0 (8±0%)
6	17F	E	873	-	52,60,60	1.17±0.03	4±0 (8±0%)
5	7Q9	E	837	-	44,46,46	1.02±0.02	4±0 (8±1%)
5	7Q9	D	529	-	44,46,46	1.05±0.01	3±0 (6±0%)
6	17F	D	533	-	52,60,60	1.15±0.05	4±0 (8±0%)
5	7Q9	E	805	-	44,46,46	1.04±0.01	4±0 (8±1%)
5	7Q9	E	807	-	44,46,46	1.08±0.02	4±0 (8±0%)
5	7Q9	E	865	-	44,46,46	1.03±0.01	3±0 (7±0%)
5	7Q9	E	866	-	44,46,46	1.03±0.02	3±0 (6±0%)
6	17F	E	806	-	52,60,60	1.13±0.03	4±0 (7±0%)
6	17F	E	810	-	52,60,60	1.19±0.03	5±0 (9±0%)
5	7Q9	A	204	-	44,46,46	1.01±0.02	3±0 (6±0%)
5	7Q9	D	536	-	44,46,46	1.03±0.01	3±0 (6±0%)
5	7Q9	E	859	-	44,46,46	1.02±0.02	3±0 (6±0%)

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
5	7Q9	E	878	-	44,46,46	1.05±0.01	3±0 (7±0%)
5	7Q9	D	501	-	44,46,46	1.02±0.02	3±0 (7±0%)
3	GSP	A	201	-	28,54,54	1.99±0.04	7±1 (25±3%)
6	17F	D	511	-	52,60,60	1.11±0.03	4±0 (8±0%)
5	7Q9	E	874	-	44,46,46	1.02±0.02	3±0 (6±0%)
5	7Q9	D	507	-	44,46,46	1.02±0.01	3±0 (6±0%)
5	7Q9	E	876	-	44,46,46	1.02±0.01	3±0 (6±0%)
5	7Q9	E	867	-	44,46,46	1.02±0.02	3±0 (6±0%)
5	7Q9	D	545	-	44,46,46	1.01±0.02	3±0 (7±0%)
5	7Q9	D	524	-	44,46,46	1.02±0.02	3±0 (7±0%)
5	7Q9	D	548	-	44,46,46	1.04±0.01	4±0 (8±0%)
5	7Q9	E	815	-	44,46,46	1.05±0.02	3±0 (7±1%)
5	7Q9	A	210	-	44,46,46	1.05±0.02	4±0 (8±0%)
5	7Q9	E	826	-	44,46,46	1.03±0.01	3±0 (6±0%)
5	7Q9	D	532	-	44,46,46	1.13±0.02	4±0 (9±0%)
5	7Q9	E	848	-	44,46,46	1.04±0.02	3±0 (6±0%)
5	7Q9	A	215	-	44,46,46	1.03±0.02	3±0 (7±0%)
5	7Q9	D	513	-	44,46,46	1.03±0.02	3±0 (7±1%)
5	7Q9	A	207	-	44,46,46	1.05±0.02	3±0 (7±0%)
5	7Q9	B	206	-	44,46,46	1.03±0.01	3±0 (7±0%)
5	7Q9	E	828	-	44,46,46	1.04±0.02	3±0 (7±0%)
5	7Q9	E	843	-	44,46,46	1.00±0.02	3±0 (7±0%)
6	17F	A	219	-	52,60,60	1.16±0.03	4±0 (8±0%)
5	7Q9	D	522	-	44,46,46	1.04±0.01	3±0 (7±1%)
6	17F	E	818	-	52,60,60	1.10±0.03	4±0 (7±0%)
5	7Q9	D	503	-	44,46,46	1.05±0.03	3±0 (7±1%)
5	7Q9	D	506	-	44,46,46	1.04±0.02	3±0 (7±0%)
5	7Q9	E	814	-	44,46,46	1.04±0.02	3±0 (7±0%)
5	7Q9	E	834	-	44,46,46	1.03±0.02	3±0 (7±1%)
5	7Q9	E	868	-	44,46,46	1.02±0.01	3±0 (6±0%)
5	7Q9	D	550	-	44,46,46	1.05±0.01	3±0 (7±0%)
5	7Q9	B	204	-	44,46,46	1.03±0.02	3±0 (7±0%)
6	17F	D	539	-	52,60,60	1.10±0.03	4±0 (7±0%)
6	17F	D	540	-	52,60,60	1.13±0.03	4±0 (7±0%)
5	7Q9	B	205	-	44,46,46	1.03±0.02	3±0 (7±0%)

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
5	7Q9	D	553	-	44,46,46	1.05±0.01	3±0 (7±1%)
5	7Q9	D	538	-	44,46,46	1.02±0.01	3±0 (6±0%)
5	7Q9	D	541	-	44,46,46	1.04±0.02	3±0 (6±0%)
5	7Q9	D	525	-	44,46,46	1.04±0.02	3±0 (7±0%)
5	7Q9	D	556	-	44,46,46	1.03±0.02	4±0 (8±1%)
5	7Q9	E	804	-	44,46,46	1.02±0.02	3±0 (6±0%)
5	7Q9	D	514	-	44,46,46	1.02±0.03	3±0 (7±0%)
5	7Q9	B	209	-	44,46,46	1.03±0.02	3±0 (7±0%)
5	7Q9	E	833	-	44,46,46	1.02±0.02	3±0 (6±0%)
6	17F	D	519	-	52,60,60	1.12±0.03	4±0 (7±0%)
5	7Q9	E	850	-	44,46,46	1.03±0.01	3±0 (6±0%)
5	7Q9	E	811	-	44,46,46	1.05±0.02	3±0 (7±0%)
5	7Q9	D	551	-	44,46,46	1.04±0.02	4±0 (8±0%)
5	7Q9	E	846	-	44,46,46	1.04±0.01	3±0 (7±1%)
5	7Q9	A	214	-	44,46,46	1.04±0.01	3±0 (6±0%)
5	7Q9	A	217	-	44,46,46	1.03±0.02	3±0 (7±0%)
6	17F	E	839	-	52,60,60	1.14±0.04	5±0 (9±0%)
6	17F	A	220	-	52,60,60	1.13±0.02	4±0 (8±0%)
6	17F	E	871	-	52,60,60	1.14±0.03	4±0 (7±0%)
5	7Q9	E	838	-	44,46,46	1.05±0.03	4±0 (8±1%)
5	7Q9	A	216	-	44,46,46	1.04±0.03	3±0 (7±1%)
5	7Q9	D	544	-	44,46,46	1.02±0.02	3±0 (6±0%)
5	7Q9	E	841	-	44,46,46	0.99±0.02	3±0 (6±0%)
5	7Q9	D	505	-	44,46,46	1.04±0.02	3±0 (7±1%)
5	7Q9	E	845	-	44,46,46	1.04±0.01	3±0 (7±1%)
5	7Q9	D	549	-	44,46,46	1.04±0.03	4±0 (8±1%)
5	7Q9	E	809	-	44,46,46	1.00±0.02	3±0 (6±0%)
5	7Q9	E	823	-	44,46,46	1.02±0.02	3±0 (7±0%)
6	17F	E	856	-	52,60,60	1.10±0.02	4±0 (7±0%)
5	7Q9	D	537	-	44,46,46	1.04±0.02	4±0 (8±0%)
5	7Q9	E	817	-	44,46,46	0.99±0.02	3±0 (6±0%)
5	7Q9	E	832	-	44,46,46	1.03±0.01	4±0 (7±1%)
5	7Q9	D	523	-	44,46,46	1.03±0.02	3±0 (6±0%)
5	7Q9	E	824	-	44,46,46	1.05±0.02	3±0 (6±0%)
5	7Q9	E	821	-	44,46,46	1.04±0.02	3±0 (7±1%)

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
5	7Q9	E	816	-	44,46,46	1.03±0.02	3±0 (7±0%)
5	7Q9	A	203	-	44,46,46	1.02±0.02	3±0 (7±0%)
5	7Q9	D	509	-	44,46,46	1.04±0.03	4±0 (8±0%)
6	17F	D	510	-	52,60,60	1.07±0.07	4±0 (6±0%)
5	7Q9	D	531	-	44,46,46	1.01±0.02	3±0 (6±0%)
5	7Q9	D	554	-	44,46,46	1.03±0.03	3±0 (7±0%)
5	7Q9	D	526	-	44,46,46	1.06±0.02	4±0 (8±0%)
5	7Q9	E	844	-	44,46,46	1.03±0.02	3±0 (7±1%)
5	7Q9	E	847	-	44,46,46	1.05±0.01	4±0 (7±1%)
5	7Q9	D	546	-	44,46,46	1.04±0.02	4±0 (8±1%)
5	7Q9	E	852	-	44,46,46	1.02±0.02	3±0 (6±0%)
5	7Q9	E	836	-	44,46,46	1.00±0.02	3±0 (6±0%)
5	7Q9	E	853	-	44,46,46	1.05±0.02	4±0 (8±0%)
5	7Q9	D	555	-	44,46,46	1.04±0.01	3±0 (6±0%)
5	7Q9	D	542	-	44,46,46	1.01±0.02	3±0 (6±0%)
5	7Q9	E	872	-	44,46,46	1.02±0.02	3±0 (6±0%)
5	7Q9	E	825	-	44,46,46	1.00±0.02	3±0 (6±0%)
5	7Q9	E	861	-	44,46,46	1.05±0.02	3±0 (6±0%)
6	17F	E	842	-	52,60,60	1.11±0.03	4±0 (7±0%)
5	7Q9	A	206	-	44,46,46	1.03±0.01	3±0 (7±0%)
6	17F	D	552	-	52,60,60	1.13±0.02	5±0 (9±0%)
6	17F	E	808	-	52,60,60	1.10±0.02	4±0 (8±0%)
5	7Q9	D	521	-	44,46,46	1.02±0.02	3±0 (7±0%)
5	7Q9	A	218	-	44,46,46	1.03±0.03	3±0 (7±0%)
5	7Q9	B	203	-	44,46,46	1.03±0.02	3±0 (6±0%)
5	7Q9	D	515	-	44,46,46	1.05±0.02	3±0 (6±0%)
5	7Q9	E	860	-	44,46,46	1.03±0.02	3±0 (6±0%)
5	7Q9	E	801	-	44,46,46	1.04±0.01	3±0 (6±0%)
5	7Q9	D	527	-	44,46,46	1.03±0.01	3±0 (7±0%)
5	7Q9	E	869	-	44,46,46	1.04±0.02	3±0 (7±1%)
5	7Q9	E	835	-	44,46,46	1.04±0.02	3±0 (6±0%)
6	17F	E	819	-	52,60,60	1.06±0.02	4±0 (7±0%)
5	7Q9	E	877	-	44,46,46	1.03±0.02	3±0 (7±0%)
5	7Q9	D	502	-	44,46,46	1.02±0.02	4±0 (7±1%)
5	7Q9	E	840	-	44,46,46	1.02±0.01	3±0 (7±0%)

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
5	7Q9	A	209	-	44,46,46	1.02±0.02	3±0 (6±0%)
6	17F	E	829	-	52,60,60	1.11±0.02	4±0 (8±0%)
5	7Q9	D	508	-	44,46,46	1.04±0.01	3±0 (6±0%)
5	7Q9	E	854	-	44,46,46	1.03±0.02	3±0 (6±0%)
5	7Q9	A	212	-	44,46,46	1.03±0.03	3±0 (7±1%)
5	7Q9	E	858	-	44,46,46	1.01±0.02	3±0 (6±0%)
5	7Q9	D	543	-	44,46,46	1.04±0.01	3±0 (7±0%)
5	7Q9	D	530	-	44,46,46	1.01±0.01	3±0 (6±0%)
6	17F	D	534	-	52,60,60	1.13±0.03	5±0 (9±0%)
6	17F	D	520	-	52,60,60	1.13±0.03	4±0 (7±0%)
5	7Q9	D	504	-	44,46,46	1.03±0.02	3±0 (7±0%)
6	17F	E	812	-	52,60,60	1.08±0.04	4±0 (8±0%)
5	7Q9	D	516	-	44,46,46	0.99±0.03	3±0 (7±0%)
6	17F	E	857	-	52,60,60	1.17±0.04	4±0 (7±0%)
5	7Q9	D	512	-	44,46,46	1.04±0.01	3±0 (6±0%)
5	7Q9	E	863	-	44,46,46	1.02±0.02	3±0 (7±0%)
5	7Q9	E	813	-	44,46,46	1.09±0.02	4±0 (9±0%)
6	17F	E	820	-	52,60,60	1.07±0.03	4±0 (7±0%)
6	17F	D	517	-	52,60,60	1.07±0.03	4±0 (7±0%)
5	7Q9	E	822	-	44,46,46	1.07±0.02	4±0 (8±0%)
5	7Q9	E	830	-	44,46,46	1.02±0.02	3±0 (7±0%)
6	17F	A	213	-	52,60,60	1.14±0.06	4±1 (8±1%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	7Q9	A	211	-	-	0±0,42,42,42	-
5	7Q9	E	826	-	-	0±0,42,42,42	-
6	17F	E	806	-	-	0±0,55,59,59	-
5	7Q9	E	878	-	-	0±0,42,42,42	-
5	7Q9	D	556	-	-	0±0,42,42,42	-
5	7Q9	E	862	-	-	0±0,42,42,42	-
5	7Q9	A	216	-	-	0±0,42,42,42	-
6	17F	E	871	-	-	0±0,55,59,59	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	7Q9	D	546	-	-	0±0,42,42,42	-
5	7Q9	D	505	-	-	0±0,42,42,42	-
5	7Q9	E	843	-	-	0±0,42,42,42	-
6	17F	E	839	-	-	0±0,55,59,59	-
5	7Q9	E	809	-	-	0±0,42,42,42	-
5	7Q9	D	537	-	-	0±0,42,42,42	-
5	7Q9	D	544	-	-	0±0,42,42,42	-
5	7Q9	D	532	-	-	0±0,42,42,42	-
6	17F	D	517	-	-	0±0,55,59,59	-
5	7Q9	D	514	-	-	0±0,42,42,42	-
5	7Q9	E	877	-	-	0±0,42,42,42	-
5	7Q9	E	841	-	-	0±0,42,42,42	-
5	7Q9	E	831	-	-	0±0,42,42,42	-
5	7Q9	E	825	-	-	0±0,42,42,42	-
5	7Q9	E	855	-	-	0±0,42,42,42	-
6	17F	E	819	-	-	0±0,55,59,59	-
5	7Q9	B	210	-	-	0±0,42,42,42	-
5	7Q9	E	840	-	-	0±0,42,42,42	-
5	7Q9	D	543	-	-	0±0,42,42,42	-
5	7Q9	E	851	-	-	0±0,42,42,42	-
5	7Q9	E	864	-	-	0±0,42,42,42	-
5	7Q9	D	523	-	-	0±0,42,42,42	-
5	7Q9	D	542	-	-	0±0,42,42,42	-
6	17F	E	873	-	-	0±0,55,59,59	-
5	7Q9	E	850	-	-	0±0,42,42,42	-
5	7Q9	E	823	-	-	0±0,42,42,42	-
6	17F	B	208	-	-	0±0,55,59,59	-
5	7Q9	E	870	-	-	0±0,42,42,42	-
6	17F	D	518	-	-	0±0,55,59,59	-
5	7Q9	A	207	-	-	0±0,42,42,42	-
6	17F	E	802	-	-	0±0,55,59,59	-
5	7Q9	E	846	-	-	0±0,42,42,42	-
5	7Q9	E	832	-	-	0±0,42,42,42	-
5	7Q9	A	212	-	-	0±0,42,42,42	-
5	7Q9	E	869	-	-	0±0,42,42,42	-
5	7Q9	A	214	-	-	0±0,42,42,42	-
5	7Q9	D	512	-	-	0±0,42,42,42	-
5	7Q9	D	536	-	-	0±0,42,42,42	-
5	7Q9	E	828	-	-	0±0,42,42,42	-
5	7Q9	D	553	-	-	0±0,42,42,42	-
5	7Q9	E	849	-	-	0±0,42,42,42	-
5	7Q9	D	551	-	-	0±0,42,42,42	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	7Q9	E	815	-	-	0±0,42,42,42	-
5	7Q9	A	204	-	-	0±0,42,42,42	-
5	7Q9	E	868	-	-	0±0,42,42,42	-
5	7Q9	E	811	-	-	0±0,42,42,42	-
5	7Q9	E	853	-	-	0±0,42,42,42	-
3	GSP	A	201	-	-	0±0,17,38,38	0±0,3,3,3
5	7Q9	E	876	-	-	0±0,42,42,42	-
5	7Q9	D	508	-	-	0±0,42,42,42	-
5	7Q9	B	207	-	-	0±0,42,42,42	-
5	7Q9	D	513	-	-	0±0,42,42,42	-
5	7Q9	E	830	-	-	0±0,42,42,42	-
5	7Q9	E	804	-	-	0±0,42,42,42	-
5	7Q9	E	814	-	-	0±0,42,42,42	-
6	17F	D	534	-	-	0±0,55,59,59	-
5	7Q9	E	801	-	-	0±0,42,42,42	-
5	7Q9	E	807	-	-	0±0,42,42,42	-
5	7Q9	E	852	-	-	0±0,42,42,42	-
5	7Q9	E	859	-	-	0±0,42,42,42	-
5	7Q9	E	816	-	-	0±0,42,42,42	-
5	7Q9	D	547	-	-	0±0,42,42,42	-
5	7Q9	E	863	-	-	0±0,42,42,42	-
5	7Q9	B	204	-	-	0±0,42,42,42	-
5	7Q9	E	866	-	-	0±0,42,42,42	-
5	7Q9	E	836	-	-	0±0,42,42,42	-
5	7Q9	D	548	-	-	0±0,42,42,42	-
5	7Q9	E	854	-	-	0±0,42,42,42	-
5	7Q9	A	217	-	-	0±0,42,42,42	-
5	7Q9	E	867	-	-	0±0,42,42,42	-
6	17F	E	842	-	-	0±0,55,59,59	-
5	7Q9	A	215	-	-	0±0,42,42,42	-
6	17F	E	875	-	-	0±0,55,59,59	-
6	17F	D	552	-	-	0±0,55,59,59	-
5	7Q9	D	545	-	-	0±0,42,42,42	-
5	7Q9	D	541	-	-	0±0,42,42,42	-
5	7Q9	E	817	-	-	0±0,42,42,42	-
5	7Q9	E	833	-	-	0±0,42,42,42	-
6	17F	E	820	-	-	0±0,55,59,59	-
5	7Q9	A	210	-	-	0±0,42,42,42	-
5	7Q9	E	860	-	-	0±0,42,42,42	-
6	17F	D	519	-	-	0±0,55,59,59	-
6	17F	A	220	-	-	0±0,55,59,59	-
5	7Q9	E	865	-	-	0±0,42,42,42	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	7Q9	E	813	-	-	0±0,42,42,42	-
5	7Q9	D	502	-	-	0±0,42,42,42	-
5	7Q9	D	525	-	-	0±0,42,42,42	-
5	7Q9	D	538	-	-	0±0,42,42,42	-
5	7Q9	B	203	-	-	0±0,42,42,42	-
5	7Q9	E	805	-	-	0±0,42,42,42	-
6	17F	A	208	-	-	0±0,55,59,59	-
5	7Q9	A	205	-	-	0±0,42,42,42	-
5	7Q9	B	206	-	-	0±0,42,42,42	-
5	7Q9	D	530	-	-	0±0,42,42,42	-
6	17F	E	856	-	-	0±0,55,59,59	-
5	7Q9	D	522	-	-	0±0,42,42,42	-
5	7Q9	D	507	-	-	0±0,42,42,42	-
5	7Q9	E	824	-	-	0±0,42,42,42	-
5	7Q9	D	549	-	-	0±0,42,42,42	-
6	17F	A	219	-	-	0±0,55,59,59	-
5	7Q9	E	827	-	-	0±0,42,42,42	-
5	7Q9	E	835	-	-	0±0,42,42,42	-
6	17F	E	829	-	-	0±0,55,59,59	-
5	7Q9	D	528	-	-	0±0,42,42,42	-
5	7Q9	E	837	-	-	0±0,42,42,42	-
5	7Q9	D	516	-	-	0±0,42,42,42	-
6	17F	E	857	-	-	0±0,55,59,59	-
6	17F	E	812	-	-	0±0,55,59,59	-
5	7Q9	A	206	-	-	0±0,42,42,42	-
5	7Q9	E	803	-	-	0±0,42,42,42	-
5	7Q9	E	822	-	-	0±0,42,42,42	-
5	7Q9	D	524	-	-	0±0,42,42,42	-
5	7Q9	D	501	-	-	0±0,42,42,42	-
5	7Q9	D	503	-	-	0±0,42,42,42	-
5	7Q9	E	874	-	-	0±0,42,42,42	-
6	17F	E	810	-	-	0±0,55,59,59	-
5	7Q9	A	209	-	-	0±0,42,42,42	-
5	7Q9	E	844	-	-	0±0,42,42,42	-
5	7Q9	A	218	-	-	0±0,42,42,42	-
6	17F	D	511	-	-	0±0,55,59,59	-
5	7Q9	D	504	-	-	0±0,42,42,42	-
6	17F	D	520	-	-	0±0,55,59,59	-
5	7Q9	B	205	-	-	0±0,42,42,42	-
5	7Q9	E	834	-	-	0±0,42,42,42	-
5	7Q9	D	527	-	-	0±0,42,42,42	-
5	7Q9	D	535	-	-	0±0,42,42,42	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	7Q9	E	845	-	-	0±0,42,42,42	-
5	7Q9	B	209	-	-	0±0,42,42,42	-
5	7Q9	D	531	-	-	0±0,42,42,42	-
6	17F	E	808	-	-	0±0,55,59,59	-
5	7Q9	E	872	-	-	0±0,42,42,42	-
5	7Q9	E	821	-	-	0±0,42,42,42	-
5	7Q9	E	847	-	-	0±0,42,42,42	-
5	7Q9	A	203	-	-	0±0,42,42,42	-
6	17F	A	213	-	-	0±0,55,59,59	-
6	17F	D	510	-	-	0±0,55,59,59	-
5	7Q9	D	506	-	-	0±0,42,42,42	-
6	17F	D	533	-	-	0±0,55,59,59	-
5	7Q9	D	509	-	-	0±0,42,42,42	-
6	17F	D	539	-	-	0±0,55,59,59	-
6	17F	D	540	-	-	0±0,55,59,59	-
5	7Q9	D	526	-	-	0±0,42,42,42	-
5	7Q9	E	858	-	-	0±0,42,42,42	-
5	7Q9	E	861	-	-	0±0,42,42,42	-
5	7Q9	D	515	-	-	0±0,42,42,42	-
6	17F	E	818	-	-	0±0,55,59,59	-
5	7Q9	E	848	-	-	0±0,42,42,42	-
5	7Q9	E	838	-	-	0±0,42,42,42	-
3	GSP	B	201	-	-	0±0,17,38,38	0±0,3,3,3
5	7Q9	D	550	-	-	0±0,42,42,42	-
5	7Q9	D	554	-	-	0±0,42,42,42	-
5	7Q9	D	521	-	-	0±0,42,42,42	-
5	7Q9	D	529	-	-	0±0,42,42,42	-
5	7Q9	D	555	-	-	0±0,42,42,42	-

5 of 10 unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
3	A	201	GSP	C6-N1	4.34	1.40	1.33	8	20
3	B	201	GSP	C6-N1	4.30	1.40	1.33	2	20
3	A	201	GSP	C2-N1	2.98	1.40	1.35	20	20
3	B	201	GSP	C2-N1	2.95	1.40	1.35	1	20
3	B	201	GSP	O4'-C1'	2.42	1.44	1.41	18	20

5 of 661 unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.


Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
3	A	201	GSP	C2-N3-C4	5.32	121.44	115.36	14	20
3	B	201	GSP	N3-C2-N1	5.30	120.16	127.22	14	20
3	B	201	GSP	C2-N3-C4	5.29	121.40	115.36	9	20
6	E	839	17F	O3-C1-C2	5.25	112.64	108.06	2	20
3	A	201	GSP	N3-C2-N1	5.21	120.27	127.22	14	20


There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Ligand 7Q9 E 878




Ligand 7Q9 D 556






Ligand 7Q9 E 862





Ligand 7Q9 A 216
















Ligand 7Q9 E 809




Ligand 7Q9 D 537









Ligand 7Q9 D 514




Ligand 7Q9 E 877






Ligand 7Q9 E 841




Ligand 7Q9 E 831









Ligand 7Q9 B 210




Ligand 7Q9 E 840




Ligand 7Q9 D 543




Ligand 7Q9 E 851





Ligand 7Q9 E 864






Ligand 7Q9 D 523


























Ligand 7Q9 E 846




Ligand 7Q9 E 832




Ligand 7Q9 A 212




Ligand 7Q9 E 869




Ligand 7Q9 A 214




Ligand 7Q9 D 512




Ligand 7Q9 D 536




Ligand 7Q9 E 828




Ligand 7Q9 D 553




Ligand 7Q9 E 849




Ligand 7Q9 D 551




Ligand 7Q9 E 815




Ligand 7Q9 A 204




Ligand 7Q9 E 868





Ligand 7Q9 E 811




Ligand 7Q9 E 853







Ligand 7Q9 D 508




Ligand 7Q9 B 207




Ligand 7Q9 D 513




Ligand 7Q9 E 830




Ligand 7Q9 E 804




Ligand 7Q9 E 814







Ligand 7Q9 E 801




Ligand 7Q9 E 807




Ligand 7Q9 E 852




Ligand 7Q9 E 859




Ligand 7Q9 E 816




Ligand 7Q9 D 547




Ligand 7Q9 E 863




Ligand 7Q9 B 204




Ligand 7Q9 E 866




Ligand 7Q9 E 836




Ligand 7Q9 D 548




Ligand 7Q9 E 854





Ligand 7Q9 A 217





Ligand 7Q9 E 867














Ligand 7Q9 D 545




Ligand 7Q9 D 541




Ligand 7Q9 E 817




Ligand 7Q9 E 833








Ligand 7Q9 A 210




Ligand 7Q9 E 860









Ligand 7Q9 E 865




Ligand 7Q9 E 813




Ligand 7Q9 D 502




Ligand 7Q9 D 525





Ligand 7Q9 D 538




Ligand 7Q9 B 203










Ligand 7Q9 A 205




Ligand 7Q9 B 206









Ligand 7Q9 D 522




Ligand 7Q9 D 507




Ligand 7Q9 E 824




Ligand 7Q9 D 549







Ligand 7Q9 E 827




Ligand 7Q9 E 835








Ligand 7Q9 D 528




Ligand 7Q9 E 837












Ligand 7Q9 A 206




Ligand 7Q9 E 803




Ligand 7Q9 E 822




Ligand 7Q9 D 524





Ligand 7Q9 D 501




Ligand 7Q9 D 503










Ligand 7Q9 A 209





Ligand 7Q9 E 844














Ligand 7Q9 B 205




Ligand 7Q9 E 834




Ligand 7Q9 D 527




Ligand 7Q9 D 535





Ligand 7Q9 E 845




Ligand 7Q9 B 209









Ligand 7Q9 E 872




Ligand 7Q9 E 821





Ligand 7Q9 E 847





Ligand 7Q9 A 203























Ligand 7Q9 D 526




Ligand 7Q9 E 858




Ligand 7Q9 E 861




Ligand 7Q9 D 515








Ligand 7Q9 E 848




Ligand 7Q9 E 838







Ligand 7Q9 D 554



Ligand 7Q9 D 521





6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 1% for the well-defined parts and 1% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list_0*

7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	154
Number of shifts mapped to atoms	154
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.1.2 Chemical shift referencing [i](#)

No chemical shift referencing corrections were calculated (not enough data).

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 1%, i.e. 94 atoms were assigned a chemical shift out of a possible 9006. 0 out of 126 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	16/3481 (0%)	8/1388 (1%)	0/1410 (0%)	8/683 (1%)
Sidechain	78/4945 (2%)	31/2894 (1%)	47/1795 (3%)	0/256 (0%)
Aromatic	0/580 (0%)	0/310 (0%)	0/248 (0%)	0/22 (0%)
Overall	94/9006 (1%)	39/4592 (1%)	47/3453 (1%)	8/961 (1%)

7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

