



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 1, 2022 – 10:07 AM EDT

PDB ID : 7RSZ
Title : HIV-1 gp120 complex with CJF-II-204
Authors : Liang, S.; Hendrickson, W.A.
Deposited on : 2021-08-12
Resolution : 2.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.28.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.28.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	362	<div> <div>5%</div> <div> <div></div> <div>70%</div> <div>22%</div> <div>7%</div> </div> </div>
1	B	362	<div> <div>7%</div> <div> <div></div> <div>73%</div> <div>19%</div> <div>7%</div> </div> </div>
1	C	362	<div> <div>7%</div> <div> <div></div> <div>75%</div> <div>17%</div> <div>7%</div> </div> </div>
1	D	362	<div> <div>8%</div> <div> <div></div> <div>72%</div> <div>21%</div> <div>7%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	503	-	-	-	X
3	7IW	C	507[A]	-	-	-	X
4	7IT	A	509[B]	-	-	-	X

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 11202 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HIV-1 gp120 Clade C1086.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	335	Total	C	N	O	S	0	0	0
			2627	1642	459	506	20			
1	A	335	Total	C	N	O	S	0	0	0
			2627	1642	459	506	20			
1	C	335	Total	C	N	O	S	0	0	0
			2627	1642	459	506	20			
1	D	335	Total	C	N	O	S	0	0	0
			2627	1642	459	506	20			

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is N 1 -{(1R,2R,3S)-2-(carbamimidamidomethyl)-3-[(3R)-3,4-dihydroxybutyl]-5-[(methylamino)methyl]-2,3-dihydro-1H-inden-1-yl}-N 2 -(4-chloro-3-fluorophenyl)ethanedi amide (three-letter code: 7IW) (formula: C₂₅H₃₂ClFN₆O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	B	1	Total	C	Cl	F	N	O	0	1
			37	25	1	1	6	4		
3	A	1	Total	C	Cl	F	N	O	0	1
			37	25	1	1	6	4		
3	C	1	Total	C	Cl	F	N	O	0	1
			37	25	1	1	6	4		
3	D	1	Total	C	Cl	F	N	O	0	1
			37	25	1	1	6	4		

- Molecule 4 is N 1 -{(1R,2R,3S)-2-(carbamimidamidomethyl)-3-[(3S)-3,4-dihydroxybutyl]-5-[(methylamino)methyl]-2,3-dihydro-1H-inden-1-yl}-N 2 -(4-chloro-3-fluorophenyl)ethanedia mide (three-letter code: 7IT) (formula: C₂₅H₃₂ClFN₆O₄).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	B	1	Total 37	C 25	Cl 1	F 1	N 6	O 4	0	1
4	A	1	Total 37	C 25	Cl 1	F 1	N 6	O 4	0	1
4	C	1	Total 37	C 25	Cl 1	F 1	N 6	O 4	0	1
4	D	1	Total 37	C 25	Cl 1	F 1	N 6	O 4	0	1


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	13	Total	O	0	0
			13	13		
5	A	17	Total	O	0	0
			17	17		
5	C	10	Total	O	0	0
			10	10		
5	D	8	Total	O	0	0
			8	8		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: HIV-1 gp120 Clade C1086




• Molecule 1: HIV-1 gp120 Clade C1086






• Molecule 1: HIV-1 gp120 Clade C1086





● Molecule 1: HIV-1 gp120 Clade C1086



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	72.05Å 120.78Å 195.56Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.89 – 2.79 48.89 – 2.79	Depositor EDS
% Data completeness (in resolution range)	99.5 (48.89-2.79) 99.6 (48.89-2.79)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.38 (at 2.81Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.236 , 0.259 0.238 , 0.259	Depositor DCC
R_{free} test set	2158 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	65.3	Xtriage
Anisotropy	0.290	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 48.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	11202	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, 7IW, 7IT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/2681	0.49	0/3637
1	B	0.44	1/2680 (0.0%)	0.56	0/3634
1	C	0.35	0/2681	0.48	0/3637
1	D	0.36	0/2680	0.49	0/3634
All	All	0.38	1/10722 (0.0%)	0.51	0/14542

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	476	ARG	C-N	5.22	1.46	1.34

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2627	0	2538	75	0
1	B	2627	0	2540	52	0
1	C	2627	0	2541	74	1
1	D	2627	0	2540	87	1
2	A	98	0	91	4	0
2	B	84	0	78	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	84	0	78	3	0
2	D	84	0	78	3	0
3	A	37	0	0	4	0
3	B	37	0	0	2	0
3	C	37	0	0	3	0
3	D	37	0	0	6	0
4	A	37	0	0	4	0
4	B	37	0	0	1	0
4	C	37	0	0	4	0
4	D	37	0	0	4	0
5	A	17	0	0	10	0
5	B	13	0	0	4	0
5	C	10	0	0	15	0
5	D	8	0	0	14	0
All	All	11202	0	10484	290	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (290) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:ASP:HB3	5:A:603:HOH:O	1.31	1.24
1:C:396:ARG:O	1:C:399:THR:O	1.57	1.21
1:D:358:THR:HG22	1:D:465:THR:CB	1.70	1.20
1:D:359:ILE:CG2	1:D:395:TYR:HB3	1.72	1.20
1:A:85:VAL:HG12	1:A:243:SER:OG	1.44	1.17
1:D:359:ILE:HG23	1:D:395:TYR:HB3	1.18	1.15
1:D:102:GLU:OE1	1:D:476:ARG:NH2	1.81	1.13
1:D:476:ARG:HD2	5:D:602:HOH:O	1.47	1.12
1:A:358:THR:HG21	1:A:396:ARG:HD3	1.32	1.10
1:C:82:GLN:C	5:C:601:HOH:O	1.88	1.10
1:C:476:ARG:NH1	5:C:602:HOH:O	1.87	1.06
1:D:358:THR:HG23	1:D:465:THR:OG1	1.56	1.05
1:B:72:HIS:CE1	5:B:601:HOH:O	2.10	1.04
1:C:476:ARG:HD3	5:C:602:HOH:O	1.54	1.04
1:A:357:LYS:HA	1:A:465:THR:HA	1.42	1.02
1:D:476:ARG:NH1	5:D:602:HOH:O	1.92	1.01
1:D:358:THR:HG22	1:D:465:THR:HB	1.04	1.01
1:C:69:TRP:HA	1:C:72:HIS:NE2	1.76	1.01
1:D:84:MET:N	5:D:603:HOH:O	1.93	1.00

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:358:THR:CG2	1:D:465:THR:CB	2.40	0.99
1:B:72:HIS:ND1	5:B:601:HOH:O	1.95	0.98
1:A:335:GLU:OE2	2:A:507:NAG:H61	1.62	0.97
1:D:358:THR:CG2	1:D:465:THR:HB	1.96	0.96
1:D:358:THR:CG2	1:D:465:THR:OG1	2.14	0.95
1:C:476:ARG:CZ	5:C:602:HOH:O	2.13	0.94
1:A:92:ASN:OD1	1:A:238:PRO:HB3	1.70	0.92
1:C:82:GLN:O	5:C:601:HOH:O	1.81	0.91
1:C:226:LEU:CD1	1:C:489:VAL:HG11	2.04	0.87
1:D:476:ARG:CZ	5:D:604:HOH:O	2.25	0.85
1:D:358:THR:O	1:D:465:THR:OG1	1.95	0.84
4:D:508[B]:7IT:O32	5:D:604:HOH:O	1.95	0.82
1:D:476:ARG:NH1	5:D:604:HOH:O	2.10	0.82
1:A:80:ASN:N	5:A:603:HOH:O	2.02	0.82
1:A:80:ASN:HB3	5:A:603:HOH:O	1.79	0.81
1:C:226:LEU:HD11	1:C:489:VAL:HG11	1.61	0.81
1:B:486:TYR:O	5:B:602:HOH:O	1.98	0.80
1:D:86:LEU:HD23	1:D:89:VAL:HG21	1.63	0.79
1:C:83:GLU:CA	5:C:601:HOH:O	2.30	0.79
1:B:343:GLN:OE1	1:B:403:TYR:N	2.15	0.78
1:D:83:GLU:C	5:D:603:HOH:O	2.19	0.78
1:A:80:ASN:CB	5:A:603:HOH:O	2.30	0.77
1:A:358:THR:HG21	1:A:396:ARG:CD	2.13	0.77
1:C:486:TYR:O	5:C:603:HOH:O	2.01	0.77
1:B:253:PRO:O	5:B:603:HOH:O	2.03	0.77
1:A:370:GLU:HG2	3:A:508[A]:7IW:C20	2.15	0.77
1:D:265:LEU:HD11	1:D:291:SER:HB2	1.69	0.74
2:B:503:NAG:H3	2:B:503:NAG:H83	1.70	0.73
1:C:476:ARG:CD	5:C:602:HOH:O	2.19	0.72
1:C:90:THR:HG22	1:C:240:ARG:HA	1.72	0.72
1:D:83:GLU:CA	5:D:603:HOH:O	2.37	0.72
1:D:298:ARG:NH2	1:D:439:ILE:O	2.23	0.70
1:A:78:ASP:CB	5:A:603:HOH:O	2.06	0.70
1:C:62:GLU:HG3	1:C:64:GLU:H	1.57	0.70
1:C:83:GLU:N	5:C:601:HOH:O	2.09	0.70
1:D:64:GLU:OE2	1:D:66:HIS:HB2	1.92	0.69
1:D:64:GLU:OE2	1:D:66:HIS:N	2.26	0.69
1:A:226:LEU:HD22	1:A:489:VAL:HG11	1.74	0.69
1:D:86:LEU:HD23	1:D:89:VAL:CG2	2.22	0.69
1:A:80:ASN:CA	5:A:603:HOH:O	2.38	0.68
1:D:346:GLY:HA2	1:D:359:ILE:HD13	1.76	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:52:LEU:HD11	1:B:100:MET:HG2	1.75	0.67
1:C:344:LYS:HD3	2:C:504:NAG:H5	1.75	0.67
1:A:62:GLU:HG3	1:A:64:GLU:H	1.59	0.67
1:D:102:GLU:CD	1:D:476:ARG:HE	1.98	0.67
1:A:427:TRP:HB3	4:A:509[B]:7IT:O18	1.95	0.67
1:A:52:LEU:HD11	1:A:100:MET:HG2	1.76	0.66
1:A:65:VAL:HB	1:A:115:SER:HB3	1.76	0.66
1:C:370:GLU:HG2	3:C:507[A]:7IW:C20	2.26	0.66
1:D:86:LEU:CD2	1:D:89:VAL:HG21	2.25	0.66
1:D:370:GLU:HG2	3:D:507[A]:7IW:C20	2.25	0.65
1:A:300:ASN:O	5:A:604:HOH:O	2.13	0.65
1:C:300:ASN:OD1	5:C:604:HOH:O	2.14	0.65
1:C:359:ILE:HB	1:C:395:TYR:HB3	1.79	0.64
1:D:480:ARG:NH2	5:D:605:HOH:O	2.31	0.64
1:A:91:GLU:HG3	1:A:226:LEU:HD23	1.79	0.64
1:C:298:ARG:HH21	1:C:326:ILE:HB	1.62	0.64
1:A:298:ARG:NH2	1:A:441:GLY:O	2.30	0.64
1:C:427:TRP:HB3	4:C:508[B]:7IT:O18	1.97	0.63
1:C:226:LEU:HD12	1:C:489:VAL:HG11	1.80	0.63
1:D:226:LEU:HD13	1:D:489:VAL:CG1	2.29	0.63
1:D:427:TRP:HB3	4:D:508[B]:7IT:O18	1.98	0.62
2:D:506:NAG:O3	2:D:506:NAG:H82	2.00	0.62
1:D:359:ILE:HG23	1:D:395:TYR:CB	2.12	0.62
1:D:350:ALA:O	1:D:354:PRO:HA	2.00	0.62
3:D:507[A]:7IW:O32	5:D:604:HOH:O	2.16	0.62
1:D:359:ILE:HG21	1:D:395:TYR:HB3	1.76	0.61
1:C:427:TRP:HB3	3:C:507[A]:7IW:O18	2.01	0.60
1:A:427:TRP:HB3	3:A:508[A]:7IW:O18	2.00	0.60
1:C:268:GLU:O	1:C:269:GLU:HG3	2.02	0.60
1:D:75:VAL:HG13	1:D:76:PRO:HD2	1.83	0.60
1:A:231:LYS:HE3	1:A:267:GLU:OE1	2.03	0.59
1:A:231:LYS:NZ	1:A:267:GLU:OE1	2.35	0.59
1:C:394:THR:O	1:C:403:TYR:HA	2.03	0.59
1:D:62:GLU:HG3	1:D:64:GLU:H	1.68	0.59
1:B:434:ILE:HD11	1:C:434:ILE:HD12	1.83	0.59
1:C:55:ALA:C	1:C:77:THR:HG22	2.22	0.59
1:A:359:ILE:HB	1:A:395:TYR:HB3	1.82	0.59
1:A:392:ASN:OD1	1:A:406:THR:OG1	2.20	0.59
1:D:359:ILE:CG2	1:D:395:TYR:CB	2.65	0.59
1:B:280:ASN:HB2	1:B:456:ARG:O	2.03	0.59
1:A:92:ASN:OD1	1:A:238:PRO:CB	2.47	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:427:TRP:HB3	3:D:507[A]:7IW:O18	2.02	0.59
1:A:52:LEU:CD1	1:A:100:MET:HG2	2.31	0.58
1:D:476:ARG:NH2	5:D:604:HOH:O	2.32	0.58
1:D:102:GLU:OE1	1:D:476:ARG:CZ	2.51	0.58
1:C:370:GLU:HG2	3:C:507[A]:7IW:N19	2.18	0.58
1:A:370:GLU:HG2	3:A:508[A]:7IW:C27	2.33	0.58
1:D:91:GLU:O	1:D:238:PRO:HA	2.04	0.57
1:C:64:GLU:OE2	1:C:211:ASP:N	2.34	0.57
1:D:370:GLU:HG2	3:D:507[A]:7IW:N19	2.20	0.57
2:D:503:NAG:H3	2:D:503:NAG:H83	1.87	0.57
1:A:123:THR:HG22	1:A:431:GLY:HA3	1.86	0.56
1:D:231:LYS:HD3	1:D:268:GLU:HG2	1.88	0.56
1:B:434:ILE:HD12	1:C:120:VAL:HG11	1.88	0.56
1:B:231:LYS:HE2	1:B:267:GLU:OE2	2.06	0.56
1:A:60:ALA:HA	1:A:71:THR:HG21	1.87	0.55
1:C:202:THR:OG1	1:D:202:THR:OG1	2.23	0.55
1:C:226:LEU:HD12	1:C:489:VAL:CG1	2.36	0.55
1:A:358:THR:CG2	1:A:396:ARG:HD3	2.22	0.55
1:A:270:ILE:HG23	1:A:287:HIS:O	2.07	0.55
2:C:503:NAG:H83	2:C:503:NAG:H3	1.89	0.54
1:B:297:THR:OG1	1:B:444:THR:HG23	2.07	0.54
1:B:292:VAL:HG22	1:B:337:LYS:HG3	1.88	0.54
1:A:457:ASP:CG	1:A:469:ARG:HE	2.11	0.54
1:C:226:LEU:CD1	1:C:489:VAL:CG1	2.80	0.54
1:A:231:LYS:CE	1:A:267:GLU:OE1	2.56	0.54
2:B:503:NAG:C1	2:B:503:NAG:C8	2.86	0.54
1:A:55:ALA:HB3	1:A:216:HIS:HB2	1.90	0.54
1:A:370:GLU:HG2	4:A:509[B]:7IT:C20	2.36	0.54
1:D:370:GLU:HG2	3:D:507[A]:7IW:C27	2.38	0.53
1:C:55:ALA:O	1:C:77:THR:HG22	2.09	0.53
1:B:477:ASP:OD1	1:B:480:ARG:NH1	2.41	0.53
1:C:83:GLU:HB2	5:C:601:HOH:O	2.08	0.53
1:A:442:GLU:HG2	1:A:444:THR:HG23	1.89	0.53
2:A:503:NAG:H3	2:A:503:NAG:H83	1.91	0.53
1:A:226:LEU:HD13	1:A:489:VAL:CG2	2.39	0.53
1:D:85:VAL:HG22	1:D:243:SER:OG	2.08	0.53
1:C:56:SER:C	1:C:77:THR:HG23	2.29	0.52
1:C:476:ARG:NE	5:C:602:HOH:O	2.22	0.52
1:B:101:VAL:HG21	1:B:480:ARG:HG2	1.91	0.52
1:D:60:ALA:HA	1:D:71:THR:HG21	1.92	0.52
1:A:428:GLN:OE1	5:A:605:HOH:O	2.18	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:52:LEU:CD2	1:C:100:MET:HG2	2.40	0.52
1:C:65:VAL:HB	1:C:115:SER:HB3	1.90	0.52
1:D:293:ASN:ND2	1:D:446:ASN:OD1	2.36	0.52
1:A:84:MET:HB3	1:A:244:THR:CG2	2.39	0.52
1:A:226:LEU:HD13	1:A:489:VAL:HG21	1.90	0.51
1:D:101:VAL:HG21	1:D:480:ARG:HG2	1.92	0.51
1:C:68:VAL:O	1:C:72:HIS:CD2	2.63	0.51
1:B:298:ARG:HH21	1:B:438:PRO:HB2	1.74	0.51
1:B:56:SER:C	1:B:77:THR:HG23	2.31	0.51
1:D:64:GLU:OE1	1:D:211:ASP:N	2.34	0.50
1:C:300:ASN:C	5:C:604:HOH:O	2.49	0.50
1:D:226:LEU:HD13	1:D:489:VAL:HG11	1.92	0.50
1:A:92:ASN:HA	1:A:238:PRO:HA	1.92	0.50
1:A:370:GLU:HG2	3:A:508[A]:7IW:N19	2.26	0.50
1:D:349:LEU:HD12	1:D:359:ILE:HD11	1.93	0.50
1:D:231:LYS:HE3	1:D:267:GLU:OE1	2.12	0.49
1:B:62:GLU:HG3	1:B:64:GLU:H	1.77	0.49
1:B:476:ARG:O	1:B:480:ARG:HG3	2.13	0.49
1:A:286:VAL:HB	1:A:452:LEU:HB2	1.94	0.49
2:B:503:NAG:C1	2:B:503:NAG:H82	2.42	0.49
1:B:360:LYS:HG2	1:B:394:THR:HG23	1.94	0.49
1:B:249:HIS:ND1	1:B:486:TYR:OH	2.32	0.49
1:A:329:ALA:HB3	1:A:418:CYS:HB2	1.94	0.48
1:C:111:LEU:HD23	1:C:115:SER:OG	2.14	0.48
1:D:75:VAL:CG1	1:D:76:PRO:HD2	2.44	0.48
1:B:291:SER:HB2	1:B:448:ASN:HB3	1.96	0.47
1:C:66:HIS:HB3	1:C:213:ILE:HG12	1.96	0.47
1:D:83:GLU:HA	5:D:603:HOH:O	2.07	0.47
1:D:298:ARG:NH1	1:D:441:GLY:O	2.47	0.47
1:B:347:GLU:HG2	1:B:395:TYR:OH	2.14	0.47
1:A:85:VAL:HG12	1:A:243:SER:CB	2.38	0.47
1:C:476:ARG:HA	1:C:479:TRP:CD1	2.49	0.47
1:D:92:ASN:OD1	1:D:238:PRO:HG3	2.13	0.47
1:D:226:LEU:CD1	1:D:489:VAL:HG11	2.43	0.47
1:D:359:ILE:HG22	1:D:395:TYR:O	2.13	0.47
1:B:60:ALA:HA	1:B:71:THR:HG21	1.96	0.47
1:B:227:LYS:HA	1:B:485:LYS:O	2.15	0.47
1:A:370:GLU:HG2	4:A:509[B]:7IT:C27	2.45	0.47
1:C:298:ARG:HH12	1:C:440:GLU:HA	1.80	0.47
1:A:269:GLU:CD	1:A:269:GLU:H	2.17	0.47
1:C:370:GLU:HG2	4:C:508[B]:7IT:C20	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:ASP:C	5:A:603:HOH:O	2.54	0.47
1:A:91:GLU:HG3	1:A:226:LEU:CD2	2.44	0.47
1:C:64:GLU:O	1:C:68:VAL:HG23	2.14	0.46
1:B:427:TRP:HB3	4:B:508[B]:7IT:O18	2.16	0.46
1:A:104:MET:O	1:A:108:ILE:HG12	2.16	0.46
1:D:64:GLU:OE1	1:D:211:ASP:O	2.33	0.46
1:B:66:HIS:CD2	1:B:111:LEU:HD21	2.50	0.46
1:C:93:PHE:HB2	1:C:233:PHE:HZ	1.81	0.46
1:D:476:ARG:CZ	5:D:602:HOH:O	2.51	0.46
1:C:56:SER:CA	1:C:77:THR:CG2	2.94	0.46
1:A:434:ILE:HD11	1:D:434:ILE:HD12	1.97	0.46
1:A:326:ILE:HG22	1:A:438:PRO:HG2	1.97	0.46
1:C:344:LYS:HE3	2:C:504:NAG:O4	2.16	0.46
1:D:102:GLU:OE2	1:D:476:ARG:NE	2.45	0.46
1:B:104:MET:O	1:B:108:ILE:HG12	2.15	0.46
1:B:376:PHE:N	1:B:376:PHE:CD1	2.83	0.46
1:A:79:PRO:C	1:A:81:PRO:HD3	2.37	0.46
1:D:50:THR:OG1	1:D:51:THR:N	2.49	0.46
1:D:226:LEU:HD13	1:D:489:VAL:HG12	1.96	0.46
1:D:346:GLY:HA2	1:D:359:ILE:CD1	2.43	0.46
1:B:65:VAL:HB	1:B:115:SER:HB3	1.98	0.45
1:D:370:GLU:HG2	4:D:508[B]:7IT:N19	2.31	0.45
1:A:296:CYS:HA	1:A:331:CYS:HA	1.99	0.45
1:D:230:ASN:HB3	1:D:233:PHE:HB2	1.98	0.45
1:B:370:GLU:CD	1:B:425:ASN:HB2	2.36	0.45
1:A:335:GLU:OE2	2:A:507:NAG:C6	2.50	0.45
1:A:78:ASP:C	1:A:80:ASN:H	2.20	0.45
1:D:64:GLU:OE2	1:D:66:HIS:CB	2.64	0.45
1:B:446:ASN:O	2:B:502:NAG:H5	2.17	0.45
1:C:55:ALA:HA	1:C:75:VAL:O	2.17	0.45
1:D:90:THR:HG22	1:D:240:ARG:HA	1.98	0.45
1:D:370:GLU:CG	3:D:507[A]:7IW:C20	2.94	0.45
1:A:54:CYS:HA	1:A:216:HIS:O	2.16	0.45
1:A:421:LYS:HE2	1:A:421:LYS:HB3	1.79	0.45
1:C:370:GLU:HG2	4:C:508[B]:7IT:N19	2.32	0.45
1:B:298:ARG:NH1	1:B:441:GLY:O	2.50	0.45
1:C:201:ILE:HG23	1:D:201:ILE:HG23	1.99	0.45
1:C:231:LYS:CE	1:C:267:GLU:OE1	2.65	0.45
1:B:254:VAL:HG11	1:B:261:LEU:HB2	1.99	0.44
1:B:359:ILE:HB	1:B:395:TYR:HB3	1.99	0.44
1:C:226:LEU:N	1:C:487:LYS:O	2.43	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:91:GLU:HG3	1:B:226:LEU:CD2	2.47	0.44
1:A:348:GLU:HA	1:A:348:GLU:OE1	2.16	0.44
1:D:257:THR:O	1:D:259:LEU:N	2.45	0.44
1:B:201:ILE:HG12	1:A:201:ILE:HG12	1.99	0.44
1:D:357:LYS:HZ3	1:D:464:ASP:N	2.15	0.44
1:D:421:LYS:HB3	1:D:421:LYS:HE2	1.73	0.44
1:D:64:GLU:HB3	1:D:67:ASN:HD22	1.82	0.44
1:D:329:ALA:HB3	1:D:418:CYS:HB2	1.98	0.44
1:C:55:ALA:HB1	1:C:77:THR:HA	2.00	0.44
1:C:59:LYS:HD3	1:C:59:LYS:N	2.33	0.44
1:C:395:TYR:HA	1:C:403:TYR:HA	1.99	0.44
1:A:101:VAL:HG21	1:A:480:ARG:HG2	1.99	0.43
1:C:329:ALA:HB3	1:C:418:CYS:HB2	1.99	0.43
1:D:286:VAL:HB	1:D:452:LEU:HB2	2.01	0.43
1:B:64:GLU:HB3	1:B:67:ASN:HD22	1.83	0.43
1:B:329:ALA:HB3	1:B:418:CYS:HB2	2.00	0.43
1:B:370:GLU:HG2	3:B:507[A]:7IW:C20	2.48	0.43
1:A:331:CYS:O	1:A:415:THR:HA	2.19	0.43
1:C:93:PHE:HB2	1:C:233:PHE:CZ	2.53	0.43
1:A:122:LEU:HD12	1:A:122:LEU:HA	1.89	0.43
1:D:270:ILE:HB	1:D:348:GLU:HG3	2.00	0.43
1:C:69:TRP:HA	1:C:72:HIS:CE1	2.48	0.43
1:D:370:GLU:HG2	4:D:508[B]:7IT:C20	2.47	0.43
1:A:403:TYR:O	2:A:507:NAG:H81	2.18	0.43
1:B:422:GLN:NE2	1:B:438:PRO:HD3	2.34	0.42
1:A:207:LYS:HE2	1:A:436:ALA:HB3	2.01	0.42
1:D:63:LYS:O	1:D:63:LYS:HG3	2.19	0.42
2:D:503:NAG:N2	5:D:601:HOH:O	1.82	0.42
1:A:64:GLU:OE1	1:A:67:ASN:ND2	2.50	0.42
1:C:245:VAL:HG12	5:C:601:HOH:O	2.19	0.42
1:B:297:THR:HG23	1:B:444:THR:OG1	2.19	0.42
1:B:422:GLN:N	1:B:422:GLN:CD	2.73	0.42
1:A:257:THR:O	1:A:259:LEU:N	2.48	0.42
1:C:268:GLU:C	1:C:269:GLU:HG3	2.40	0.42
1:B:337:LYS:O	1:B:341:THR:OG1	2.25	0.42
1:A:370:GLU:HG2	4:A:509[B]:7IT:N19	2.33	0.42
1:D:395:TYR:CZ	1:D:398:GLY:HA2	2.55	0.42
1:B:434:ILE:CD1	1:C:120:VAL:HG11	2.50	0.42
1:A:85:VAL:CG1	1:A:243:SER:OG	2.37	0.42
1:C:268:GLU:O	1:C:269:GLU:CG	2.66	0.42
1:C:421:LYS:HE2	1:C:421:LYS:HB3	1.84	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:422:GLN:NE2	1:C:438:PRO:HD3	2.35	0.42
1:D:93:PHE:HB2	1:D:233:PHE:HZ	1.84	0.42
1:B:226:LEU:O	1:B:486:TYR:HA	2.20	0.41
1:C:231:LYS:HE2	1:C:267:GLU:OE1	2.20	0.41
1:C:90:THR:CG2	1:C:240:ARG:HA	2.48	0.41
1:C:370:GLU:HG2	4:C:508[B]:7IT:C27	2.50	0.41
1:A:340:ASN:O	1:A:344:LYS:HG2	2.21	0.41
1:D:104:MET:O	1:D:108:ILE:HG12	2.20	0.41
1:C:104:MET:O	1:C:108:ILE:HG12	2.21	0.41
1:C:342:LEU:HD12	1:C:403:TYR:OH	2.21	0.41
1:A:124:GLY:N	5:A:608:HOH:O	2.53	0.41
1:C:52:LEU:HD21	1:C:100:MET:HG2	2.03	0.41
1:B:257:THR:O	1:B:259:LEU:N	2.51	0.41
1:A:434:ILE:HD13	1:D:120:VAL:HG11	2.02	0.41
1:D:69:TRP:HZ3	1:D:215:LEU:HD21	1.86	0.41
1:B:360:LYS:HE2	1:B:465:THR:HG21	2.02	0.40
1:C:83:GLU:HA	5:C:601:HOH:O	2.12	0.40
1:D:93:PHE:HB2	1:D:233:PHE:CZ	2.56	0.40
1:B:344:LYS:HD2	2:B:504:NAG:O4	2.22	0.40
1:D:347:GLU:HG2	1:D:395:TYR:OH	2.22	0.40
1:B:298:ARG:NH2	1:B:439:ILE:O	2.54	0.40
1:B:333:ILE:HD12	1:B:390:LEU:HD13	2.03	0.40
1:B:381:GLU:HG3	1:B:443:ILE:HD13	2.03	0.40
1:B:427:TRP:HB3	3:B:507[A]:7IW:O18	2.20	0.40
1:A:66:HIS:CD2	1:A:212:PRO:HA	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:356:SER:OG	1:D:356:SER:CA[2_354]	2.13	0.07

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	327/362 (90%)	314 (96%)	13 (4%)	0	100	100
1	B	325/362 (90%)	315 (97%)	10 (3%)	0	100	100
1	C	327/362 (90%)	311 (95%)	16 (5%)	0	100	100
1	D	325/362 (90%)	313 (96%)	12 (4%)	0	100	100
All	All	1304/1448 (90%)	1253 (96%)	51 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	297/316 (94%)	295 (99%)	2 (1%)	84	95
1	B	297/316 (94%)	295 (99%)	2 (1%)	84	95
1	C	297/316 (94%)	295 (99%)	2 (1%)	84	95
1	D	297/316 (94%)	296 (100%)	1 (0%)	92	98
All	All	1188/1264 (94%)	1181 (99%)	7 (1%)	86	96

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	78	ASP
1	B	403	TYR
1	A	94	ASN
1	A	240	ARG
1	C	78	ASP
1	C	298	ARG
1	D	300	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	343	GLN
1	B	397	ASN
1	A	94	ASN
1	C	66	HIS
1	D	66	HIS
1	D	229	ASN
1	D	300	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

33 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	7IW	A	508[A]	-	37,39,39	3.46	16 (43%)	45,54,54	1.95	9 (20%)
2	NAG	B	506	1	14,14,15	0.34	0	17,19,21	0.57	0
2	NAG	A	503	1	14,14,15	0.35	0	17,19,21	1.27	2 (11%)
2	NAG	C	504	1	14,14,15	0.19	0	17,19,21	0.42	0
2	NAG	A	504	1	14,14,15	0.24	0	17,19,21	0.46	0
2	NAG	C	506	1	14,14,15	0.37	0	17,19,21	0.63	1 (5%)
4	7IT	D	508[B]	-	37,39,39	2.91	15 (40%)	45,54,54	1.49	6 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	503	1	14,14,15	0.36	0	17,19,21	1.32	2 (11%)
2	NAG	D	502	1	14,14,15	0.23	0	17,19,21	0.44	0
2	NAG	B	502	1	14,14,15	0.24	0	17,19,21	0.45	0
3	7IW	C	507[A]	-	37,39,39	2.63	11 (29%)	45,54,54	1.65	6 (13%)
2	NAG	A	505	1	14,14,15	0.23	0	17,19,21	0.56	0
2	NAG	D	504	1	14,14,15	0.21	0	17,19,21	0.48	0
2	NAG	D	505	1	14,14,15	0.25	0	17,19,21	0.52	0
2	NAG	D	503	1	14,14,15	0.39	0	17,19,21	1.26	2 (11%)
2	NAG	B	503	1	14,14,15	0.30	0	17,19,21	1.43	4 (23%)
2	NAG	C	505	1	14,14,15	0.23	0	17,19,21	0.46	0
4	7IT	B	508[B]	-	37,39,39	2.91	16 (43%)	45,54,54	1.49	6 (13%)
2	NAG	A	507	1	14,14,15	0.31	0	17,19,21	0.67	0
3	7IW	B	507[A]	-	37,39,39	3.46	17 (45%)	45,54,54	1.95	9 (20%)
3	7IW	D	507[A]	-	37,39,39	3.46	17 (45%)	45,54,54	1.96	9 (20%)
2	NAG	A	506	1	14,14,15	0.26	0	17,19,21	0.51	0
2	NAG	B	501	1	14,14,15	0.31	0	17,19,21	0.80	1 (5%)
2	NAG	D	506	1	14,14,15	0.32	0	17,19,21	1.29	2 (11%)
4	7IT	C	508[B]	-	37,39,39	2.91	16 (43%)	45,54,54	1.49	6 (13%)
2	NAG	C	501	1	14,14,15	0.30	0	17,19,21	0.69	0
2	NAG	A	501	1	14,14,15	0.31	0	17,19,21	0.64	0
2	NAG	C	502	1	14,14,15	0.29	0	17,19,21	0.51	0
2	NAG	D	501	1	14,14,15	0.30	0	17,19,21	0.69	0
4	7IT	A	509[B]	-	37,39,39	2.92	16 (43%)	45,54,54	1.49	6 (13%)
2	NAG	A	502	1	14,14,15	0.22	0	17,19,21	0.44	0
2	NAG	B	504	1	14,14,15	0.35	0	17,19,21	0.78	1 (5%)
2	NAG	B	505	1	14,14,15	0.29	0	17,19,21	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	7IW	A	508[A]	-	-	5/26/43/43	0/3/3/3
2	NAG	B	506	1	-	4/6/23/26	0/1/1/1
2	NAG	A	503	1	-	5/6/23/26	0/1/1/1
2	NAG	C	504	1	-	4/6/23/26	0/1/1/1
2	NAG	A	504	1	-	2/6/23/26	0/1/1/1
2	NAG	C	506	1	-	4/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	7IT	D	508[B]	-	-	6/26/43/43	0/3/3/3
2	NAG	C	503	1	-	3/6/23/26	0/1/1/1
2	NAG	D	502	1	-	2/6/23/26	0/1/1/1
2	NAG	B	502	1	-	2/6/23/26	0/1/1/1
3	7IW	C	507[A]	-	-	6/26/43/43	0/3/3/3
2	NAG	A	505	1	-	2/6/23/26	0/1/1/1
2	NAG	D	504	1	-	4/6/23/26	0/1/1/1
2	NAG	D	505	1	-	2/6/23/26	0/1/1/1
2	NAG	D	503	1	-	5/6/23/26	0/1/1/1
2	NAG	B	503	1	-	4/6/23/26	0/1/1/1
2	NAG	C	505	1	-	2/6/23/26	0/1/1/1
4	7IT	B	508[B]	-	-	6/26/43/43	0/3/3/3
2	NAG	A	507	1	-	0/6/23/26	0/1/1/1
3	7IW	B	507[A]	-	-	5/26/43/43	0/3/3/3
3	7IW	D	507[A]	-	-	5/26/43/43	0/3/3/3
2	NAG	A	506	1	-	4/6/23/26	0/1/1/1
2	NAG	B	501	1	-	0/6/23/26	0/1/1/1
2	NAG	D	506	1	-	5/6/23/26	0/1/1/1
4	7IT	C	508[B]	-	-	6/26/43/43	0/3/3/3
2	NAG	C	501	1	-	0/6/23/26	0/1/1/1
2	NAG	A	501	1	-	0/6/23/26	0/1/1/1
2	NAG	C	502	1	-	2/6/23/26	0/1/1/1
2	NAG	D	501	1	-	2/6/23/26	0/1/1/1
4	7IT	A	509[B]	-	-	6/26/43/43	0/3/3/3
2	NAG	A	502	1	-	0/6/23/26	0/1/1/1
2	NAG	B	504	1	-	2/6/23/26	0/1/1/1
2	NAG	B	505	1	-	2/6/23/26	0/1/1/1

All (124) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	508[A]	7IW	C32-C33	-8.55	1.24	1.52
3	B	507[A]	7IW	C32-C33	-8.54	1.25	1.52
3	D	507[A]	7IW	C32-C33	-8.54	1.25	1.52
3	C	507[A]	7IW	C02-N03	8.47	1.49	1.33
3	A	508[A]	7IW	C02-N03	8.47	1.49	1.33
4	C	508[B]	7IT	C02-N03	8.45	1.49	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	507[A]	7IW	C02-N03	8.45	1.49	1.33
4	A	509[B]	7IT	C02-N03	8.44	1.49	1.33
4	B	508[B]	7IT	C02-N03	8.43	1.49	1.33
3	D	507[A]	7IW	C02-N03	8.41	1.49	1.33
4	D	508[B]	7IT	C02-N03	8.40	1.49	1.33
4	A	509[B]	7IT	C15-N14	7.59	1.49	1.34
4	D	508[B]	7IT	C15-N14	7.57	1.49	1.34
3	C	507[A]	7IW	C15-N14	7.57	1.49	1.34
4	C	508[B]	7IT	C15-N14	7.57	1.49	1.34
4	B	508[B]	7IT	C15-N14	7.56	1.49	1.34
3	A	508[A]	7IW	C15-N14	7.51	1.49	1.34
3	D	507[A]	7IW	C15-N14	7.50	1.49	1.34
3	B	507[A]	7IW	C15-N14	7.48	1.49	1.34
3	D	507[A]	7IW	C06-C05	-6.98	1.44	1.55
3	B	507[A]	7IW	C06-C05	-6.96	1.44	1.55
3	A	508[A]	7IW	C06-C05	-6.92	1.44	1.55
3	A	508[A]	7IW	C00-N	-6.85	1.37	1.46
3	B	507[A]	7IW	C00-N	-6.82	1.37	1.46
3	D	507[A]	7IW	C00-N	-6.81	1.37	1.46
4	A	509[B]	7IT	O31-C33	-6.00	1.25	1.43
4	B	508[B]	7IT	O31-C33	-5.98	1.25	1.43
4	D	508[B]	7IT	O31-C33	-5.97	1.25	1.43
4	C	508[B]	7IT	O31-C33	-5.96	1.25	1.43
3	A	508[A]	7IW	O31-C33	-5.02	1.28	1.43
3	D	507[A]	7IW	O31-C33	-5.02	1.28	1.43
3	B	507[A]	7IW	O31-C33	-5.01	1.28	1.43
3	C	507[A]	7IW	C06-C05	-4.97	1.47	1.55
4	B	508[B]	7IT	C06-C05	-4.90	1.47	1.55
4	A	509[B]	7IT	C06-C05	-4.89	1.47	1.55
4	D	508[B]	7IT	C06-C05	-4.89	1.47	1.55
4	C	508[B]	7IT	C06-C05	-4.89	1.47	1.55
4	D	508[B]	7IT	C17-N19	4.81	1.46	1.35
4	C	508[B]	7IT	C17-N19	4.79	1.46	1.35
4	B	508[B]	7IT	C17-N19	4.78	1.46	1.35
4	A	509[B]	7IT	C17-N19	4.77	1.45	1.35
3	A	508[A]	7IW	C17-N19	4.76	1.45	1.35
3	C	507[A]	7IW	C17-N19	4.75	1.45	1.35
3	B	507[A]	7IW	C17-N19	4.74	1.45	1.35
3	D	507[A]	7IW	C17-N19	4.72	1.45	1.35
4	D	508[B]	7IT	C32-C33	-4.37	1.38	1.52
4	A	509[B]	7IT	C32-C33	-4.37	1.38	1.52
4	C	508[B]	7IT	C32-C33	-4.36	1.38	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	508[B]	7IT	C32-C33	-4.36	1.38	1.52
3	A	508[A]	7IW	C07-C06	4.08	1.57	1.51
3	B	507[A]	7IW	C07-C06	4.07	1.57	1.51
3	D	507[A]	7IW	C07-C06	4.04	1.57	1.51
4	B	508[B]	7IT	C07-C06	3.47	1.56	1.51
4	A	509[B]	7IT	C07-C06	3.46	1.56	1.51
4	C	508[B]	7IT	C07-C06	3.45	1.56	1.51
3	C	507[A]	7IW	C07-C06	3.45	1.56	1.51
4	D	508[B]	7IT	C07-C06	3.45	1.56	1.51
3	D	507[A]	7IW	O32-C34	3.42	1.56	1.42
3	B	507[A]	7IW	O32-C34	3.41	1.56	1.42
3	A	508[A]	7IW	O32-C34	3.41	1.56	1.42
3	A	508[A]	7IW	O16-C15	-2.94	1.18	1.23
3	B	507[A]	7IW	O16-C15	-2.92	1.18	1.23
3	D	507[A]	7IW	O16-C15	-2.91	1.18	1.23
3	C	507[A]	7IW	O16-C15	-2.85	1.18	1.23
4	A	509[B]	7IT	O16-C15	-2.80	1.18	1.23
4	B	508[B]	7IT	O16-C15	-2.77	1.18	1.23
4	D	508[B]	7IT	O16-C15	-2.76	1.18	1.23
4	C	508[B]	7IT	O16-C15	-2.75	1.18	1.23
3	D	507[A]	7IW	C31-C06	2.61	1.59	1.54
3	B	507[A]	7IW	C31-C06	2.57	1.59	1.54
3	A	508[A]	7IW	C31-C06	2.55	1.59	1.54
3	C	507[A]	7IW	C12-C13	2.54	1.54	1.51
3	A	508[A]	7IW	O18-C17	-2.53	1.18	1.23
3	B	507[A]	7IW	O18-C17	-2.52	1.18	1.23
3	C	507[A]	7IW	O18-C17	-2.51	1.18	1.23
3	D	507[A]	7IW	O18-C17	-2.50	1.18	1.23
3	D	507[A]	7IW	C12-C13	2.50	1.54	1.51
3	A	508[A]	7IW	C12-C13	2.49	1.53	1.51
3	B	507[A]	7IW	C12-C13	2.48	1.53	1.51
4	B	508[B]	7IT	O18-C17	-2.41	1.19	1.23
4	C	508[B]	7IT	O18-C17	-2.41	1.19	1.23
4	D	508[B]	7IT	O18-C17	-2.41	1.19	1.23
4	A	509[B]	7IT	O18-C17	-2.40	1.19	1.23
4	B	508[B]	7IT	C12-C13	2.39	1.53	1.51
4	C	508[B]	7IT	C12-C13	2.38	1.53	1.51
4	A	509[B]	7IT	O32-C34	2.36	1.52	1.42
4	C	508[B]	7IT	C02-N28	-2.36	1.25	1.34
4	C	508[B]	7IT	O32-C34	2.36	1.52	1.42
4	A	509[B]	7IT	C02-N28	-2.35	1.25	1.34
4	B	508[B]	7IT	O32-C34	2.35	1.52	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	508[B]	7IT	C02-N28	-2.34	1.25	1.34
4	D	508[B]	7IT	C02-N28	-2.34	1.25	1.34
4	D	508[B]	7IT	O32-C34	2.34	1.52	1.42
4	D	508[B]	7IT	C12-C13	2.34	1.53	1.51
4	A	509[B]	7IT	C12-C13	2.33	1.53	1.51
4	C	508[B]	7IT	C00-C09	2.31	1.56	1.51
3	B	507[A]	7IW	C00-C09	2.31	1.56	1.51
3	A	508[A]	7IW	C00-C09	2.30	1.56	1.51
4	B	508[B]	7IT	C00-C09	2.30	1.56	1.51
3	C	507[A]	7IW	C00-C09	2.30	1.56	1.51
4	A	509[B]	7IT	C00-C09	2.30	1.56	1.51
3	B	507[A]	7IW	C24-CL25	2.29	1.79	1.73
3	D	507[A]	7IW	C00-C09	2.29	1.56	1.51
4	D	508[B]	7IT	C00-C09	2.29	1.56	1.51
3	D	507[A]	7IW	C24-CL25	2.28	1.79	1.73
3	A	508[A]	7IW	C24-CL25	2.27	1.79	1.73
4	D	508[B]	7IT	C24-CL25	2.27	1.79	1.73
4	A	509[B]	7IT	C24-CL25	2.25	1.79	1.73
3	C	507[A]	7IW	C24-CL25	2.25	1.79	1.73
4	B	508[B]	7IT	C24-CL25	2.23	1.78	1.73
4	C	508[B]	7IT	C24-CL25	2.23	1.78	1.73
3	B	507[A]	7IW	C17-C15	2.16	1.57	1.53
3	A	508[A]	7IW	C17-C15	2.16	1.57	1.53
4	C	508[B]	7IT	C17-C15	2.14	1.57	1.53
4	D	508[B]	7IT	C17-C15	2.13	1.57	1.53
4	B	508[B]	7IT	C17-C15	2.13	1.57	1.53
3	D	507[A]	7IW	C17-C15	2.13	1.57	1.53
4	A	509[B]	7IT	C17-C15	2.09	1.57	1.53
4	C	508[B]	7IT	C20-N19	2.04	1.45	1.41
3	D	507[A]	7IW	C20-N19	2.04	1.45	1.41
4	A	509[B]	7IT	C20-N19	2.03	1.45	1.41
3	C	507[A]	7IW	C17-C15	2.03	1.57	1.53
3	B	507[A]	7IW	C20-N19	2.01	1.45	1.41
4	B	508[B]	7IT	C20-N19	2.00	1.45	1.41

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	507[A]	7IW	C15-C17-N19	5.64	121.22	112.31
3	D	507[A]	7IW	C15-C17-N19	5.51	121.02	112.31
3	B	507[A]	7IW	C15-C17-N19	5.51	121.01	112.31
3	A	508[A]	7IW	C15-C17-N19	5.49	121.00	112.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	509[B]	7IT	C15-C17-N19	5.20	120.53	112.31
4	B	508[B]	7IT	C15-C17-N19	5.20	120.52	112.31
4	C	508[B]	7IT	C15-C17-N19	5.18	120.50	112.31
4	D	508[B]	7IT	C15-C17-N19	5.17	120.49	112.31
3	D	507[A]	7IW	C31-C32-C33	5.17	124.09	113.11
3	C	507[A]	7IW	C20-N19-C17	-5.17	118.56	127.53
3	B	507[A]	7IW	C31-C32-C33	5.17	124.09	113.11
3	A	508[A]	7IW	C31-C32-C33	5.16	124.07	113.11
3	B	507[A]	7IW	C20-N19-C17	-4.99	118.86	127.53
3	A	508[A]	7IW	C20-N19-C17	-4.98	118.88	127.53
3	D	507[A]	7IW	C20-N19-C17	-4.97	118.90	127.53
4	C	508[B]	7IT	C20-N19-C17	-4.59	119.57	127.53
4	D	508[B]	7IT	C20-N19-C17	-4.57	119.60	127.53
4	B	508[B]	7IT	C20-N19-C17	-4.54	119.65	127.53
4	A	509[B]	7IT	C20-N19-C17	-4.54	119.65	127.53
3	D	507[A]	7IW	C12-C13-N14	-4.41	107.53	114.61
2	A	503	NAG	C2-N2-C7	4.41	129.18	122.90
2	C	503	NAG	C2-N2-C7	4.40	129.17	122.90
3	A	508[A]	7IW	C12-C13-N14	-4.39	107.57	114.61
2	D	503	NAG	C2-N2-C7	4.38	129.14	122.90
3	B	507[A]	7IW	C12-C13-N14	-4.38	107.58	114.61
3	C	507[A]	7IW	C12-C13-N14	-4.36	107.61	114.61
3	A	508[A]	7IW	O31-C33-C32	4.24	121.34	109.21
3	B	507[A]	7IW	O31-C33-C32	4.24	121.33	109.21
3	D	507[A]	7IW	O31-C33-C32	4.23	121.30	109.21
2	D	506	NAG	C1-O5-C5	3.27	116.63	112.19
3	A	508[A]	7IW	C12-C13-C05	3.16	107.46	104.41
3	D	507[A]	7IW	C12-C13-C05	3.16	107.46	104.41
3	B	507[A]	7IW	C12-C13-C05	3.14	107.44	104.41
2	B	503	NAG	O5-C1-C2	-3.13	106.35	111.29
3	C	507[A]	7IW	C12-C13-C05	3.10	107.40	104.41
4	A	509[B]	7IT	C12-C13-C05	3.06	107.36	104.41
4	B	508[B]	7IT	C12-C13-C05	3.04	107.34	104.41
4	C	508[B]	7IT	C12-C13-C05	3.04	107.34	104.41
4	D	508[B]	7IT	C12-C13-C05	3.01	107.31	104.41
4	A	509[B]	7IT	C12-C13-N14	-2.85	110.04	114.61
4	B	508[B]	7IT	C12-C13-N14	-2.84	110.05	114.61
4	C	508[B]	7IT	C12-C13-N14	-2.84	110.05	114.61
4	D	508[B]	7IT	C12-C13-N14	-2.82	110.08	114.61
2	B	503	NAG	C1-O5-C5	2.80	115.98	112.19
3	D	507[A]	7IW	C32-C31-C06	2.68	117.49	113.03
3	B	507[A]	7IW	C32-C31-C06	2.66	117.46	113.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	508[A]	7IW	C32-C31-C06	2.66	117.46	113.03
2	D	506	NAG	O5-C1-C2	-2.30	107.66	111.29
3	C	507[A]	7IW	C07-C08-C09	-2.23	119.89	121.98
3	D	507[A]	7IW	C07-C08-C09	-2.21	119.91	121.98
3	B	507[A]	7IW	C07-C08-C09	-2.21	119.92	121.98
4	A	509[B]	7IT	C07-C08-C09	-2.20	119.92	121.98
3	A	508[A]	7IW	C07-C08-C09	-2.18	119.94	121.98
4	B	508[B]	7IT	C07-C08-C09	-2.17	119.95	121.98
3	C	507[A]	7IW	O18-C17-N19	-2.16	119.32	123.92
4	D	508[B]	7IT	C07-C08-C09	-2.16	119.96	121.98
2	C	503	NAG	C1-C2-N2	2.15	114.16	110.49
4	C	508[B]	7IT	C07-C08-C09	-2.15	119.97	121.98
2	C	506	NAG	C1-O5-C5	2.12	115.07	112.19
2	B	504	NAG	C1-O5-C5	2.11	115.05	112.19
4	A	509[B]	7IT	C17-C15-N14	2.10	118.77	113.73
4	C	508[B]	7IT	C17-C15-N14	2.10	118.76	113.73
4	B	508[B]	7IT	C17-C15-N14	2.09	118.74	113.73
4	D	508[B]	7IT	C17-C15-N14	2.08	118.72	113.73
2	B	501	NAG	O5-C5-C6	2.08	110.46	107.20
2	B	503	NAG	C6-C5-C4	-2.08	108.14	113.00
2	B	503	NAG	C3-C4-C5	2.08	113.94	110.24
2	A	503	NAG	C1-C2-N2	2.07	114.03	110.49
3	D	507[A]	7IW	O18-C17-N19	-2.05	119.54	123.92
3	A	508[A]	7IW	O18-C17-N19	-2.04	119.56	123.92
3	B	507[A]	7IW	O18-C17-N19	-2.04	119.57	123.92
2	D	503	NAG	C1-C2-N2	2.01	113.92	110.49

There are no chirality outliers.

All (107) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	503	NAG	C8-C7-N2-C2
2	D	506	NAG	C8-C7-N2-C2
2	D	506	NAG	O7-C7-N2-C2
3	B	507[A]	7IW	C32-C33-C34-O32
3	A	508[A]	7IW	C32-C33-C34-O32
3	D	507[A]	7IW	C32-C33-C34-O32
2	D	505	NAG	O5-C5-C6-O6
2	B	503	NAG	O7-C7-N2-C2
2	C	505	NAG	O5-C5-C6-O6
2	A	503	NAG	O5-C5-C6-O6
2	C	506	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	505	NAG	O5-C5-C6-O6
2	A	505	NAG	O5-C5-C6-O6
2	C	502	NAG	O5-C5-C6-O6
2	C	505	NAG	C4-C5-C6-O6
2	B	505	NAG	C4-C5-C6-O6
2	D	505	NAG	C4-C5-C6-O6
2	D	502	NAG	O5-C5-C6-O6
2	C	502	NAG	C4-C5-C6-O6
2	C	506	NAG	C4-C5-C6-O6
2	B	504	NAG	C8-C7-N2-C2
2	B	504	NAG	O7-C7-N2-C2
2	B	506	NAG	C8-C7-N2-C2
2	B	506	NAG	O7-C7-N2-C2
2	A	503	NAG	C8-C7-N2-C2
2	A	503	NAG	O7-C7-N2-C2
2	A	504	NAG	C8-C7-N2-C2
2	A	504	NAG	O7-C7-N2-C2
2	A	506	NAG	C8-C7-N2-C2
2	A	506	NAG	O7-C7-N2-C2
2	C	503	NAG	C8-C7-N2-C2
2	C	503	NAG	O7-C7-N2-C2
2	C	504	NAG	C8-C7-N2-C2
2	C	504	NAG	O7-C7-N2-C2
2	C	506	NAG	C8-C7-N2-C2
2	C	506	NAG	O7-C7-N2-C2
2	D	503	NAG	C8-C7-N2-C2
2	D	503	NAG	O7-C7-N2-C2
2	D	504	NAG	C8-C7-N2-C2
2	D	504	NAG	O7-C7-N2-C2
2	A	505	NAG	C4-C5-C6-O6
2	D	502	NAG	C4-C5-C6-O6
2	A	503	NAG	C4-C5-C6-O6
2	D	503	NAG	O5-C5-C6-O6
3	C	507[A]	7IW	C31-C32-C33-C34
2	D	503	NAG	C4-C5-C6-O6
2	A	506	NAG	O5-C5-C6-O6
2	C	504	NAG	O5-C5-C6-O6
2	A	506	NAG	C4-C5-C6-O6
4	B	508[B]	7IT	C05-C06-C31-C32
4	A	509[B]	7IT	C05-C06-C31-C32
4	C	508[B]	7IT	C05-C06-C31-C32
4	D	508[B]	7IT	C05-C06-C31-C32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	507[A]	7IW	O31-C33-C34-O32
3	A	508[A]	7IW	O31-C33-C34-O32
3	D	507[A]	7IW	O31-C33-C34-O32
3	C	507[A]	7IW	C31-C32-C33-O31
4	B	508[B]	7IT	C31-C32-C33-O31
4	A	509[B]	7IT	C31-C32-C33-O31
4	C	508[B]	7IT	C31-C32-C33-O31
4	D	508[B]	7IT	C31-C32-C33-O31
2	D	501	NAG	C8-C7-N2-C2
2	D	506	NAG	C1-C2-N2-C7
2	B	503	NAG	O5-C5-C6-O6
2	B	506	NAG	C4-C5-C6-O6
2	B	502	NAG	C4-C5-C6-O6
2	B	502	NAG	O5-C5-C6-O6
2	D	501	NAG	O7-C7-N2-C2
3	B	507[A]	7IW	C31-C32-C33-O31
3	A	508[A]	7IW	C31-C32-C33-O31
3	D	507[A]	7IW	C31-C32-C33-O31
4	B	508[B]	7IT	C07-C06-C31-C32
4	A	509[B]	7IT	C07-C06-C31-C32
4	C	508[B]	7IT	C07-C06-C31-C32
4	D	508[B]	7IT	C07-C06-C31-C32
2	D	504	NAG	C4-C5-C6-O6
2	B	506	NAG	O5-C5-C6-O6
2	C	504	NAG	C4-C5-C6-O6
2	D	506	NAG	O5-C5-C6-O6
4	B	508[B]	7IT	C31-C32-C33-C34
4	A	509[B]	7IT	C31-C32-C33-C34
4	C	508[B]	7IT	C31-C32-C33-C34
4	D	508[B]	7IT	C31-C32-C33-C34
3	B	507[A]	7IW	C27-C20-N19-C17
3	A	508[A]	7IW	C27-C20-N19-C17
3	D	507[A]	7IW	C27-C20-N19-C17
3	C	507[A]	7IW	C27-C20-N19-C17
2	B	503	NAG	C3-C2-N2-C7
2	A	503	NAG	C3-C2-N2-C7
4	B	508[B]	7IT	C27-C20-N19-C17
4	A	509[B]	7IT	C27-C20-N19-C17
4	C	508[B]	7IT	C27-C20-N19-C17
4	D	508[B]	7IT	C27-C20-N19-C17
3	B	507[A]	7IW	C21-C20-N19-C17
3	C	507[A]	7IW	C32-C33-C34-O32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	508[A]	7IW	C21-C20-N19-C17
3	D	507[A]	7IW	C21-C20-N19-C17
3	C	507[A]	7IW	C21-C20-N19-C17
2	C	503	NAG	C3-C2-N2-C7
2	D	503	NAG	C3-C2-N2-C7
2	D	506	NAG	C3-C2-N2-C7
2	D	504	NAG	O5-C5-C6-O6
4	D	508[B]	7IT	C21-C20-N19-C17
4	C	508[B]	7IT	C21-C20-N19-C17
4	B	508[B]	7IT	C21-C20-N19-C17
4	A	509[B]	7IT	C21-C20-N19-C17
3	C	507[A]	7IW	O31-C33-C34-O32


There are no ring outliers.

17 monomers are involved in 43 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	508[A]	7IW	4	0
2	A	503	NAG	1	0
2	C	504	NAG	2	0
4	D	508[B]	7IT	4	0
2	C	503	NAG	1	0
2	B	502	NAG	1	0
3	C	507[A]	7IW	3	0
2	D	503	NAG	2	0
2	B	503	NAG	3	0
4	B	508[B]	7IT	1	0
2	A	507	NAG	3	0
3	B	507[A]	7IW	2	0
3	D	507[A]	7IW	6	0
2	D	506	NAG	1	0
4	C	508[B]	7IT	4	0
4	A	509[B]	7IT	4	0
2	B	504	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring


in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand 7IT D 508 (B)




Bond lengths



Bond angles




Torsions




Rings


Ligand 7IW C 507 (A)




Bond lengths



Bond angles




Torsions




Rings


Ligand 7IT B 508 (B)




Bond lengths



Bond angles




Torsions




Rings


Ligand 7IW B 507 (A)




Bond lengths



Bond angles




Torsions




Rings


Ligand 7IW D 507 (A)




Bond lengths



Bond angles




Torsions




Rings


Ligand 7IT C 508 (B)




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	D	2
1	B	2
1	A	1
1	C	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	D	354:PRO	C	356:SER	N	4.50
1	A	354:PRO	C	356:SER	N	3.80
1	B	354:PRO	C	356:SER	N	3.70
1	B	399:THR	C	403:TYR	N	3.25
1	C	399:THR	C	403:TYR	N	3.25
1	D	399:THR	C	403:TYR	N	3.25

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	335/362 (92%)	0.48	18 (5%) 25 17	35, 57, 87, 123	0
1	B	335/362 (92%)	0.55	25 (7%) 14 8	37, 57, 92, 120	0
1	C	335/362 (92%)	0.57	25 (7%) 14 8	36, 59, 98, 124	0
1	D	335/362 (92%)	0.63	30 (8%) 9 5	44, 66, 103, 125	0
All	All	1340/1448 (92%)	0.56	98 (7%) 15 8	35, 60, 96, 125	0

All (98) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	89	VAL	8.7
1	D	89	VAL	6.5
1	A	87	ALA	5.8
1	D	87	ALA	5.6
1	D	240	ARG	5.4
1	A	242	VAL	5.2
1	D	85	VAL	5.2
1	B	87	ALA	5.1
1	C	240	ARG	5.0
1	A	86	LEU	4.7
1	D	86	LEU	4.7
1	D	88	ASN	4.7
1	A	240	ARG	4.5
1	B	89	VAL	4.5
1	C	86	LEU	4.3
1	D	90	THR	4.3
1	B	240	ARG	4.2
1	C	89	VAL	4.1
1	A	88	ASN	4.0
1	B	354	PRO	3.9
1	D	226	LEU	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	88	ASN	3.9
1	B	356	SER	3.8
1	B	242	VAL	3.8
1	D	246	GLN	3.8
1	A	356	SER	3.7
1	B	61	TYR	3.6
1	B	86	LEU	3.6
1	C	226	LEU	3.6
1	D	242	VAL	3.5
1	C	441	GLY	3.5
1	D	231	LYS	3.5
1	C	91	GLU	3.5
1	C	408	ARG	3.5
1	C	87	ALA	3.5
1	A	85	VAL	3.4
1	D	229	ASN	3.3
1	D	84	MET	3.3
1	C	237	GLY	3.3
1	D	239	CYS	3.3
1	C	72	HIS	3.2
1	A	354	PRO	3.2
1	B	90	THR	3.1
1	C	78	ASP	3.1
1	B	84	MET	3.0
1	B	85	VAL	3.0
1	A	82	GLN	3.0
1	A	50	THR	3.0
1	D	225	ILE	3.0
1	C	88	ASN	2.9
1	C	242	VAL	2.9
1	D	359	ILE	2.9
1	C	49	LYS	2.8
1	C	198	GLY	2.8
1	B	226	LEU	2.8
1	C	399	THR	2.8
1	D	354	PRO	2.8
1	D	326	ILE	2.7
1	A	246	GLN	2.6
1	B	49	LYS	2.6
1	B	57	ASP	2.6
1	B	244	THR	2.5
1	D	399	THR	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	441	GLY	2.5
1	D	397	ASN	2.5
1	D	300	ASN	2.5
1	B	82	GLN	2.5
1	B	50	THR	2.4
1	B	490	GLU	2.4
1	A	226	LEU	2.4
1	B	243	SER	2.4
1	B	72	HIS	2.3
1	A	440	GLU	2.3
1	D	241	ASN	2.3
1	C	404	ASN	2.3
1	B	91	GLU	2.3
1	D	232	THR	2.3
1	D	408	ARG	2.3
1	C	221	ALA	2.2
1	D	92	ASN	2.2
1	B	376	PHE	2.2
1	A	357	LYS	2.2
1	D	91	GLU	2.2
1	C	84	MET	2.2
1	D	202	THR	2.1
1	C	85	VAL	2.1
1	A	79	PRO	2.1
1	A	49	LYS	2.1
1	C	268	GLU	2.1
1	D	405	HIS	2.1
1	C	233	PHE	2.1
1	A	106	GLU	2.1
1	C	403	TYR	2.0
1	C	50	THR	2.0
1	C	359	ILE	2.0
1	D	325	ASN	2.0
1	B	399	THR	2.0
1	D	49	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	A	503	14/15	0.65	0.44	82,100,109,110	0
3	7IW	D	507[A]	37/37	0.72	0.40	56,67,72,73	37
2	NAG	B	503	14/15	0.75	0.33	80,93,97,98	0
4	7IT	D	508[B]	37/37	0.75	0.39	57,67,74,75	37
4	7IT	A	509[B]	37/37	0.78	0.41	57,67,74,75	37
4	7IT	B	508[B]	37/37	0.78	0.36	57,67,74,75	37
3	7IW	B	507[A]	37/37	0.79	0.36	56,67,72,73	37
3	7IW	C	507[A]	37/37	0.79	0.45	54,66,70,71	37
3	7IW	A	508[A]	37/37	0.80	0.42	56,67,72,73	37
2	NAG	D	501	14/15	0.80	0.26	67,82,89,91	0
4	7IT	C	508[B]	37/37	0.81	0.45	57,67,74,75	37
2	NAG	C	506	14/15	0.83	0.26	67,75,78,78	0
2	NAG	A	505	14/15	0.83	0.25	54,76,86,87	0
2	NAG	A	501	14/15	0.84	0.23	63,79,95,96	0
2	NAG	C	501	14/15	0.84	0.27	64,82,88,91	0
2	NAG	B	501	14/15	0.85	0.23	61,70,80,82	0
2	NAG	A	507	14/15	0.88	0.34	64,83,88,98	0
2	NAG	D	503	14/15	0.88	0.22	61,71,80,87	0
2	NAG	B	505	14/15	0.89	0.18	47,68,74,77	0
2	NAG	C	504	14/15	0.90	0.20	66,79,85,95	0
2	NAG	D	506	14/15	0.90	0.18	64,82,89,92	0
2	NAG	C	505	14/15	0.90	0.17	51,66,75,75	0
2	NAG	B	504	14/15	0.90	0.23	67,80,82,83	0
2	NAG	C	503	14/15	0.90	0.23	57,62,73,76	0
2	NAG	C	502	14/15	0.91	0.20	45,54,65,66	0
2	NAG	D	504	14/15	0.91	0.19	75,83,89,92	0
2	NAG	D	505	14/15	0.91	0.17	51,69,79,81	0
2	NAG	A	506	14/15	0.91	0.19	50,57,70,70	0
2	NAG	B	506	14/15	0.92	0.20	53,58,70,79	0
2	NAG	D	502	14/15	0.93	0.23	45,62,72,76	0
2	NAG	A	504	14/15	0.94	0.25	64,71,83,90	0
2	NAG	A	502	14/15	0.95	0.20	40,50,61,65	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAG	B	502	14/15	0.96	0.22	48,53,62,68	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 7IW D 507 (A):

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7IT D 508 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 7IT A 509 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7IT B 508 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7IW B 507 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7IW C 507 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7IW A 508 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 7IT C 508 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.