



Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2020 – 09:15 am BST

PDB ID : 1RY0
Title : Structure of prostaglandin F synthase with prostaglandin D2
Authors : Komoto, J.; Yamada, T.; Watanabe, K.; Takusagawa, F.
Deposited on : 2003-12-19
Resolution : 1.69 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	323	 74% 20% 5% •
1	B	323	 % 67% 24% 7% •

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 5656 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aldo-keto reductase family 1 member C3.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	319	Total	C	N	O	S	0	0	0
			2563	1632	445	474	12			
1	B	319	Total	C	N	O	S	0	0	0
			2563	1632	445	474	12			

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is PROSTAGLANDIN D2 (three-letter code: PG2) (formula: $C_{20}H_{32}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			25	20	5		
3	B	1	Total	C	O	0	0
			25	20	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	208	Total	O	0	0
			208	208		
4	B	176	Total	O	0	0
			176	176		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Aldo-keto reductase family 1 member C3



- Molecule 1: Aldo-keto reductase family 1 member C3



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	46.97Å 49.18Å 83.52Å 73.80° 85.90° 69.80°	Depositor
Resolution (Å)	10.00 – 1.69 10.98 – 1.67	Depositor EDS
% Data completeness (in resolution range)	(Not available) (10.00-1.69) 95.8 (10.98-1.67)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.37 (at 1.67Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.208 , 0.248 0.180 , 0.215	Depositor DCC
R_{free} test set	7511 reflections (10.12%)	wwPDB-VP
Wilson B-factor (Å ²)	17.1	Xtriage
Anisotropy	0.365	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 70.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.014 for -h,-k,-k+l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5656	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, PG2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/2622	0.57	1/3547 (0.0%)
1	B	0.33	0/2622	0.55	0/3547
All	All	0.33	0/5244	0.56	1/7094 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	116	ILE	N-CA-C	-5.37	96.49	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2563	0	2558	63	0
1	B	2563	0	2558	88	0
2	A	48	0	25	6	0
2	B	48	0	25	6	0
3	A	25	0	31	0	0
3	B	25	0	31	1	0
4	A	208	0	0	2	0
4	B	176	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	5656	0	5228	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:262:GLN:HE22	1:B:288:LEU:H	1.03	0.99
1:B:258:ARG:HD2	1:B:262:GLN:HE21	1.42	0.83
1:B:6:GLN:NE2	1:B:7:CYS:H	1.78	0.82
1:B:262:GLN:NE2	1:B:288:LEU:H	1.77	0.81
1:B:27:PRO:HD2	1:B:226:ARG:HH22	1.46	0.80
1:B:204:ASP:HA	1:B:207:LYS:HE3	1.66	0.78
1:A:149:GLU:HG3	1:A:179:LYS:HE3	1.65	0.77
1:B:96:ARG:HB2	1:B:153:LYS:HE3	1.67	0.76
1:A:257:LEU:HD23	1:A:267:VAL:HG21	1.67	0.75
1:B:262:GLN:HE22	1:B:288:LEU:N	1.82	0.75
1:A:150:ALA:HA	1:A:153:LYS:HD3	1.66	0.75
1:B:123:LYS:HD3	1:B:124:PRO:HD2	1.70	0.74
1:A:106:ALA:C	1:A:107:GLN:HG3	2.10	0.72
1:A:40:LEU:HD13	1:A:274:GLU:HG2	1.72	0.70
1:B:54:LEU:HD21	3:B:3325:PG2:H9	1.72	0.69
1:B:150:ALA:HA	1:B:153:LYS:HD3	1.75	0.68
1:B:299:LEU:O	1:B:301:ARG:HG2	1.94	0.68
1:B:93:GLU:HG2	1:B:94:LEU:HD13	1.76	0.68
1:A:96:ARG:HB2	1:A:153:LYS:HE3	1.77	0.65
1:B:113:LEU:HD21	1:B:115:LEU:HD21	1.77	0.65
1:B:198:ASN:C	1:B:198:ASN:HD22	2.01	0.64
1:A:66:ARG:HB2	1:A:107:GLN:HE22	1.62	0.64
1:A:322:GLU:CG	1:B:107:GLN:HE22	2.12	0.63
1:A:224:ASP:HB3	1:A:227:TRP:CD1	2.36	0.61
1:B:258:ARG:CD	1:B:262:GLN:HE21	2.14	0.60
1:A:257:LEU:HD23	1:A:267:VAL:CG2	2.31	0.60
1:B:299:LEU:HD12	1:B:301:ARG:NH2	2.17	0.59
1:A:219:LEU:HB2	2:A:2324:NAP:H52A	1.84	0.59
1:B:82:THR:HB	1:B:113:LEU:HB3	1.85	0.57
1:B:27:PRO:HD2	1:B:226:ARG:NH2	2.19	0.56
1:B:153:LYS:HG2	1:B:154:CYS:N	2.21	0.56
1:B:170:ARG:HG2	1:B:171:ARG:N	2.20	0.56
1:A:153:LYS:HG2	1:A:154:CYS:N	2.19	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:53:HIS:CE1	1:B:128:LEU:HD11	2.41	0.55
1:A:227:TRP:O	1:A:307:ASN:HB2	2.06	0.55
1:A:145:CYS:HB3	1:A:179:LYS:HD2	1.87	0.55
1:A:10:LEU:C	1:A:12:ASP:H	2.09	0.54
1:B:145:CYS:SG	1:B:179:LYS:HG3	2.48	0.54
1:B:111:VAL:HG12	1:B:113:LEU:H	1.73	0.54
1:B:66:ARG:CZ	1:B:107:GLN:HG3	2.38	0.54
1:B:223:ARG:HH22	1:B:232:SER:C	2.11	0.54
1:A:257:LEU:HD13	4:A:1324:HOH:O	2.07	0.53
1:B:5:GLN:HA	1:B:284:PHE:CZ	2.43	0.53
1:A:291:GLU:OE2	1:A:294:LYS:HE2	2.09	0.53
1:B:82:THR:HG21	4:B:1020:HOH:O	2.07	0.53
1:B:219:LEU:HB2	2:B:3324:NAP:H52A	1.91	0.53
1:B:96:ARG:HB2	1:B:153:LYS:CE	2.38	0.53
1:A:31:ARG:O	1:A:60:GLN:HG2	2.09	0.52
1:B:224:ASP:HB3	1:B:227:TRP:CD1	2.44	0.52
1:A:96:ARG:HB3	1:A:97:PRO:HD3	1.92	0.52
1:B:228:VAL:HB	1:B:305:TYR:O	2.11	0.51
1:A:225:LYS:HE2	1:A:230:PRO:HB3	1.92	0.51
1:B:88:THR:HG21	4:B:1247:HOH:O	2.10	0.51
1:A:225:LYS:N	1:A:225:LYS:HD2	2.26	0.51
1:B:279:GLN:NE2	2:B:3324:NAP:H62A	2.09	0.51
1:B:136:LYS:O	1:B:136:LYS:HG3	2.11	0.50
1:B:111:VAL:HG12	1:B:113:LEU:N	2.25	0.50
1:B:204:ASP:HA	1:B:207:LYS:CE	2.38	0.50
1:B:9:LYS:HD3	1:B:15:PHE:HE2	1.77	0.50
1:B:10:LEU:C	1:B:12:ASP:H	2.14	0.49
1:B:6:GLN:HE21	1:B:7:CYS:H	1.58	0.49
1:A:10:LEU:HG	1:A:187:VAL:HB	1.94	0.49
1:B:9:LYS:HD3	1:B:15:PHE:CE2	2.47	0.49
1:B:289:THR:OG1	1:B:291:GLU:HG2	2.12	0.49
1:A:19:LEU:HD12	1:A:284:PHE:HE1	1.78	0.49
1:B:88:THR:HG22	1:B:89:PHE:CE1	2.47	0.49
1:A:106:ALA:O	1:A:107:GLN:HG3	2.12	0.48
1:B:66:ARG:NH1	1:B:107:GLN:HG3	2.28	0.48
1:B:219:LEU:CB	2:B:3324:NAP:H52A	2.43	0.48
1:A:270:LYS:O	2:A:2324:NAP:H8A	2.14	0.48
1:A:113:LEU:HD21	1:A:115:LEU:HD21	1.96	0.48
1:B:17:PRO:HB2	1:B:48:HIS:HB2	1.96	0.48
1:B:20:GLY:HA2	1:B:48:HIS:HB3	1.96	0.48
1:B:306:PHE:CE1	1:B:308:SER:HB3	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:GLN:OE1	2:A:2324:NAP:H2N	2.13	0.48
1:A:322:GLU:HG2	1:B:107:GLN:HE22	1.77	0.48
1:B:53:HIS:HE1	1:B:128:LEU:HD11	1.78	0.48
1:B:224:ASP:OD2	1:B:226:ARG:HB2	2.14	0.48
1:B:257:LEU:HD23	1:B:267:VAL:HG21	1.95	0.47
1:A:287:GLN:H	1:A:287:GLN:CD	2.17	0.47
1:B:101:ASN:O	1:B:105:LYS:HG3	2.15	0.47
1:B:278:ARG:O	1:B:281:VAL:HG22	2.15	0.47
1:A:150:ALA:CA	1:A:153:LYS:HD3	2.42	0.47
1:A:219:LEU:CB	2:A:2324:NAP:H52A	2.45	0.47
1:B:172:GLN:HA	1:B:175:MET:HE3	1.97	0.47
1:A:322:GLU:HG2	1:B:107:GLN:NE2	2.29	0.47
1:A:26:PRO:O	1:A:29:VAL:HG13	2.15	0.46
1:B:91:ARG:HG3	4:B:1044:HOH:O	2.15	0.46
1:A:102:SER:HA	1:A:105:LYS:HE3	1.98	0.46
1:A:30:PRO:HG2	1:A:33:LYS:NZ	2.30	0.46
1:A:287:GLN:CD	1:A:287:GLN:N	2.68	0.46
1:B:179:LYS:HB3	1:B:179:LYS:HE3	1.71	0.46
1:B:193:CYS:HB3	1:B:215:ALA:CB	2.46	0.46
1:A:183:LYS:HE2	1:A:184:TYR:OH	2.16	0.46
1:A:35:LEU:HD13	1:A:63:LEU:HB3	1.99	0.45
1:B:216:TYR:O	1:B:217:SER:HB2	2.17	0.45
1:B:296:ILE:O	1:B:299:LEU:HB2	2.18	0.44
1:B:312:ALA:HA	1:B:317:TYR:CD1	2.52	0.44
1:B:223:ARG:HA	1:B:228:VAL:HG11	1.98	0.44
1:B:225:LYS:H	1:B:225:LYS:HG3	1.50	0.44
1:A:105:LYS:HE3	1:A:105:LYS:HB2	1.76	0.44
1:A:53:HIS:CE1	1:A:128:LEU:HD11	2.53	0.44
1:B:289:THR:O	1:B:292:ASP:HB2	2.17	0.44
1:A:5:GLN:HA	1:A:284:PHE:CZ	2.53	0.44
1:A:9:LYS:HE2	1:A:13:GLY:HA2	2.00	0.44
1:B:219:LEU:HD11	1:B:257:LEU:HD21	2.00	0.44
1:B:103:LEU:CD1	1:B:111:VAL:HG23	2.47	0.44
1:B:5:GLN:HG3	4:B:1041:HOH:O	2.17	0.44
1:B:150:ALA:O	1:B:153:LYS:HG2	2.18	0.44
1:B:259:TYR:O	1:B:263:ARG:HG2	2.17	0.43
1:A:317:TYR:CE1	1:A:319:TYR:HB2	2.54	0.43
1:A:224:ASP:HB3	1:A:227:TRP:HD1	1.81	0.43
1:B:136:LYS:HD2	1:B:137:VAL:O	2.17	0.43
1:B:66:ARG:NE	1:B:107:GLN:HB2	2.34	0.43
1:A:270:LYS:HD3	1:A:270:LYS:C	2.38	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:5:GLN:HB3	1:A:6:GLN:H	1.66	0.43
1:A:82:THR:HG21	4:A:1006:HOH:O	2.19	0.43
1:B:33:LYS:HD2	1:B:33:LYS:HA	1.78	0.43
1:A:66:ARG:CB	1:A:107:GLN:HE22	2.28	0.43
1:A:19:LEU:HD12	1:A:284:PHE:CE1	2.54	0.43
1:B:299:LEU:HA	1:B:301:ARG:NH2	2.34	0.43
1:A:6:GLN:HG2	1:A:7:CYS:N	2.33	0.43
1:A:203:LEU:HD22	1:A:207:LYS:HE3	2.00	0.42
1:B:224:ASP:HB3	1:B:227:TRP:NE1	2.34	0.42
1:B:192:GLU:HB2	1:B:216:TYR:CE2	2.53	0.42
1:A:10:LEU:C	1:A:12:ASP:N	2.73	0.42
1:B:217:SER:HA	2:B:3324:NAP:O1A	2.20	0.42
1:B:314:HIS:CE1	1:B:316:ASN:HB2	2.54	0.42
1:A:68:LYS:HA	1:A:71:ASP:HB2	2.01	0.42
1:B:238:ASP:HA	1:B:239:PRO:HD3	1.95	0.42
1:B:226:ARG:HB3	1:B:227:TRP:CZ3	2.55	0.42
1:B:99:LEU:HB2	1:B:114:TYR:CE2	2.55	0.42
1:B:66:ARG:CZ	1:B:107:GLN:HB2	2.50	0.42
1:A:25:ALA:HB2	1:A:272:TYR:CZ	2.55	0.41
1:A:144:LEU:HB2	1:A:175:MET:HE1	2.01	0.41
1:A:183:LYS:HE2	1:A:184:TYR:CZ	2.55	0.41
1:A:217:SER:HA	2:A:2324:NAP:O1A	2.20	0.41
1:A:219:LEU:HB2	2:A:2324:NAP:C5B	2.48	0.41
1:A:96:ARG:N	1:A:97:PRO:CD	2.84	0.41
1:A:59:GLU:CD	1:A:59:GLU:H	2.24	0.41
1:A:5:GLN:HA	1:A:284:PHE:CE1	2.56	0.41
1:A:322:GLU:HB3	1:B:107:GLN:HE22	1.85	0.41
1:B:198:ASN:C	1:B:198:ASN:ND2	2.72	0.41
1:B:299:LEU:HD12	1:B:301:ARG:HH22	1.85	0.41
1:A:40:LEU:CD1	1:A:274:GLU:HG2	2.46	0.40
1:B:221:SER:HA	2:B:3324:NAP:O2N	2.20	0.40
1:B:22:GLY:HA3	2:B:3324:NAP:H4D	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	317/323 (98%)	306 (96%)	10 (3%)	1 (0%)	41	24
1	B	317/323 (98%)	306 (96%)	11 (4%)	0	100	100
All	All	634/646 (98%)	612 (96%)	21 (3%)	1 (0%)	47	30

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	197	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	283/287 (99%)	257 (91%)	26 (9%)	9	2
1	B	283/287 (99%)	248 (88%)	35 (12%)	4	1
All	All	566/574 (99%)	505 (89%)	61 (11%)	6	1

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	GLN
1	A	10	LEU
1	A	19	LEU
1	A	29	VAL
1	A	31	ARG
1	A	66	ARG
1	A	71	ASP
1	A	75	LYS
1	A	82	THR
1	A	103	LEU
1	A	104	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	107	GLN
1	A	111	VAL
1	A	122	LEU
1	A	126	GLU
1	A	128	LEU
1	A	203	LEU
1	A	221	SER
1	A	225	LYS
1	A	227	TRP
1	A	254	LEU
1	A	268	LEU
1	A	274	GLU
1	A	287	GLN
1	A	299	LEU
1	A	310	SER
1	B	6	GLN
1	B	9	LYS
1	B	12	ASP
1	B	59	GLU
1	B	60	GLN
1	B	82	THR
1	B	88	THR
1	B	94	LEU
1	B	96	ARG
1	B	103	LEU
1	B	104	LYS
1	B	108	LEU
1	B	128	LEU
1	B	136	LYS
1	B	170	ARG
1	B	179	LYS
1	B	198	ASN
1	B	201	LYS
1	B	203	LEU
1	B	216	TYR
1	B	223	ARG
1	B	225	LYS
1	B	226	ARG
1	B	227	TRP
1	B	228	VAL
1	B	235	LEU
1	B	258	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	263	ARG
1	B	268	LEU
1	B	299	LEU
1	B	301	ARG
1	B	303	LEU
1	B	307	ASN
1	B	309	ASP
1	B	320	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	5	GLN
1	A	14	HIS
1	A	53	HIS
1	A	60	GLN
1	A	107	GLN
1	A	302	ASN
1	A	316	ASN
1	B	6	GLN
1	B	53	HIS
1	B	56	ASN
1	B	198	ASN
1	B	231	ASN
1	B	262	GLN
1	B	275	GLN
1	B	279	GLN
1	B	282	GLN
1	B	307	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PG2	A	2325	-	22,25,25	2.25	7 (31%)	19,31,31	1.34	3 (15%)
3	PG2	B	3325	-	22,25,25	2.52	7 (31%)	19,31,31	1.28	4 (21%)
2	NAP	A	2324	-	45,52,52	2.05	11 (24%)	56,80,80	1.54	12 (21%)
2	NAP	B	3324	-	45,52,52	1.99	10 (22%)	56,80,80	1.59	12 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PG2	A	2325	-	-	7/17/35/35	0/1/1/1
3	PG2	B	3325	-	-	8/17/35/35	0/1/1/1
2	NAP	A	2324	-	-	5/31/67/67	0/5/5/5
2	NAP	B	3324	-	-	5/31/67/67	0/5/5/5

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	3325	PG2	C10-C9	-6.53	1.44	1.52
3	A	2325	PG2	C10-C9	-6.22	1.45	1.52
2	A	2324	NAP	C2N-N1N	5.80	1.42	1.35
3	B	3325	PG2	C12-C11	5.48	1.60	1.53
2	B	3324	NAP	C2N-N1N	5.25	1.41	1.35
2	A	2324	NAP	C4N-C3N	4.67	1.47	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	3324	NAP	O4D-C1D	4.67	1.47	1.41
2	B	3324	NAP	C4N-C3N	4.67	1.47	1.39
2	A	2324	NAP	O4D-C1D	4.59	1.47	1.41
2	A	2324	NAP	C2A-N3A	4.44	1.39	1.32
3	B	3325	PG2	C12-C13	-4.37	1.45	1.50
3	A	2325	PG2	C12-C11	4.24	1.59	1.53
2	B	3324	NAP	C2A-N3A	4.12	1.38	1.32
2	B	3324	NAP	C2A-N1A	3.91	1.41	1.33
3	A	2325	PG2	C12-C13	-3.84	1.46	1.50
2	A	2324	NAP	C6N-N1N	3.74	1.44	1.35
2	B	3324	NAP	C6N-N1N	3.73	1.44	1.35
2	A	2324	NAP	C2A-N1A	3.69	1.40	1.33
3	A	2325	PG2	C8-C12	3.28	1.59	1.55
3	B	3325	PG2	C8-C9	-3.28	1.49	1.53
3	B	3325	PG2	C16-C15	3.23	1.59	1.52
2	A	2324	NAP	C2D-C1D	-2.75	1.49	1.53
2	B	3324	NAP	C2D-C1D	-2.75	1.49	1.53
2	A	2324	NAP	C3N-C7N	2.73	1.54	1.50
2	B	3324	NAP	C4A-N3A	2.60	1.39	1.35
3	A	2325	PG2	C16-C15	2.59	1.58	1.52
2	B	3324	NAP	PA-O1A	-2.56	1.41	1.50
3	B	3325	PG2	C8-C12	2.54	1.58	1.55
2	A	2324	NAP	PA-O1A	-2.47	1.42	1.50
3	B	3325	PG2	C7-C6	-2.43	1.42	1.50
2	A	2324	NAP	C4A-N3A	2.42	1.39	1.35
3	A	2325	PG2	C7-C6	-2.32	1.43	1.50
2	A	2324	NAP	C6N-C5N	2.30	1.43	1.38
3	A	2325	PG2	C8-C9	-2.19	1.50	1.53
2	B	3324	NAP	C3D-C4D	2.00	1.58	1.53

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	3324	NAP	C5A-C6A-N6A	4.51	127.20	120.35
2	A	2324	NAP	C5A-C6A-N6A	4.32	126.92	120.35
2	A	2324	NAP	N3A-C2A-N1A	-3.62	123.01	128.68
2	B	3324	NAP	N3A-C2A-N1A	-3.57	123.10	128.68
3	A	2325	PG2	O4-C11-C10	3.34	129.72	125.87
2	B	3324	NAP	C1B-N9A-C4A	-2.99	121.39	126.64
3	B	3325	PG2	O4-C11-C10	2.90	129.21	125.87
2	B	3324	NAP	C3N-C7N-N7N	2.89	121.21	117.75
2	A	2324	NAP	C3N-C7N-N7N	2.88	121.21	117.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2324	NAP	O4B-C4B-C5B	-2.86	99.95	109.37
2	B	3324	NAP	O2A-PA-O1A	2.84	126.30	112.24
2	B	3324	NAP	C2N-C3N-C4N	2.82	121.46	118.26
2	A	2324	NAP	O2A-PA-O1A	2.82	126.17	112.24
2	B	3324	NAP	O4B-C4B-C5B	-2.77	100.25	109.37
2	A	2324	NAP	C1B-N9A-C4A	-2.76	121.80	126.64
2	B	3324	NAP	O7N-C7N-C3N	-2.75	116.34	119.63
2	B	3324	NAP	O5B-C5B-C4B	-2.59	100.08	108.99
2	A	2324	NAP	O5B-C5B-C4B	-2.57	100.16	108.99
2	B	3324	NAP	O3X-P2B-O2X	2.54	117.35	107.64
2	A	2324	NAP	C2N-C3N-C4N	2.52	121.12	118.26
2	A	2324	NAP	O3X-P2B-O2X	2.41	116.85	107.64
3	A	2325	PG2	C7-C6-C5	2.20	134.56	126.40
2	A	2324	NAP	O7N-C7N-C3N	-2.18	117.02	119.63
3	B	3325	PG2	C16-C15-C14	2.12	115.31	111.60
2	A	2324	NAP	C3B-C2B-C1B	2.10	106.84	102.89
2	A	2324	NAP	C2B-C3B-C4B	2.10	106.55	101.99
3	B	3325	PG2	C7-C6-C5	2.06	134.06	126.40
2	B	3324	NAP	C3B-C2B-C1B	2.06	106.76	102.89
3	A	2325	PG2	C9-C10-C11	-2.04	102.80	105.56
3	B	3325	PG2	O3-C9-C8	2.04	116.83	111.48
2	B	3324	NAP	C2B-C3B-C4B	2.04	106.42	101.99

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	2325	PG2	C1-C2-C3-C4
3	B	3325	PG2	C6-C7-C8-C9
2	A	2324	NAP	C5B-O5B-PA-O1A
2	A	2324	NAP	O4D-C1D-N1N-C6N
2	B	3324	NAP	C5B-O5B-PA-O1A
2	B	3324	NAP	C5D-O5D-PN-O1N
2	B	3324	NAP	O4D-C1D-N1N-C6N
3	A	2325	PG2	C5-C6-C7-C8
3	B	3325	PG2	C2-C3-C4-C5
3	B	3325	PG2	C16-C17-C18-C19
3	A	2325	PG2	C13-C14-C15-O5
3	B	3325	PG2	C13-C14-C15-O5
3	A	2325	PG2	C13-C14-C15-C16
3	A	2325	PG2	C17-C18-C19-C20
3	A	2325	PG2	C16-C17-C18-C19

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	B	3325	PG2	C5-C6-C7-C8
2	B	3324	NAP	C5D-O5D-PN-O3
3	B	3325	PG2	C6-C7-C8-C12
3	B	3325	PG2	C17-C18-C19-C20
2	A	2324	NAP	C4D-C5D-O5D-PN
3	A	2325	PG2	C3-C4-C5-C6
2	A	2324	NAP	O4B-C4B-C5B-O5B
2	B	3324	NAP	O4B-C4B-C5B-O5B
3	B	3325	PG2	C13-C14-C15-C16
2	A	2324	NAP	C5D-O5D-PN-O1N


There are no ring outliers.


3 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	3325	PG2	1	0
2	A	2324	NAP	6	0
2	B	3324	NAP	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	319/323 (98%)	-0.53	0	100 100	6, 15, 34, 51	0
1	B	319/323 (98%)	-0.35	3 (0%)	84 87	7, 18, 45, 57	0
All	All	638/646 (98%)	-0.44	3 (0%)	91 92	6, 17, 40, 57	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	228	VAL	3.8
1	B	227	TRP	3.3
1	B	5	GLN	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PG2	B	3325	25/25	0.58	0.23	24,31,42,44	25
3	PG2	A	2325	25/25	0.64	0.21	14,24,27,28	25

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAP	B	3324	48/48	0.95	0.08	10,15,19,22	0
2	NAP	A	2324	48/48	0.97	0.07	7,11,13,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around PG2 B 3325:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PG2 A 2325:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP B 3324:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP A 2324:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.