



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 7, 2020 – 06:35 PM BST

PDB ID : 3S29
Title : The crystal structure of sucrose synthase-1 from Arabidopsis thaliana and its functional implications.
Authors : Zheng, Y.I.; Garavito, R.M.
Deposited on : 2011-05-16
Resolution : 2.85 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3168 (2.90-2.82)
Clashscore	141614	3438 (2.90-2.82)
Ramachandran outliers	138981	3348 (2.90-2.82)
Sidechain outliers	138945	3351 (2.90-2.82)
RSRZ outliers	127900	3103 (2.90-2.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	816	<div><div>3%</div><div><div></div><div>65%</div><div>28%</div><div>.</div><div>.</div></div></div>
1	B	816	<div><div>4%</div><div><div></div><div>62%</div><div>33%</div><div>.</div><div>.</div></div></div>
1	C	816	<div><div>3%</div><div><div></div><div>63%</div><div>31%</div><div>.</div><div>.</div></div></div>
1	D	816	<div><div>2%</div><div><div></div><div>67%</div><div>26%</div><div>.</div><div>.</div></div></div>
1	E	816	<div><div>4%</div><div><div></div><div>66%</div><div>28%</div><div>.</div><div>.</div></div></div>
1	F	816	<div><div>3%</div><div><div></div><div>63%</div><div>29%</div><div>.</div><div>.</div></div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	816	
1	H	816	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	FRU	A	902	-	-	X	-
3	FRU	B	902	-	-	X	-
3	FRU	E	902	-	-	X	-
4	SO4	B	913	-	-	X	-
4	SO4	E	913	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 51504 atoms, of which 24 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sucrose synthase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	781	Total	C	N	O	S	0	0	0
			6280	4033	1066	1159	22			
1	B	791	Total	C	N	O	S	0	0	0
			6321	4056	1073	1170	22			
1	C	781	Total	C	N	O	S	0	0	0
			6294	4047	1065	1160	22			
1	D	781	Total	C	N	O	S	0	0	0
			6275	4032	1062	1159	22			
1	E	781	Total	C	N	O	S	0	0	0
			6275	4031	1063	1159	22			
1	F	781	Total	C	N	O	S	0	0	0
			6299	4047	1070	1160	22			
1	G	781	Total	C	N	O	S	0	0	0
			6301	4047	1070	1162	22			
1	H	797	Total	C	N	O	S	0	0	0
			6398	4101	1091	1184	22			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	809	VAL	-	expression tag	UNP P49040
A	810	GLU	-	expression tag	UNP P49040
A	811	HIS	-	expression tag	UNP P49040
A	812	HIS	-	expression tag	UNP P49040
A	813	HIS	-	expression tag	UNP P49040
A	814	HIS	-	expression tag	UNP P49040
A	815	HIS	-	expression tag	UNP P49040
A	816	HIS	-	expression tag	UNP P49040
B	809	VAL	-	expression tag	UNP P49040
B	810	GLU	-	expression tag	UNP P49040
B	811	HIS	-	expression tag	UNP P49040
B	812	HIS	-	expression tag	UNP P49040
B	813	HIS	-	expression tag	UNP P49040

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	814	HIS	-	expression tag	UNP P49040
B	815	HIS	-	expression tag	UNP P49040
B	816	HIS	-	expression tag	UNP P49040
C	809	VAL	-	expression tag	UNP P49040
C	810	GLU	-	expression tag	UNP P49040
C	811	HIS	-	expression tag	UNP P49040
C	812	HIS	-	expression tag	UNP P49040
C	813	HIS	-	expression tag	UNP P49040
C	814	HIS	-	expression tag	UNP P49040
C	815	HIS	-	expression tag	UNP P49040
C	816	HIS	-	expression tag	UNP P49040
D	809	VAL	-	expression tag	UNP P49040
D	810	GLU	-	expression tag	UNP P49040
D	811	HIS	-	expression tag	UNP P49040
D	812	HIS	-	expression tag	UNP P49040
D	813	HIS	-	expression tag	UNP P49040
D	814	HIS	-	expression tag	UNP P49040
D	815	HIS	-	expression tag	UNP P49040
D	816	HIS	-	expression tag	UNP P49040
E	809	VAL	-	expression tag	UNP P49040
E	810	GLU	-	expression tag	UNP P49040
E	811	HIS	-	expression tag	UNP P49040
E	812	HIS	-	expression tag	UNP P49040
E	813	HIS	-	expression tag	UNP P49040
E	814	HIS	-	expression tag	UNP P49040
E	815	HIS	-	expression tag	UNP P49040
E	816	HIS	-	expression tag	UNP P49040
F	809	VAL	-	expression tag	UNP P49040
F	810	GLU	-	expression tag	UNP P49040
F	811	HIS	-	expression tag	UNP P49040
F	812	HIS	-	expression tag	UNP P49040
F	813	HIS	-	expression tag	UNP P49040
F	814	HIS	-	expression tag	UNP P49040
F	815	HIS	-	expression tag	UNP P49040
F	816	HIS	-	expression tag	UNP P49040
G	809	VAL	-	expression tag	UNP P49040
G	810	GLU	-	expression tag	UNP P49040
G	811	HIS	-	expression tag	UNP P49040
G	812	HIS	-	expression tag	UNP P49040
G	813	HIS	-	expression tag	UNP P49040
G	814	HIS	-	expression tag	UNP P49040
G	815	HIS	-	expression tag	UNP P49040

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	816	HIS	-	expression tag	UNP P49040
H	809	VAL	-	expression tag	UNP P49040
H	810	GLU	-	expression tag	UNP P49040
H	811	HIS	-	expression tag	UNP P49040
H	812	HIS	-	expression tag	UNP P49040
H	813	HIS	-	expression tag	UNP P49040
H	814	HIS	-	expression tag	UNP P49040
H	815	HIS	-	expression tag	UNP P49040
H	816	HIS	-	expression tag	UNP P49040


- Molecule 2 is URIDINE-5'-DIPHOSPHATE (three-letter code: UDP) (formula: C₉H₁₄N₂O₁₂P₂).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	H	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

- Molecule 3 is beta-D-fructofuranose (three-letter code: FRU) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			12	6	6		
3	B	1	Total	C	O	0	0
			12	6	6		
3	C	1	Total	C	O	0	0
			12	6	6		
3	D	1	Total	C	O	0	0
			12	6	6		
3	E	1	Total	C	O	0	0
			12	6	6		
3	F	1	Total	C	O	0	0
			12	6	6		
3	G	1	Total	C	O	0	0
			12	6	6		
3	H	1	Total	C	O	0	0
			12	6	6		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	D	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		
4	H	1	Total	O	S	0	0
			5	4	1		
4	H	1	Total	O	S	0	0
			5	4	1		
4	H	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is MALONIC ACID (three-letter code: MLA) (formula: C₃H₄O₄).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	H	O	0	0
			9	3	2	4		
5	B	1	Total	C	H	O	0	0
			9	3	2	4		
5	C	1	Total	C	H	O	0	0
			9	3	2	4		
5	D	1	Total	C	H	O	0	0
			9	3	2	4		
5	D	1	Total	C	H	O	0	0
			9	3	2	4		
5	E	1	Total	C	H	O	0	0
			9	3	2	4		
5	F	1	Total	C	H	O	0	0
			9	3	2	4		
5	F	1	Total	C	H	O	0	0
			9	3	2	4		
5	G	1	Total	C	H	O	0	0
			9	3	2	4		
5	G	1	Total	C	H	O	0	0
			9	3	2	4		
5	H	1	Total	C	H	O	0	0
			9	3	2	4		
5	H	1	Total	C	H	O	0	0
			9	3	2	4		

- Molecule 6 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	G	1	Total K 1 1	0	0
6	D	1	Total K 1 1	0	0
6	E	1	Total K 1 1	0	0
6	H	1	Total K 1 1	0	0
6	B	1	Total K 1 1	0	0
6	C	1	Total K 1 1	0	0
6	A	1	Total K 1 1	0	0
6	F	1	Total K 1 1	0	0

- Molecule 7 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	76	Total O 76 76	0	0
7	B	62	Total O 62 62	0	0
7	C	38	Total O 38 38	0	0
7	D	64	Total O 64 64	0	0
7	E	58	Total O 58 58	0	0
7	F	80	Total O 80 80	0	0
7	G	71	Total O 71 71	0	0
7	H	50	Total O 50 50	0	0




• Molecule 1: Sucrose synthase 1








• Molecule 1: Sucrose synthase 1



• Molecule 1: Sucrose synthase 1





P797			
V802			
P803			
L804			
D807			
ASP			
VAL			
GLU			
HIS			
HIS			
HIS			
HIS			
HIS			
HIS			

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	277.16 Å 261.50 Å 161.10 Å 90.00° 109.27° 90.00°	Depositor
Resolution (Å)	24.96 – 2.85 48.88 – 2.85	Depositor EDS
% Data completeness (in resolution range)	99.3 (24.96-2.85) 99.3 (48.88-2.85)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.14	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.89 (at 2.86 Å)	Xtriage
Refinement program	PHENIX 1.7 _650	Depositor
R, R_{free}	0.185 , 0.234 0.181 , 0.230	Depositor DCC
R_{free} test set	11907 reflections (4.77%)	wwPDB-VP
Wilson B-factor (Å ²)	44.6	Xtriage
Anisotropy	0.179	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 48.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	51504	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 24.47 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.8124e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UDP, MLA, K, FRU, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/6427	0.54	0/8703
1	B	0.35	0/6467	0.54	0/8761
1	C	0.33	0/6441	0.52	0/8723
1	D	0.35	0/6422	0.55	0/8700
1	E	0.34	0/6421	0.54	0/8697
1	F	0.35	0/6446	0.54	0/8728
1	G	0.35	0/6448	0.53	0/8731
1	H	0.34	0/6546	0.54	0/8867
All	All	0.35	0/51618	0.54	0/69910

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	F	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	143	ASN	Peptide
1	F	83	PRO	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6280	0	6200	278	0
1	B	6321	0	6203	312	0
1	C	6294	0	6244	272	0
1	D	6275	0	6197	257	0
1	E	6275	0	6205	272	0
1	F	6299	0	6247	283	0
1	G	6301	0	6247	280	0
1	H	6398	0	6301	285	0
2	A	25	0	11	1	0
2	B	25	0	11	2	0
2	C	25	0	11	0	0
2	D	25	0	11	0	0
2	E	25	0	11	1	0
2	F	25	0	11	1	0
2	G	25	0	11	1	0
2	H	25	0	11	0	0
3	A	12	0	12	7	0
3	B	12	0	12	6	0
3	C	12	0	12	4	0
3	D	12	0	12	0	0
3	E	12	0	12	11	0
3	F	12	0	12	0	0
3	G	12	0	12	0	0
3	H	12	0	12	1	0
4	A	25	0	0	2	0
4	B	15	0	0	3	0
4	C	15	0	0	0	0
4	D	20	0	0	1	0
4	E	20	0	0	4	0
4	F	20	0	0	0	0
4	G	20	0	0	1	0
4	H	15	0	0	0	0
5	A	7	2	2	0	0
5	B	7	2	2	0	0
5	C	7	2	2	0	0
5	D	14	4	4	2	0
5	E	7	2	2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	F	14	4	4	2	0
5	G	14	4	4	0	0
5	H	14	4	4	1	0
6	A	1	0	0	0	0
6	B	1	0	0	1	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	E	1	0	0	0	0
6	F	1	0	0	0	0
6	G	1	0	0	0	0
6	H	1	0	0	0	0
7	A	76	0	0	3	0
7	B	62	0	0	4	0
7	C	38	0	0	1	0
7	D	64	0	0	2	0
7	E	58	0	0	4	0
7	F	80	0	0	0	0
7	G	71	0	0	3	0
7	H	50	0	0	2	0
All	All	51480	24	50052	2131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

The worst 5 of 2131 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:145:SER:HB3	1:D:779:ASP:OD2	1.16	1.31
1:G:66:GLY:C	1:G:68:PRO:HD3	1.57	1.23
1:G:119:HIS:CE1	1:G:129:LYS:HD2	1.73	1.21
1:H:46:GLN:HB2	1:H:79:ALA:HB3	1.20	1.18
1:B:83:PRO:HB2	1:B:84:PRO:HD2	1.26	1.15

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	779/816 (96%)	737 (95%)	38 (5%)	4 (0%)	29	57
1	B	787/816 (96%)	732 (93%)	51 (6%)	4 (0%)	29	57
1	C	779/816 (96%)	741 (95%)	38 (5%)	0	100	100
1	D	779/816 (96%)	739 (95%)	39 (5%)	1 (0%)	51	79
1	E	779/816 (96%)	740 (95%)	38 (5%)	1 (0%)	51	79
1	F	779/816 (96%)	736 (94%)	41 (5%)	2 (0%)	41	68
1	G	779/816 (96%)	741 (95%)	36 (5%)	2 (0%)	41	68
1	H	795/816 (97%)	751 (94%)	43 (5%)	1 (0%)	51	79
All	All	6256/6528 (96%)	5917 (95%)	324 (5%)	15 (0%)	47	75

5 of 15 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	55	ALA
1	B	83	PRO
1	A	63	LYS
1	D	63	LYS
1	A	55	ALA

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	668/718 (93%)	626 (94%)	42 (6%)	18	42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	668/718 (93%)	631 (94%)	37 (6%)	21	49
1	C	674/718 (94%)	646 (96%)	28 (4%)	30	60
1	D	669/718 (93%)	639 (96%)	30 (4%)	27	57
1	E	669/718 (93%)	639 (96%)	30 (4%)	27	57
1	F	674/718 (94%)	633 (94%)	41 (6%)	18	43
1	G	675/718 (94%)	641 (95%)	34 (5%)	24	53
1	H	681/718 (95%)	649 (95%)	32 (5%)	26	56
All	All	5378/5744 (94%)	5104 (95%)	274 (5%)	24	52

5 of 274 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	284	LEU
1	E	216	TYR
1	H	113	GLN
1	D	358	ASP
1	E	45	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 59 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	189	HIS
1	E	405	ASN
1	H	201	GLN
1	D	304	GLN
1	D	427	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 66 ligands modelled in this entry, 8 are monoatomic - leaving 58 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	E	913	-	4,4,4	0.18	0	6,6,6	0.12	0
5	MLA	C	921	-	0,6,6	0.00	-	0,7,7	0.00	-
3	FRU	E	902	-	11,12,12	0.79	1 (9%)	10,18,18	1.00	0
4	SO4	H	913	-	4,4,4	0.19	0	6,6,6	0.13	0
4	SO4	F	911	-	4,4,4	0.23	0	6,6,6	0.22	0
3	FRU	F	902	-	11,12,12	0.59	0	10,18,18	1.08	0
3	FRU	G	902	-	11,12,12	1.09	1 (9%)	10,18,18	1.21	1 (10%)
4	SO4	C	911	-	4,4,4	0.18	0	6,6,6	0.21	0
2	UDP	G	901	-	20,26,26	1.13	1 (5%)	25,40,40	0.98	1 (4%)
4	SO4	G	914	-	4,4,4	0.18	0	6,6,6	0.13	0
4	SO4	F	914	-	4,4,4	0.18	0	6,6,6	0.10	0
4	SO4	H	911	-	4,4,4	0.25	0	6,6,6	0.19	0
4	SO4	G	913	-	4,4,4	0.20	0	6,6,6	0.15	0
3	FRU	C	902	-	11,12,12	0.66	0	10,18,18	1.15	0
4	SO4	C	913	-	4,4,4	0.17	0	6,6,6	0.09	0
4	SO4	A	913	-	4,4,4	0.22	0	6,6,6	0.22	0
4	SO4	G	912	-	4,4,4	0.15	0	6,6,6	0.08	0
5	MLA	G	921	-	0,6,6	0.00	-	0,7,7	0.00	-
4	SO4	G	911	-	4,4,4	0.19	0	6,6,6	0.18	0
5	MLA	H	922	-	0,6,6	0.00	-	0,7,7	0.00	-
5	MLA	D	922	-	0,6,6	0.00	-	0,7,7	0.00	-
3	FRU	H	902	-	11,12,12	1.12	1 (9%)	10,18,18	1.24	0
5	MLA	E	921	-	0,6,6	0.00	-	0,7,7	0.00	-
2	UDP	F	901	-	20,26,26	1.12	1 (5%)	25,40,40	0.88	0
5	MLA	B	921	-	0,6,6	0.00	-	0,7,7	0.00	-
5	MLA	A	921	-	0,6,6	0.00	-	0,7,7	0.00	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	D	911	-	4,4,4	0.17	0	6,6,6	0.28	0
2	UDP	H	901	-	20,26,26	1.18	1 (5%)	25,40,40	1.10	1 (4%)
4	SO4	F	912	-	4,4,4	0.17	0	6,6,6	0.14	0
4	SO4	A	912	-	4,4,4	0.19	0	6,6,6	0.09	0
4	SO4	C	912	-	4,4,4	0.15	0	6,6,6	0.09	0
4	SO4	A	915	-	4,4,4	0.15	0	6,6,6	0.07	0
2	UDP	C	901	-	20,26,26	1.06	1 (5%)	25,40,40	0.96	1 (4%)
3	FRU	D	902	-	11,12,12	0.68	0	10,18,18	0.99	0
4	SO4	E	912	-	4,4,4	0.16	0	6,6,6	0.10	0
5	MLA	H	921	-	0,6,6	0.00	-	0,7,7	0.00	-
5	MLA	F	921	-	0,6,6	0.00	-	0,7,7	0.00	-
5	MLA	D	921	-	0,6,6	0.00	-	0,7,7	0.00	-
4	SO4	A	914	-	4,4,4	0.16	0	6,6,6	0.11	0
4	SO4	D	914	-	4,4,4	0.17	0	6,6,6	0.18	0
4	SO4	D	913	-	4,4,4	0.23	0	6,6,6	0.13	0
3	FRU	B	902	-	11,12,12	0.68	0	10,18,18	1.22	1 (10%)
2	UDP	B	901	-	20,26,26	1.12	1 (5%)	25,40,40	1.11	2 (8%)
4	SO4	B	911	-	4,4,4	0.26	0	6,6,6	0.25	0
2	UDP	A	901	-	20,26,26	1.18	1 (5%)	25,40,40	0.96	1 (4%)
4	SO4	H	912	-	4,4,4	0.16	0	6,6,6	0.08	0
3	FRU	A	902	-	11,12,12	0.65	0	10,18,18	1.18	0
4	SO4	D	912	-	4,4,4	0.18	0	6,6,6	0.12	0
4	SO4	B	912	-	4,4,4	0.18	0	6,6,6	0.09	0
5	MLA	G	922	-	0,6,6	0.00	-	0,7,7	0.00	-
4	SO4	E	911	-	4,4,4	0.23	0	6,6,6	0.31	0
5	MLA	F	922	-	0,6,6	0.00	-	0,7,7	0.00	-
4	SO4	F	913	-	4,4,4	0.22	0	6,6,6	0.17	0
4	SO4	A	911	-	4,4,4	0.18	0	6,6,6	0.28	0
4	SO4	B	913	-	4,4,4	0.23	0	6,6,6	0.16	0
2	UDP	D	901	-	20,26,26	1.15	2 (10%)	25,40,40	1.08	1 (4%)
2	UDP	E	901	-	20,26,26	1.09	1 (5%)	25,40,40	1.03	2 (8%)
4	SO4	E	914	-	4,4,4	0.18	0	6,6,6	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MLA	G	922	-	-	0/0/4/4	-
5	MLA	C	921	-	-	0/0/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FRU	E	902	-	-	3/5/24/24	0/1/1/1
5	MLA	B	921	-	-	0/0/4/4	-
3	FRU	F	902	-	-	5/5/24/24	0/1/1/1
3	FRU	G	902	-	-	5/5/24/24	0/1/1/1
2	UDP	G	901	-	-	7/14/32/32	0/2/2/2
3	FRU	C	902	-	-	1/5/24/24	0/1/1/1
2	UDP	B	901	-	-	6/14/32/32	0/2/2/2
5	MLA	H	922	-	-	0/0/4/4	-
5	MLA	D	922	-	-	0/0/4/4	-
3	FRU	H	902	-	-	5/5/24/24	0/1/1/1
5	MLA	E	921	-	-	0/0/4/4	-
2	UDP	F	901	-	-	7/14/32/32	0/2/2/2
2	UDP	C	901	-	-	5/14/32/32	0/2/2/2
5	MLA	A	921	-	-	0/0/4/4	-
3	FRU	A	902	-	-	3/5/24/24	0/1/1/1
2	UDP	H	901	-	-	5/14/32/32	0/2/2/2
3	FRU	D	902	-	-	5/5/24/24	0/1/1/1
5	MLA	H	921	-	-	0/0/4/4	-
5	MLA	F	921	-	-	0/0/4/4	-
5	MLA	D	921	-	-	0/0/4/4	-
3	FRU	B	902	-	-	1/5/24/24	0/1/1/1
5	MLA	G	921	-	-	0/0/4/4	-
2	UDP	A	901	-	-	3/14/32/32	0/2/2/2
5	MLA	F	922	-	-	0/0/4/4	-
2	UDP	D	901	-	-	7/14/32/32	0/2/2/2
2	UDP	E	901	-	-	6/14/32/32	0/2/2/2

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	901	UDP	C4-N3	3.19	1.38	1.33
2	H	901	UDP	C4-N3	3.11	1.38	1.33
2	B	901	UDP	C4-N3	3.09	1.38	1.33
2	F	901	UDP	C4-N3	2.99	1.38	1.33
2	C	901	UDP	C4-N3	2.94	1.38	1.33

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	901	UDP	PA-O3A-PB	-4.01	119.06	132.83
2	B	901	UDP	PA-O3A-PB	-3.32	121.43	132.83
2	E	901	UDP	PA-O3A-PB	-3.20	121.84	132.83
2	G	901	UDP	PA-O3A-PB	-3.18	121.93	132.83
2	H	901	UDP	PA-O3A-PB	-3.13	122.09	132.83

There are no chirality outliers.

5 of 74 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	E	902	FRU	O1-C1-C2-C3
3	E	902	FRU	O1-C1-C2-O2
3	G	902	FRU	O1-C1-C2-C3
2	G	901	UDP	C5'-O5'-PA-O1A
2	G	901	UDP	PA-O3A-PB-O2B



There are no ring outliers.



22 monomers are involved in 51 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	913	SO4	2	0
3	E	902	FRU	11	0
2	G	901	UDP	1	0
4	G	913	SO4	1	0
3	C	902	FRU	4	0
4	A	913	SO4	1	0
5	H	922	MLA	1	0
5	D	922	MLA	1	0
3	H	902	FRU	1	0
2	F	901	UDP	1	0
4	A	912	SO4	1	0
4	E	912	SO4	1	0
5	D	921	MLA	1	0
4	D	913	SO4	1	0
3	B	902	FRU	6	0
2	B	901	UDP	2	0
2	A	901	UDP	1	0
3	A	902	FRU	7	0
5	F	922	MLA	2	0
4	B	913	SO4	3	0
2	E	901	UDP	1	0
4	E	914	SO4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	781/816 (95%)	-0.27	25 (3%)	47	42	21, 36, 99, 130	0
1	B	791/816 (96%)	-0.15	35 (4%)	34	29	24, 40, 108, 139	0
1	C	781/816 (95%)	-0.22	26 (3%)	46	41	27, 42, 89, 121	0
1	D	781/816 (95%)	-0.28	18 (2%)	60	57	23, 36, 89, 123	0
1	E	781/816 (95%)	-0.21	32 (4%)	37	31	22, 38, 109, 142	0
1	F	781/816 (95%)	-0.25	25 (3%)	47	42	21, 36, 85, 126	0
1	G	781/816 (95%)	-0.32	13 (1%)	70	68	22, 38, 83, 115	0
1	H	797/816 (97%)	-0.22	24 (3%)	50	45	24, 41, 94, 137	0
All	All	6274/6528 (96%)	-0.24	198 (3%)	47	42	21, 39, 94, 142	0

The worst 5 of 198 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	106	ALA	6.1
1	E	31	ALA	5.6
1	E	32	LEU	5.5
1	D	57	PRO	4.9
1	H	128	VAL	4.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	K	E	931	1/1	0.80	0.18	79,79,79,79	0
6	K	B	931	1/1	0.81	0.23	99,99,99,99	0
4	SO4	H	913	5/5	0.84	0.34	70,78,93,114	0
5	MLA	G	922	7/7	0.85	0.15	69,86,100,100	0
5	MLA	F	922	7/7	0.87	0.26	49,58,70,70	0
4	SO4	A	915	5/5	0.88	0.24	120,122,135,138	0
5	MLA	H	922	7/7	0.88	0.23	70,79,84,85	0
4	SO4	G	914	5/5	0.88	0.27	62,88,97,108	0
4	SO4	H	912	5/5	0.89	0.32	66,89,99,112	0
4	SO4	A	914	5/5	0.89	0.20	59,91,102,108	0
4	SO4	D	914	5/5	0.89	0.27	64,90,95,108	0
6	K	F	931	1/1	0.89	0.26	89,89,89,89	0
4	SO4	D	912	5/5	0.90	0.24	57,71,94,108	0
4	SO4	B	911	5/5	0.90	0.22	53,57,72,97	0
4	SO4	D	911	5/5	0.91	0.27	47,64,79,95	0
5	MLA	C	921	7/7	0.92	0.27	58,61,72,72	0
4	SO4	A	911	5/5	0.92	0.24	46,48,79,82	0
4	SO4	F	911	5/5	0.92	0.34	51,51,80,90	0
4	SO4	C	912	5/5	0.93	0.23	73,82,95,107	0
4	SO4	A	913	5/5	0.93	0.28	49,66,79,86	0
4	SO4	B	912	5/5	0.93	0.19	76,85,96,114	0
4	SO4	E	912	5/5	0.93	0.21	65,77,86,100	0
4	SO4	E	913	5/5	0.93	0.29	54,57,84,92	0
6	K	C	931	1/1	0.93	0.18	75,75,75,75	0
4	SO4	B	913	5/5	0.93	0.45	63,74,83,102	0
4	SO4	A	912	5/5	0.93	0.23	62,72,79,100	0
4	SO4	E	914	5/5	0.93	0.27	65,88,93,106	0
5	MLA	G	921	7/7	0.94	0.36	52,59,71,71	0
4	SO4	F	914	5/5	0.94	0.22	59,81,101,102	0
6	K	D	931	1/1	0.94	0.30	81,81,81,81	0
5	MLA	H	921	7/7	0.94	0.28	47,56,67,67	0
6	K	G	931	1/1	0.94	0.25	76,76,76,76	0
6	K	H	931	1/1	0.94	0.26	74,74,74,74	0
4	SO4	F	912	5/5	0.94	0.18	57,71,79,92	0
4	SO4	C	913	5/5	0.94	0.31	64,68,88,94	0
4	SO4	H	911	5/5	0.95	0.23	47,48,81,82	0
4	SO4	F	913	5/5	0.95	0.20	53,56,74,79	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	MLA	B	921	7/7	0.95	0.19	45,48,58,58	0
3	FRU	G	902	12/12	0.95	0.18	24,33,34,39	0
4	SO4	C	911	5/5	0.95	0.21	51,51,71,82	0
4	SO4	E	911	5/5	0.95	0.17	44,44,71,79	0
4	SO4	G	911	5/5	0.96	0.18	41,44,65,67	0
4	SO4	D	913	5/5	0.96	0.31	58,60,73,85	0
3	FRU	C	902	12/12	0.96	0.17	31,38,43,46	0
5	MLA	D	922	7/7	0.96	0.19	45,49,54,55	0
6	K	A	931	1/1	0.96	0.16	72,72,72,72	0
3	FRU	H	902	12/12	0.96	0.18	23,29,34,36	0
5	MLA	F	921	7/7	0.96	0.29	32,38,40,45	0
5	MLA	E	921	7/7	0.96	0.25	36,45,50,54	0
4	SO4	G	913	5/5	0.97	0.30	58,62,82,92	0
3	FRU	B	902	12/12	0.97	0.17	27,30,33,33	0
5	MLA	D	921	7/7	0.97	0.24	37,44,46,48	0
4	SO4	G	912	5/5	0.97	0.20	57,74,84,97	0
3	FRU	A	902	12/12	0.97	0.21	28,29,32,34	0
5	MLA	A	921	7/7	0.98	0.20	38,41,49,49	0
3	FRU	E	902	12/12	0.98	0.16	28,30,33,33	0
2	UDP	H	901	25/25	0.98	0.18	25,28,34,37	0
3	FRU	D	902	12/12	0.98	0.17	25,28,32,32	0
3	FRU	F	902	12/12	0.98	0.17	23,26,28,28	0
2	UDP	B	901	25/25	0.99	0.18	25,29,32,32	0
2	UDP	F	901	25/25	0.99	0.17	18,25,29,33	0
2	UDP	A	901	25/25	0.99	0.16	20,26,29,33	0
2	UDP	D	901	25/25	0.99	0.17	22,25,32,35	0
2	UDP	C	901	25/25	0.99	0.16	25,31,35,39	0
2	UDP	E	901	25/25	0.99	0.18	23,26,31,33	0
2	UDP	G	901	25/25	0.99	0.16	19,26,29,31	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around UDP H 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UDP B 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UDP F 901:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UDP A 901:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UDP D 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around UDP C 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UDP E 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around UDP G 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.