



# Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2020 – 03:40 am BST

PDB ID : 3S5M  
Title : Crystal structures of falcilysin, a M16 metalloprotease from the malaria parasite *Plasmodium falciparum*  
Authors : Morgunova, E.; Ponpuak, M.; Istvan, E.; Popov, A.; Goldberg, D.; Eneqvist, T.  
Deposited on : 2011-05-23  
Resolution : 1.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1483 (1.56-1.56)
Clashscore	141614	1529 (1.56-1.56)
Ramachandran outliers	138981	1498 (1.56-1.56)
Sidechain outliers	138945	1495 (1.56-1.56)
RSRZ outliers	127900	1465 (1.56-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1193	<div> <div>4%</div> <div>82%</div> <div>9%</div> <div>8%</div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 19225 atoms, of which 9022 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Falcilysin.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	1094	Total	C	H	N	O	S	0	24	0
			18119	5852	9022	1477	1734	34			

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Mg	0	0
			2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1103	Total	O	0	0
			1103	1103		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Falcilysin



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	94.32Å 106.70Å 128.02Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.20 – 1.55 29.53 – 1.55	Depositor EDS
% Data completeness (in resolution range)	98.9 (29.20-1.55) 99.4 (29.53-1.55)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.00 (at 1.55Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.4_486)	Depositor
R, $R_{free}$	0.179 , 0.214 0.176 , 0.210	Depositor DCC
$R_{free}$ test set	3716 reflections (2.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	18.1	Xtriage
Anisotropy	0.071	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 44.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	19225	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.96% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.70	2/9351 (0.0%)	0.78	5/12594 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	400	SER	CA-CB	-8.26	1.40	1.52
1	A	401	HIS	CA-CB	-8.11	1.36	1.53

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	539	ARG	NE-CZ-NH2	-9.56	115.52	120.30
1	A	854	ARG	NE-CZ-NH2	-8.90	115.85	120.30
1	A	975	PRO	N-CA-C	5.79	127.14	112.10
1	A	854	ARG	NE-CZ-NH1	5.21	122.91	120.30
1	A	721	THR	N-CA-C	5.19	125.02	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9097	9022	9110	131	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	1	0	0	0	0
3	A	2	0	0	0	0
4	A	1103	0	0	43	1
All	All	10203	9022	9110	131	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:374:LYS:HA	1:A:402:SER:CA	1.84	1.06
1:A:374:LYS:CA	1:A:402:SER:HA	1.87	1.05
1:A:533:SER:C	4:A:2179:HOH:O	2.00	0.99
1:A:324[A]:GLN:HG3	4:A:2194:HOH:O	1.64	0.97
1:A:425:HIS:O	1:A:429[B]:SER:OG	1.88	0.92
1:A:329:LYS:HG2	4:A:2211:HOH:O	1.72	0.89
1:A:402:SER:CB	4:A:1993:HOH:O	2.22	0.87
1:A:374:LYS:HA	1:A:402:SER:HA	0.92	0.87
1:A:436[B]:THR:HG21	4:A:1309:HOH:O	1.74	0.86
1:A:137:SER:C	4:A:2176:HOH:O	2.13	0.85
1:A:608:ASN:CG	4:A:2275:HOH:O	2.15	0.83
1:A:254:ASP:HB2	4:A:2087:HOH:O	1.80	0.82
1:A:180:ASP:OD1	4:A:2208:HOH:O	1.98	0.81
1:A:399:GLY:O	1:A:400:SER:CB	2.22	0.80
1:A:364[B]:LEU:HD22	1:A:463:LYS:CB	2.12	0.79
1:A:544:ILE:HB	4:A:1638:HOH:O	1.83	0.79
1:A:410:PRO:HB3	1:A:543:LEU:HD11	1.64	0.79
1:A:401:HIS:O	1:A:406:SER:HB3	1.82	0.79
1:A:375:VAL:CG1	1:A:403:SER:CB	2.61	0.78
1:A:172[B]:MET:HG3	1:A:173:ALA:N	1.97	0.77
1:A:410:PRO:HB3	1:A:543:LEU:CD1	2.16	0.76
1:A:850:ASP:OD2	4:A:2191:HOH:O	2.03	0.76
1:A:326:ASP:O	4:A:2211:HOH:O	2.04	0.75
1:A:530:GLU:HG2	1:A:544:ILE:HG12	1.69	0.74
1:A:522:SER:HA	4:A:1392:HOH:O	1.86	0.74
1:A:138:GLY:N	4:A:2176:HOH:O	2.21	0.74
1:A:375:VAL:HG11	1:A:403:SER:CB	2.18	0.74
1:A:1094:GLU:OE1	4:A:1580:HOH:O	2.05	0.73
1:A:364[B]:LEU:HD22	1:A:463:LYS:HB2	1.71	0.72
1:A:375:VAL:HG13	1:A:403:SER:CB	2.22	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:324[A]:GLN:CG	4:A:2194:HOH:O	2.33	0.68
1:A:359:GLU:O	4:A:2205:HOH:O	2.13	0.67
1:A:255:LEU:HD21	1:A:366[A]:SER:HB2	1.77	0.66
1:A:255:LEU:HD21	1:A:366[B]:SER:HB3	1.78	0.66
1:A:824[A]:HIS:ND1	4:A:2180:HOH:O	2.29	0.66
1:A:216:LEU:HD12	1:A:231:ASP:HA	1.78	0.65
1:A:544:ILE:HD12	1:A:544:ILE:C	2.17	0.65
1:A:470:GLU:OE1	4:A:2268:HOH:O	2.14	0.65
1:A:552:ASN:OD1	4:A:2207:HOH:O	2.15	0.65
1:A:399:GLY:O	4:A:1315:HOH:O	2.15	0.64
1:A:254:ASP:OD2	4:A:2289:HOH:O	2.15	0.63
1:A:159:HIS:HE2	1:A:172[B]:MET:CG	2.12	0.61
1:A:431:LEU:HB3	1:A:460:ILE:CD1	2.31	0.61
1:A:373:PRO:O	1:A:402:SER:CB	2.49	0.60
1:A:363:ASN:C	1:A:364[B]:LEU:HD23	2.22	0.59
1:A:402:SER:C	4:A:2089:HOH:O	2.40	0.58
1:A:402:SER:CB	4:A:2089:HOH:O	2.51	0.58
1:A:230:LYS:HE3	1:A:615:GLU:HG3	1.85	0.58
1:A:137:SER:CA	4:A:2176:HOH:O	2.50	0.58
1:A:137:SER:HA	4:A:2176:HOH:O	2.04	0.58
1:A:927:LYS:HD2	1:A:965:ILE:HD12	1.86	0.57
1:A:824[B]:HIS:CE1	1:A:942:HIS:CE1	2.92	0.57
1:A:363:ASN:O	1:A:364[B]:LEU:HD23	2.04	0.57
1:A:340:TYR:H	1:A:399:GLY:N	2.04	0.56
1:A:824[A]:HIS:CD2	1:A:825:LYS:HG2	2.40	0.56
1:A:734:MET:HE3	4:A:2225:HOH:O	2.06	0.56
1:A:436[B]:THR:CG2	4:A:2270:HOH:O	2.55	0.54
1:A:364[B]:LEU:HD22	1:A:463:LYS:HB3	1.90	0.54
1:A:967:ASP:O	1:A:968:MET:HB2	2.08	0.52
1:A:403:SER:N	4:A:2089:HOH:O	2.42	0.52
1:A:436[B]:THR:HG23	4:A:2270:HOH:O	2.09	0.52
1:A:255:LEU:HD22	1:A:364[A]:LEU:HD13	1.91	0.52
1:A:431:LEU:HB3	1:A:460:ILE:HD13	1.90	0.52
1:A:401:HIS:O	1:A:402:SER:C	2.48	0.51
1:A:170:VAL:HG12	1:A:172[A]:MET:CG	2.41	0.51
1:A:375:VAL:HG22	1:A:402:SER:O	2.11	0.51
1:A:670:ILE:HD12	1:A:948:ASN:ND2	2.26	0.50
1:A:872:MET:HE3	1:A:872:MET:HA	1.92	0.50
1:A:516:GLU:O	1:A:520:LYS:HD3	2.12	0.50
1:A:401:HIS:O	1:A:406:SER:CB	2.57	0.49
1:A:66:PRO:HG3	1:A:310[A]:ASN:ND2	2.28	0.49

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:720:GLU:HG3	1:A:721:THR:N	2.27	0.49
1:A:507:ILE:HG21	1:A:555:LYS:HE2	1.94	0.49
1:A:159:HIS:NE2	1:A:172[B]:MET:CG	2.76	0.49
1:A:720:GLU:HG3	1:A:721:THR:H	1.78	0.49
1:A:324[A]:GLN:CD	4:A:2194:HOH:O	2.51	0.49
1:A:331:ARG:HD2	4:A:1974:HOH:O	2.12	0.48
1:A:411:THR:HG23	1:A:554:VAL:CG2	2.43	0.48
1:A:402:SER:CA	4:A:2089:HOH:O	2.62	0.48
1:A:402:SER:CB	1:A:406:SER:HB3	2.43	0.48
1:A:433:LYS:HA	1:A:436[B]:THR:HG22	1.96	0.48
1:A:364[B]:LEU:CD2	1:A:463:LYS:HB2	2.40	0.48
1:A:1022:LEU:C	1:A:1022:LEU:HD23	2.34	0.47
1:A:720:GLU:O	1:A:721:THR:CB	2.62	0.47
1:A:255:LEU:HD22	1:A:364[A]:LEU:CD1	2.45	0.47
1:A:886:HIS:HE1	4:A:2039:HOH:O	1.98	0.47
1:A:645:ILE:HG22	4:A:1414:HOH:O	2.13	0.47
1:A:402:SER:CB	1:A:406:SER:CA	2.92	0.47
1:A:824[B]:HIS:ND1	1:A:942:HIS:CE1	2.83	0.47
1:A:1052[A]:PHE:CZ	1:A:1054:ASP:HB2	2.50	0.47
1:A:155:THR:HA	4:A:2208:HOH:O	2.14	0.47
1:A:608:ASN:OD1	4:A:2275:HOH:O	2.17	0.47
1:A:107:LEU:HD11	1:A:735:PRO:HG2	1.97	0.46
1:A:411:THR:HG23	1:A:554:VAL:HG22	1.98	0.46
1:A:720:GLU:O	1:A:721:THR:HB	2.15	0.46
1:A:1092:MET:HE2	1:A:1092:MET:HB2	1.75	0.45
1:A:241:TYR:OH	1:A:598:GLU:OE2	2.25	0.45
1:A:401:HIS:O	1:A:403:SER:N	2.49	0.45
1:A:97:GLN:HB2	1:A:302:LYS:HD3	1.99	0.45
1:A:474:ASN:ND2	1:A:477:LYS:HG2	2.32	0.45
1:A:608:ASN:CB	4:A:2275:HOH:O	2.59	0.45
1:A:824[A]:HIS:HD2	1:A:825:LYS:HG2	1.81	0.45
1:A:199:GLU:OE1	1:A:199:GLU:HA	2.17	0.45
1:A:651:LYS:HG2	1:A:652:THR:O	2.17	0.44
1:A:351:LYS:NZ	1:A:476:ASP:OD1	2.50	0.44
1:A:544:ILE:HD12	1:A:545:PHE:N	2.32	0.44
1:A:1140:ARG:HA	1:A:1140:ARG:HD2	1.85	0.44
1:A:1043:ARG:HD3	1:A:1043:ARG:C	2.39	0.43
1:A:58:PRO:HB2	1:A:60:TRP:CD1	2.54	0.43
1:A:431:LEU:CB	1:A:460:ILE:CD1	2.94	0.43
1:A:284:THR:OG1	1:A:287:GLU:HG3	2.18	0.43
1:A:1053:ALA:HA	1:A:1062:VAL:O	2.19	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:170:VAL:HG12	1:A:172[A]:MET:HG2	1.99	0.43
1:A:402:SER:O	1:A:403:SER:CB	2.66	0.43
1:A:402:SER:CB	1:A:406:SER:HA	2.48	0.43
1:A:1136[B]:GLU:HG2	4:A:2223:HOH:O	2.19	0.42
1:A:534:LYS:N	4:A:2179:HOH:O	2.38	0.42
1:A:375:VAL:HG13	1:A:402:SER:O	2.19	0.42
1:A:912:LEU:C	1:A:912:LEU:HD23	2.40	0.42
1:A:734:MET:CE	4:A:2225:HOH:O	2.64	0.42
1:A:1043:ARG:HG2	1:A:1048:ALA:O	2.19	0.42
1:A:329:LYS:CB	4:A:2211:HOH:O	2.67	0.42
1:A:697:LEU:HD23	1:A:799:LYS:HE2	2.00	0.42
1:A:530:GLU:HG2	1:A:544:ILE:CG1	2.44	0.41
1:A:720:GLU:O	1:A:721:THR:HG22	2.20	0.41
1:A:1089:ALA:HA	1:A:1092:MET:HE3	2.02	0.41
1:A:424:ILE:HD13	1:A:460:ILE:CD1	2.51	0.41
1:A:172[B]:MET:HE1	4:A:2006:HOH:O	2.21	0.40
1:A:884:TYR:CE2	1:A:888:ILE:HD11	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:809:TYR:HH	4:A:2275:HOH:O[2_355]	1.52	0.08

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1112/1193 (93%)	1077 (97%)	31 (3%)	4 (0%)	34 14

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	400	SER
1	A	403	SER
1	A	721	THR
1	A	402	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1029/1104 (93%)	1015 (99%)	14 (1%)	67	41

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	217	LYS
1	A	219	ASP
1	A	310[A]	ASN
1	A	310[B]	ASN
1	A	360	GLU
1	A	432	TYR
1	A	520	LYS
1	A	584	LEU
1	A	633	SER
1	A	721	THR
1	A	872	MET
1	A	967	ASP
1	A	1166	ASN
1	A	1193	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	1094/1193 (91%)	0.22	50 (4%) 32 37	11, 21, 46, 78	0

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	402	SER	12.3
1	A	968	MET	10.3
1	A	972	VAL	10.0
1	A	403	SER	9.5
1	A	969	GLN	9.1
1	A	975	PRO	8.7
1	A	966	ASN	8.4
1	A	967	ASP	7.9
1	A	976	THR	7.4
1	A	970	ASN	7.3
1	A	974	ASP	7.0
1	A	399	GLY	6.6
1	A	973	ASN	6.6
1	A	971	LYS	6.4
1	A	401	HIS	6.2
1	A	977	VAL	6.2
1	A	376	ASP	5.7
1	A	219	ASP	5.5
1	A	218	GLU	5.1
1	A	721	THR	5.0
1	A	965	ILE	4.9
1	A	631	GLU	4.6
1	A	57	THR	4.3
1	A	400	SER	4.3
1	A	1049	TYR	4.0
1	A	224	ALA	3.9
1	A	720	GLU	3.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	217	LYS	3.4
1	A	375	VAL	3.1
1	A	460	ILE	3.0
1	A	978	MET	3.0
1	A	1005	PHE	3.0
1	A	865	GLU	2.9
1	A	543	LEU	2.9
1	A	993	GLU	2.8
1	A	863	PHE	2.8
1	A	992	GLU	2.8
1	A	369	TRP	2.7
1	A	59	GLU	2.7
1	A	989	LEU	2.6
1	A	868	TYR	2.6
1	A	223	LYS	2.3
1	A	724	GLU	2.2
1	A	476	ASP	2.2
1	A	231	ASP	2.1
1	A	991	ASP	2.1
1	A	729	ILE	2.1
1	A	522	SER	2.0
1	A	359	GLU	2.0
1	A	225	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
-----	------	-------	-----	-------	------	-----	-----------------------------	-------

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	MG	A	2001	1/1	0.95	0.04	31,31,31,31	0
3	MG	A	2000	1/1	0.97	0.06	21,21,21,21	0
2	ZN	A	1194	1/1	0.98	0.09	27,27,27,27	1

## 6.5 Other polymers [i](#)

There are no such residues in this entry.