



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 03:28 am BST

PDB ID : 3S8F
Title : 1.8 Å structure of ba3 cytochrome c oxidase from *Thermus thermophilus* in lipid environment
Authors : Tiefenbrunn, T.; Liu, W.; Chen, Y.; Katritch, V.; Stout, C.D.; Fee, J.A.; Cherezov, V.
Deposited on : 2011-05-27
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	569	 6% 80% 14%
2	B	168	 4% 82% 16%
3	C	34	 3% 56% 21% 15% 9%

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 6567 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	554	4389	2979	699	695	16	0	5	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	EXPRESSION TAG	UNP Q5SJ79
A	-5	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	-4	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	-3	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	-2	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	-1	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	0	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	1	HIS	-	EXPRESSION TAG	UNP Q5SJ79

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	166	1288	837	214	233	4	0	1	0


- Molecule 3 is a protein called Cytochrome c oxidase polypeptide 2A.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	31	241	169	37	35	0	0	0

- Molecule 4 is COPPER (II) ION (three-letter code: CU) (formula: Cu).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Cu		
4	A	1	1	1	0	0

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Fe	N			O
5	A	1	43	34	1	4	4	0	0

- Molecule 6 is HEME-AS (three-letter code: HAS) (formula: $C_{54}H_{64}FeN_4O_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Fe	N			O
6	A	1	65	54	1	4	6	0	0

- Molecule 7 is PEROXIDE ION (three-letter code: PER) (formula: O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total O 2 2	0	0

- Molecule 8 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (three-letter code: OLC) (formula: C₂₁H₄₀O₄).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 25 21 4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			25	21	4		
8	A	1	Total	C	O	0	0
			23	19	4		
8	A	1	Total	C	O	0	0
			18	14	4		
8	A	1	Total	C	O	0	0
			17	13	4		
8	A	1	Total	C	O	0	0
			8	4	4		
8	A	1	Total	C	O	0	0
			15	11	4		
8	A	1	Total	C	O	0	0
			20	16	4		
8	A	1	Total	C	O	0	0
			25	21	4		
8	A	1	Total	C	O	0	0
			21	17	4		
8	A	1	Total	C	O	0	0
			25	21	4		
8	B	1	Total	C	O	0	0
			25	21	4		
8	B	1	Total	C	O	0	0
			25	21	4		
8	B	1	Total	C	O	0	0
			25	21	4		
8	B	1	Total	C	O	0	0
			21	19	2		
8	C	1	Total	C	O	0	0
			25	21	4		

- Molecule 9 is DINUCLEAR COPPER ION (three-letter code: CUA) (formula: Cu₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	B	1	Total Cu 2 2	0	0

- Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	117	Total O 117 117	0	0
10	B	71	Total O 71 71	0	0
10	C	5	Total O 5 5	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	143.59Å 97.82Å 94.95Å 90.00° 128.30° 90.00°	Depositor
Resolution (Å)	37.26 – 1.80 37.26 – 1.80	Depositor EDS
% Data completeness (in resolution range)	97.2 (37.26-1.80) 97.2 (37.26-1.80)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.99 (at 1.81Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.184 , 0.215 0.198 , 0.227	Depositor DCC
R_{free} test set	4656 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	27.5	Xtrriage
Anisotropy	0.146	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 61.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6567	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: OLC, PER, CUA, HEM, HAS, CU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.42	29/4562 (0.6%)	1.09	14/6263 (0.2%)
2	B	1.48	8/1330 (0.6%)	1.11	5/1817 (0.3%)
3	C	1.50	4/247 (1.6%)	1.25	3/335 (0.9%)
All	All	1.44	41/6139 (0.7%)	1.11	22/8415 (0.3%)

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	189	PHE	CE2-CZ	8.17	1.52	1.37
1	A	133	TYR	CD1-CE1	7.43	1.50	1.39
2	B	161	PHE	CE2-CZ	7.36	1.51	1.37
1	A	449	ARG	CZ-NH1	7.29	1.42	1.33
2	B	119	GLU	CB-CG	-7.24	1.38	1.52
1	A	38	PHE	CD2-CE2	6.99	1.53	1.39
1	A	229	TRP	CE3-CZ3	6.59	1.49	1.38
2	B	165	VAL	CB-CG2	6.40	1.66	1.52
1	A	119	VAL	CB-CG2	6.32	1.66	1.52
1	A	480	ALA	CA-CB	6.15	1.65	1.52
2	B	153	CYS	CB-SG	6.12	1.92	1.82
3	C	11	VAL	CB-CG1	6.06	1.65	1.52
2	B	111	ASP	CB-CG	6.05	1.64	1.51
1	A	442	ALA	CA-CB	5.91	1.64	1.52
1	A	136	TYR	CE2-CZ	5.90	1.46	1.38
1	A	39	GLY	N-CA	5.84	1.54	1.46
1	A	352	GLY	CA-C	5.80	1.61	1.51
3	C	8	ALA	CA-CB	-5.74	1.40	1.52
1	A	447	VAL	CB-CG2	5.68	1.64	1.52
1	A	188	VAL	CB-CG1	5.55	1.64	1.52
1	A	52	TYR	CD2-CE2	5.54	1.47	1.39
1	A	110	TRP	CB-CG	5.53	1.60	1.50
1	A	236	VAL	CB-CG2	5.49	1.64	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	190	TRP	CE3-CZ3	5.49	1.47	1.38
1	A	356	PHE	CE1-CZ	5.47	1.47	1.37
3	C	22	PHE	CE1-CZ	5.43	1.47	1.37
1	A	111	TRP	CB-CG	-5.37	1.40	1.50
1	A	461	PRO	N-CA	5.32	1.56	1.47
1	A	228	PHE	CD1-CE1	5.29	1.49	1.39
1	A	460	TYR	CG-CD1	5.28	1.46	1.39
1	A	228	PHE	CE2-CZ	5.25	1.47	1.37
1	A	428	TRP	CG-CD1	5.20	1.44	1.36
2	B	28	VAL	CB-CG2	5.19	1.63	1.52
1	A	276	SER	CB-OG	5.13	1.49	1.42
1	A	380	TRP	CZ3-CH2	5.12	1.48	1.40
1	A	184	TYR	CD1-CE1	5.12	1.47	1.39
1	A	443	GLY	N-CA	5.11	1.53	1.46
2	B	72	VAL	CB-CG1	5.07	1.63	1.52
3	C	21	VAL	CB-CG2	5.05	1.63	1.52
2	B	90	TYR	CD1-CE1	-5.02	1.31	1.39
1	A	385	PHE	CE1-CZ	5.02	1.46	1.37

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	59	ARG	NE-CZ-NH1	-9.75	115.42	120.30
1	A	266	ARG	NE-CZ-NH1	8.40	124.50	120.30
1	A	266	ARG	NE-CZ-NH2	-8.00	116.30	120.30
1	A	95	ARG	NE-CZ-NH2	7.75	124.18	120.30
1	A	425	VAL	CG1-CB-CG2	7.75	123.30	110.90
1	A	25	LEU	CB-CG-CD1	-7.46	98.31	111.00
2	B	37	LEU	CA-CB-CG	7.42	132.37	115.30
1	A	95	ARG	NE-CZ-NH1	-6.92	116.84	120.30
2	B	146	ARG	NE-CZ-NH1	-6.60	117.00	120.30
2	B	23	LEU	CB-CG-CD2	-6.56	99.85	111.00
2	B	149	CYS	CA-CB-SG	-6.40	102.48	114.00
3	C	24	LEU	CB-CG-CD1	6.33	121.75	111.00
3	C	33	ARG	NE-CZ-NH1	-6.13	117.23	120.30
1	A	425	VAL	CA-CB-CG1	6.05	119.98	110.90
3	C	13	LEU	CA-CB-CG	5.91	128.89	115.30
1	A	233	HIS	N-CA-CB	5.78	121.00	110.60
1	A	54	LEU	CA-CB-CG	5.77	128.58	115.30
1	A	332	LEU	CA-CB-CG	5.64	128.27	115.30
1	A	475	ILE	CG1-CB-CG2	5.50	123.49	111.40
1	A	342	ASP	CB-CG-OD1	5.36	123.12	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	52	TYR	CA-CB-CG	-5.21	103.51	113.40
1	A	297	ILE	CG1-CB-CG2	-5.20	99.97	111.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4389	0	4484	54	0
2	B	1288	0	1260	20	0
3	C	241	0	267	7	0
4	A	1	0	0	0	0
5	A	43	0	30	3	0
6	A	65	0	62	4	0
7	A	2	0	0	1	0
8	A	222	0	320	21	0
8	B	96	0	153	16	0
8	C	25	0	40	1	0
9	B	2	0	0	0	0
10	A	117	0	0	5	0
10	B	71	0	0	1	1
10	C	5	0	0	0	0
All	All	6567	0	6616	94	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:563:PER:O1	7:A:563:PER:O2	1.54	1.23
1:A:330[B]:ARG:HH11	1:A:330[B]:ARG:CG	1.49	1.21
1:A:330[B]:ARG:NH1	1:A:330[B]:ARG:HG2	1.41	1.13
1:A:516[A]:GLU:HG3	1:A:517:ASP:H	1.08	1.12

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:516[A]:GLU:HG3	1:A:517:ASP:N	1.55	1.11
2:B:141:ARG:HH12	8:B:170:OLC:H24A	1.28	0.98
1:A:263:PRO:HG2	1:A:516[A]:GLU:HG2	1.42	0.98
1:A:554:ASN:HB2	2:B:52:ARG:HD2	1.45	0.96
2:B:141:ARG:NH1	8:B:170:OLC:H24A	1.82	0.94
1:A:495:ARG:HH21	1:A:495:ARG:HA	1.32	0.94
8:A:565:OLC:H12	8:A:572:OLC:H14A	1.48	0.92
1:A:516[A]:GLU:CG	1:A:517:ASP:H	1.86	0.89
1:A:168:ARG:HH22	8:A:570:OLC:C6	1.90	0.85
1:A:518:ARG:O	1:A:519:ARG:HB3	1.82	0.79
2:B:141:ARG:HH12	8:B:170:OLC:C24	1.96	0.78
1:A:330[B]:ARG:NH1	1:A:330[B]:ARG:CG	2.20	0.78
2:B:35:TYR:OH	8:B:169:OLC:H24A	1.84	0.76
2:B:93:ASN:O	10:B:201:HOH:O	2.06	0.74
1:A:168:ARG:HH22	8:A:570:OLC:H6A	1.54	0.71
1:A:495:ARG:HA	1:A:495:ARG:NH2	2.07	0.69
8:B:170:OLC:H6	3:C:33:ARG:HE	1.59	0.67
8:A:565:OLC:C12	8:A:572:OLC:H14A	2.22	0.65
2:B:17:GLY:HA3	8:B:171:OLC:H3	1.79	0.64
1:A:330[B]:ARG:HH11	1:A:330[B]:ARG:HG2	0.59	0.63
8:A:569:OLC:O19	8:A:570:OLC:C8	2.48	0.62
1:A:168:ARG:HH22	8:A:570:OLC:H6	1.62	0.61
1:A:518:ARG:O	1:A:519:ARG:CB	2.49	0.61
1:A:321:GLU:HA	1:A:335:TRP:CE3	2.36	0.60
1:A:282:HIS:CD2	1:A:283:HIS:CD2	2.88	0.60
8:A:564:OLC:O25	8:B:170:OLC:H7A	2.03	0.58
8:B:170:OLC:H4	3:C:33:ARG:HG2	1.86	0.57
6:A:801:HAS:HBC1	6:A:801:HAS:HMC1	1.87	0.57
8:A:572:OLC:C8	8:A:572:OLC:H13A	2.36	0.56
1:A:161:TYR:CE2	8:A:569:OLC:H21	2.42	0.55
2:B:32:LEU:HD21	8:B:169:OLC:H7A	1.90	0.54
2:B:141:ARG:HH12	8:B:170:OLC:C22	2.21	0.52
3:C:21:VAL:HG11	8:C:35:OLC:H9	1.90	0.52
2:B:141:ARG:NH1	8:B:170:OLC:C24	2.62	0.52
1:A:516[B]:GLU:OE1	1:A:517:ASP:N	2.44	0.50
1:A:475:ILE:CG1	8:A:565:OLC:H13A	2.41	0.50
10:A:583:HOH:O	8:B:170:OLC:H4A	2.10	0.50
1:A:241:LEU:N	1:A:242:PRO:CD	2.75	0.50
1:A:233:HIS:O	1:A:236:VAL:HG22	2.12	0.49
10:A:592:HOH:O	2:B:8:HIS:HE1	1.96	0.48
1:A:39:GLY:C	5:A:800:HEM:HMB3	2.33	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:290:ILE:HB	1:A:295:LYS:HE3	1.95	0.48
1:A:168:ARG:HH11	8:A:569:OLC:C22	2.27	0.47
2:B:52:ARG:HG3	2:B:52:ARG:HH11	1.80	0.47
2:B:32:LEU:CD2	8:B:169:OLC:H7A	2.45	0.47
3:C:4:LYS:HG3	3:C:6:LYS:HG2	1.96	0.46
8:A:566:OLC:H13A	8:A:572:OLC:H12	1.97	0.46
8:A:572:OLC:H13A	8:A:572:OLC:H8A	1.97	0.46
1:A:168:ARG:HD2	8:A:569:OLC:O23	2.15	0.46
1:A:225:ARG:HG3	10:A:609:HOH:O	2.16	0.45
1:A:138:PRO:HG2	2:B:129:PRO:HG2	1.99	0.45
1:A:526:ARG:NH2	10:A:658:HOH:O	2.42	0.45
1:A:455:GLN:NE2	10:A:580:HOH:O	2.50	0.45
1:A:167:TRP:CH2	8:A:570:OLC:H22	2.51	0.45
3:C:13:LEU:HD13	3:C:17:LEU:HD22	1.98	0.45
2:B:35:TYR:HE2	8:B:169:OLC:H21A	1.82	0.44
2:B:26:LEU:O	2:B:30:ILE:HG13	2.16	0.44
2:B:141:ARG:HH12	8:B:170:OLC:H22	1.82	0.44
8:B:172:OLC:H11A	8:B:172:OLC:H14A	1.90	0.44
1:A:405:LEU:HB3	1:A:406:PRO:HD3	2.00	0.44
1:A:168:ARG:NH2	8:A:570:OLC:H6A	2.28	0.43
2:B:42:ALA:HB1	2:B:45:ILE:HD12	2.00	0.43
1:A:562:TRP:HA	2:B:155:LEU:HG	2.01	0.43
1:A:366:ASN:HB3	6:A:801:HAS:C2D	2.48	0.43
1:A:168:ARG:NH2	8:A:570:OLC:H3A	2.34	0.43
1:A:475:ILE:HG12	8:A:565:OLC:H13A	2.00	0.43
1:A:122:LEU:HA	1:A:122:LEU:HD23	1.81	0.43
1:A:516[A]:GLU:CG	1:A:517:ASP:N	2.41	0.43
1:A:196:ALA:CB	1:A:234:PRO:HB2	2.49	0.42
1:A:236:VAL:HG12	1:A:239:TRP:CZ3	2.54	0.42
1:A:55:LEU:HD11	1:A:59:LEU:HD12	2.01	0.42
2:B:87:ALA:HA	2:B:88:PHE:HA	1.80	0.42
3:C:12:ILE:C	3:C:12:ILE:HD12	2.40	0.41
1:A:196:ALA:HB1	1:A:234:PRO:HB2	2.02	0.41
8:A:571:OLC:O19	8:A:572:OLC:O23	2.38	0.41
1:A:325:ARG:HG2	1:A:325:ARG:HH21	1.84	0.41
6:A:801:HAS:HHA	6:A:801:HAS:HAA2	1.81	0.41
1:A:291:ASP:OD2	1:A:293:THR:HB	2.19	0.41
5:A:800:HEM:HBC2	5:A:800:HEM:CMC	2.51	0.41
3:C:17:LEU:HA	3:C:17:LEU:HD12	1.91	0.41
1:A:471:VAL:O	1:A:475:ILE:HG23	2.20	0.41
1:A:354:LEU:HD21	6:A:801:HAS:H323	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:343:ASN:OD1	1:A:402[B]:TYR:CE2	2.74	0.41
8:A:566:OLC:H15	8:A:571:OLC:H12	2.01	0.40
1:A:76:ASN:HB3	5:A:800:HEM:CAC	2.52	0.40
1:A:81:THR:HB	1:A:239:TRP:CD1	2.57	0.40
8:A:574:OLC:H10	8:A:574:OLC:H13	1.57	0.40
1:A:382:PRO:HA	1:A:385:PHE:CE2	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:B:175:HOH:O	10:B:201:HOH:O[2_556]	2.08	0.12

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	556/569 (98%)	536 (96%)	17 (3%)	3 (0%)	29	15
2	B	165/168 (98%)	162 (98%)	3 (2%)	0	100	100
3	C	29/34 (85%)	29 (100%)	0	0	100	100
All	All	750/771 (97%)	727 (97%)	20 (3%)	3 (0%)	34	21

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	515	PRO
1	A	519	ARG
1	A	369	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	450/463 (97%)	426 (95%)	24 (5%)	22 9
2	B	134/138 (97%)	131 (98%)	3 (2%)	52 39
3	C	24/27 (89%)	21 (88%)	3 (12%)	4 1
All	All	608/628 (97%)	578 (95%)	30 (5%)	25 11

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	SER
1	A	58	LEU
1	A	133	TYR
1	A	215	LEU
1	A	230	TRP
1	A	262	ASP
1	A	274	LEU
1	A	282	HIS
1	A	326	LEU
1	A	330[A]	ARG
1	A	330[B]	ARG
1	A	332	LEU
1	A	369	PHE
1	A	425	VAL
1	A	455	GLN
1	A	475	ILE
1	A	494	SER
1	A	495	ARG
1	A	500	GLU
1	A	512	ILE
1	A	513	SER
1	A	518	ARG
1	A	519	ARG
1	A	520	LEU
2	B	26	LEU
2	B	37	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	167	LYS
3	C	17	LEU
3	C	20	LEU
3	C	24	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	455	GLN
2	B	8	HIS
2	B	40	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 1 is monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	OLC	B	169	-	24,24,24	0.50	0	25,25,25	0.82	0
8	OLC	A	567	-	17,17,24	0.58	0	18,18,25	0.65	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	CUA	B	802	2	0,1,1	0.00	-	-	-	-
8	OLC	B	172	-	20,20,24	0.64	1 (5%)	20,20,25	0.71	1 (5%)
8	OLC	C	35	-	24,24,24	0.51	0	25,25,25	0.50	0
8	OLC	B	171	-	24,24,24	0.50	0	25,25,25	0.52	0
8	OLC	A	571	-	19,19,24	0.50	0	20,20,25	1.10	1 (5%)
8	OLC	A	572	-	24,24,24	0.68	1 (4%)	25,25,25	0.95	1 (4%)
8	OLC	A	566	-	22,22,24	0.53	0	23,23,25	1.23	3 (13%)
7	PER	A	563	4,6	0,1,1	0.00	-	-	-	-
8	OLC	A	565	-	24,24,24	0.46	0	25,25,25	0.82	0
6	HAS	A	801	1,7	56,72,72	4.22	18 (32%)	50,109,109	3.93	23 (46%)
8	OLC	A	573	-	20,20,24	0.54	0	21,21,25	0.86	0
8	OLC	A	574	-	24,24,24	0.49	0	25,25,25	0.93	1 (4%)
8	OLC	B	170	-	24,24,24	0.84	1 (4%)	25,25,25	1.08	2 (8%)
8	OLC	A	569	-	7,7,24	0.42	0	6,7,25	0.87	0
8	OLC	A	564	-	24,24,24	0.52	0	25,25,25	0.70	0
5	HEM	A	800	1	27,50,50	2.48	9 (33%)	17,82,82	3.91	8 (47%)
8	OLC	A	570	-	14,14,24	0.69	1 (7%)	15,15,25	0.56	0
8	OLC	A	568	-	16,16,24	0.74	0	17,17,25	0.70	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	OLC	B	169	-	-	11/24/24/24	-
8	OLC	A	567	-	-	6/17/17/24	-
8	OLC	B	172	-	-	9/19/19/24	-
8	OLC	C	35	-	-	12/24/24/24	-
8	OLC	B	171	-	-	10/24/24/24	-
8	OLC	A	571	-	-	7/19/19/24	-
8	OLC	A	572	-	-	15/24/24/24	-
8	OLC	A	566	-	-	10/22/22/24	-
8	OLC	B	170	-	-	11/24/24/24	-
8	OLC	A	565	-	-	11/24/24/24	-
6	HAS	A	801	1,7	-	2/35/122/122	-
8	OLC	A	574	-	-	9/24/24/24	-
8	OLC	A	573	-	-	10/20/20/24	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEM	A	800	1	-	0/6/54/54	-
8	OLC	A	569	-	-	4/6/6/24	-
8	OLC	A	564	-	-	13/24/24/24	-
8	OLC	A	570	-	-	6/14/14/24	-
8	OLC	A	568	-	-	6/16/16/24	-

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	801	HAS	CHD-C4A	-17.80	1.33	1.51
6	A	801	HAS	C1B-NB	-11.91	1.33	1.49
6	A	801	HAS	C4B-NB	-11.80	1.33	1.49
6	A	801	HAS	CHC-C4B	-10.70	1.34	1.53
6	A	801	HAS	C1A-C2A	6.56	1.47	1.38
6	A	801	HAS	C3C-C2C	6.26	1.49	1.40
6	A	801	HAS	CHA-C1A	-5.81	1.37	1.51
5	A	800	HEM	C3B-CAB	-5.38	1.37	1.47
6	A	801	HAS	CMD-C2D	5.14	1.54	1.44
5	A	800	HEM	C1C-C2C	-4.89	1.31	1.42
5	A	800	HEM	C1A-NA	4.78	1.46	1.36
6	A	801	HAS	C4A-C3A	4.41	1.44	1.38
6	A	801	HAS	CHD-C4C	-3.85	1.47	1.51
5	A	800	HEM	C4A-NA	3.85	1.44	1.36
6	A	801	HAS	CHB-C1B	-3.72	1.38	1.53
5	A	800	HEM	C1A-CHA	3.70	1.51	1.41
6	A	801	HAS	C3C-CAC	-3.51	1.40	1.47
6	A	801	HAS	CMB-C2B	3.50	1.56	1.50
6	A	801	HAS	CHA-C4D	-3.39	1.47	1.53
5	A	800	HEM	CBB-CAB	3.15	1.50	1.29
5	A	800	HEM	CAA-C2A	-3.05	1.47	1.52
6	A	801	HAS	CBC-CAC	2.98	1.49	1.29
6	A	801	HAS	C2B-C3B	-2.91	1.31	1.34
8	B	170	OLC	O20-C1	2.68	1.41	1.33
5	A	800	HEM	C4B-CHC	-2.68	1.33	1.41
5	A	800	HEM	C1D-CHD	-2.37	1.34	1.41
6	A	801	HAS	CMA-C3A	2.30	1.56	1.51
8	B	172	OLC	O20-C1	2.20	1.40	1.33
6	A	801	HAS	C1C-C2C	-2.18	1.35	1.38
8	A	572	OLC	O20-C1	2.14	1.39	1.33
8	A	570	OLC	O20-C1	2.07	1.39	1.33

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	800	HEM	C4C-C3C-C2C	-11.91	98.58	106.90
6	A	801	HAS	CAA-C2A-C1A	-11.82	118.99	127.30
6	A	801	HAS	CHB-C1B-NB	11.16	124.82	110.94
6	A	801	HAS	CHC-C4B-NB	10.43	130.42	110.75
6	A	801	HAS	CHB-C1D-ND	7.66	120.46	110.94
6	A	801	HAS	C4C-CHD-C4A	7.21	130.45	112.87
6	A	801	HAS	CHA-C4D-ND	6.21	122.45	110.75
5	A	800	HEM	C1D-C2D-C3D	6.13	111.26	107.00
6	A	801	HAS	CHD-C4A-C3A	-5.85	119.75	129.53
6	A	801	HAS	CAA-CBA-CGA	-4.92	104.41	112.67
6	A	801	HAS	CBD-CAD-C3D	-4.67	106.09	114.35
6	A	801	HAS	CHD-C4C-C3C	-4.26	124.02	129.61
5	A	800	HEM	CMD-C2D-C1D	-4.23	121.97	128.46
6	A	801	HAS	C4C-C3C-C2C	-4.04	98.21	104.41
6	A	801	HAS	C1D-CHB-C1B	3.93	127.49	116.15
6	A	801	HAS	OMD-CMD-C2D	-3.91	119.45	124.39
5	A	800	HEM	C3C-C4C-NC	3.73	117.98	110.94
6	A	801	HAS	O11-C11-C12	3.66	119.65	109.42
5	A	800	HEM	CBD-CAD-C3D	-3.64	105.78	112.48
6	A	801	HAS	C27-C19-C20	3.55	121.23	115.27
8	A	571	OLC	C4-C3-C2	-3.39	100.99	113.19
5	A	800	HEM	CAA-CBA-CGA	3.33	118.26	112.67
5	A	800	HEM	CMA-C3A-C4A	-3.08	123.74	128.46
6	A	801	HAS	CAA-C2A-C3A	3.07	136.07	127.25
8	A	566	OLC	O20-C21-C22	-3.05	91.03	105.77
6	A	801	HAS	C20-C19-C18	-2.86	115.33	121.12
8	B	170	OLC	C21-O20-C1	2.75	127.29	117.12
6	A	801	HAS	CHC-C1C-C2C	-2.75	124.70	129.45
6	A	801	HAS	CAD-CBD-CGD	-2.61	108.29	112.67
5	A	800	HEM	CAD-CBD-CGD	-2.53	108.42	112.67
8	B	170	OLC	O20-C21-C22	2.52	117.92	105.77
6	A	801	HAS	C12-C13-C14	2.50	118.84	112.23
8	B	172	OLC	C21-O20-C1	2.39	123.97	116.11
8	A	566	OLC	C21-C22-C24	2.36	120.06	111.67
6	A	801	HAS	CHB-C1B-C2B	2.34	122.02	114.70
6	A	801	HAS	CMB-C2B-C3B	-2.28	124.12	129.82
6	A	801	HAS	C24-C23-C22	-2.22	116.62	121.12
8	A	572	OLC	O20-C21-C22	2.18	116.31	105.77
8	A	574	OLC	C3-C2-C1	-2.17	105.73	113.62
8	A	566	OLC	C3-C2-C1	-2.11	105.95	113.62

There are no chirality outliers.

All (152) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	B	169	OLC	C21-C22-C24-O25
8	B	171	OLC	C21-C22-C24-O25
8	A	569	OLC	O19-C1-O20-C21
8	A	572	OLC	C21-C22-C24-O25
8	A	572	OLC	O20-C21-C22-C24
8	A	566	OLC	C21-C22-C24-O25
8	A	566	OLC	O23-C22-C24-O25
8	A	565	OLC	O20-C21-C22-C24
8	A	565	OLC	O20-C21-C22-O23
8	A	574	OLC	O20-C21-C22-C24
8	A	574	OLC	O20-C21-C22-O23
8	A	570	OLC	O20-C21-C22-C24
8	A	568	OLC	O19-C1-O20-C21
8	A	568	OLC	C2-C1-O20-C21
8	A	567	OLC	O20-C21-C22-O23
8	A	569	OLC	O20-C21-C22-O23
8	A	572	OLC	O20-C21-C22-O23
8	A	572	OLC	C2-C3-C4-C5
8	B	172	OLC	C13-C14-C15-C16
8	A	565	OLC	C2-C1-O20-C21
8	A	564	OLC	C2-C1-O20-C21
8	A	567	OLC	O20-C21-C22-C24
8	C	35	OLC	O20-C21-C22-C24
8	A	566	OLC	O20-C21-C22-C24
8	A	568	OLC	O20-C21-C22-C24
8	A	564	OLC	O19-C1-O20-C21
8	B	170	OLC	O20-C21-C22-O23
8	A	568	OLC	O20-C21-C22-O23
8	B	171	OLC	C1-C2-C3-C4
8	A	565	OLC	O19-C1-O20-C21
8	A	572	OLC	O23-C22-C24-O25
8	A	574	OLC	C10-C11-C12-C13
8	A	574	OLC	C4-C5-C6-C7
8	C	35	OLC	O20-C21-C22-O23
8	A	566	OLC	O20-C21-C22-O23
8	A	564	OLC	C5-C6-C7-C8
8	A	572	OLC	C2-C1-O20-C21
8	B	170	OLC	O20-C21-C22-C24
8	A	566	OLC	C12-C13-C14-C15
8	A	564	OLC	C14-C15-C16-C17
8	B	169	OLC	C11-C12-C13-C14
8	A	572	OLC	C13-C14-C15-C16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	A	573	OLC	C3-C4-C5-C6
8	A	565	OLC	C4-C5-C6-C7
8	B	170	OLC	C2-C3-C4-C5
8	B	169	OLC	C14-C15-C16-C17
8	A	573	OLC	C21-C22-C24-O25
8	A	570	OLC	O20-C21-C22-O23
8	A	572	OLC	C12-C13-C14-C15
8	B	170	OLC	C6-C7-C8-C9
8	A	573	OLC	C1-C2-C3-C4
8	B	169	OLC	C13-C14-C15-C16
8	C	35	OLC	C11-C12-C13-C14
8	B	169	OLC	C3-C4-C5-C6
8	A	566	OLC	C11-C12-C13-C14
8	A	570	OLC	C4-C5-C6-C7
8	A	571	OLC	C2-C1-O20-C21
8	B	171	OLC	C13-C14-C15-C16
8	B	172	OLC	C2-C1-O20-C21
8	B	169	OLC	O23-C22-C24-O25
8	B	171	OLC	O23-C22-C24-O25
8	A	573	OLC	O23-C22-C24-O25
8	C	35	OLC	C3-C4-C5-C6
8	A	567	OLC	C6-C7-C8-C9
8	A	572	OLC	O19-C1-O20-C21
8	A	571	OLC	C2-C3-C4-C5
8	A	572	OLC	C4-C5-C6-C7
8	A	571	OLC	O19-C1-O20-C21
8	A	572	OLC	C14-C15-C16-C17
8	B	169	OLC	C6-C7-C8-C9
8	A	565	OLC	C10-C11-C12-C13
8	A	569	OLC	O20-C21-C22-C24
8	A	570	OLC	C3-C4-C5-C6
8	B	171	OLC	C10-C11-C12-C13
8	A	571	OLC	C6-C7-C8-C9
8	A	574	OLC	C6-C7-C8-C9
8	A	564	OLC	C10-C11-C12-C13
8	A	574	OLC	C12-C13-C14-C15
8	A	564	OLC	C4-C5-C6-C7
8	A	567	OLC	C1-C2-C3-C4
8	A	565	OLC	C3-C4-C5-C6
8	A	564	OLC	C11-C12-C13-C14
8	B	170	OLC	C3-C4-C5-C6
8	A	564	OLC	C15-C16-C17-C18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	B	171	OLC	C15-C16-C17-C18
8	B	172	OLC	C15-C16-C17-C18
6	A	801	HAS	C23-C24-C28-C29
8	A	571	OLC	C3-C4-C5-C6
8	A	566	OLC	C6-C7-C8-C9
8	A	573	OLC	C2-C1-O20-C21
8	A	565	OLC	C15-C16-C17-C18
8	C	35	OLC	C1-C2-C3-C4
8	A	572	OLC	C11-C12-C13-C14
8	B	169	OLC	C2-C1-O20-C21
8	B	170	OLC	C2-C1-O20-C21
8	C	35	OLC	C4-C5-C6-C7
8	A	573	OLC	O20-C21-C22-C24
8	C	35	OLC	C12-C13-C14-C15
8	A	573	OLC	O19-C1-O20-C21
8	B	172	OLC	C11-C12-C13-C14
8	B	172	OLC	C10-C11-C12-C13
8	B	171	OLC	C5-C6-C7-C8
8	A	572	OLC	C15-C16-C17-C18
8	B	172	OLC	O19-C1-O20-C21
8	B	172	OLC	C4-C5-C6-C7
8	B	170	OLC	C1-C2-C3-C4
8	B	169	OLC	O19-C1-O20-C21
8	B	170	OLC	O19-C1-O20-C21
8	C	35	OLC	C2-C3-C4-C5
8	A	567	OLC	C4-C5-C6-C7
8	B	172	OLC	C5-C6-C7-C8
8	A	564	OLC	C2-C3-C4-C5
8	C	35	OLC	C5-C6-C7-C8
8	B	171	OLC	C3-C4-C5-C6
6	A	801	HAS	C11-C12-C13-C14
8	A	567	OLC	C3-C4-C5-C6
8	A	574	OLC	C15-C16-C17-C18
8	A	564	OLC	C9-C10-C11-C12
8	A	571	OLC	C4-C5-C6-C7
8	A	574	OLC	C14-C15-C16-C17
8	A	566	OLC	C7-C8-C9-C10
8	A	564	OLC	C12-C13-C14-C15
8	A	565	OLC	C9-C10-C11-C12
8	B	169	OLC	C10-C11-C12-C13
8	A	564	OLC	C6-C7-C8-C9
8	B	169	OLC	C7-C8-C9-C10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	A	572	OLC	C9-C10-C11-C12
8	A	565	OLC	C6-C7-C8-C9
8	B	170	OLC	C9-C10-C11-C12
8	C	35	OLC	C9-C10-C11-C12
8	A	564	OLC	C1-C2-C3-C4
8	A	566	OLC	C3-C4-C5-C6
8	A	572	OLC	C10-C11-C12-C13
8	A	566	OLC	C10-C11-C12-C13
8	A	571	OLC	C9-C10-C11-C12
8	B	171	OLC	C7-C8-C9-C10
8	B	172	OLC	C7-C8-C9-C10
8	A	568	OLC	O20-C1-C2-C3
8	A	569	OLC	C22-C21-O20-C1
8	B	170	OLC	O23-C22-C24-O25
8	A	573	OLC	O20-C21-C22-O23
8	A	573	OLC	C6-C7-C8-C9
8	C	35	OLC	C7-C8-C9-C10
8	B	171	OLC	C11-C12-C13-C14
8	C	35	OLC	C13-C14-C15-C16
8	A	565	OLC	C2-C3-C4-C5
8	B	170	OLC	C21-C22-C24-O25
8	A	570	OLC	C21-C22-C24-O25
8	A	568	OLC	O19-C1-C2-C3
8	A	573	OLC	C4-C5-C6-C7
8	A	570	OLC	C1-C2-C3-C4
8	A	574	OLC	C7-C8-C9-C10

There are no ring outliers.

16 monomers are involved in 45 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	B	169	OLC	4	0
8	B	172	OLC	1	0
8	C	35	OLC	1	0
8	B	171	OLC	1	0
8	A	571	OLC	2	0
8	A	572	OLC	6	0
8	A	566	OLC	2	0
7	A	563	PER	1	0
8	A	565	OLC	4	0
6	A	801	HAS	4	0
8	A	574	OLC	1	0


Continued on next page...




Continued from previous page...




Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	B	170	OLC	10	0
8	A	569	OLC	4	0
8	A	564	OLC	1	0
5	A	800	HEM	3	0
8	A	570	OLC	7	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	554/569 (97%)	0.06	34 (6%) 21 16	16, 29, 54, 84	0
2	B	166/168 (98%)	-0.17	7 (4%) 36 30	18, 30, 48, 65	0
3	C	31/34 (91%)	-0.54	1 (3%) 47 41	24, 30, 40, 55	0
All	All	751/771 (97%)	-0.02	42 (5%) 24 19	16, 29, 53, 84	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	513	SER	8.0
1	A	495	ARG	6.0
1	A	12	TYR	5.0
1	A	330[A]	ARG	4.9
1	A	515	PRO	4.6
1	A	496	GLU	4.2
1	A	499	PRO	4.2
1	A	514	GLY	4.1
1	A	332	LEU	4.1
2	B	6	LYS	4.0
1	A	333	PHE	3.9
1	A	519	ARG	3.8
1	A	9	SER	3.5
1	A	492	LEU	3.4
1	A	491	VAL	3.4
1	A	11	VAL	3.3
1	A	493	LEU	3.2
1	A	512	ILE	3.1
1	A	331	GLY	3.0
1	A	176	GLY	2.7
1	A	547	VAL	2.6
1	A	526	ARG	2.6
1	A	551	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	168	GLU	2.6
1	A	517	ASP	2.5
1	A	235	ILE	2.5
1	A	518	ARG	2.4
1	A	552	HIS	2.4
3	C	4	LYS	2.4
1	A	536	ILE	2.4
1	A	497	ARG	2.3
1	A	520	LEU	2.3
1	A	240	LEU	2.3
2	B	3	ASP	2.3
1	A	393	VAL	2.2
2	B	7	ALA	2.2
1	A	326	LEU	2.2
1	A	548	GLN	2.2
2	B	49	LYS	2.1
2	B	76	PRO	2.1
2	B	50	LEU	2.1
1	A	175	PRO	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	OLC	A	568	17/25	0.52	0.26	59,63,79,80	0
8	OLC	B	170	25/25	0.63	0.23	56,63,72,76	0
8	OLC	C	35	25/25	0.64	0.31	67,81,92,93	0
8	OLC	A	570	15/25	0.67	0.28	47,64,76,77	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
8	OLC	A	567	18/25	0.67	0.18	47,60,73,74	0
8	OLC	A	572	25/25	0.68	0.19	48,59,64,68	0
8	OLC	A	573	21/25	0.70	0.18	56,66,81,82	0
8	OLC	A	565	25/25	0.71	0.24	44,65,90,92	0
8	OLC	B	172	21/25	0.73	0.22	60,63,76,79	0
8	OLC	A	564	25/25	0.75	0.22	45,55,73,76	0
8	OLC	B	169	25/25	0.77	0.19	54,65,72,73	0
8	OLC	A	571	20/25	0.77	0.19	54,66,71,71	0
8	OLC	B	171	25/25	0.78	0.21	65,68,73,74	0
8	OLC	A	574	25/25	0.82	0.17	51,58,68,70	0
8	OLC	A	566	23/25	0.91	0.13	30,45,65,66	0
8	OLC	A	569	8/25	0.91	0.21	68,68,70,71	0
7	PER	A	563	2/2	0.98	0.13	19,19,19,21	0
6	HAS	A	801	65/65	0.98	0.13	11,20,34,39	0
4	CU	A	803	1/1	0.99	0.09	22,22,22,22	0
5	HEM	A	800	43/43	0.99	0.10	10,15,19,21	0
9	CUA	B	802	2/2	1.00	0.09	20,20,20,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





Electron density around OLC B 170:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC C 35:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 570:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 567:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 572:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 573:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 565:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC B 172:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around OLC A 564:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around OLC B 169:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)














Electron density around OLC A 569:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HAS A 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.