



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 21, 2022 – 10:32 AM EST

PDB ID : 7SCR  
Title : Crystal structure of trypanosome brucei hypoxanthine-guanine-xanthine phosphoribzoyltransferase in complex with (4S,7S)-7-hydroxy-4-((guanin-9-yl)methyl)-2,5-dioxahexan-1,7-diphosphonate  
Authors : Guddat, L.W.; Keough, D.T.  
Deposited on : 2021-09-29  
Resolution : 2.12 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.26  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.26

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	6241 (2.14-2.10)
Clashscore	141614	6778 (2.14-2.10)
Ramachandran outliers	138981	6705 (2.14-2.10)
Sidechain outliers	138945	6706 (2.14-2.10)
RSRZ outliers	127900	6112 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	272	<div><div>8%</div><div><div></div><div></div><div></div><div></div></div><div>72%7%21%</div></div>
1	B	272	<div><div>9%</div><div><div></div><div></div><div></div><div></div></div><div>68%10%21%</div></div>
1	C	272	<div><div>10%</div><div><div></div><div></div><div></div><div></div></div><div>67%10%23%</div></div>
1	D	272	<div><div>8%</div><div><div></div><div></div><div></div><div></div></div><div>72%6%22%</div></div>
1	E	272	<div><div>5%</div><div><div></div><div></div><div></div><div></div></div><div>68%9%22%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	272	<div><div>8%</div><div>68%</div><div>10%</div><div>22%</div></div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11254 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hypoxanthine-guanine phosphoribosyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	215	Total	C	N	O	S	0	10	0
			1762	1123	311	316	12			
1	C	210	Total	C	N	O	S	0	4	0
			1686	1073	297	307	9			
1	B	215	Total	C	N	O	S	0	3	0
			1728	1098	309	312	9			
1	D	212	Total	C	N	O	S	0	2	0
			1697	1078	302	308	9			
1	E	211	Total	C	N	O	S	0	4	0
			1696	1080	299	306	11			
1	F	211	Total	C	N	O	S	0	4	0
			1695	1078	298	308	11			

There are 240 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-37	MET	-	expression tag	UNP Q38CA1
A	-36	GLY	-	expression tag	UNP Q38CA1
A	-35	SER	-	expression tag	UNP Q38CA1
A	-34	SER	-	expression tag	UNP Q38CA1
A	-33	HIS	-	expression tag	UNP Q38CA1
A	-32	HIS	-	expression tag	UNP Q38CA1
A	-31	HIS	-	expression tag	UNP Q38CA1
A	-30	HIS	-	expression tag	UNP Q38CA1
A	-29	HIS	-	expression tag	UNP Q38CA1
A	-28	HIS	-	expression tag	UNP Q38CA1
A	-27	ASP	-	expression tag	UNP Q38CA1
A	-26	TYR	-	expression tag	UNP Q38CA1
A	-25	ASP	-	expression tag	UNP Q38CA1
A	-24	ILE	-	expression tag	UNP Q38CA1
A	-23	PRO	-	expression tag	UNP Q38CA1
A	-22	THR	-	expression tag	UNP Q38CA1
A	-21	THR	-	expression tag	UNP Q38CA1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	GLU	-	expression tag	UNP Q38CA1
A	-19	ASN	-	expression tag	UNP Q38CA1
A	-18	LEU	-	expression tag	UNP Q38CA1
A	-17	TYR	-	expression tag	UNP Q38CA1
A	-16	PHE	-	expression tag	UNP Q38CA1
A	-15	GLN	-	expression tag	UNP Q38CA1
A	-14	GLY	-	expression tag	UNP Q38CA1
A	-13	HIS	-	expression tag	UNP Q38CA1
A	-12	MET	-	expression tag	UNP Q38CA1
A	-11	ALA	-	expression tag	UNP Q38CA1
A	-10	SER	-	expression tag	UNP Q38CA1
A	-9	MET	-	expression tag	UNP Q38CA1
A	-8	THR	-	expression tag	UNP Q38CA1
A	-7	GLY	-	expression tag	UNP Q38CA1
A	-6	GLY	-	expression tag	UNP Q38CA1
A	-5	GLN	-	expression tag	UNP Q38CA1
A	-4	GLN	-	expression tag	UNP Q38CA1
A	-3	MET	-	expression tag	UNP Q38CA1
A	-2	GLY	-	expression tag	UNP Q38CA1
A	-1	ARG	-	expression tag	UNP Q38CA1
A	0	GLY	-	expression tag	UNP Q38CA1
A	1	SER	-	expression tag	UNP Q38CA1
A	11	VAL	PHE	engineered mutation	UNP Q38CA1
C	-37	MET	-	expression tag	UNP Q38CA1
C	-36	GLY	-	expression tag	UNP Q38CA1
C	-35	SER	-	expression tag	UNP Q38CA1
C	-34	SER	-	expression tag	UNP Q38CA1
C	-33	HIS	-	expression tag	UNP Q38CA1
C	-32	HIS	-	expression tag	UNP Q38CA1
C	-31	HIS	-	expression tag	UNP Q38CA1
C	-30	HIS	-	expression tag	UNP Q38CA1
C	-29	HIS	-	expression tag	UNP Q38CA1
C	-28	HIS	-	expression tag	UNP Q38CA1
C	-27	ASP	-	expression tag	UNP Q38CA1
C	-26	TYR	-	expression tag	UNP Q38CA1
C	-25	ASP	-	expression tag	UNP Q38CA1
C	-24	ILE	-	expression tag	UNP Q38CA1
C	-23	PRO	-	expression tag	UNP Q38CA1
C	-22	THR	-	expression tag	UNP Q38CA1
C	-21	THR	-	expression tag	UNP Q38CA1
C	-20	GLU	-	expression tag	UNP Q38CA1
C	-19	ASN	-	expression tag	UNP Q38CA1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-18	LEU	-	expression tag	UNP Q38CA1
C	-17	TYR	-	expression tag	UNP Q38CA1
C	-16	PHE	-	expression tag	UNP Q38CA1
C	-15	GLN	-	expression tag	UNP Q38CA1
C	-14	GLY	-	expression tag	UNP Q38CA1
C	-13	HIS	-	expression tag	UNP Q38CA1
C	-12	MET	-	expression tag	UNP Q38CA1
C	-11	ALA	-	expression tag	UNP Q38CA1
C	-10	SER	-	expression tag	UNP Q38CA1
C	-9	MET	-	expression tag	UNP Q38CA1
C	-8	THR	-	expression tag	UNP Q38CA1
C	-7	GLY	-	expression tag	UNP Q38CA1
C	-6	GLY	-	expression tag	UNP Q38CA1
C	-5	GLN	-	expression tag	UNP Q38CA1
C	-4	GLN	-	expression tag	UNP Q38CA1
C	-3	MET	-	expression tag	UNP Q38CA1
C	-2	GLY	-	expression tag	UNP Q38CA1
C	-1	ARG	-	expression tag	UNP Q38CA1
C	0	GLY	-	expression tag	UNP Q38CA1
C	1	SER	-	expression tag	UNP Q38CA1
C	11	VAL	PHE	engineered mutation	UNP Q38CA1
B	-37	MET	-	expression tag	UNP Q38CA1
B	-36	GLY	-	expression tag	UNP Q38CA1
B	-35	SER	-	expression tag	UNP Q38CA1
B	-34	SER	-	expression tag	UNP Q38CA1
B	-33	HIS	-	expression tag	UNP Q38CA1
B	-32	HIS	-	expression tag	UNP Q38CA1
B	-31	HIS	-	expression tag	UNP Q38CA1
B	-30	HIS	-	expression tag	UNP Q38CA1
B	-29	HIS	-	expression tag	UNP Q38CA1
B	-28	HIS	-	expression tag	UNP Q38CA1
B	-27	ASP	-	expression tag	UNP Q38CA1
B	-26	TYR	-	expression tag	UNP Q38CA1
B	-25	ASP	-	expression tag	UNP Q38CA1
B	-24	ILE	-	expression tag	UNP Q38CA1
B	-23	PRO	-	expression tag	UNP Q38CA1
B	-22	THR	-	expression tag	UNP Q38CA1
B	-21	THR	-	expression tag	UNP Q38CA1
B	-20	GLU	-	expression tag	UNP Q38CA1
B	-19	ASN	-	expression tag	UNP Q38CA1
B	-18	LEU	-	expression tag	UNP Q38CA1
B	-17	TYR	-	expression tag	UNP Q38CA1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-16	PHE	-	expression tag	UNP Q38CA1
B	-15	GLN	-	expression tag	UNP Q38CA1
B	-14	GLY	-	expression tag	UNP Q38CA1
B	-13	HIS	-	expression tag	UNP Q38CA1
B	-12	MET	-	expression tag	UNP Q38CA1
B	-11	ALA	-	expression tag	UNP Q38CA1
B	-10	SER	-	expression tag	UNP Q38CA1
B	-9	MET	-	expression tag	UNP Q38CA1
B	-8	THR	-	expression tag	UNP Q38CA1
B	-7	GLY	-	expression tag	UNP Q38CA1
B	-6	GLY	-	expression tag	UNP Q38CA1
B	-5	GLN	-	expression tag	UNP Q38CA1
B	-4	GLN	-	expression tag	UNP Q38CA1
B	-3	MET	-	expression tag	UNP Q38CA1
B	-2	GLY	-	expression tag	UNP Q38CA1
B	-1	ARG	-	expression tag	UNP Q38CA1
B	0	GLY	-	expression tag	UNP Q38CA1
B	1	SER	-	expression tag	UNP Q38CA1
B	11	VAL	PHE	engineered mutation	UNP Q38CA1
D	-37	MET	-	expression tag	UNP Q38CA1
D	-36	GLY	-	expression tag	UNP Q38CA1
D	-35	SER	-	expression tag	UNP Q38CA1
D	-34	SER	-	expression tag	UNP Q38CA1
D	-33	HIS	-	expression tag	UNP Q38CA1
D	-32	HIS	-	expression tag	UNP Q38CA1
D	-31	HIS	-	expression tag	UNP Q38CA1
D	-30	HIS	-	expression tag	UNP Q38CA1
D	-29	HIS	-	expression tag	UNP Q38CA1
D	-28	HIS	-	expression tag	UNP Q38CA1
D	-27	ASP	-	expression tag	UNP Q38CA1
D	-26	TYR	-	expression tag	UNP Q38CA1
D	-25	ASP	-	expression tag	UNP Q38CA1
D	-24	ILE	-	expression tag	UNP Q38CA1
D	-23	PRO	-	expression tag	UNP Q38CA1
D	-22	THR	-	expression tag	UNP Q38CA1
D	-21	THR	-	expression tag	UNP Q38CA1
D	-20	GLU	-	expression tag	UNP Q38CA1
D	-19	ASN	-	expression tag	UNP Q38CA1
D	-18	LEU	-	expression tag	UNP Q38CA1
D	-17	TYR	-	expression tag	UNP Q38CA1
D	-16	PHE	-	expression tag	UNP Q38CA1
D	-15	GLN	-	expression tag	UNP Q38CA1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-14	GLY	-	expression tag	UNP Q38CA1
D	-13	HIS	-	expression tag	UNP Q38CA1
D	-12	MET	-	expression tag	UNP Q38CA1
D	-11	ALA	-	expression tag	UNP Q38CA1
D	-10	SER	-	expression tag	UNP Q38CA1
D	-9	MET	-	expression tag	UNP Q38CA1
D	-8	THR	-	expression tag	UNP Q38CA1
D	-7	GLY	-	expression tag	UNP Q38CA1
D	-6	GLY	-	expression tag	UNP Q38CA1
D	-5	GLN	-	expression tag	UNP Q38CA1
D	-4	GLN	-	expression tag	UNP Q38CA1
D	-3	MET	-	expression tag	UNP Q38CA1
D	-2	GLY	-	expression tag	UNP Q38CA1
D	-1	ARG	-	expression tag	UNP Q38CA1
D	0	GLY	-	expression tag	UNP Q38CA1
D	1	SER	-	expression tag	UNP Q38CA1
D	11	VAL	PHE	engineered mutation	UNP Q38CA1
E	-37	MET	-	expression tag	UNP Q38CA1
E	-36	GLY	-	expression tag	UNP Q38CA1
E	-35	SER	-	expression tag	UNP Q38CA1
E	-34	SER	-	expression tag	UNP Q38CA1
E	-33	HIS	-	expression tag	UNP Q38CA1
E	-32	HIS	-	expression tag	UNP Q38CA1
E	-31	HIS	-	expression tag	UNP Q38CA1
E	-30	HIS	-	expression tag	UNP Q38CA1
E	-29	HIS	-	expression tag	UNP Q38CA1
E	-28	HIS	-	expression tag	UNP Q38CA1
E	-27	ASP	-	expression tag	UNP Q38CA1
E	-26	TYR	-	expression tag	UNP Q38CA1
E	-25	ASP	-	expression tag	UNP Q38CA1
E	-24	ILE	-	expression tag	UNP Q38CA1
E	-23	PRO	-	expression tag	UNP Q38CA1
E	-22	THR	-	expression tag	UNP Q38CA1
E	-21	THR	-	expression tag	UNP Q38CA1
E	-20	GLU	-	expression tag	UNP Q38CA1
E	-19	ASN	-	expression tag	UNP Q38CA1
E	-18	LEU	-	expression tag	UNP Q38CA1
E	-17	TYR	-	expression tag	UNP Q38CA1
E	-16	PHE	-	expression tag	UNP Q38CA1
E	-15	GLN	-	expression tag	UNP Q38CA1
E	-14	GLY	-	expression tag	UNP Q38CA1
E	-13	HIS	-	expression tag	UNP Q38CA1

*Continued on next page...*



*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
E	-12	MET	-	expression tag	UNP Q38CA1
E	-11	ALA	-	expression tag	UNP Q38CA1
E	-10	SER	-	expression tag	UNP Q38CA1
E	-9	MET	-	expression tag	UNP Q38CA1
E	-8	THR	-	expression tag	UNP Q38CA1
E	-7	GLY	-	expression tag	UNP Q38CA1
E	-6	GLY	-	expression tag	UNP Q38CA1
E	-5	GLN	-	expression tag	UNP Q38CA1
E	-4	GLN	-	expression tag	UNP Q38CA1
E	-3	MET	-	expression tag	UNP Q38CA1
E	-2	GLY	-	expression tag	UNP Q38CA1
E	-1	ARG	-	expression tag	UNP Q38CA1
E	0	GLY	-	expression tag	UNP Q38CA1
E	1	SER	-	expression tag	UNP Q38CA1
E	11	VAL	PHE	engineered mutation	UNP Q38CA1
F	-37	MET	-	expression tag	UNP Q38CA1
F	-36	GLY	-	expression tag	UNP Q38CA1
F	-35	SER	-	expression tag	UNP Q38CA1
F	-34	SER	-	expression tag	UNP Q38CA1
F	-33	HIS	-	expression tag	UNP Q38CA1
F	-32	HIS	-	expression tag	UNP Q38CA1
F	-31	HIS	-	expression tag	UNP Q38CA1
F	-30	HIS	-	expression tag	UNP Q38CA1
F	-29	HIS	-	expression tag	UNP Q38CA1
F	-28	HIS	-	expression tag	UNP Q38CA1
F	-27	ASP	-	expression tag	UNP Q38CA1
F	-26	TYR	-	expression tag	UNP Q38CA1
F	-25	ASP	-	expression tag	UNP Q38CA1
F	-24	ILE	-	expression tag	UNP Q38CA1
F	-23	PRO	-	expression tag	UNP Q38CA1
F	-22	THR	-	expression tag	UNP Q38CA1
F	-21	THR	-	expression tag	UNP Q38CA1
F	-20	GLU	-	expression tag	UNP Q38CA1
F	-19	ASN	-	expression tag	UNP Q38CA1
F	-18	LEU	-	expression tag	UNP Q38CA1
F	-17	TYR	-	expression tag	UNP Q38CA1
F	-16	PHE	-	expression tag	UNP Q38CA1
F	-15	GLN	-	expression tag	UNP Q38CA1
F	-14	GLY	-	expression tag	UNP Q38CA1
F	-13	HIS	-	expression tag	UNP Q38CA1
F	-12	MET	-	expression tag	UNP Q38CA1
F	-11	ALA	-	expression tag	UNP Q38CA1

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-10	SER	-	expression tag	UNP Q38CA1
F	-9	MET	-	expression tag	UNP Q38CA1
F	-8	THR	-	expression tag	UNP Q38CA1
F	-7	GLY	-	expression tag	UNP Q38CA1
F	-6	GLY	-	expression tag	UNP Q38CA1
F	-5	GLN	-	expression tag	UNP Q38CA1
F	-4	GLN	-	expression tag	UNP Q38CA1
F	-3	MET	-	expression tag	UNP Q38CA1
F	-2	GLY	-	expression tag	UNP Q38CA1
F	-1	ARG	-	expression tag	UNP Q38CA1
F	0	GLY	-	expression tag	UNP Q38CA1
F	1	SER	-	expression tag	UNP Q38CA1
F	11	VAL	PHE	engineered mutation	UNP Q38CA1

- Molecule 2 is ({(2S)-3-(2-amino-6-oxo-1,6-dihydro-9H-purin-9-yl)-2-[(2S)-2-hydroxy-2-phosphonoethoxy]propoxy)methyl}phosphonic acid (three-letter code: 8QI) (formula: C<sub>11</sub>H<sub>19</sub>N<sub>5</sub>O<sub>10</sub>P<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 56	C 22	N 10	O 20	P 4	0	1
2	C	1	Total 28	C 11	N 5	O 10	P 2	0	0
2	B	1	Total 56	C 22	N 10	O 20	P 4	0	1
2	D	1	Total 28	C 11	N 5	O 10	P 2	0	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	E	1	Total	C	N	O	P	0	0
			28	11	5	10	2		
2	F	1	Total	C	N	O	P	0	1
			56	22	10	20	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	137	Total	O	0	0
			137	137		
3	C	116	Total	O	0	0
			116	116		
3	B	123	Total	O	0	0
			123	123		
3	D	130	Total	O	0	0
			130	130		
3	E	122	Total	O	0	0
			122	122		
3	F	110	Total	O	0	0
			110	110		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase




- Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase






- Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase









- Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase



- Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase



- Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	61.25Å 107.30Å 117.17Å 90.00° 96.76° 90.00°	Depositor
Resolution (Å)	46.40 – 2.12 46.41 – 2.12	Depositor EDS
% Data completeness (in resolution range)	96.8 (46.40-2.12) 96.8 (46.41-2.12)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.00 (at 2.12Å)	Xtriage
Refinement program	PHENIX 1.9_1692, PHENIX 1.9_1692	Depositor
R, $R_{free}$	0.221 , 0.267 0.222 , 0.267	Depositor DCC
$R_{free}$ test set	1983 reflections (2.40%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	29.0	Xtriage
Anisotropy	0.236	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 41.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	11254	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.34% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 8QI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.22	0/1824	0.40	0/2463
1	B	0.21	0/1769	0.40	0/2391
1	C	0.22	0/1730	0.38	0/2339
1	D	0.22	0/1735	0.39	0/2345
1	E	0.22	0/1740	0.39	0/2351
1	F	0.21	0/1739	0.39	0/2349
All	All	0.22	0/10537	0.39	0/14238

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1762	0	1834	12	0
1	B	1728	0	1777	20	0
1	C	1686	0	1730	15	0
1	D	1697	0	1738	9	0
1	E	1696	0	1748	17	0
1	F	1695	0	1740	20	0
2	A	56	0	0	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	56	0	0	0	0
2	C	28	0	0	1	0
2	D	28	0	0	0	0
2	E	28	0	0	0	0
2	F	56	0	0	2	0
3	A	137	0	0	2	0
3	B	123	0	0	3	0
3	C	116	0	0	2	0
3	D	130	0	0	3	0
3	E	122	0	0	3	0
3	F	110	0	0	2	0
All	All	11254	0	10567	90	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (90) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:8:LYS:HG2	1:B:9:PRO:HD3	1.57	0.86
1:F:152:THR:N	2:F:301[B]:8QI:O14	2.14	0.80
1:A:152:THR:N	2:A:301[B]:8QI:O14	2.22	0.72
1:B:181:PRO:HG2	1:E:181:PRO:HG2	1.71	0.72
1:F:152:THR:N	2:F:301[A]:8QI:O14	2.22	0.72
1:B:25:ARG:NH2	1:F:102:ASP:O	2.24	0.70
1:A:229[B]:ARG:NH1	1:E:77:GLU:OE2	2.29	0.65
1:F:211:ASP:OD1	1:F:214:ARG:NH2	2.29	0.65
1:D:61[B]:ARG:NH1	3:D:402:HOH:O	2.31	0.63
1:E:25:ARG:NH1	3:E:403:HOH:O	2.31	0.62
1:E:148:ASP:OD1	1:E:149:ILE:N	2.34	0.61
1:E:8:LYS:O	1:E:38[B]:SER:OG	2.19	0.60
1:C:82:ILE:HD13	1:C:107:ASN:HB2	1.82	0.59
1:E:208:GLU:HG2	1:E:214:ARG:CZ	2.33	0.58
1:E:179:ASP:OD1	1:E:184:ARG:NH1	2.37	0.57
1:D:229:ARG:NH2	3:D:407:HOH:O	2.37	0.56
1:A:185:VAL:HG23	1:A:186:VAL:HG13	1.88	0.56
1:C:14:ARG:NH1	3:C:402:HOH:O	2.34	0.55
1:F:68:ASN:O	3:F:401:HOH:O	2.18	0.55
1:F:223:LYS:NZ	3:F:404:HOH:O	2.36	0.55
1:C:152:THR:N	2:C:301:8QI:O14	2.32	0.55
1:D:25:ARG:NH1	3:D:409:HOH:O	2.39	0.55

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:229:ARG:NH1	3:B:408:HOH:O	2.40	0.55
1:F:15:ASP:OD2	1:F:19:ASN:HB2	2.07	0.54
1:D:133:LEU:H	1:D:133:LEU:HD23	1.74	0.53
1:C:148:ASP:OD2	1:C:149:ILE:HG22	2.09	0.53
1:E:149:ILE:HB	1:E:207:PHE:HE1	1.74	0.52
1:B:149:ILE:HB	1:B:207:PHE:HE1	1.76	0.51
1:A:148:ASP:OD1	1:A:149:ILE:N	2.43	0.51
1:F:63:THR:HA	1:F:66:LYS:HG2	1.93	0.51
1:F:148:ASP:OD2	1:F:149:ILE:HG22	2.11	0.51
1:B:130:LEU:HD13	1:F:134:ARG:HD2	1.92	0.50
1:C:132:ASN:OD1	1:C:133:LEU:N	2.44	0.50
1:F:31:GLU:HB2	1:F:223:LYS:HG2	1.93	0.50
1:E:149:ILE:HB	1:E:207:PHE:CE1	2.46	0.50
2:A:301[B]:8QI:O15	3:A:401:HOH:O	2.20	0.49
1:E:165:ARG:HG3	1:E:166:GLU:HG3	1.93	0.49
1:A:154:ARG:HH11	1:A:185:VAL:HG21	1.78	0.49
1:B:56:LYS:HG3	1:B:57:THR:HG23	1.94	0.48
1:F:152:THR:HB	1:F:185:VAL:HG22	1.94	0.47
1:A:152:THR:HB	1:A:185:VAL:HG22	1.97	0.47
1:E:112:ILE:HA	1:E:132:ASN:HB3	1.96	0.46
1:B:139:THR:N	3:B:413:HOH:O	2.48	0.46
1:D:52:ALA:O	1:D:56:LYS:HB2	2.16	0.46
1:A:7:LEU:N	3:A:414:HOH:O	2.49	0.46
1:C:149:ILE:HD11	1:C:180:LYS:HE2	1.98	0.46
1:B:152:THR:HB	1:B:185:VAL:HG22	1.97	0.45
1:C:15:ASP:OD2	1:C:19:ASN:HB2	2.16	0.45
1:C:97:VAL:HG11	1:C:109:VAL:HG21	1.97	0.45
1:B:82:ILE:HB	1:B:109:VAL:HG22	1.99	0.45
1:F:226:TYR:CD2	1:F:229:ARG:HD3	2.52	0.45
1:B:149:ILE:HB	1:B:207:PHE:CE1	2.52	0.45
1:F:208:GLU:HG2	1:F:214:ARG:CZ	2.47	0.44
1:E:229:ARG:NH1	3:E:405:HOH:O	2.35	0.44
1:F:112:ILE:HB	1:F:133:LEU:HD12	2.00	0.44
1:D:58:LEU:HD23	1:D:142:HIS:CE1	2.53	0.44
1:F:185:VAL:HG23	1:F:186:VAL:HG13	2.00	0.44
1:C:165:ARG:NH1	3:C:405:HOH:O	2.46	0.43
1:B:86:LEU:HB2	1:B:113[A]:ARG:HG2	2.00	0.43
1:F:60:HIS:HB2	1:F:140:GLY:O	2.18	0.43
1:A:60:HIS:HB3	1:A:142:HIS:CD2	2.53	0.43
1:B:185:VAL:HG23	1:B:186:VAL:HG13	1.99	0.43
1:F:15:ASP:OD1	1:F:19:ASN:N	2.49	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:52:ALA:O	1:E:56:LYS:HB2	2.19	0.43
1:B:161:GLU:HB3	1:B:165:ARG:NH1	2.34	0.42
1:A:52:ALA:O	1:A:56:LYS:HB2	2.19	0.42
1:C:147[A]:GLU:HB3	1:C:176[A]:VAL:HG12	2.02	0.42
1:E:85:VAL:HG21	1:E:147:GLU:OE2	2.20	0.42
1:B:15:ASP:OD2	1:B:19:ASN:HB2	2.20	0.42
1:B:86:LEU:HA	1:B:87:LYS:HA	1.73	0.42
1:E:152:THR:HB	1:E:185:VAL:HG22	2.01	0.42
1:C:157:LYS:HD3	1:C:188:PHE:HB2	2.02	0.42
1:C:95:ASP:OD1	1:C:98:ARG:NH2	2.53	0.41
1:F:159:LEU:O	1:F:163:ILE:HG12	2.20	0.41
1:A:184:ARG:HH21	1:A:190:PRO:HD3	1.86	0.41
1:B:113[A]:ARG:HD2	1:B:130:LEU:HD12	2.01	0.41
1:B:147:GLU:O	1:B:176:VAL:HA	2.20	0.41
1:D:165:ARG:HG3	1:D:166:GLU:HG3	2.02	0.41
1:C:160:VAL:HG13	1:C:172:LEU:HD23	2.02	0.41
1:C:60:HIS:HB2	1:C:140:GLY:O	2.21	0.41
1:A:96:MET:HB3	1:A:146[B]:MET:HE1	2.02	0.41
1:C:85:VAL:HG21	1:C:147[B]:GLU:OE1	2.21	0.41
1:B:113[B]:ARG:NH2	3:B:416:HOH:O	2.52	0.41
1:E:132:ASN:ND2	3:E:415:HOH:O	2.54	0.40
1:B:81:ILE:HB	1:B:143:VAL:HG22	2.02	0.40
1:D:86:LEU:HA	1:D:87:LYS:HA	1.87	0.40
1:A:218:HIS:HB2	1:A:220:PHE:CZ	2.57	0.40
1:D:189:LYS:HA	1:D:190:PRO:HD2	1.99	0.40
1:E:82:ILE:HG23	1:E:146:MET:HG3	2.04	0.40
1:F:96:MET:HB3	1:F:146[B]:MET:HE1	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	221/272 (81%)	215 (97%)	6 (3%)	0	100	100
1	B	214/272 (79%)	208 (97%)	6 (3%)	0	100	100
1	C	210/272 (77%)	204 (97%)	6 (3%)	0	100	100
1	D	210/272 (77%)	200 (95%)	10 (5%)	0	100	100
1	E	211/272 (78%)	206 (98%)	5 (2%)	0	100	100
1	F	211/272 (78%)	205 (97%)	6 (3%)	0	100	100
All	All	1277/1632 (78%)	1238 (97%)	39 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	199/236 (84%)	195 (98%)	4 (2%)	55	59
1	B	192/236 (81%)	186 (97%)	6 (3%)	40	42
1	C	188/236 (80%)	184 (98%)	4 (2%)	53	57
1	D	188/236 (80%)	187 (100%)	1 (0%)	88	92
1	E	189/236 (80%)	186 (98%)	3 (2%)	62	68
1	F	189/236 (80%)	188 (100%)	1 (0%)	88	92
All	All	1145/1416 (81%)	1126 (98%)	19 (2%)	65	66

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	60	HIS
1	A	132	ASN
1	A	208[A]	GLU
1	A	208[B]	GLU
1	C	20	VAL
1	C	60	HIS
1	C	114	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	184	ARG
1	B	8	LYS
1	B	60	HIS
1	B	113[A]	ARG
1	B	113[B]	ARG
1	B	202	VAL
1	B	225	GLU
1	D	60	HIS
1	E	60	HIS
1	E	85	VAL
1	E	146	MET
1	F	60	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	8QI	D	301	-	25,29,29	2.15	7 (28%)	26,43,43	1.93	6 (23%)
2	8QI	B	301[B]	-	25,29,29	2.18	7 (28%)	26,43,43	1.77	6 (23%)
2	8QI	A	301[B]	-	25,29,29	2.15	6 (24%)	26,43,43	1.86	6 (23%)
2	8QI	F	301[B]	-	25,29,29	2.13	6 (24%)	26,43,43	1.81	5 (19%)
2	8QI	C	301	-	25,29,29	2.15	6 (24%)	26,43,43	1.86	6 (23%)
2	8QI	B	301[A]	-	25,29,29	2.15	5 (20%)	26,43,43	1.78	5 (19%)
2	8QI	A	301[A]	-	25,29,29	2.15	5 (20%)	26,43,43	1.87	6 (23%)
2	8QI	E	301	-	25,29,29	2.15	5 (20%)	26,43,43	1.95	6 (23%)
2	8QI	F	301[A]	-	25,29,29	2.13	6 (24%)	26,43,43	1.78	5 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	8QI	D	301	-	-	10/16/22/22	0/2/2/2
2	8QI	B	301[B]	-	-	5/16/22/22	0/2/2/2
2	8QI	A	301[B]	-	-	7/16/22/22	0/2/2/2
2	8QI	F	301[B]	-	-	6/16/22/22	0/2/2/2
2	8QI	C	301	-	-	12/16/22/22	0/2/2/2
2	8QI	B	301[A]	-	-	10/16/22/22	0/2/2/2
2	8QI	A	301[A]	-	-	8/16/22/22	0/2/2/2
2	8QI	E	301	-	-	10/16/22/22	0/2/2/2
2	8QI	F	301[A]	-	-	9/16/22/22	0/2/2/2

All (53) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301[A]	8QI	O28-C27	6.52	1.41	1.24
2	B	301[B]	8QI	O28-C27	6.42	1.40	1.24
2	A	301[A]	8QI	O28-C27	6.41	1.40	1.24
2	F	301[A]	8QI	O28-C27	6.41	1.40	1.24
2	F	301[B]	8QI	O28-C27	6.40	1.40	1.24
2	A	301[B]	8QI	O28-C27	6.39	1.40	1.24
2	C	301	8QI	O28-C27	6.38	1.40	1.24
2	E	301	8QI	O28-C27	6.35	1.40	1.24
2	D	301	8QI	O28-C27	6.32	1.40	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301[A]	8QI	C02-N01	5.88	1.45	1.33
2	A	301[B]	8QI	C02-N01	5.87	1.45	1.33
2	E	301	8QI	C02-N01	5.85	1.45	1.33
2	D	301	8QI	C02-N01	5.82	1.45	1.33
2	B	301[A]	8QI	C02-N01	5.78	1.45	1.33
2	C	301	8QI	C02-N01	5.77	1.45	1.33
2	B	301[B]	8QI	C02-N01	5.74	1.45	1.33
2	F	301[B]	8QI	C02-N01	5.70	1.45	1.33
2	F	301[A]	8QI	C02-N01	5.70	1.45	1.33
2	D	301	8QI	P20-C19	2.60	1.86	1.80
2	F	301[A]	8QI	P20-C19	2.57	1.86	1.80
2	E	301	8QI	P20-C19	2.56	1.86	1.80
2	A	301[A]	8QI	P20-C19	2.55	1.86	1.80
2	B	301[A]	8QI	P20-C19	2.51	1.86	1.80
2	A	301[B]	8QI	P20-C19	2.49	1.86	1.80
2	F	301[B]	8QI	P13-O14	-2.47	1.50	1.54
2	B	301[B]	8QI	P20-C19	2.45	1.86	1.80
2	C	301	8QI	P20-C19	2.42	1.86	1.80
2	F	301[A]	8QI	P13-O14	-2.41	1.51	1.54
2	F	301[B]	8QI	P20-C19	2.40	1.86	1.80
2	B	301[A]	8QI	P13-O16	-2.40	1.51	1.54
2	B	301[B]	8QI	P13-O16	-2.40	1.51	1.54
2	B	301[A]	8QI	P13-O14	-2.34	1.51	1.54
2	F	301[B]	8QI	P13-O16	-2.32	1.51	1.54
2	A	301[B]	8QI	P13-O14	-2.30	1.51	1.54
2	B	301[B]	8QI	P13-O14	-2.28	1.51	1.54
2	F	301[A]	8QI	P13-O16	-2.28	1.51	1.54
2	C	301	8QI	P13-O16	-2.27	1.51	1.54
2	D	301	8QI	P13-O14	-2.20	1.51	1.54
2	B	301[B]	8QI	O09-C10	-2.20	1.39	1.43
2	E	301	8QI	P13-O14	-2.17	1.51	1.54
2	C	301	8QI	C07-N06	-2.16	1.46	1.48
2	B	301[B]	8QI	C07-N06	-2.16	1.46	1.48
2	D	301	8QI	C07-N06	-2.16	1.46	1.48
2	A	301[A]	8QI	P13-O14	-2.14	1.51	1.54
2	C	301	8QI	P13-O14	-2.11	1.51	1.54
2	E	301	8QI	P13-O16	-2.11	1.51	1.54
2	D	301	8QI	P13-O16	-2.10	1.51	1.54
2	A	301[B]	8QI	P13-O16	-2.09	1.51	1.54
2	F	301[B]	8QI	O09-C10	-2.07	1.40	1.43
2	A	301[A]	8QI	P13-O16	-2.06	1.51	1.54
2	D	301	8QI	O09-C10	-2.05	1.40	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	301[A]	8QI	O09-C10	-2.01	1.40	1.43
2	A	301[B]	8QI	C07-N06	-2.00	1.46	1.48

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301[A]	8QI	C02-N04-C05	5.24	121.34	115.36
2	D	301	8QI	C02-N04-C05	5.17	121.26	115.36
2	A	301[B]	8QI	C02-N04-C05	5.14	121.23	115.36
2	E	301	8QI	C02-N04-C05	4.99	121.06	115.36
2	F	301[B]	8QI	C02-N04-C05	4.89	120.94	115.36
2	B	301[A]	8QI	C02-N04-C05	4.88	120.93	115.36
2	C	301	8QI	C02-N04-C05	4.87	120.91	115.36
2	F	301[A]	8QI	C02-N04-C05	4.81	120.85	115.36
2	B	301[B]	8QI	C02-N04-C05	4.78	120.81	115.36
2	E	301	8QI	N04-C02-N03	-4.21	121.60	127.22
2	D	301	8QI	N04-C02-N03	-4.19	121.63	127.22
2	A	301[B]	8QI	N04-C02-N03	-4.13	121.71	127.22
2	A	301[A]	8QI	N04-C02-N03	-4.10	121.76	127.22
2	C	301	8QI	N04-C02-N03	-4.06	121.81	127.22
2	B	301[B]	8QI	N04-C02-N03	-3.63	122.38	127.22
2	F	301[B]	8QI	N04-C02-N03	-3.58	122.44	127.22
2	B	301[A]	8QI	N04-C02-N03	-3.58	122.45	127.22
2	F	301[A]	8QI	N04-C02-N03	-3.54	122.50	127.22
2	B	301[A]	8QI	C26-C27-N03	-3.25	118.99	123.43
2	E	301	8QI	C02-N03-C27	3.14	120.92	115.93
2	B	301[B]	8QI	C26-C27-N03	-3.12	119.16	123.43
2	F	301[A]	8QI	C26-C27-N03	-3.12	119.16	123.43
2	E	301	8QI	C26-C27-N03	-3.12	119.17	123.43
2	C	301	8QI	C26-C27-N03	-3.12	119.17	123.43
2	F	301[B]	8QI	C26-C27-N03	-3.08	119.22	123.43
2	C	301	8QI	C02-N03-C27	3.06	120.79	115.93
2	D	301	8QI	C02-N03-C27	3.03	120.74	115.93
2	A	301[B]	8QI	C26-C27-N03	-3.03	119.29	123.43
2	A	301[B]	8QI	C02-N03-C27	3.02	120.72	115.93
2	A	301[A]	8QI	C26-C27-N03	-2.98	119.35	123.43
2	D	301	8QI	C26-C27-N03	-2.97	119.37	123.43
2	A	301[A]	8QI	C02-N03-C27	2.95	120.61	115.93
2	E	301	8QI	C05-C26-C27	-2.94	117.99	120.80
2	D	301	8QI	C05-C26-C27	-2.88	118.05	120.80
2	B	301[B]	8QI	C02-N03-C27	2.79	120.37	115.93
2	B	301[A]	8QI	C05-C26-N25	-2.79	106.50	109.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	8QI	C05-C26-C27	-2.75	118.18	120.80
2	B	301[A]	8QI	C02-N03-C27	2.71	120.24	115.93
2	F	301[B]	8QI	C02-N03-C27	2.70	120.22	115.93
2	F	301[A]	8QI	C02-N03-C27	2.70	120.22	115.93
2	F	301[B]	8QI	C05-C26-N25	-2.52	106.77	109.40
2	A	301[B]	8QI	C05-C26-C27	-2.48	118.43	120.80
2	D	301	8QI	C05-C26-N25	-2.46	106.84	109.40
2	A	301[A]	8QI	C05-C26-C27	-2.42	118.48	120.80
2	B	301[B]	8QI	C05-C26-N25	-2.41	106.88	109.40
2	C	301	8QI	C05-C26-N25	-2.40	106.89	109.40
2	F	301[A]	8QI	C05-C26-N25	-2.39	106.91	109.40
2	E	301	8QI	C05-C26-N25	-2.34	106.96	109.40
2	A	301[A]	8QI	C05-C26-N25	-2.26	107.04	109.40
2	A	301[B]	8QI	C05-C26-N25	-2.21	107.09	109.40
2	B	301[B]	8QI	C05-C26-C27	-2.12	118.78	120.80

There are no chirality outliers.

All (77) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301[A]	8QI	O18-C19-P20-O23
2	A	301[B]	8QI	O09-C10-C11-O12
2	A	301[B]	8QI	O18-C19-P20-O21
2	A	301[B]	8QI	O18-C19-P20-O22
2	A	301[B]	8QI	O18-C19-P20-O23
2	C	301	8QI	C11-C10-O09-C08
2	C	301	8QI	N06-C07-C08-O09
2	C	301	8QI	O12-C11-P13-O14
2	C	301	8QI	O12-C11-P13-O16
2	C	301	8QI	O18-C19-P20-O21
2	C	301	8QI	O18-C19-P20-O22
2	C	301	8QI	O18-C19-P20-O23
2	B	301[A]	8QI	O09-C10-C11-O12
2	B	301[A]	8QI	O12-C11-P13-O14
2	B	301[A]	8QI	O12-C11-P13-O16
2	B	301[A]	8QI	P20-C19-O18-C17
2	B	301[A]	8QI	O18-C19-P20-O22
2	B	301[A]	8QI	O18-C19-P20-O23
2	B	301[B]	8QI	N06-C07-C08-C17
2	B	301[B]	8QI	O18-C19-P20-O21
2	B	301[B]	8QI	O18-C19-P20-O22
2	B	301[B]	8QI	O18-C19-P20-O23

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	D	301	8QI	O12-C11-P13-O16
2	D	301	8QI	O18-C19-P20-O22
2	D	301	8QI	O18-C19-P20-O23
2	E	301	8QI	O12-C11-P13-O14
2	E	301	8QI	O12-C11-P13-O15
2	E	301	8QI	O12-C11-P13-O16
2	E	301	8QI	O18-C19-P20-O22
2	E	301	8QI	O18-C19-P20-O23
2	F	301[A]	8QI	N06-C07-C08-C17
2	F	301[A]	8QI	N06-C07-C08-O09
2	F	301[A]	8QI	O18-C19-P20-O21
2	F	301[A]	8QI	O18-C19-P20-O22
2	F	301[A]	8QI	O18-C19-P20-O23
2	F	301[B]	8QI	P20-C19-O18-C17
2	F	301[B]	8QI	C08-C17-O18-C19
2	F	301[B]	8QI	C07-C08-C17-O18
2	B	301[A]	8QI	C11-C10-O09-C08
2	D	301	8QI	C11-C10-O09-C08
2	C	301	8QI	C08-C17-O18-C19
2	F	301[A]	8QI	C08-C17-O18-C19
2	A	301[A]	8QI	C07-C08-C17-O18
2	A	301[A]	8QI	O09-C08-C17-O18
2	C	301	8QI	O09-C08-C17-O18
2	E	301	8QI	O09-C08-C17-O18
2	F	301[B]	8QI	O09-C08-C17-O18
2	D	301	8QI	O09-C10-C11-O12
2	A	301[A]	8QI	C08-C17-O18-C19
2	A	301[A]	8QI	O18-C19-P20-O21
2	B	301[A]	8QI	O18-C19-P20-O21
2	D	301	8QI	P20-C19-O18-C17
2	D	301	8QI	O18-C19-P20-O21
2	E	301	8QI	O18-C19-P20-O21
2	F	301[A]	8QI	P20-C19-O18-C17
2	C	301	8QI	C07-C08-C17-O18
2	D	301	8QI	C07-C08-C17-O18
2	E	301	8QI	C07-C08-C17-O18
2	F	301[A]	8QI	C07-C08-C17-O18
2	A	301[A]	8QI	N06-C07-C08-C17
2	F	301[B]	8QI	N06-C07-C08-C17
2	C	301	8QI	O12-C11-P13-O15
2	B	301[A]	8QI	N06-C07-C08-O09
2	B	301[B]	8QI	N06-C07-C08-O09

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	D	301	8QI	O12-C11-P13-O15
2	F	301[B]	8QI	N06-C07-C08-O09
2	F	301[A]	8QI	O09-C08-C17-O18
2	D	301	8QI	O09-C08-C17-O18
2	A	301[B]	8QI	C11-C10-O09-C08
2	B	301[A]	8QI	C08-C17-O18-C19
2	A	301[B]	8QI	C08-C17-O18-C19
2	A	301[A]	8QI	O18-C19-P20-O22
2	C	301	8QI	O09-C10-C11-O12
2	E	301	8QI	C11-C10-O09-C08
2	A	301[A]	8QI	P20-C19-O18-C17
2	A	301[B]	8QI	P20-C19-O18-C17
2	E	301	8QI	P20-C19-O18-C17


There are no ring outliers.

4 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301[B]	8QI	2	0
2	F	301[B]	8QI	1	0
2	C	301	8QI	1	0
2	F	301[A]	8QI	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


## Ligand 8QI D 301




Bond lengths



Bond angles




Torsions




Rings


## Ligand 8QI B 301 (B)




Bond lengths



Bond angles




Torsions




Rings


## Ligand 8QI A 301 (B)




## Ligand 8QI F 301 (B)




Bond lengths




Bond angles




Torsions





Rings














## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	215/272 (79%)	0.91	21 (9%) <b>7</b> <b>9</b>	20, 30, 53, 94	0
1	B	215/272 (79%)	1.03	25 (11%) <b>4</b> <b>6</b>	22, 34, 58, 75	0
1	C	210/272 (77%)	0.99	27 (12%) <b>3</b> <b>4</b>	18, 35, 52, 66	0
1	D	212/272 (77%)	0.88	23 (10%) <b>5</b> <b>7</b>	21, 35, 61, 80	0
1	E	211/272 (77%)	0.77	14 (6%) <b>18</b> <b>22</b>	22, 34, 54, 78	0
1	F	211/272 (77%)	0.87	23 (10%) <b>5</b> <b>7</b>	21, 37, 58, 72	0
All	All	1274/1632 (78%)	0.91	133 (10%) <b>6</b> <b>8</b>	18, 34, 56, 94	0

All (133) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	116	SER	8.0
1	D	69	SER	6.9
1	B	69	SER	6.3
1	D	67	GLY	5.8
1	B	127	VAL	5.7
1	E	234	LEU	5.6
1	C	185	VAL	5.5
1	F	66	LYS	5.5
1	B	67	GLY	5.4
1	B	159	LEU	5.3
1	E	115	THR	5.3
1	D	16	ALA	5.3
1	F	114	ILE	5.2
1	A	7	LEU	5.0
1	D	65	ASN	4.8
1	E	158	LEU	4.7
1	F	67	GLY	4.6
1	D	66	LYS	4.5
1	A	185	VAL	4.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	130	LEU	4.4
1	A	234	LEU	4.3
1	B	234	LEU	4.2
1	D	70	ALA	4.2
1	F	69	SER	4.2
1	A	114	ILE	4.1
1	B	227	ALA	4.1
1	B	70	ALA	4.0
1	C	132	ASN	3.9
1	B	16	ALA	3.8
1	D	132	ASN	3.8
1	A	16	ALA	3.8
1	C	23	ASP	3.8
1	B	18	GLY	3.6
1	C	16	ALA	3.6
1	C	8	LYS	3.6
1	F	17	ASP	3.6
1	A	115	THR	3.6
1	C	187	ASP	3.6
1	C	24	GLY	3.5
1	C	114	ILE	3.4
1	D	71	LEU	3.4
1	D	8	LYS	3.4
1	F	16	ALA	3.3
1	C	199	THR	3.3
1	C	9	PRO	3.2
1	D	57	THR	3.2
1	F	187	ASP	3.1
1	D	160	VAL	3.1
1	F	224	PRO	3.1
1	D	72	ALA	3.1
1	E	55	TYR	3.0
1	B	128	GLN	3.0
1	B	233	LYS	3.0
1	A	158	LEU	2.9
1	D	17	ASP	2.9
1	D	234	LEU	2.8
1	B	40	ILE	2.8
1	C	66	LYS	2.8
1	F	133	LEU	2.8
1	F	185	VAL	2.8
1	F	165	ARG	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	18	GLY	2.7
1	C	20	VAL	2.7
1	C	38	SER	2.7
1	F	158	LEU	2.7
1	D	73	PRO	2.7
1	E	71	LEU	2.7
1	B	205	TYR	2.6
1	C	11	VAL	2.6
1	A	25[A]	ARG	2.6
1	C	234	LEU	2.6
1	E	133	LEU	2.6
1	E	17	ASP	2.6
1	B	8	LYS	2.6
1	B	129	VAL	2.6
1	A	131	ASP	2.6
1	A	187	ASP	2.6
1	A	182	GLY	2.6
1	D	9	PRO	2.6
1	B	113[A]	ARG	2.6
1	F	65	ASN	2.6
1	E	161	GLU	2.5
1	C	228	LYS	2.5
1	B	130	LEU	2.4
1	A	207	PHE	2.4
1	D	76	ASP	2.4
1	F	68	ASN	2.4
1	C	186	VAL	2.4
1	E	168	ARG	2.4
1	C	17	ASP	2.4
1	F	64	HIS	2.4
1	B	68	ASN	2.4
1	A	91	ILE	2.4
1	F	186	VAL	2.3
1	C	54	ALA	2.3
1	B	71	LEU	2.3
1	F	188	PHE	2.3
1	C	134	ARG	2.3
1	F	9	PRO	2.3
1	A	113[A]	ARG	2.3
1	F	91	ILE	2.3
1	E	16	ALA	2.2
1	E	56	LYS	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	58	LEU	2.2
1	F	234	LEU	2.2
1	F	97	VAL	2.2
1	D	225	GLU	2.2
1	E	91	ILE	2.2
1	A	154	ARG	2.2
1	A	56	LYS	2.2
1	C	158	LEU	2.2
1	B	232	SER	2.2
1	F	131	ASP	2.2
1	C	14	ARG	2.2
1	C	34	VAL	2.1
1	B	89	SER	2.1
1	B	76	ASP	2.1
1	D	204	GLY	2.1
1	F	228	LYS	2.1
1	D	130	LEU	2.1
1	D	193	VAL	2.1
1	C	99	TYR	2.1
1	B	103	CYS	2.1
1	A	159	LEU	2.1
1	C	18	GLY	2.1
1	C	231	PRO	2.0
1	C	85	VAL	2.0
1	A	183	GLY	2.0
1	B	187	ASP	2.0
1	D	224	PRO	2.0
1	B	11	VAL	2.0
1	E	154	ARG	2.0
1	A	186	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	8QI	B	301[A]	28/28	0.85	0.23	34,37,49,52	28
2	8QI	B	301[B]	28/28	0.85	0.23	35,38,44,56	28
2	8QI	A	301[A]	28/28	0.87	0.24	26,34,46,52	28
2	8QI	A	301[B]	28/28	0.87	0.24	25,33,41,44	28
2	8QI	F	301[A]	28/28	0.87	0.21	33,46,51,55	28
2	8QI	F	301[B]	28/28	0.87	0.21	33,46,52,53	28
2	8QI	C	301	28/28	0.88	0.21	26,37,74,104	28
2	8QI	D	301	28/28	0.90	0.19	27,41,80,115	0
2	8QI	E	301	28/28	0.91	0.19	25,40,74,92	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around 8QI B 301 (A):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 8QI B 301 (B):**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 8QI A 301 (A):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 8QI A 301 (B):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 8QI F 301 (A):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around 8QI F 301 (B):**



$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around 8QI C 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around 8QI D 301:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around 8QI E 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.