



# Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 02:39 am BST

PDB ID : 3SN2  
Title : Crystal structure analysis of iron regulatory protein 1 in complex with transferrin receptor IRE B RNA  
Authors : Volz, K.; Selezneva, A.I.; Walden, W.E.  
Deposited on : 2011-06-28  
Resolution : 2.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)
RNA backbone	3102	1173 (3.30-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	908	
2	B	29	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 14323 atoms, of which 6934 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytoplasmic aconitate hydratase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	848	Total	C	H	N	O	S	0	0	0
			13259	4241	6627	1138	1229	24			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	EXPRESSION TAG	UNP Q01059
A	-17	GLY	-	EXPRESSION TAG	UNP Q01059
A	-16	HIS	-	EXPRESSION TAG	UNP Q01059
A	-15	HIS	-	EXPRESSION TAG	UNP Q01059
A	-14	HIS	-	EXPRESSION TAG	UNP Q01059
A	-13	HIS	-	EXPRESSION TAG	UNP Q01059
A	-12	HIS	-	EXPRESSION TAG	UNP Q01059
A	-11	HIS	-	EXPRESSION TAG	UNP Q01059
A	-10	ALA	-	EXPRESSION TAG	UNP Q01059
A	-9	ASP	-	EXPRESSION TAG	UNP Q01059
A	-8	ASP	-	EXPRESSION TAG	UNP Q01059
A	-7	ASP	-	EXPRESSION TAG	UNP Q01059
A	-6	ASP	-	EXPRESSION TAG	UNP Q01059
A	-5	LYS	-	EXPRESSION TAG	UNP Q01059
A	-4	ASP	-	EXPRESSION TAG	UNP Q01059
A	-3	GLY	-	EXPRESSION TAG	UNP Q01059
A	-2	VAL	-	EXPRESSION TAG	UNP Q01059
A	-1	ASP	-	EXPRESSION TAG	UNP Q01059
A	0	LYS	-	EXPRESSION TAG	UNP Q01059
A	1	LEU	-	EXPRESSION TAG	UNP Q01059
A	283	PRO	LEU	SEE REMARK 999	UNP Q01059
A	437	SER	CYS	ENGINEERED MUTATION	UNP Q01059
A	503	SER	CYS	ENGINEERED MUTATION	UNP Q01059
A	874	PHE	LEU	SEE REMARK 999	UNP Q01059

- Molecule 2 is a RNA chain called transferrin receptor iron regulatory element B RNA.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	29	Total	C	H	N	O	P	0	0	0
			918	275	307	107	201	28			


- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	131	Total	O	0	0
			131	131		
3	B	15	Total	O	0	0
			15	15		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cytoplasmic aconitate hydratase





● Molecule 2: transferrin receptor iron regulatory element B RNA



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	101.67Å 101.67Å 281.35Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	32.64 – 2.99 32.64 – 2.99	Depositor EDS
% Data completeness (in resolution range)	99.6 (32.64-2.99) 99.8 (32.64-2.99)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.1_357)	Depositor
R, $R_{free}$	0.227 , 0.275 0.221 , 0.271	Depositor DCC
$R_{free}$ test set	2000 reflections (6.51%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	99.5	Xtriage
Anisotropy	0.493	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.40 , 92.6	EDS
L-test for twinning <sup>1</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	14323	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	130.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.41% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.29	0/6785	0.46	0/9210
2	B	0.31	0/682	0.76	0/1060
All	All	0.29	0/7467	0.50	0/10270

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6632	6627	6643	196	0
2	B	611	307	313	4	0
3	A	131	0	0	1	0
3	B	15	0	0	0	0
All	All	7389	6934	6956	200	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (200) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:VAL:HG21	1:A:320:LEU:HD11	1.69	0.72

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:396:LYS:HA	1:A:403:GLN:HB3	1.71	0.72
1:A:605:ILE:HB	1:A:606:PRO:HD3	1.72	0.70
1:A:744:LEU:HB2	1:A:745:PRO:HD3	1.73	0.70
1:A:252:HIS:ND1	1:A:253:PRO:HD2	2.07	0.69
1:A:210:MET:HG3	1:A:298:ASN:HB2	1.74	0.69
1:A:300:CYS:HA	1:A:303:TYR:CZ	2.29	0.68
1:A:528:ALA:HB3	1:A:546:THR:HA	1.77	0.67
1:A:514:PRO:HB2	1:A:517:VAL:HG23	1.76	0.66
1:A:450:GLY:HA3	1:A:487:VAL:HG11	1.79	0.65
1:A:404:VAL:HG23	1:A:409:HIS:CD2	2.32	0.64
1:A:124:ILE:HG21	1:A:172:PRO:HG3	1.81	0.63
1:A:299:MET:C	1:A:301:PRO:HD2	2.18	0.63
1:A:202:VAL:HG11	1:A:235:ILE:CD1	2.30	0.61
2:B:13:G:C6	2:B:14:C:N4	2.69	0.60
1:A:543:HIS:CG	1:A:544:PRO:HD2	2.37	0.60
1:A:703:PRO:HA	1:A:706:PHE:CD2	2.37	0.60
1:A:742:ILE:HG12	1:A:749:THR:HG22	1.84	0.59
1:A:647:PRO:O	1:A:649:PHE:N	2.35	0.59
1:A:819:LEU:HD11	1:A:860:GLN:HB2	1.83	0.59
1:A:721:ARG:HG2	1:A:753:PHE:CE2	2.39	0.58
1:A:430:VAL:HG11	1:A:513:LEU:HD22	1.85	0.57
1:A:415:PHE:CE2	1:A:422:PHE:HB2	2.39	0.57
1:A:515:GLU:HB2	1:A:516:PRO:HD3	1.86	0.57
1:A:91:VAL:HB	1:A:92:PRO:HD3	1.87	0.57
1:A:721:ARG:HG2	1:A:753:PHE:CZ	2.40	0.57
1:A:122:LEU:HB2	1:A:169:ILE:HG13	1.85	0.57
1:A:782:TRP:CE3	1:A:785:LYS:HB3	2.40	0.56
1:A:189:VAL:HB	1:A:333:ILE:HG12	1.86	0.56
1:A:449:ALA:HB2	1:A:554:PRO:HB2	1.89	0.55
1:A:827:LEU:HB2	1:A:829:LEU:CD1	2.37	0.55
1:A:464:LYS:HD2	1:A:464:LYS:H	1.71	0.55
1:A:212:ASP:HA	1:A:216:VAL:O	2.07	0.55
1:A:471:LEU:HB3	1:A:497:ASP:O	2.07	0.55
1:A:27:LEU:O	1:A:28:ASP:HB2	2.08	0.54
1:A:396:LYS:HG3	1:A:403:GLN:HB3	1.88	0.54
1:A:424:LEU:CD1	1:A:428:SER:HB2	2.38	0.54
1:A:10:GLU:C	1:A:20:LYS:HG2	2.28	0.54
1:A:254:LEU:HB2	1:A:368:PRO:HG2	1.90	0.54
1:A:69:THR:HA	1:A:72:MET:HG3	1.89	0.54
1:A:242:VAL:HG22	1:A:277:PHE:HB2	1.91	0.53
1:A:434:ILE:HD11	1:A:558:ILE:HG13	1.90	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:323:THR:OG1	1:A:325:ARG:HG2	2.08	0.53
1:A:393:LEU:HD22	1:A:404:VAL:HG21	1.90	0.53
1:A:415:PHE:HE1	1:A:517:VAL:HG22	1.74	0.52
1:A:442:ASN:HB3	1:A:443:PRO:HD3	1.90	0.52
1:A:844:THR:H	1:A:847:MET:HE3	1.75	0.52
1:A:257:SER:O	1:A:261:VAL:HG23	2.10	0.52
1:A:8:LEU:HD11	1:A:27:LEU:HD13	1.92	0.52
1:A:578:ASN:HB3	1:A:580:LYS:HG2	1.91	0.52
1:A:712:ARG:HD2	1:A:718:ILE:CD1	2.40	0.52
1:A:82:ARG:HD2	3:A:1004:HOH:O	2.10	0.51
2:B:11:A:C2	2:B:12:A:C4	2.98	0.51
1:A:424:LEU:HG	1:A:526:LEU:CD1	2.40	0.51
1:A:281:PHE:CD2	1:A:355:PHE:CE2	2.98	0.51
1:A:433:ALA:HB3	1:A:532:LEU:HD22	1.92	0.51
1:A:772:LYS:HA	1:A:799:SER:HB3	1.93	0.51
1:A:656:LEU:HD11	1:A:875:HIS:HB3	1.92	0.50
1:A:404:VAL:O	1:A:405:ALA:C	2.49	0.50
1:A:513:LEU:HD21	1:A:543:HIS:CD2	2.46	0.50
1:A:153:ARG:HG2	1:A:643:ILE:HD11	1.92	0.50
1:A:865:PHE:CZ	1:A:874:PHE:CD1	3.00	0.50
1:A:176:ILE:CG2	1:A:612:VAL:HG22	2.41	0.50
1:A:578:ASN:C	1:A:580:LYS:H	2.15	0.50
1:A:198:PRO:HG3	1:A:342:MET:CE	2.42	0.49
1:A:300:CYS:HA	1:A:303:TYR:CE2	2.47	0.49
1:A:177:ILE:H	1:A:177:ILE:HD12	1.77	0.49
1:A:281:PHE:CE2	1:A:355:PHE:CE2	3.01	0.49
1:A:431:ILE:HG12	1:A:468:LYS:HB3	1.93	0.49
1:A:246:ARG:HB2	1:A:281:PHE:CZ	2.47	0.49
1:A:273:VAL:O	1:A:276:LYS:HG2	2.12	0.49
1:A:322:GLN:HG3	1:A:601:ARG:HG2	1.94	0.49
1:A:647:PRO:HD3	1:A:716:ASP:OD1	2.12	0.48
1:A:415:PHE:CD2	1:A:415:PHE:N	2.80	0.48
1:A:84:ILE:HD13	1:A:182:LEU:HD22	1.95	0.48
1:A:15:ALA:O	1:A:17:PRO:HD3	2.14	0.48
1:A:527:VAL:O	1:A:527:VAL:HG13	2.12	0.48
1:A:665:ALA:HB2	1:A:765:PRO:HB2	1.94	0.48
1:A:100:MET:HE1	1:A:883:MET:HB3	1.95	0.48
1:A:442:ASN:N	1:A:443:PRO:CD	2.77	0.48
1:A:385:MET:HG3	1:A:560:TYR:OH	2.13	0.48
1:A:174:SER:C	1:A:176:ILE:H	2.17	0.48
1:A:527:VAL:HG23	1:A:547:ARG:HB2	1.96	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:759:TYR:CD2	1:A:766:LEU:HD21	2.50	0.47
1:A:37:PHE:O	1:A:40:ARG:HB2	2.14	0.47
1:A:81:ALA:O	1:A:119:PRO:HD2	2.15	0.47
1:A:176:ILE:CG1	1:A:181:ASN:HD21	2.28	0.47
1:A:424:LEU:HD12	1:A:425:SER:N	2.29	0.47
1:A:827:LEU:HB2	1:A:829:LEU:HD11	1.96	0.47
1:A:568:ILE:HG13	1:A:573:GLU:HB2	1.97	0.47
1:A:533:SER:HB2	1:A:557:VAL:HG21	1.96	0.46
1:A:745:PRO:O	1:A:746:SER:CB	2.62	0.46
1:A:300:CYS:N	1:A:301:PRO:CD	2.79	0.46
1:A:572:LYS:HG3	1:A:573:GLU:H	1.81	0.46
1:A:727:ILE:HA	1:A:739:PRO:HG3	1.97	0.46
1:A:396:LYS:O	1:A:397:GLN:C	2.54	0.46
1:A:560:TYR:CE2	1:A:570:PHE:CE1	3.03	0.46
1:A:835:TYR:CE2	1:A:853:LEU:HD21	2.50	0.46
1:A:69:THR:HB	1:A:74:ILE:HD11	1.97	0.46
1:A:480:TYR:CD2	1:A:608:MET:HG3	2.51	0.46
1:A:85:LEU:HD13	1:A:90:GLY:HA2	1.96	0.46
1:A:554:PRO:N	1:A:555:PRO:CD	2.79	0.46
1:A:709:TYR:CE1	1:A:722:GLY:HA3	2.49	0.46
1:A:396:LYS:CG	1:A:403:GLN:HB3	2.46	0.46
1:A:177:ILE:HD12	1:A:177:ILE:N	2.31	0.46
1:A:250:LYS:HG2	1:A:251:PRO:HD2	1.97	0.46
1:A:336:TYR:CZ	1:A:340:VAL:HG11	2.50	0.46
1:A:863:ILE:O	1:A:863:ILE:HG23	2.16	0.46
1:A:768:VAL:HG21	1:A:792:ILE:HD13	1.98	0.45
1:A:207:HIS:O	1:A:208:THR:C	2.53	0.45
1:A:389:PHE:CE2	1:A:427:GLY:HA3	2.51	0.45
1:A:415:PHE:HD2	1:A:415:PHE:N	2.13	0.45
1:A:461:LEU:HD21	1:A:584:VAL:CG1	2.46	0.45
1:A:592:THR:OG1	1:A:595:GLU:HG3	2.17	0.45
1:A:210:MET:HG2	1:A:294:ALA:HB1	1.98	0.45
1:A:539:GLU:HG3	1:A:540:GLY:N	2.32	0.45
1:A:176:ILE:HG22	1:A:612:VAL:HG22	1.98	0.45
1:A:529:VAL:HG11	1:A:566:ILE:HG21	1.98	0.45
1:A:863:ILE:O	1:A:863:ILE:CG2	2.63	0.45
1:A:519:GLU:O	1:A:520:ALA:C	2.55	0.45
1:A:746:SER:OG	1:A:748:GLU:HB2	2.17	0.45
1:A:119:PRO:HG2	1:A:190:PHE:CE2	2.52	0.45
1:A:239:LEU:HD12	1:A:240:PRO:HD2	1.99	0.44
1:A:638:PRO:C	1:A:640:SER:H	2.21	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:759:TYR:HB3	1:A:766:LEU:HD11	1.98	0.44
1:A:659:PRO:HB3	1:A:839:ILE:CG2	2.47	0.44
1:A:268:LEU:HD13	1:A:303:TYR:CE1	2.52	0.44
1:A:636:TRP:CE2	1:A:645:SER:HB2	2.53	0.44
1:A:646:PRO:HB2	1:A:648:PHE:CD1	2.53	0.44
1:A:569:ASP:HB3	1:A:572:LYS:HG2	2.00	0.44
1:A:716:ASP:HA	1:A:782:TRP:CH2	2.53	0.44
1:A:248:MET:O	1:A:362:ASP:HA	2.17	0.44
1:A:314:GLU:HG3	1:A:318:LYS:HE2	2.00	0.44
1:A:531:VAL:HG12	1:A:557:VAL:HG13	1.99	0.44
1:A:576:GLY:O	1:A:584:VAL:HG12	2.18	0.43
2:B:5:U:H2'	2:B:6:A:O4'	2.18	0.43
1:A:81:ALA:O	1:A:118:CYS:HB2	2.18	0.43
1:A:406:PRO:HA	1:A:409:HIS:CD2	2.53	0.43
2:B:12:A:O2'	2:B:13:G:H5'	2.19	0.43
1:A:15:ALA:O	1:A:17:PRO:CD	2.66	0.43
1:A:300:CYS:N	1:A:301:PRO:HD2	2.33	0.43
1:A:835:TYR:CE2	1:A:853:LEU:CD2	3.01	0.43
1:A:558:ILE:O	1:A:562:ILE:HG13	2.19	0.43
1:A:723:THR:HG22	1:A:724:PHE:CD2	2.54	0.43
1:A:202:VAL:HG11	1:A:235:ILE:HD12	2.01	0.42
1:A:803:ILE:HG22	1:A:807:ASN:OD1	2.19	0.42
1:A:66:TRP:O	1:A:68:VAL:N	2.52	0.42
1:A:759:TYR:CG	1:A:766:LEU:HD21	2.54	0.42
1:A:201:LEU:HD23	1:A:218:GLY:HA3	2.00	0.42
1:A:776:SER:HA	1:A:801:GLU:HG3	2.02	0.42
1:A:199:ASP:HB3	1:A:216:VAL:HG22	2.01	0.42
1:A:23:ASN:OD1	1:A:25:ASN:HB2	2.19	0.42
1:A:43:LEU:O	1:A:44:GLU:C	2.58	0.42
1:A:415:PHE:CE1	1:A:517:VAL:HG22	2.52	0.42
1:A:602:GLN:O	1:A:606:PRO:HG2	2.20	0.42
1:A:254:LEU:HB2	1:A:368:PRO:CG	2.50	0.42
1:A:416:ILE:HA	1:A:420:SER:O	2.19	0.42
1:A:165:ARG:O	1:A:166:ASN:HB2	2.20	0.42
1:A:843:LEU:HD11	1:A:863:ILE:HG21	2.01	0.42
1:A:527:VAL:O	1:A:527:VAL:CG1	2.67	0.41
1:A:660:LYS:H	1:A:660:LYS:CD	2.33	0.41
1:A:168:ARG:HG2	1:A:169:ILE:N	2.35	0.41
1:A:403:GLN:O	1:A:403:GLN:CG	2.69	0.41
1:A:471:LEU:CD2	1:A:491:LEU:HD13	2.50	0.41
1:A:577:THR:HG23	1:A:581:GLY:O	2.20	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:578:ASN:HB3	1:A:580:LYS:H	1.85	0.41
1:A:679:HIS:CD2	1:A:726:ASN:ND2	2.88	0.41
1:A:727:ILE:HA	1:A:739:PRO:CG	2.50	0.41
1:A:713:ARG:HD2	1:A:781:ASP:OD1	2.20	0.41
1:A:183:GLU:O	1:A:186:ALA:HB3	2.21	0.41
1:A:464:LYS:HB3	1:A:464:LYS:HE3	1.83	0.41
1:A:445:VAL:CG1	1:A:554:PRO:HD2	2.51	0.41
1:A:340:VAL:CG1	1:A:342:MET:HE2	2.50	0.41
1:A:555:PRO:HB2	1:A:590:TRP:CH2	2.54	0.41
1:A:174:SER:HB2	1:A:176:ILE:CG1	2.50	0.41
1:A:600:GLU:HA	1:A:604:VAL:CG2	2.51	0.41
1:A:772:LYS:O	1:A:773:GLU:C	2.59	0.41
1:A:198:PRO:CG	1:A:342:MET:HE1	2.50	0.41
1:A:3:ASN:C	1:A:3:ASN:OD1	2.59	0.41
1:A:424:LEU:HG	1:A:526:LEU:HD13	2.02	0.41
1:A:753:PHE:O	1:A:757:GLU:HB2	2.20	0.41
1:A:102:ASP:OD2	1:A:633:LEU:HD11	2.21	0.41
1:A:246:ARG:HB2	1:A:281:PHE:CE1	2.56	0.41
1:A:496:PHE:CE1	1:A:558:ILE:HG12	2.56	0.41
1:A:723:THR:O	1:A:724:PHE:HB2	2.21	0.41
1:A:560:TYR:CE2	1:A:570:PHE:CZ	3.08	0.41
1:A:835:TYR:CD2	1:A:853:LEU:CD2	3.04	0.41
1:A:117:ILE:HG13	1:A:232:GLY:HA3	2.02	0.41
1:A:202:VAL:HG11	1:A:235:ILE:HD11	2.02	0.41
1:A:464:LYS:CD	1:A:464:LYS:H	2.33	0.41
1:A:488:MET:HB2	1:A:489:PRO:HD3	2.02	0.41
1:A:595:GLU:O	1:A:598:ALA:HB3	2.21	0.41
1:A:295:THR:HG23	1:A:440:THR:OG1	2.20	0.41
1:A:396:LYS:HG3	1:A:403:GLN:CB	2.50	0.41
1:A:550:TYR:HE1	1:A:566:ILE:CD1	2.34	0.40
1:A:101:ARG:HG2	1:A:114:ILE:HB	2.02	0.40
1:A:373:PRO:HB3	1:A:550:TYR:CZ	2.56	0.40
1:A:411:ASP:O	1:A:412:HIS:HB3	2.20	0.40
1:A:415:PHE:HE2	1:A:422:PHE:HB2	1.84	0.40
1:A:667:VAL:CG2	1:A:835:TYR:CE1	3.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	840/908 (92%)	733 (87%)	93 (11%)	14 (2%)	9	39

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	28	ASP
1	A	648	PHE
1	A	403	GLN
1	A	578	ASN
1	A	746	SER
1	A	397	GLN
1	A	519	GLU
1	A	664	ASP
1	A	67	ASN
1	A	658	PRO
1	A	802	ARG
1	A	16	GLN
1	A	647	PRO
1	A	406	PRO

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	723/772 (94%)	676 (94%)	47 (6%)	17	50

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	A	20	LYS
1	A	21	PHE
1	A	58	GLU
1	A	67	ASN
1	A	125	ASP
1	A	150	ASN
1	A	151	ARG
1	A	176	ILE
1	A	181	ASN
1	A	197	TYR
1	A	237	MET
1	A	247	LEU
1	A	258	THR
1	A	306	THR
1	A	364	LYS
1	A	377	GLN
1	A	380	VAL
1	A	396	LYS
1	A	402	PHE
1	A	407	ASP
1	A	415	PHE
1	A	431	ILE
1	A	447	LEU
1	A	464	LYS
1	A	487	VAL
1	A	492	SER
1	A	513	LEU
1	A	539	GLU
1	A	577	THR
1	A	578	ASN
1	A	619	VAL
1	A	633	LEU
1	A	635	LEU
1	A	653	THR
1	A	654	LEU
1	A	656	LEU
1	A	660	LYS
1	A	698	ASN
1	A	706	PHE
1	A	735	ASN
1	A	758	ARG
1	A	759	TYR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	778	SER
1	A	834	ARG
1	A	837	ILE
1	A	858	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	16	GLN
1	A	67	ASN
1	A	181	ASN
1	A	241	GLN
1	A	270	GLN
1	A	332	GLN
1	A	409	HIS
1	A	410	ASN
1	A	679	HIS
1	A	726	ASN
1	A	737	GLN
1	A	743	HIS
1	A	761	GLN
1	A	804	HIS

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	B	28/29 (96%)	6 (21%)	0

All (6) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	B	6	A
2	B	8	C
2	B	9	G
2	B	16	G
2	B	19	C
2	B	27	A

There are no RNA pucker outliers to report.



## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	848/908 (93%)	1.00	154 (18%) ⓘ ⓘ	74, 119, 158, 173	0
2	B	29/29 (100%)	0.98	4 (13%) ⓘ ⓘ	98, 115, 133, 136	0
All	All	877/937 (93%)	1.00	158 (18%) ⓘ ⓘ	74, 118, 158, 173	0

All (158) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	656	LEU	6.4
1	A	583	GLN	6.0
1	A	564	GLY	6.0
1	A	889	LYS	6.0
1	A	791	GLY	5.9
1	A	838	ILE	5.6
1	A	688	ARG	5.4
1	A	563	ALA	5.3
1	A	572	LYS	5.0
1	A	701	LEU	4.9
1	A	416	ILE	4.8
1	A	786	GLY	4.8
1	A	794	ALA	4.7
1	A	888	ALA	4.7
1	A	654	LEU	4.6
1	A	215	GLY	4.6
1	A	788	PHE	4.6
1	A	860	GLN	4.5
1	A	793	LYS	4.5
1	A	560	TYR	4.4
1	A	547	ARG	4.3
1	A	681	SER	4.0
1	A	545	ASN	4.0
1	A	784	ALA	4.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	584	VAL	3.9
1	A	394	GLY	3.9
1	A	698	ASN	3.8
1	A	734	LEU	3.8
1	A	723	THR	3.8
1	A	782	TRP	3.7
1	A	523	GLN	3.6
1	A	785	LYS	3.6
1	A	413	LYS	3.6
1	A	722	GLY	3.6
1	A	703	PRO	3.6
1	A	742	ILE	3.5
1	A	213	GLY	3.5
1	A	559	ALA	3.5
1	A	462	ASN	3.4
1	A	565	THR	3.4
1	A	106	LYS	3.4
1	A	812	GLY	3.4
1	A	585	PHE	3.3
1	A	429	VAL	3.3
1	A	811	MET	3.2
1	A	562	ILE	3.2
1	A	421	GLU	3.2
1	A	423	THR	3.2
1	A	787	PRO	3.2
1	A	426	HIS	3.2
1	A	685	ASN	3.2
1	A	349	PRO	3.2
1	A	581	GLY	3.1
1	A	424	LEU	3.1
1	A	561	ALA	3.1
1	A	147	PHE	3.1
1	A	412	HIS	3.1
1	A	310	PHE	3.1
1	A	766	LEU	3.0
1	A	710	GLY	3.0
1	A	736	LYS	3.0
1	A	684	GLY	3.0
1	A	655	ASP	2.9
1	A	536	ARG	2.9
1	A	200	SER	2.9
1	A	702	THR	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	430	VAL	2.8
1	A	216	VAL	2.8
1	A	18	GLY	2.8
1	A	396	LYS	2.8
2	B	3	A	2.8
1	A	105	LYS	2.8
1	A	783	ALA	2.8
1	A	38	SER	2.7
1	A	212	ASP	2.7
1	A	218	GLY	2.7
1	A	155	GLU	2.7
1	A	706	PHE	2.7
1	A	630	SER	2.7
1	A	256	THR	2.7
1	A	781	ASP	2.7
1	A	746	SER	2.7
1	A	635	LEU	2.7
1	A	311	PRO	2.6
1	A	521	ILE	2.6
1	A	400	LYS	2.6
1	A	747	GLY	2.6
1	A	308	THR	2.6
1	A	632	LYS	2.6
1	A	289	SER	2.6
1	A	279	GLU	2.5
1	A	700	GLY	2.5
1	A	580	LYS	2.5
1	A	291	ALA	2.5
1	A	297	ALA	2.5
1	A	697	THR	2.5
1	A	309	PHE	2.5
1	A	859	PHE	2.5
1	A	659	PRO	2.5
1	A	295	THR	2.5
1	A	555	PRO	2.4
2	B	4	U	2.4
1	A	403	GLN	2.4
1	A	347	SER	2.4
1	A	682	PRO	2.4
1	A	652	LEU	2.4
1	A	522	THR	2.4
1	A	406	PRO	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	587	ARG	2.4
1	A	214	LEU	2.4
1	A	749	THR	2.4
1	A	840	PRO	2.4
1	A	415	PHE	2.4
1	A	709	TYR	2.4
1	A	428	SER	2.3
1	A	278	VAL	2.3
1	A	557	VAL	2.3
1	A	704	ARG	2.3
1	A	257	SER	2.3
1	A	331	LYS	2.3
1	A	93	SER	2.3
1	A	758	ARG	2.3
1	A	17	PRO	2.2
1	A	292	ASP	2.2
1	A	553	SER	2.2
1	A	577	THR	2.2
1	A	198	PRO	2.2
1	A	399	PHE	2.2
1	A	391	SER	2.2
1	A	210	MET	2.2
1	A	554	PRO	2.2
1	A	705	GLU	2.2
1	A	850	GLN	2.2
1	A	699	ARG	2.2
1	A	750	LEU	2.1
1	A	789	LEU	2.1
1	A	853	LEU	2.1
1	A	764	HIS	2.1
1	A	419	ASP	2.1
1	A	556	LEU	2.1
1	A	730	LEU	2.1
1	A	211	ILE	2.1
1	A	199	ASP	2.1
2	B	24	C	2.1
1	A	255	VAL	2.1
1	A	217	LEU	2.1
1	A	280	PHE	2.1
1	A	639	LYS	2.1
1	A	857	LYS	2.1
1	A	532	LEU	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	417	TYR	2.1
1	A	767	ILE	2.1
1	A	566	ILE	2.1
1	A	407	ASP	2.0
1	A	667	VAL	2.0
1	A	806	SER	2.0
2	B	2	G	2.0
1	A	107	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.