



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 3, 2022 – 10:38 AM EDT

PDB ID : 7SQL  
Title : Crystal structure of human uridine-cytidine kinase 2 complexed with a weak small molecule inhibitor  
Authors : Mashayekh, S.; Stunkard, L.M.; Kienle, M.; Mathews, I.I.; Khosla, C.  
Deposited on : 2021-11-05  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.31.2
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.31.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div> <div>2%</div> <div> <div></div> <div>72%</div> <div>12%</div> <div>•</div> <div>15%</div> </div> </div>
1	B	250	<div> <div>3%</div> <div> <div></div> <div>70%</div> <div>14%</div> <div>•</div> <div>15%</div> </div> </div>
1	C	250	<div> <div>3%</div> <div> <div></div> <div>74%</div> <div>9%</div> <div>•</div> <div>15%</div> </div> </div>
1	D	250	<div> <div>2%</div> <div> <div></div> <div>74%</div> <div>9%</div> <div>•</div> <div>15%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	AQX	C	301[B]	-	-	-	X
6	AQX	C	301[C]	-	-	-	X
6	AQX	D	301[A]	-	-	-	X
6	AQX	D	301[B]	-	-	-	X
6	AQX	D	301[C]	-	-	-	X

## 2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 7321 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uridine-cytidine kinase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	213	Total	C	N	O	S	0	5	0
			1732	1109	290	330	3			
1	B	212	Total	C	N	O	S	0	4	0
			1725	1104	289	329	3			
1	C	212	Total	C	N	O	S	0	1	0
			1695	1084	288	320	3			
1	D	212	Total	C	N	O	S	0	0	0
			1699	1088	285	323	3			

- Molecule 2 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>4</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			10	6	4		
2	A	1	Total	C	O	0	0
			10	6	4		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula:  $C_8H_{18}O_5$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			13	8	5		
4	D	1	Total	C	O	0	0
			13	8	5		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			7	4	3		
5	C	1	Total	C	O	0	0
			7	4	3		
5	D	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is N-(4-bromophenyl)-2-{{[1-(4-fluorophenyl)-4-oxo-4,5-dihydro-1H-pyrazolo[3,4-d]pyrimidin-6-yl]sulfanyl}acetamide (three-letter code: AQX) (formula: C<sub>19</sub>H<sub>13</sub>BrFN<sub>5</sub>O<sub>2</sub>S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
			Total	Br	C	F	N	O	S		
6	C	1	58	2	38	2	10	4	2	0	1
6	D	1	87	3	57	3	15	6	3	0	1


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	51	Total	O	0	0
			51	51		
7	B	66	Total	O	0	1
			67	67		
7	C	61	Total	O	0	0
			61	61		
7	D	55	Total	O	0	0
			55	55		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Uridine-cytidine kinase 2



- Molecule 1: Uridine-cytidine kinase 2




- Molecule 1: Uridine-cytidine kinase 2



- Molecule 1: Uridine-cytidine kinase 2







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	84.09Å 93.89Å 157.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.70 – 2.40 39.67 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.0 (39.70-2.40) 99.0 (39.67-2.40)	Depositor EDS
$R_{merge}$	0.23	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.08 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, $R_{free}$	0.200 , 0.257 0.204 , 0.257	Depositor DCC
$R_{free}$ test set	2414 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	44.4	Xtriage
Anisotropy	0.026	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 56.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7321	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PGE, GOL, PG4, PEG, AQX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.68	0/1776	0.84	0/2401
1	B	0.68	0/1763	0.84	1/2384 (0.0%)
1	C	0.70	0/1725	0.83	0/2329
1	D	0.69	0/1728	0.82	0/2337
All	All	0.69	0/6992	0.83	1/9451 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	162	ARG	NE-CZ-NH2	-5.39	117.60	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1732	0	1758	18	0
1	B	1725	0	1746	17	1
1	C	1695	0	1722	13	0
1	D	1699	0	1717	9	0
2	A	20	0	28	0	0
3	A	6	0	8	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	6	0	8	0	0
3	C	6	0	8	0	0
3	D	6	0	8	0	0
4	B	13	0	18	0	0
4	D	13	0	18	0	0
5	B	7	0	10	1	0
5	C	7	0	10	0	0
5	D	7	0	10	0	0
6	C	58	0	0	1	0
6	D	87	0	0	3	0
7	A	51	0	0	4	0
7	B	67	0	0	3	0
7	C	61	0	0	1	0
7	D	55	0	0	2	0
All	All	7321	0	7069	60	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:210[B]:ARG:HB2	1:A:210[B]:ARG:HH11	1.46	0.80
1:B:162:ARG:NH2	7:B:402:HOH:O	2.17	0.77
1:B:92:GLU:OE2	7:B:401:HOH:O	2.09	0.71
6:D:301[A]:AQX:S1	7:D:407:HOH:O	2.50	0.70
6:D:301[A]:AQX:N1	6:D:301[A]:AQX:O2	2.27	0.68
1:A:210[A]:ARG:NH2	7:A:401:HOH:O	2.22	0.64
1:C:169[B]:ARG:HG3	7:C:427:HOH:O	2.00	0.61
1:A:108:GLN:NE2	1:A:123:THR:OG1	2.34	0.61
1:C:137:ILE:HG13	1:C:138:LEU:HG	1.84	0.60
1:B:157:THR:O	1:B:162:ARG:HD3	2.04	0.58
1:B:23:ILE:HB	1:B:133:LEU:HD23	1.86	0.58
1:B:34:SER:HB3	5:B:302:PEG:H22	1.85	0.57
1:A:30:ALA:H	3:A:303:GOL:H2	1.70	0.55
1:A:209:PRO:HB2	1:A:210[B]:ARG:HD3	1.88	0.55
1:A:210[A]:ARG:NE	7:A:401:HOH:O	2.36	0.54
1:D:212:ALA:HA	1:D:218:ILE:HD11	1.90	0.54
1:B:172:SER:O	1:B:174:ARG:N	2.41	0.54
1:C:53:GLN:HE21	1:C:53:GLN:HA	1.72	0.54
1:A:169:ARG:HD3	7:A:443:HOH:O	2.09	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:68:LEU:HD12	1:A:117:HIS:HB3	1.92	0.53
1:B:172:SER:O	1:B:175:GLY:N	2.42	0.52
1:D:29:THR:HG23	7:D:422:HOH:O	2.10	0.52
1:B:29[A]:THR:HG23	7:B:445:HOH:O	2.10	0.52
1:C:49:VAL:HG21	1:C:52:ARG:CA	2.42	0.50
1:A:210[B]:ARG:HH11	1:A:210[B]:ARG:CB	2.23	0.49
1:C:49:VAL:HG21	1:C:52:ARG:N	2.27	0.49
1:B:33:LYS:HA	1:B:155:VAL:HG21	1.94	0.49
1:A:174:ARG:CG	1:A:176:ARG:HG3	2.43	0.48
1:B:140:PHE:HB2	1:B:200:THR:HB	1.95	0.48
1:B:167:VAL:O	1:B:171:ILE:HB	2.13	0.48
1:D:20:PRO:HG2	1:D:101:ILE:O	2.14	0.48
1:C:70:SER:HA	1:C:73:LYS:HE2	1.97	0.47
1:A:190:LYS:HB3	1:A:191:PRO:HD3	1.95	0.47
1:D:95:LEU:HD22	1:D:99:LYS:HE2	1.96	0.47
6:D:301[B]:AQX:S1	6:D:301[B]:AQX:C14	3.03	0.47
1:B:101:ILE:HG21	1:B:132:VAL:HG21	1.96	0.47
1:C:190:LYS:HB3	1:C:191:PRO:HD3	1.97	0.46
1:A:23:ILE:HB	1:A:133:LEU:HD23	1.98	0.46
1:C:140:PHE:HB2	1:C:200:THR:HB	1.98	0.46
1:C:78:LYS:HE2	1:C:80:GLN:NE2	2.32	0.45
1:D:198:LEU:N	1:D:199:PRO:CD	2.79	0.45
1:D:103:GLU:OE1	1:D:105:LYS:NZ	2.50	0.45
1:B:209:PRO:HD2	1:B:214:ASN:ND2	2.32	0.45
1:D:61:GLN:HG2	1:D:89:PHE:CD1	2.52	0.45
1:A:111:VAL:HG12	1:A:120:LYS:HD2	1.99	0.45
1:C:218:ILE:O	1:C:222:VAL:HG13	2.17	0.44
1:D:19:GLU:HG3	1:D:102:THR:O	2.18	0.44
1:A:210[A]:ARG:CZ	7:A:401:HOH:O	2.63	0.44
1:A:159:ALA:HB3	6:C:301[B]:AQX:C5	2.49	0.43
1:B:20:PRO:HB3	1:B:129:ALA:O	2.18	0.43
1:A:30:ALA:N	3:A:303:GOL:H2	2.33	0.42
1:D:170:ASP:HA	1:D:174:ARG:HD3	2.01	0.42
1:C:53:GLN:HE21	1:C:53:GLN:CA	2.32	0.42
1:C:44:LEU:C	1:C:46:GLN:H	2.24	0.41
1:C:146:ARG:O	1:C:152:LYS:HE3	2.19	0.41
1:B:190:LYS:HB3	1:B:191:PRO:HD3	2.00	0.41
1:B:56:VAL:HA	1:B:131:VAL:O	2.21	0.41
1:A:151:MET:HG2	1:A:153:LEU:HD13	2.03	0.41
1:A:110:PRO:HB3	1:A:119:ARG:HD3	2.03	0.40
1:B:198:LEU:N	1:B:199:PRO:CD	2.84	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:103:GLU:OE2	1:B:103:GLU:OE2[2_565]	1.93	0.27

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	216/250 (86%)	213 (99%)	1 (0%)	2 (1%)	17	25
1	B	214/250 (86%)	206 (96%)	6 (3%)	2 (1%)	17	25
1	C	209/250 (84%)	202 (97%)	6 (3%)	1 (0%)	29	41
1	D	210/250 (84%)	201 (96%)	7 (3%)	2 (1%)	15	23
All	All	849/1000 (85%)	822 (97%)	20 (2%)	7 (1%)	25	29

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	173[A]	GLU
1	B	173[B]	GLU
1	C	210	ARG
1	A	210[A]	ARG
1	A	210[B]	ARG
1	D	173	GLU
1	D	210	ARG

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	195/220 (89%)	183 (94%)	12 (6%)	18	29
1	B	194/220 (88%)	185 (95%)	9 (5%)	27	43
1	C	189/220 (86%)	178 (94%)	11 (6%)	20	32
1	D	190/220 (86%)	179 (94%)	11 (6%)	20	32
All	All	768/880 (87%)	725 (94%)	43 (6%)	21	34

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	SER
1	A	48	GLU
1	A	70	SER
1	A	80	GLN
1	A	106	THR
1	A	121	GLU
1	A	142	SER
1	A	153	LEU
1	A	171	ILE
1	A	177	ASP
1	A	180	GLN
1	A	183	SER
1	B	41	VAL
1	B	51	TYR
1	B	71	GLU
1	B	95	LEU
1	B	96	LYS
1	B	146	ARG
1	B	171	ILE
1	B	176	ARG
1	B	177	ASP
1	C	19	GLU
1	C	42	GLN
1	C	48	GLU
1	C	49	VAL
1	C	53	GLN
1	C	142	SER
1	C	169[A]	ARG
1	C	169[B]	ARG
1	C	222	VAL
1	C	223	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	229	LEU
1	D	19	GLU
1	D	35	SER
1	D	42	GLN
1	D	52	ARG
1	D	73	LYS
1	D	95	LEU
1	D	142	SER
1	D	146	ARG
1	D	174	ARG
1	D	176	ARG
1	D	198	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	91	ASN
1	A	108	GLN
1	B	108	GLN
1	B	184	GLN
1	C	53	GLN
1	C	80	GLN
1	C	223	GLN
1	C	226	GLN
1	D	42	GLN
1	D	108	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.



## 5.6 Ligand geometry

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	GOL	C	303	-	5,5,5	0.20	0	5,5,5	0.45	0
6	AQX	D	301[B]	-	31,32,32	1.10	2 (6%)	36,45,45	2.01	8 (22%)
5	PEG	D	304	-	6,6,6	0.26	0	5,5,5	0.18	0
6	AQX	C	301[C]	-	31,32,32	1.08	2 (6%)	36,45,45	2.13	7 (19%)
5	PEG	C	302	-	6,6,6	0.22	0	5,5,5	0.19	0
4	PG4	D	302	-	12,12,12	0.37	0	11,11,11	0.17	0
5	PEG	B	302	-	6,6,6	0.28	0	5,5,5	0.20	0
6	AQX	D	301[C]	-	31,32,32	1.05	2 (6%)	36,45,45	2.06	7 (19%)
3	GOL	A	303	-	5,5,5	0.24	0	5,5,5	0.43	0
2	PGE	A	301	-	9,9,9	0.32	0	8,8,8	0.28	0
4	PG4	B	301	-	12,12,12	0.23	0	11,11,11	0.10	0
3	GOL	D	303	-	5,5,5	0.23	0	5,5,5	0.52	0
6	AQX	D	301[A]	-	31,32,32	1.14	2 (6%)	36,45,45	2.07	7 (19%)
3	GOL	B	303	-	5,5,5	0.15	0	5,5,5	0.35	0
2	PGE	A	302	-	9,9,9	0.24	0	8,8,8	0.08	0
6	AQX	C	301[B]	-	31,32,32	1.16	2 (6%)	36,45,45	2.04	7 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	C	303	-	-	2/4/4/4	-
6	AQX	D	301[B]	-	-	8/13/13/13	0/4/4/4
5	PEG	D	304	-	-	3/4/4/4	-
6	AQX	C	301[C]	-	-	4/13/13/13	0/4/4/4
5	PEG	C	302	-	-	3/4/4/4	-
4	PG4	D	302	-	-	3/10/10/10	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	B	302	-	-	2/4/4/4	-
6	AQX	D	301[C]	-	-	8/13/13/13	0/4/4/4
3	GOL	A	303	-	-	2/4/4/4	-
2	PGE	A	301	-	-	6/7/7/7	-
4	PG4	B	301	-	-	5/10/10/10	-
3	GOL	D	303	-	-	4/4/4/4	-
6	AQX	D	301[A]	-	-	7/13/13/13	0/4/4/4
3	GOL	B	303	-	-	1/4/4/4	-
2	PGE	A	302	-	-	2/7/7/7	-
6	AQX	C	301[B]	-	-	6/13/13/13	0/4/4/4

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	301[B]	AQX	C3-C2	-4.66	1.39	1.47
6	D	301[A]	AQX	C3-C2	-4.61	1.39	1.47
6	D	301[C]	AQX	C3-C2	-4.34	1.40	1.47
6	D	301[B]	AQX	C3-C2	-4.25	1.40	1.47
6	C	301[C]	AQX	C3-C2	-4.07	1.40	1.47
6	D	301[A]	AQX	C2-N1	-3.18	1.33	1.37
6	C	301[C]	AQX	C2-N1	-3.13	1.33	1.37
6	D	301[B]	AQX	C2-N1	-3.10	1.33	1.37
6	C	301[B]	AQX	C2-N1	-3.07	1.33	1.37
6	D	301[C]	AQX	C2-N1	-2.67	1.33	1.37

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	301[C]	AQX	C4-N2-C1	-7.22	113.52	124.31
6	D	301[A]	AQX	C4-N2-C1	-7.11	113.67	124.31
6	C	301[B]	AQX	C4-N2-C1	-7.06	113.75	124.31
6	D	301[B]	AQX	C4-N2-C1	-7.01	113.82	124.31
6	C	301[C]	AQX	C4-N2-C1	-7.01	113.83	124.31
6	D	301[A]	AQX	C3-C2-N1	5.40	120.31	114.86
6	C	301[C]	AQX	C3-C2-N1	5.29	120.20	114.86
6	D	301[B]	AQX	C3-C2-N1	5.20	120.11	114.86
6	D	301[C]	AQX	C3-C2-N1	5.18	120.09	114.86
6	C	301[B]	AQX	C3-C2-N1	5.10	120.01	114.86
6	C	301[C]	AQX	S1-C1-N2	-4.96	116.72	121.99
6	D	301[B]	AQX	C5-N3-N4	4.40	109.69	103.93

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	301[A]	AQX	C5-N3-N4	4.28	109.54	103.93
6	C	301[B]	AQX	C5-N3-N4	4.04	109.22	103.93
6	D	301[C]	AQX	C5-N3-N4	3.99	109.16	103.93
6	C	301[C]	AQX	O1-C2-N1	-3.93	116.01	120.65
6	D	301[A]	AQX	O1-C2-N1	-3.86	116.09	120.65
6	C	301[C]	AQX	C5-N3-N4	3.80	108.91	103.93
6	C	301[B]	AQX	S1-C1-N2	-3.74	118.03	121.99
6	D	301[C]	AQX	S1-C1-N2	-3.73	118.03	121.99
6	D	301[B]	AQX	O1-C2-N1	-3.73	116.24	120.65
6	D	301[B]	AQX	C5-C3-C4	3.58	107.33	103.80
6	D	301[C]	AQX	O1-C2-N1	-3.55	116.45	120.65
6	D	301[A]	AQX	S1-C1-N2	-3.48	118.30	121.99
6	C	301[B]	AQX	O1-C2-N1	-3.45	116.57	120.65
6	D	301[A]	AQX	C5-C3-C4	3.41	107.17	103.80
6	C	301[B]	AQX	C5-C3-C4	3.40	107.15	103.80
6	C	301[B]	AQX	C1-N1-C2	-3.39	117.74	122.92
6	D	301[C]	AQX	C5-C3-C4	3.34	107.10	103.80
6	D	301[B]	AQX	C1-N1-C2	-3.30	117.89	122.92
6	C	301[C]	AQX	C1-N1-C2	-3.25	117.96	122.92
6	D	301[A]	AQX	C1-N1-C2	-3.24	117.98	122.92
6	D	301[C]	AQX	C1-N1-C2	-3.19	118.05	122.92
6	C	301[C]	AQX	C5-C3-C4	2.94	106.70	103.80
6	D	301[B]	AQX	S1-C1-N2	-2.10	119.77	121.99
6	D	301[B]	AQX	N1-C1-N2	2.02	127.82	123.77

There are no chirality outliers.

All (66) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	303	GOL	O1-C1-C2-C3
3	C	303	GOL	O1-C1-C2-C3
3	D	303	GOL	O1-C1-C2-C3
3	D	303	GOL	C1-C2-C3-O3
6	C	301[B]	AQX	N1-C1-S1-C12
6	C	301[B]	AQX	N2-C1-S1-C12
6	C	301[B]	AQX	C12-C13-N5-C14
6	C	301[B]	AQX	O2-C13-N5-C14
6	C	301[C]	AQX	N1-C1-S1-C12
6	C	301[C]	AQX	N2-C1-S1-C12
6	C	301[C]	AQX	C12-C13-N5-C14
6	D	301[A]	AQX	N1-C1-S1-C12
6	D	301[A]	AQX	N2-C1-S1-C12

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
6	D	301[A]	AQX	C7-C6-N4-C4
6	D	301[A]	AQX	C12-C13-N5-C14
6	D	301[B]	AQX	N1-C1-S1-C12
6	D	301[B]	AQX	N2-C1-S1-C12
6	D	301[B]	AQX	C7-C6-N4-C4
6	D	301[B]	AQX	C11-C6-N4-C4
6	D	301[B]	AQX	C12-C13-N5-C14
6	D	301[B]	AQX	O2-C13-N5-C14
6	D	301[C]	AQX	N1-C1-S1-C12
6	D	301[C]	AQX	N2-C1-S1-C12
6	D	301[C]	AQX	C7-C6-N4-C4
6	D	301[C]	AQX	C11-C6-N4-C4
6	D	301[C]	AQX	C12-C13-N5-C14
6	D	301[C]	AQX	O2-C13-N5-C14
6	D	301[A]	AQX	O2-C13-N5-C14
6	C	301[C]	AQX	O2-C13-N5-C14
6	C	301[B]	AQX	C19-C14-N5-C13
6	C	301[B]	AQX	C15-C14-N5-C13
2	A	301	PGE	O2-C3-C4-O3
4	B	301	PG4	O1-C1-C2-O2
4	B	301	PG4	O2-C3-C4-O3
4	B	301	PG4	O3-C5-C6-O4
2	A	301	PGE	O1-C1-C2-O2
2	A	302	PGE	O1-C1-C2-O2
2	A	301	PGE	O3-C5-C6-O4
5	B	302	PEG	O2-C3-C4-O4
3	A	303	GOL	O1-C1-C2-O2
3	C	303	GOL	O1-C1-C2-O2
3	D	303	GOL	O1-C1-C2-O2
5	C	302	PEG	O2-C3-C4-O4
6	D	301[B]	AQX	S1-C12-C13-N5
3	D	303	GOL	O2-C2-C3-O3
4	B	301	PG4	C3-C4-O3-C5
2	A	301	PGE	C4-C3-O2-C2
6	D	301[A]	AQX	C11-C6-N4-C4
2	A	301	PGE	C3-C4-O3-C5
2	A	302	PGE	C6-C5-O3-C4
3	B	303	GOL	C1-C2-C3-O3
6	D	301[A]	AQX	C13-C12-S1-C1
4	B	301	PG4	C5-C6-O4-C7
4	D	302	PG4	O1-C1-C2-O2
6	D	301[B]	AQX	S1-C12-C13-O2

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
5	B	302	PEG	C4-C3-O2-C2
4	D	302	PG4	O4-C7-C8-O5
5	C	302	PEG	O1-C1-C2-O2
6	D	301[C]	AQX	C15-C14-N5-C13
4	D	302	PG4	C1-C2-O2-C3
5	D	304	PEG	C1-C2-O2-C3
5	C	302	PEG	C4-C3-O2-C2
2	A	301	PGE	C6-C5-O3-C4
5	D	304	PEG	O1-C1-C2-O2
5	D	304	PEG	O2-C3-C4-O4
6	D	301[C]	AQX	C7-C6-N4-N3


There are no ring outliers.


5 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	D	301[B]	AQX	1	0
5	B	302	PEG	1	0
3	A	303	GOL	2	0
6	D	301[A]	AQX	2	0
6	C	301[B]	AQX	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	213/250 (85%)	-0.13	5 (2%) 60 58	27, 46, 81, 110	0
1	B	212/250 (84%)	-0.11	8 (3%) 40 39	29, 43, 84, 116	0
1	C	212/250 (84%)	-0.19	8 (3%) 40 39	28, 46, 81, 124	0
1	D	212/250 (84%)	-0.03	5 (2%) 59 57	32, 50, 75, 96	0
All	All	849/1000 (84%)	-0.11	26 (3%) 49 47	27, 46, 81, 124	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	51	TYR	4.5
1	A	173	GLU	4.0
1	A	175	GLY	3.8
1	C	49	VAL	3.4
1	C	52	ARG	3.4
1	B	173[A]	GLU	3.3
1	A	174	ARG	3.1
1	A	231	GLY	2.8
1	C	17	GLY	2.8
1	A	115	VAL	2.6
1	D	122	GLU	2.5
1	D	115	VAL	2.5
1	C	48	GLU	2.5
1	B	48	GLU	2.5
1	B	78	LYS	2.5
1	C	47	ASN	2.4
1	C	228	ILE	2.4
1	D	116	SER	2.4
1	B	53	GLN	2.3
1	D	121	GLU	2.2
1	B	176	ARG	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	174	ARG	2.2
1	B	174	ARG	2.2
1	B	50	ASP	2.2
1	C	79	GLY	2.2
1	C	77	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	AQX	C	301[B]	29/29	0.71	0.45	73,93,124,126	29
6	AQX	C	301[C]	29/29	0.71	0.45	71,91,102,111	29
6	AQX	D	301[A]	29/29	0.71	0.46	50,64,81,82	29
6	AQX	D	301[B]	29/29	0.71	0.46	52,61,71,73	29
6	AQX	D	301[C]	29/29	0.71	0.46	77,92,109,114	29
5	PEG	C	302	7/7	0.78	0.25	67,68,71,71	0
3	GOL	B	303	6/6	0.80	0.19	56,66,70,74	0
5	PEG	D	304	7/7	0.83	0.22	60,65,78,79	0
2	PGE	A	301	10/10	0.86	0.14	57,63,69,70	0
5	PEG	B	302	7/7	0.87	0.25	43,53,63,69	0
2	PGE	A	302	10/10	0.87	0.22	51,64,71,71	10
3	GOL	D	303	6/6	0.88	0.35	56,58,62,67	0
4	PG4	D	302	13/13	0.89	0.22	51,61,89,96	0
4	PG4	B	301	13/13	0.90	0.15	62,65,71,76	0
3	GOL	C	303	6/6	0.94	0.28	44,48,54,55	0
3	GOL	A	303	6/6	0.95	0.25	51,54,64,68	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around AQX C 301 (B):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around AQX C 301 (C):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around AQX D 301 (A):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around AQX D 301 (B):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.5 Other polymers [i](#)

There are no such residues in this entry.