



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 20, 2022 – 01:14 PM EDT

PDB ID : 7SRV  
Title : Metal dependent activation of Plasmodium falciparum M17 aminopeptidase  
(inactive form), spacegroup P22121  
Authors : Webb, C.T.; McGowan, S.  
Deposited on : 2021-11-08  
Resolution : 2.03 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.29
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.29

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.03 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R <sub>free</sub>	130704	10434 (2.04-2.00)
Clashscore	141614	11643 (2.04-2.00)
Ramachandran outliers	138981	11493 (2.04-2.00)
Sidechain outliers	138945	11492 (2.04-2.00)
RSRZ outliers	127900	10220 (2.04-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	527	<div><div>%</div><div>93%6%.</div></div>
1	B	527	<div><div>4%</div><div>91%7%.</div></div>
1	C	527	<div><div>2%</div><div>93%6%.</div></div>
1	D	527	<div><div>2%</div><div>87%9%.</div></div>
1	E	527	<div><div>%</div><div>90%7%.</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	527	<div><div></div><div>2%</div><div>88%</div><div>7%</div><div>5%</div></div>

## 2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 25540 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called M17 leucyl aminopeptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	519	Total	C	N	O	S	0	3	0
			3964	2546	638	759	21			
1	B	518	Total	C	N	O	S	0	4	0
			3898	2506	630	743	19			
1	C	524	Total	C	N	O	S	0	3	0
			4021	2579	654	769	19			
1	D	506	Total	C	N	O	S	0	2	0
			3867	2488	623	736	20			
1	E	513	Total	C	N	O	S	0	2	0
			3944	2533	641	751	19			
1	F	502	Total	C	N	O	S	0	2	0
			3820	2456	610	736	18			

There are 54 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	152	GLN	ASN	conflict	UNP Q8IL11
A	515	GLN	ASN	conflict	UNP Q8IL11
A	546	GLN	ASN	conflict	UNP Q8IL11
A	606	HIS	-	expression tag	UNP Q8IL11
A	607	HIS	-	expression tag	UNP Q8IL11
A	608	HIS	-	expression tag	UNP Q8IL11
A	609	HIS	-	expression tag	UNP Q8IL11
A	610	HIS	-	expression tag	UNP Q8IL11
A	611	HIS	-	expression tag	UNP Q8IL11
B	152	GLN	ASN	conflict	UNP Q8IL11
B	515	GLN	ASN	conflict	UNP Q8IL11
B	546	GLN	ASN	conflict	UNP Q8IL11
B	606	HIS	-	expression tag	UNP Q8IL11
B	607	HIS	-	expression tag	UNP Q8IL11
B	608	HIS	-	expression tag	UNP Q8IL11
B	609	HIS	-	expression tag	UNP Q8IL11
B	610	HIS	-	expression tag	UNP Q8IL11

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	611	HIS	-	expression tag	UNP Q8IL11
C	152	GLN	ASN	conflict	UNP Q8IL11
C	515	GLN	ASN	conflict	UNP Q8IL11
C	546	GLN	ASN	conflict	UNP Q8IL11
C	606	HIS	-	expression tag	UNP Q8IL11
C	607	HIS	-	expression tag	UNP Q8IL11
C	608	HIS	-	expression tag	UNP Q8IL11
C	609	HIS	-	expression tag	UNP Q8IL11
C	610	HIS	-	expression tag	UNP Q8IL11
C	611	HIS	-	expression tag	UNP Q8IL11
D	152	GLN	ASN	conflict	UNP Q8IL11
D	515	GLN	ASN	conflict	UNP Q8IL11
D	546	GLN	ASN	conflict	UNP Q8IL11
D	606	HIS	-	expression tag	UNP Q8IL11
D	607	HIS	-	expression tag	UNP Q8IL11
D	608	HIS	-	expression tag	UNP Q8IL11
D	609	HIS	-	expression tag	UNP Q8IL11
D	610	HIS	-	expression tag	UNP Q8IL11
D	611	HIS	-	expression tag	UNP Q8IL11
E	152	GLN	ASN	conflict	UNP Q8IL11
E	515	GLN	ASN	conflict	UNP Q8IL11
E	546	GLN	ASN	conflict	UNP Q8IL11
E	606	HIS	-	expression tag	UNP Q8IL11
E	607	HIS	-	expression tag	UNP Q8IL11
E	608	HIS	-	expression tag	UNP Q8IL11
E	609	HIS	-	expression tag	UNP Q8IL11
E	610	HIS	-	expression tag	UNP Q8IL11
E	611	HIS	-	expression tag	UNP Q8IL11
F	152	GLN	ASN	conflict	UNP Q8IL11
F	515	GLN	ASN	conflict	UNP Q8IL11
F	546	GLN	ASN	conflict	UNP Q8IL11
F	606	HIS	-	expression tag	UNP Q8IL11
F	607	HIS	-	expression tag	UNP Q8IL11
F	608	HIS	-	expression tag	UNP Q8IL11
F	609	HIS	-	expression tag	UNP Q8IL11
F	610	HIS	-	expression tag	UNP Q8IL11
F	611	HIS	-	expression tag	UNP Q8IL11

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total 2	Zn 2	0	0
2	B	2	Total 2	Zn 2	0	0
2	C	2	Total 2	Zn 2	0	0
2	D	2	Total 2	Zn 2	0	0
2	E	2	Total 2	Zn 2	0	0
2	F	2	Total 2	Zn 2	0	0

- Molecule 3 is CARBONATE ION (three-letter code: CO3) (formula: CO<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 4	C 1	O 3	0	0
3	B	1	Total 4	C 1	O 3	0	0
3	C	1	Total 4	C 1	O 3	0	0
3	D	1	Total 4	C 1	O 3	0	0
3	E	1	Total 4	C 1	O 3	0	0
3	F	1	Total 4	C 1	O 3	0	0

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	E	1	Total C O 4 2 2	0	0
4	F	1	Total C O 4 2 2	0	0

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Ca 1 1	0	0
5	B	2	Total Ca 2 2	0	0
5	C	4	Total Ca 4 4	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	1	Total	Ca	0	0
			1	1		
5	E	3	Total	Ca	0	0
			3	3		
5	F	1	Total	Ca	0	0
			1	1		


- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	D	1	Total	C	O	0	0
			4	2	2		
6	F	1	Total	C	O	0	0
			4	2	2		


- Molecule 7 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	O	P	0	0
			5	4	1		
7	F	1	Total	O	P	0	0
			5	4	1		

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	E	1	Total	C	O	0	0
			6	3	3		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	343	Total 343	O 343	0	0
9	B	236	Total 236	O 236	0	0
9	C	370	Total 370	O 370	0	0
9	D	312	Total 312	O 312	0	0
9	E	387	Total 387	O 387	0	0
9	F	258	Total 258	O 258	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: M17 leucyl aminopeptidase




- Molecule 1: M17 leucyl aminopeptidase




- Molecule 1: M17 leucyl aminopeptidase





- Molecule 1: M17 leucyl aminopeptidase







● Molecule 1: M17 leucyl aminopeptidase



● Molecule 1: M17 leucyl aminopeptidase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	111.54Å 172.67Å 179.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.19 – 2.03 49.19 – 2.00	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.19-2.03) 100.0 (49.19-2.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.12 (at 2.00Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, $R_{free}$	0.189 , 0.219 0.188 , 0.218	Depositor DCC
$R_{free}$ test set	11547 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	36.5	Xtriage
Anisotropy	0.068	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 41.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for -h,l,k	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	25540	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.48% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, GOL, CA, CO3, PO4, EDO, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.25	0/4048	0.44	0/5497
1	B	0.25	0/3982	0.45	0/5417
1	C	0.29	1/4109 (0.0%)	0.49	2/5577 (0.0%)
1	D	0.26	0/3949	0.48	2/5358 (0.0%)
1	E	0.25	0/4028	0.46	0/5462
1	F	0.27	1/3900 (0.0%)	0.53	5/5296 (0.1%)
All	All	0.26	2/24016 (0.0%)	0.47	9/32607 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	187	VAL	CB-CG1	-5.98	1.40	1.52
1	C	155	GLU	CD-OE1	5.10	1.31	1.25

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	397	LYS	CB-CG-CD	12.00	142.81	111.60
1	F	397	LYS	CD-CE-NZ	8.21	130.58	111.70
1	F	187	VAL	CG1-CB-CG2	8.07	123.82	110.90
1	C	155	GLU	OE1-CD-OE2	-7.50	114.31	123.30
1	D	316	GLU	CB-CA-C	-7.05	96.31	110.40
1	C	154	SER	C-N-CA	-6.21	106.17	121.70
1	D	316	GLU	CA-CB-CG	5.64	125.80	113.40
1	F	187	VAL	CA-CB-CG1	5.62	119.32	110.90
1	F	396	MET	C-N-CA	-5.32	108.41	121.70

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3964	0	3861	13	0
1	B	3898	0	3737	22	0
1	C	4021	0	3910	17	0
1	D	3867	0	3784	24	0
1	E	3944	0	3846	22	0
1	F	3820	0	3682	21	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
3	A	4	0	0	0	0
3	B	4	0	0	0	0
3	C	4	0	0	0	0
3	D	4	0	0	0	0
3	E	4	0	0	0	0
3	F	4	0	0	0	0
4	A	4	0	3	0	0
4	B	4	0	3	0	0
4	C	8	0	6	0	0
4	D	8	0	6	0	0
4	E	4	0	3	1	0
4	F	4	0	3	0	0
5	A	1	0	0	0	0
5	B	2	0	0	0	0
5	C	4	0	0	0	0
5	D	1	0	0	0	0
5	E	3	0	0	0	0
5	F	1	0	0	0	0
6	A	4	0	6	0	0
6	C	12	0	18	1	0
6	D	4	0	6	0	0
6	F	4	0	6	0	0
7	B	5	0	0	1	0
7	F	5	0	0	0	0
8	E	6	0	8	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	A	343	0	0	4	0
9	B	236	0	0	5	0
9	C	370	0	0	1	0
9	D	312	0	0	2	0
9	E	387	0	0	5	0
9	F	258	0	0	6	0
All	All	25540	0	22888	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:440:ARG:NH1	1:E:431:GLU:OE2	2.19	0.70
1:D:366:LYS:HG3	1:D:420:ASN:HB3	1.75	0.69
1:E:90:GLN:NE2	1:E:95:ASP:O	2.26	0.68
1:A:205:ARG:NE	9:A:1106:HOH:O	2.28	0.67
1:D:144:ILE:HG13	1:D:157:LEU:HD22	1.78	0.66
1:D:326:LYS:NZ	9:D:1105:HOH:O	2.29	0.64
1:F:132:VAL:HG21	1:F:142:VAL:HG13	1.77	0.64
1:F:128:THR:HB	1:F:187:VAL:HG22	1.79	0.64
1:E:328:LEU:HB2	1:E:354:PHE:HB3	1.78	0.64
1:B:367:LYS:HB3	1:B:421:VAL:HG23	1.79	0.64
1:C:236:ARG:NE	1:C:240:GLU:OE2	2.22	0.64
1:E:364:ASP:O	1:E:420:ASN:HA	1.99	0.62
1:C:364:ASP:O	1:C:420:ASN:HA	1.99	0.62
1:F:236:ARG:NE	1:F:240:GLU:OE2	2.34	0.61
1:C:173:LYS:NZ	1:E:216:ASP:OD2	2.35	0.60
1:B:282:GLU:OE2	9:B:1101:HOH:O	2.15	0.60
1:E:364:ASP:OD1	9:E:1101:HOH:O	2.16	0.60
1:F:397:LYS:HB2	9:F:1199:HOH:O	2.02	0.60
1:B:515:GLN:NE2	9:B:1111:HOH:O	2.35	0.59
1:B:328:LEU:HB2	1:B:354:PHE:HB3	1.85	0.59
1:E:122:ASN:OD1	1:E:149:ASN:ND2	2.27	0.58
1:A:328:LEU:HB2	1:A:354:PHE:HB3	1.84	0.58
1:A:533:TYR:O	1:A:536:THR:HG22	2.03	0.58
1:C:328:LEU:HD23	1:C:332:GLU:HG2	1.86	0.57
1:F:213:MET:O	1:F:217:ASN:HB2	2.05	0.56
1:D:154:SER:OG	9:D:1101:HOH:O	2.18	0.56
1:C:86:SER:HB3	1:C:308:VAL:HG13	1.86	0.56

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:138:GLU:N	9:F:1110:HOH:O	2.39	0.55
1:C:328:LEU:HB2	1:C:354:PHE:HB3	1.87	0.55
1:A:322:ASN:ND2	9:A:1116:HOH:O	2.36	0.54
1:D:328:LEU:HB2	1:D:354:PHE:HB3	1.89	0.53
1:B:533:TYR:O	1:B:536[A]:THR:HG22	2.08	0.53
1:E:118:LYS:NZ	9:E:1104:HOH:O	2.40	0.53
1:D:179:ASN:HD21	1:D:183:ASN:HB2	1.74	0.53
1:E:132:VAL:HG21	1:E:142:VAL:HG13	1.91	0.52
1:F:328:LEU:HB2	1:F:354:PHE:HB3	1.91	0.52
1:C:114:VAL:HG12	1:C:274:ALA:HB1	1.93	0.51
1:C:90:GLN:HB3	1:C:95:ASP:HB2	1.92	0.50
1:A:114:VAL:HG12	1:A:274:ALA:HB1	1.93	0.50
1:E:232:LYS:NZ	1:E:279:GLU:OE2	2.32	0.50
1:F:114:VAL:HG12	1:F:274:ALA:HB1	1.94	0.50
1:D:331:LYS:O	1:D:335:GLU:HG3	2.12	0.49
1:F:348:SER:OG	1:F:431:GLU:OE1	2.29	0.49
1:E:332:GLU:OE1	9:E:1102:HOH:O	2.20	0.49
1:B:417:LYS:NZ	9:B:1116:HOH:O	2.45	0.48
1:D:367:LYS:HD3	1:D:480:TYR:CE2	2.48	0.48
1:F:397:LYS:HD3	1:F:398:PHE:CE1	2.49	0.48
1:F:236:ARG:NH1	9:F:1114:HOH:O	2.44	0.48
1:F:396:MET:HA	9:F:1171:HOH:O	2.13	0.48
1:B:176:TYR:CE1	1:B:184:SER:HB2	2.49	0.48
1:B:273:ASN:O	1:B:276:THR:OG1	2.28	0.47
1:B:435:SER:HB2	7:B:1004:PO4:O4	2.14	0.47
1:D:361:SER:OG	1:D:418:PRO:O	2.28	0.47
1:C:607:HIS:CD2	6:C:1010:EDO:H12	2.49	0.47
1:B:135:PRO:HA	1:B:194:SER:O	2.15	0.47
1:D:396:MET:HE1	1:D:583:PHE:HZ	1.80	0.47
1:D:544:ILE:HD12	1:D:564:GLU:HG3	1.97	0.46
1:E:348:SER:OG	1:E:431:GLU:OE1	2.31	0.46
1:A:364:ASP:O	1:A:420:ASN:HA	2.16	0.46
1:E:367:LYS:HD2	1:E:480:TYR:CE2	2.51	0.46
1:B:302:SER:OG	1:B:378:PHE:HB2	2.15	0.46
1:A:132:VAL:HG21	1:A:142:VAL:HG13	1.98	0.46
1:D:132:VAL:HG21	1:D:142:VAL:HG13	1.97	0.46
1:E:475:LYS:NZ	9:E:1121:HOH:O	2.45	0.45
1:B:186:ALA:O	9:B:1102:HOH:O	2.21	0.45
1:E:114:VAL:HG12	1:E:274:ALA:HB1	1.98	0.45
1:D:338:MET:HG2	1:D:468:ASP:HB3	1.99	0.45
1:C:134:ASN:OD1	1:C:137:LYS:HB2	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:152:GLN:OE1	9:E:1103:HOH:O	2.21	0.44
1:F:102:GLU:HG3	9:F:1317:HOH:O	2.17	0.44
1:B:117:ILE:HD11	1:B:146:SER:OG	2.18	0.44
1:C:533:TYR:O	1:C:536:THR:HG22	2.18	0.44
1:B:236:ARG:NE	1:B:240:GLU:OE2	2.43	0.44
1:D:318:ALA:HA	1:D:323:LEU:HB2	1.99	0.44
1:E:367:LYS:HB2	1:E:367:LYS:HE2	1.61	0.44
1:E:544:ILE:HD12	1:E:564:GLU:HG3	2.00	0.44
1:A:86:SER:N	9:A:1135:HOH:O	2.51	0.43
1:B:198:LEU:HD23	1:B:198:LEU:HA	1.85	0.43
1:A:135:PRO:HA	1:A:194:SER:O	2.18	0.43
1:B:89:PRO:HD2	1:B:350:TYR:HD1	1.82	0.43
1:B:475:LYS:NZ	9:B:1120:HOH:O	2.50	0.43
1:D:367:LYS:HD3	1:D:480:TYR:HE2	1.84	0.43
1:F:475:LYS:NZ	9:F:1128:HOH:O	2.51	0.43
1:D:431:GLU:OE2	1:F:440:ARG:NH1	2.48	0.43
1:F:254:SER:OG	1:F:255:THR:N	2.52	0.43
1:A:115:TYR:OH	9:A:1101:HOH:O	2.21	0.43
1:D:546:GLN:HG2	1:D:547:ILE:HG23	2.00	0.43
1:F:214:LEU:HD21	1:F:222:LEU:HD22	2.00	0.43
1:B:536[B]:THR:HG21	1:B:551:VAL:HG23	2.00	0.42
1:D:198:LEU:HD22	1:D:202:ASP:HB3	2.01	0.42
1:E:375:GLY:O	1:E:429:VAL:HA	2.20	0.42
1:F:156:PHE:CE2	1:F:187:VAL:CG1	3.03	0.42
1:B:544:ILE:HD12	1:B:564:GLU:HG3	2.02	0.42
1:E:548:SER:HB3	4:E:1003:ACT:H2	2.01	0.42
1:E:135:PRO:HA	1:E:194:SER:O	2.20	0.42
1:B:176:TYR:HB3	1:F:177:MET:HE1	2.02	0.42
1:F:451:LYS:NZ	1:F:564:GLU:O	2.46	0.42
1:F:375:GLY:O	1:F:429:VAL:HA	2.19	0.41
1:C:340:ALA:HA	1:C:445:ILE:HD12	2.02	0.41
1:B:142:VAL:HG22	1:B:162:MET:O	2.20	0.41
1:D:127:LEU:HD11	1:D:129:ILE:HD11	2.01	0.41
1:A:481:ILE:O	1:A:571:TRP:HA	2.21	0.41
1:C:546:GLN:HG2	1:C:547:ILE:HG23	2.02	0.41
1:A:340:ALA:HA	1:A:445:ILE:HD12	2.03	0.41
1:C:487:LEU:HD12	1:C:487:LEU:HA	1.91	0.41
1:D:114:VAL:HG12	1:D:274:ALA:HB1	2.02	0.41
1:D:533:TYR:O	1:D:536:THR:HG22	2.21	0.41
1:B:236:ARG:HD2	1:B:283:LYS:HD3	2.02	0.41
1:C:362:LYS:O	9:C:1101:HOH:O	2.22	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:340:ALA:HA	1:D:445:ILE:HD12	2.03	0.41
1:A:175:PHE:N	1:A:187:VAL:O	2.46	0.40
1:E:116:ASP:OD1	1:E:118:LYS:HE2	2.20	0.40
1:C:102:GLU:HG2	1:C:105:THR:HG22	2.03	0.40
1:D:164:LYS:HE3	1:D:164:LYS:HB2	1.77	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	519/527 (98%)	506 (98%)	13 (2%)	0	100	100
1	B	518/527 (98%)	504 (97%)	14 (3%)	0	100	100
1	C	522/527 (99%)	509 (98%)	13 (2%)	0	100	100
1	D	504/527 (96%)	492 (98%)	12 (2%)	0	100	100
1	E	507/527 (96%)	493 (97%)	14 (3%)	0	100	100
1	F	496/527 (94%)	484 (98%)	12 (2%)	0	100	100
All	All	3066/3162 (97%)	2988 (98%)	78 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	420/454 (92%)	413 (98%)	7 (2%)	60	63
1	B	402/454 (88%)	398 (99%)	4 (1%)	76	80
1	C	428/454 (94%)	422 (99%)	6 (1%)	67	70
1	D	409/454 (90%)	402 (98%)	7 (2%)	60	63
1	E	419/454 (92%)	412 (98%)	7 (2%)	60	63
1	F	399/454 (88%)	389 (98%)	10 (2%)	47	48
All	All	2477/2724 (91%)	2436 (98%)	41 (2%)	62	63

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	98	SER
1	A	288	TYR
1	A	302	SER
1	A	385	LEU
1	A	421	VAL
1	A	439	TYR
1	A	483	ASP
1	B	288	TYR
1	B	435	SER
1	B	439	TYR
1	B	567	GLN
1	C	86	SER
1	C	200	GLU
1	C	288	TYR
1	C	302	SER
1	C	385	LEU
1	C	439	TYR
1	D	145	SER
1	D	217	ASN
1	D	288	TYR
1	D	302	SER
1	D	316	GLU
1	D	385	LEU
1	D	439	TYR
1	E	160	GLU
1	E	288	TYR
1	E	302	SER
1	E	400	MET
1	E	436	LYS
1	E	437	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	439	TYR
1	F	154[A]	SER
1	F	154[B]	SER
1	F	275	ASP
1	F	288	TYR
1	F	302	SER
1	F	385	LEU
1	F	397	LYS
1	F	439	TYR
1	F	483	ASP
1	F	603	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	113	GLN
1	B	272	ASN
1	D	161	ASN
1	D	568	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 47 ligands modelled in this entry, 24 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	CO3	D	1002	-	2,3,3	0.41	0	2,3,3	0.23	0
4	ACT	F	1006	-	3,3,3	1.30	0	3,3,3	1.35	0
6	EDO	C	1010	-	3,3,3	0.44	0	2,2,2	0.40	0
3	CO3	F	1002	-	2,3,3	0.41	0	2,3,3	0.22	0
7	PO4	F	1003	-	4,4,4	0.93	0	6,6,6	0.41	0
6	EDO	A	1005	-	3,3,3	0.46	0	2,2,2	0.34	0
6	EDO	C	1009	-	3,3,3	0.46	0	2,2,2	0.35	0
3	CO3	B	1002	-	2,3,3	0.40	0	2,3,3	0.20	0
6	EDO	D	1005	-	3,3,3	0.45	0	2,2,2	0.36	0
4	ACT	C	1011	-	3,3,3	1.26	0	3,3,3	1.37	0
6	EDO	F	1005	-	3,3,3	0.46	0	2,2,2	0.32	0
3	CO3	C	1002	-	2,3,3	0.39	0	2,3,3	0.12	0
4	ACT	C	1003	-	3,3,3	1.28	0	3,3,3	1.53	0
6	EDO	C	1008	-	3,3,3	0.46	0	2,2,2	0.33	0
4	ACT	A	1003	-	3,3,3	1.27	0	3,3,3	1.38	0
3	CO3	E	1002	-	2,3,3	0.41	0	2,3,3	0.21	0
4	ACT	B	1003	-	3,3,3	1.32	0	3,3,3	1.51	0
4	ACT	E	1003	-	3,3,3	1.27	0	3,3,3	1.37	0
8	GOL	E	1007	-	5,5,5	0.93	0	5,5,5	0.97	0
3	CO3	A	1002	-	2,3,3	0.40	0	2,3,3	0.15	0
4	ACT	D	1006	-	3,3,3	1.31	0	3,3,3	1.52	0
4	ACT	D	1003	-	3,3,3	1.27	0	3,3,3	1.38	0
7	PO4	B	1004	-	4,4,4	0.94	0	6,6,6	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	E	1007	-	-	1/4/4/4	-
6	EDO	C	1009	-	-	1/1/1/1	-
6	EDO	D	1005	-	-	0/1/1/1	-
6	EDO	C	1010	-	-	0/1/1/1	-
6	EDO	F	1005	-	-	0/1/1/1	-
6	EDO	C	1008	-	-	0/1/1/1	-
6	EDO	A	1005	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	E	1007	GOL	O1-C1-C2-C3
6	C	1009	EDO	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	C	1010	EDO	1	0
4	E	1003	ACT	1	0
7	B	1004	PO4	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	519/527 (98%)	-0.11	4 (0%) 86 85	26, 35, 56, 80	6 (1%)
1	B	518/527 (98%)	0.02	19 (3%) 41 41	27, 41, 69, 83	9 (1%)
1	C	524/527 (99%)	-0.23	11 (2%) 63 63	24, 33, 58, 80	11 (2%)
1	D	506/527 (96%)	-0.29	8 (1%) 72 71	25, 36, 55, 87	11 (2%)
1	E	513/527 (97%)	-0.30	7 (1%) 75 74	25, 34, 54, 70	12 (2%)
1	F	502/527 (95%)	-0.13	12 (2%) 59 58	27, 40, 68, 88	10 (1%)
All	All	3082/3162 (97%)	-0.17	61 (1%) 65 64	24, 36, 63, 88	59 (1%)

All (61) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	88	VAL	4.9
1	E	91	VAL	4.2
1	C	88	VAL	4.1
1	B	94	LEU	4.1
1	C	93	SER	4.1
1	C	92	VAL	4.1
1	C	91	VAL	3.9
1	E	89	PRO	3.8
1	F	96	PRO	3.6
1	D	95	ASP	3.5
1	F	391	SER	3.5
1	B	132	VAL	3.4
1	D	392	MET	3.3
1	B	198	LEU	3.3
1	C	94	LEU	3.3
1	B	92	VAL	3.2
1	D	96	PRO	3.1
1	F	603	ASP	3.1
1	A	390	GLY	3.1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	F	392	MET	3.1
1	B	91	VAL	3.0
1	D	255	THR	3.0
1	B	141	PRO	2.9
1	E	254	SER	2.9
1	F	389	PRO	2.8
1	B	93	SER	2.8
1	C	391	SER	2.8
1	D	391	SER	2.7
1	F	255	THR	2.7
1	F	178	PHE	2.7
1	B	180	ASP	2.6
1	F	153	VAL	2.6
1	B	389	PRO	2.6
1	C	392	MET	2.6
1	E	395	LEU	2.6
1	F	216	ASP	2.5
1	A	604	ALA	2.5
1	E	396	MET	2.5
1	B	160	GLU	2.5
1	A	603	ASP	2.4
1	C	86	SER	2.4
1	B	120	GLY	2.4
1	C	89	PRO	2.3
1	B	136	GLY	2.3
1	A	136	GLY	2.3
1	E	392	MET	2.3
1	F	387	ALA	2.3
1	B	392	MET	2.2
1	D	388	ALA	2.2
1	C	609	HIS	2.2
1	D	316	GLU	2.2
1	E	88	VAL	2.1
1	B	175	PHE	2.1
1	B	196	ALA	2.1
1	B	140	GLY	2.1
1	F	363	GLY	2.1
1	C	393	ILE	2.0
1	B	155	GLU	2.0
1	D	178	PHE	2.0
1	B	86	SER	2.0
1	F	157	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	CA	B	1006	1/1	0.70	0.20	83,83,83,83	0
5	CA	C	1005	1/1	0.73	0.07	84,84,84,84	0
5	CA	E	1006	1/1	0.75	0.20	79,79,79,79	0
6	EDO	C	1009	4/4	0.75	0.19	40,54,57,59	0
8	GOL	E	1007	6/6	0.75	0.21	43,49,63,66	0
5	CA	C	1006	1/1	0.77	0.13	60,60,60,60	0
5	CA	C	1007	1/1	0.86	0.11	75,75,75,75	0
6	EDO	A	1005	4/4	0.86	0.14	51,54,58,60	0
6	EDO	C	1008	4/4	0.87	0.09	48,51,56,61	0
4	ACT	D	1006	4/4	0.88	0.12	43,50,53,54	0
6	EDO	D	1005	4/4	0.89	0.13	47,48,52,53	0
4	ACT	C	1011	4/4	0.91	0.17	34,45,46,49	0
6	EDO	C	1010	4/4	0.93	0.12	41,43,51,53	0
4	ACT	F	1006	4/4	0.94	0.14	35,35,39,43	0
4	ACT	D	1003	4/4	0.94	0.17	35,37,39,43	0
6	EDO	F	1005	4/4	0.94	0.07	46,50,53,54	0
4	ACT	E	1003	4/4	0.94	0.13	31,40,42,45	0
3	CO3	E	1002	4/4	0.95	0.12	28,31,40,44	0
3	CO3	F	1002	4/4	0.95	0.12	28,32,37,47	0
4	ACT	B	1003	4/4	0.95	0.11	30,34,34,38	0
3	CO3	C	1002	4/4	0.95	0.14	25,28,34,42	0
3	CO3	D	1002	4/4	0.95	0.11	29,31,36,41	0
3	CO3	A	1002	4/4	0.96	0.13	26,29,33,45	0
3	CO3	B	1002	4/4	0.96	0.12	29,32,33,38	0
2	ZN	F	1007	1/1	0.97	0.08	33,33,33,33	1
4	ACT	A	1003	4/4	0.97	0.13	32,36,38,42	0
2	ZN	C	1012	1/1	0.97	0.11	31,31,31,31	1

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	CA	E	1005	1/1	0.97	0.08	48,48,48,48	0
4	ACT	C	1003	4/4	0.97	0.10	31,32,33,37	0
2	ZN	D	1007	1/1	0.97	0.07	37,37,37,37	1
2	ZN	A	1006	1/1	0.98	0.10	34,34,34,34	1
2	ZN	E	1008	1/1	0.98	0.14	34,34,34,34	1
7	PO4	B	1004	5/5	0.98	0.15	34,39,44,50	0
7	PO4	F	1003	5/5	0.98	0.21	48,51,52,57	0
2	ZN	D	1001	1/1	0.98	0.08	33,33,33,33	1
2	ZN	B	1007	1/1	0.99	0.05	39,39,39,39	1
2	ZN	E	1001	1/1	0.99	0.12	32,32,32,32	1
2	ZN	A	1001	1/1	0.99	0.10	29,29,29,29	1
5	CA	D	1004	1/1	0.99	0.04	34,34,34,34	0
2	ZN	F	1001	1/1	0.99	0.10	30,30,30,30	1
5	CA	B	1005	1/1	0.99	0.06	36,36,36,36	0
5	CA	F	1004	1/1	0.99	0.09	36,36,36,36	0
2	ZN	B	1001	1/1	0.99	0.06	34,34,34,34	1
5	CA	A	1004	1/1	1.00	0.08	33,33,33,33	0
5	CA	C	1004	1/1	1.00	0.05	33,33,33,33	0
2	ZN	C	1001	1/1	1.00	0.03	44,44,44,44	0
5	CA	E	1004	1/1	1.00	0.06	33,33,33,33	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around ZN F 1007:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZN C 1012:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ZN D 1007:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZN A 1006:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around ZN E 1008:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around ZN D 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZN B 1007:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZN E 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZN A 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZN F 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZN B 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around ZN C 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.