



Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 02:42 am BST

PDB ID : 6SVM
Title : Crystal structure of human GFAT-1 in complex with Glucose-6-Phosphate, L-Glu, and UDP-GalNAc
Authors : Ruegenberg, S.; Horn, M.; Pichlo, C.; Allmeroth, K.; Baumann, U.; Denzel, M.S.
Deposited on : 2019-09-18
Resolution : 2.48 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5857 (2.50-2.46)
Clashscore	141614	6594 (2.50-2.46)
Ramachandran outliers	138981	6469 (2.50-2.46)
Sidechain outliers	138945	6471 (2.50-2.46)
RSRZ outliers	127900	5738 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	687	
1	B	687	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 21062 atoms, of which 10497 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glutamine--fructose-6-phosphate aminotransferase [isomerizing] 1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	660	Total	C	H	N	O	S	0	0	0
			10419	3284	5215	907	981	32			
1	B	655	Total	C	H	N	O	S	0	0	0
			10372	3268	5196	900	976	32			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	299A	HIS	-	insertion	UNP Q06210
A	299B	HIS	-	insertion	UNP Q06210
A	299C	HIS	-	insertion	UNP Q06210
A	299D	HIS	-	insertion	UNP Q06210
A	299E	HIS	-	insertion	UNP Q06210
A	299F	HIS	-	insertion	UNP Q06210
B	299A	HIS	-	insertion	UNP Q06210
B	299B	HIS	-	insertion	UNP Q06210
B	299C	HIS	-	insertion	UNP Q06210
B	299D	HIS	-	insertion	UNP Q06210
B	299E	HIS	-	insertion	UNP Q06210
B	299F	HIS	-	insertion	UNP Q06210

- Molecule 2 is GLUCOSE-6-PHOSPHATE (three-letter code: G6Q) (formula: C₆H₁₃O₉P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	H	O	P	0	0
			29	6	13	9	1		
2	B	1	Total	C	H	O	P	0	0
			29	6	13	9	1		


- Molecule 3 is GLUTAMIC ACID (three-letter code: GLU) (formula: $C_5H_9NO_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	0	0
			18	5	8	1	4		

- Molecule 4 is URIDINE-DIPHOSPHATE-N-ACETYLGLACTOSAMINE (three-letter

code: UD2) (formula: $\text{C}_{17}\text{H}_{27}\text{N}_3\text{O}_{17}\text{P}_2$) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total 65	C 17	H 26	N 3	O 17	P 2	0	0
4	B	1	Total 65	C 17	H 26	N 3	O 17	P 2	0	0

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total Mg 1 1	0	0
5	A	1	Total Mg 1 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	46	Total O 46 46	0	0
6	B	17	Total O 17 17	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glutamine--fructose-6-phosphate aminotransferase [isomerizing] 1



- Molecule 1: Glutamine--fructose-6-phosphate aminotransferase [isomerizing] 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	152.00Å 152.00Å 165.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.15 – 2.48 49.15 – 2.48	Depositor EDS
% Data completeness (in resolution range)	99.8 (49.15-2.48) 96.4 (49.15-2.48)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.18 (at 2.48Å)	Xtriage
Refinement program	PHENIX dev_2499	Depositor
R, R_{free}	0.189 , 0.222 0.189 , 0.222	Depositor DCC
R_{free} test set	1936 reflections (2.81%)	wwPDB-VP
Wilson B-factor (Å ²)	52.8	Xtriage
Anisotropy	0.038	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 55.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	21062	wwPDB-VP
Average B, all atoms (Å ²)	95.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UD2, MG, G6Q

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.26	0/5293	0.44	0/7146
1	B	0.25	0/5264	0.43	0/7105
All	All	0.25	0/10557	0.44	0/14251

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5204	5215	5211	7	0
1	B	5176	5196	5195	5	0
2	A	16	13	11	0	0
2	B	16	13	11	0	0
3	A	10	8	5	0	0
4	A	39	26	25	0	0
4	B	39	26	25	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	46	0	0	0	0
6	B	17	0	0	0	0
All	All	10565	10497	10483	11	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (11) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:451:GLY:O	1:A:456:ARG:NH1	2.37	0.58
1:A:640:SER:N	1:A:645:GLN:OE1	2.39	0.56
1:A:621:ASP:OD1	1:A:622:LYS:N	2.44	0.51
1:A:385:ARG:NH2	1:B:399:GLU:OE2	2.43	0.47
1:B:419:PHE:CZ	1:B:433:LEU:HA	2.52	0.44
1:A:419:PHE:CZ	1:A:433:LEU:HA	2.53	0.44
1:A:44:GLY:N	1:A:56:LYS:O	2.46	0.43
1:B:623:GLU:O	1:B:625:THR:N	2.51	0.43
1:A:474:SER:O	1:A:558:LYS:CE	2.68	0.42
1:B:594:MET:HE1	1:B:619:ILE:HG22	2.02	0.42
1:B:221:HIS:ND1	1:B:304:ARG:O	2.53	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	654/687 (95%)	637 (97%)	16 (2%)	1 (0%)	47	66
1	B	649/687 (94%)	615 (95%)	34 (5%)	0	100	100
All	All	1303/1374 (95%)	1252 (96%)	50 (4%)	1 (0%)	51	71

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	673	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	572/601 (95%)	571 (100%)	1 (0%)	93	97
1	B	571/601 (95%)	568 (100%)	3 (0%)	88	95
All	All	1143/1202 (95%)	1139 (100%)	4 (0%)	92	97

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	170	PHE
1	B	79	MET
1	B	170	PHE
1	B	482	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 2 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	UD2	B	702	5	34,41,41	0.76	2 (5%)	45,62,62	0.86	3 (6%)
4	UD2	A	703	5	34,41,41	0.83	1 (2%)	45,62,62	2.86	10 (22%)
2	G6Q	A	701	-	14,15,15	0.21	0	20,21,21	0.59	0
2	G6Q	B	701	-	14,15,15	0.44	0	20,21,21	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	UD2	B	702	5	-	1/24/63/63	0/3/3/3
4	UD2	A	703	5	-	2/24/63/63	0/3/3/3
2	G6Q	A	701	-	-	4/18/20/20	-
2	G6Q	B	701	-	-	4/18/20/20	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	702	UD2	C4-N3	3.22	1.38	1.33
4	A	703	UD2	C4-N3	3.09	1.38	1.33
4	B	702	UD2	C6-N1	2.08	1.38	1.35

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	703	UD2	O3A-PB-O1'	-13.41	75.45	102.48
4	A	703	UD2	O1'-PB-O2B	-6.81	83.91	109.47
4	A	703	UD2	O5B-PA-O2A	-6.77	82.62	109.07
4	A	703	UD2	O1B-PB-O1'	-4.59	88.68	106.78
4	A	703	UD2	O1A-PA-O5B	-4.24	88.05	107.75
4	A	703	UD2	C5-C4-N3	-3.86	114.82	123.31
4	B	702	UD2	C5-C4-N3	-3.85	114.83	123.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	703	UD2	O1A-PA-O2A	3.15	127.82	112.24
4	A	703	UD2	O1'-C1'-C2'	3.07	113.95	108.40
4	A	703	UD2	O1B-PB-O2B	2.81	126.13	112.24
4	A	703	UD2	PB-O1'-C1'	2.74	130.31	119.74
4	B	702	UD2	O5'-C1'-O1'	-2.70	107.83	111.36
4	B	702	UD2	O1'-C1'-C2'	2.03	112.08	108.40

There are no chirality outliers.


All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	701	G6Q	C1-C2-C3-C4
2	A	701	G6Q	C1-C2-C3-O3
2	A	701	G6Q	O2-C2-C3-C4
2	A	701	G6Q	O2-C2-C3-O3
2	B	701	G6Q	C1-C2-C3-C4
2	B	701	G6Q	O2-C2-C3-C4
2	B	701	G6Q	O2-C2-C3-O3
2	B	701	G6Q	C1-C2-C3-O3
4	A	703	UD2	C1'-C2'-N2'-C7'
4	A	703	UD2	C1'-O1'-PB-O3A
4	B	702	UD2	C1'-O1'-PB-O1B


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	660/687 (96%)	0.62	39 (5%)	22 22	42, 62, 120, 176	0
1	B	655/687 (95%)	1.93	201 (30%)	0 0	45, 85, 188, 258	0
All	All	1315/1374 (95%)	1.27	240 (18%)	1 1	42, 69, 173, 258	0

All (240) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	77	GLN	13.4
1	B	247	LEU	12.7
1	B	245	THR	12.5
1	B	217	LEU	11.8
1	B	198	ALA	11.0
1	B	52	ALA	10.4
1	B	257	TYR	10.1
1	B	46	ASN	10.0
1	B	54	ALA	10.0
1	B	168	THR	9.7
1	B	50	TRP	9.7
1	A	680	VAL	9.5
1	B	51	GLU	9.0
1	B	53	ASN	9.0
1	B	225	LEU	8.8
1	B	291	ILE	8.7
1	B	79	MET	8.4
1	B	78	ASP	8.3
1	B	57	ILE	8.3
1	B	254	ALA	8.1
1	B	215	HIS	7.9
1	B	224	ILE	7.9
1	B	41	GLY	7.8
1	B	218	SER	7.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	155	LEU	7.6
1	B	47	ASP	7.4
1	B	85	PHE	7.4
1	B	292	HIS	7.4
1	B	223	PRO	7.4
1	B	49	ASP	7.3
1	B	160	TYR	7.2
1	B	250	VAL	7.1
1	B	156	VAL	7.1
1	B	222	ILE	7.0
1	B	221	HIS	7.0
1	B	135	PHE	6.9
1	B	243	SER	6.9
1	B	248	PHE	6.9
1	B	75	LYS	6.8
1	B	249	PRO	6.8
1	B	199	VAL	6.8
1	B	48	LYS	6.7
1	B	141	TYR	6.7
1	B	55	CYS	6.7
1	B	45	GLY	6.7
1	B	285	VAL	6.5
1	A	79	MET	6.5
1	B	255	VAL	6.5
1	B	81	LEU	6.5
1	B	226	TYR	6.4
1	B	118	PHE	6.3
1	B	219	THR	6.3
1	B	170	PHE	6.3
1	B	164	GLU	6.2
1	B	281	VAL	6.2
1	B	165	SER	6.1
1	B	284	VAL	6.0
1	B	153	ALA	6.0
1	A	675	ALA	5.9
1	B	158	TYR	5.8
1	B	213	SER	5.8
1	B	73	VAL	5.7
1	B	246	CYS	5.7
1	B	308	THR	5.7
1	B	293	ARG	5.6
1	B	216	LYS	5.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	2	CYS	5.6
1	B	44	GLY	5.6
1	B	305	ALA	5.6
1	B	140	GLY	5.6
1	A	77	GLN	5.5
1	B	173	LEU	5.5
1	B	56	LYS	5.5
1	B	259	PHE	5.5
1	B	306	VAL	5.5
1	B	176	ARG	5.4
1	B	8	LEU	5.4
1	B	220	ASP	5.4
1	B	91	ILE	5.4
1	B	143	PHE	5.3
1	B	19	ILE	5.3
1	B	309	LEU	5.3
1	B	154	LYS	5.3
1	B	253	LYS	5.2
1	B	111	ARG	5.2
1	B	251	GLU	5.2
1	B	134	LYS	5.2
1	B	86	ASP	5.1
1	B	171	THR	5.1
1	B	15	THR	5.1
1	B	80	ASP	5.1
1	B	10	TYR	5.0
1	B	304	ARG	5.0
1	B	244	THR	5.0
1	B	169	SER	4.9
1	B	258	TYR	4.9
1	B	288	ARG	4.8
1	B	76	GLN	4.8
1	B	88	HIS	4.8
1	B	138	SER	4.7
1	B	177	VAL	4.7
1	B	287	GLY	4.6
1	B	58	GLN	4.6
1	B	289	LEU	4.6
1	A	677	SER	4.6
1	B	201	THR	4.5
1	B	167	ASP	4.4
1	B	83	ILE	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	11	HIS	4.3
1	B	115	ASN	4.3
1	B	227	ARG	4.3
1	B	211	VAL	4.3
1	B	120	VAL	4.2
1	B	194	PHE	4.2
1	B	174	VAL	4.2
1	B	14	ARG	4.1
1	B	142	ASP	4.1
1	B	84	GLU	4.1
1	B	272	ARG	4.1
1	A	48	LYS	4.0
1	A	54	ALA	4.0
1	A	75	LYS	4.0
1	B	17	ARG	3.9
1	B	137	GLU	3.9
1	B	119	ILE	3.9
1	B	152	ILE	3.9
1	A	45	GLY	3.9
1	B	112	SER	3.8
1	B	42	PHE	3.8
1	A	136	LEU	3.8
1	B	87	VAL	3.8
1	B	145	SER	3.8
1	B	132	LEU	3.7
1	B	159	MET	3.7
1	B	192	VAL	3.7
1	B	16	ARG	3.6
1	B	212	ARG	3.6
1	A	78	ASP	3.6
1	B	89	LEU	3.6
1	B	273	VAL	3.6
1	A	673	ASN	3.5
1	A	679	THR	3.5
1	B	629	LYS	3.5
1	B	681	GLU	3.5
1	B	114	LYS	3.5
1	A	681	GLU	3.4
1	B	200	GLY	3.4
1	B	7	TYR	3.4
1	B	290	SER	3.4
1	B	129	TYR	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	175	GLU	3.3
1	A	52	ALA	3.3
1	B	131	ASP	3.3
1	B	136	LEU	3.3
1	B	282	ALA	3.3
1	B	133	LYS	3.3
1	B	130	LYS	3.2
1	B	197	GLN	3.2
1	B	163	ARG	3.2
1	B	116	ASN	3.2
1	B	286	ASP	3.2
1	A	105	VAL	3.2
1	B	172	THR	3.2
1	B	310	GLN	3.1
1	B	189	PHE	3.1
1	B	20	LEU	3.1
1	B	185	PHE	3.0
1	B	139	LYS	3.0
1	B	283	ALA	3.0
1	B	24	ILE	3.0
1	B	82	ASP	3.0
1	B	162	ASN	3.0
1	A	141	TYR	2.9
1	A	678	VAL	2.9
1	B	191	SER	2.9
1	B	151	THR	2.9
1	B	274	ILE	2.8
1	A	50	TRP	2.8
1	B	374	CYS	2.8
1	B	9	ASN	2.8
1	B	128	ASN	2.8
1	B	157	LYS	2.8
1	B	195	PRO	2.8
1	B	18	GLU	2.7
1	B	96	TRP	2.7
1	A	629	LYS	2.7
1	A	49	ASP	2.6
1	B	180	GLN	2.6
1	A	81	LEU	2.6
1	A	134	LYS	2.6
1	B	275	PHE	2.6
1	A	378	TYR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	680	VAL	2.5
1	B	13	PRO	2.5
1	B	178	ILE	2.5
1	A	76	GLN	2.5
1	B	193	HIS	2.5
1	A	55	CYS	2.5
1	B	378	TYR	2.5
1	B	529	LYS	2.5
1	B	266	VAL	2.4
1	A	294	ILE	2.4
1	B	161	ASP	2.4
1	B	12	VAL	2.4
1	B	252	GLU	2.4
1	B	166	GLN	2.4
1	A	47	ASP	2.4
1	B	349	TYR	2.4
1	B	626	GLU	2.4
1	B	426	THR	2.4
1	A	349	TYR	2.4
1	B	429	THR	2.3
1	B	504	LYS	2.2
1	B	179	GLN	2.2
1	B	428	ASP	2.2
1	B	307	GLN	2.2
1	B	633	ARG	2.2
1	B	279	ASP	2.2
1	B	632	LYS	2.2
1	A	676	LYS	2.1
1	A	132	LEU	2.1
1	A	571	LEU	2.1
1	A	374	CYS	2.1
1	B	71	GLU	2.1
1	B	117	GLU	2.1
1	A	674	LEU	2.1
1	B	113	ASP	2.1
1	A	226	TYR	2.1
1	B	473	ALA	2.1
1	A	56	LYS	2.1
1	B	90	GLY	2.1
1	A	627	THR	2.1
1	B	105	VAL	2.1
1	B	579	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	32	TYR	2.1
1	B	373	ALA	2.0
1	B	66	VAL	2.0
1	A	575	LEU	2.0
1	B	530	LEU	2.0
1	A	114	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	MG	A	704	1/1	0.92	0.27	44,44,44,44	0
3	GLU	A	702	10/10	0.92	0.17	79,84,101,101	0
5	MG	B	703	1/1	0.94	0.17	59,59,59,59	0
4	UD2	B	702	39/39	0.96	0.12	63,83,104,105	0
2	G6Q	A	701	16/16	0.97	0.28	44,49,59,64	0
4	UD2	A	703	39/39	0.98	0.15	46,66,88,93	0
2	G6Q	B	701	16/16	0.98	0.30	51,63,76,81	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around UD2 B 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around G6Q A 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UD2 A 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around G6Q B 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.