



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 03:15 pm BST

PDB ID : 5SXS
Title : Crystal structure of catalase-peroxidase KatG with isonicotinic acid hydrazide and AMP bound
Authors : Loewen, P.C.
Deposited on : 2016-08-10
Resolution : 1.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	9470 (1.90-1.86)
Clashscore	141614	10282 (1.90-1.86)
Ramachandran outliers	138981	10152 (1.90-1.86)
Sidechain outliers	138945	10152 (1.90-1.86)
RSRZ outliers	127900	9303 (1.90-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	728	<div> <div>3%</div> <div> <div></div> <div>88%</div> <div>9%</div> <div>••</div> </div> </div>
1	B	728	<div> <div>2%</div> <div> <div></div> <div>88%</div> <div>9%</div> <div>••</div> </div> </div>

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 12576 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Catalase-peroxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	713	Total	C	N	O	S	0	7	0
			5537	3497	988	1038	14			
1	B	713	Total	C	N	O	S	0	4	0
			5522	3489	982	1037	14			

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		


- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Na 1 1	0	0
3	A	1	Total Na 1 1	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Cl 1 1	0	0
4	A	1	Total Cl 1 1	0	0

- Molecule 5 is OXYGEN MOLECULE (three-letter code: OXY) (formula: O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total O 2 2	0	0
5	A	1	Total O 2 2	0	0
5	B	1	Total O 2 2	0	0
5	B	1	Total O 2 2	0	0

- Molecule 6 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	P	0	0
			5	4	1		
6	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 7 is (4R)-2-METHYLPENTANE-2,4-DIOL (three-letter code: MRD) (formula: $C_6H_{14}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			8	6	2		

- Molecule 8 is pyridine-4-carbohydrazide (three-letter code: NIZ) (formula: $C_6H_7N_3O$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	B	1	Total	C	N	O	0	0
			10	6	3	1		

- Molecule 9 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			8	6	2		

- Molecule 10 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: $C_{10}H_{14}N_5O_7P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	651	Total	O	0	0
			651	651		
11	B	709	Total	O	0	0
			709	709		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Catalase-peroxidase



• Molecule 1: Catalase-peroxidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	100.44Å 114.17Å 174.23Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.89 34.87 – 1.89	Depositor EDS
% Data completeness (in resolution range)	90.1 (20.00-1.89) 90.2 (34.87-1.89)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.58 (at 1.89Å)	Xtriage
Refinement program	REFMAC 5.8.0151	Depositor
R, R_{free}	0.162 , 0.193 0.172 , 0.201	Depositor DCC
R_{free} test set	7143 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	21.7	Xtriage
Anisotropy	0.019	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 46.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12576	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, OXY, CL, NA, PO4, NIZ, HEM, MRD, AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.16	16/5707 (0.3%)	1.11	43/7758 (0.6%)
1	B	1.20	21/5678 (0.4%)	1.11	40/7720 (0.5%)
All	All	1.18	37/11385 (0.3%)	1.11	83/15478 (0.5%)

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	343	GLU	CD-OE1	11.83	1.38	1.25
1	B	529	GLU	CG-CD	9.88	1.66	1.51
1	B	327	GLU	CG-CD	8.33	1.64	1.51
1	B	399	GLU	CD-OE1	7.51	1.33	1.25
1	B	726	GLU	CG-CD	7.22	1.62	1.51
1	B	327	GLU	CD-OE1	7.17	1.33	1.25
1	A	196	GLU	CG-CD	6.41	1.61	1.51
1	A	726	GLU	CG-CD	6.35	1.61	1.51
1	B	327	GLU	CD-OE2	6.27	1.32	1.25
1	A	343	GLU	CD-OE2	6.25	1.32	1.25
1	A	347	GLY	C-O	-6.25	1.13	1.23
1	A	327	GLU	CD-OE1	6.16	1.32	1.25
1	B	726	GLU	CD-OE1	6.11	1.32	1.25
1	A	584	GLU	CG-CD	6.01	1.60	1.51
1	A	73	GLU	CD-OE2	5.98	1.32	1.25
1	A	46	GLN	CG-CD	5.91	1.64	1.51
1	B	434	TYR	CE1-CZ	-5.89	1.30	1.38
1	B	434	TYR	CG-CD1	-5.87	1.31	1.39
1	A	454	ASP	CB-CG	5.85	1.64	1.51
1	B	205	GLU	CD-OE1	5.84	1.32	1.25
1	B	726	GLU	CB-CG	5.73	1.63	1.52
1	A	647	GLN	CG-CD	5.61	1.64	1.51
1	A	73	GLU	CD-OE1	5.49	1.31	1.25
1	B	647	GLN	CG-CD	5.45	1.63	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	298	GLU	CD-OE1	5.44	1.31	1.25
1	B	442	GLU	CD-OE1	-5.42	1.19	1.25
1	B	426	ARG	CZ-NH2	5.42	1.40	1.33
1	A	434	TYR	CG-CD1	-5.32	1.32	1.39
1	A	428	MET	CG-SD	-5.31	1.67	1.81
1	B	269	GLU	CD-OE1	-5.29	1.19	1.25
1	B	512	ASP	CG-OD2	5.24	1.37	1.25
1	A	674	GLU	CD-OE2	-5.16	1.20	1.25
1	B	336	GLN	CG-CD	5.14	1.62	1.51
1	B	728	PHE	CB-CG	-5.09	1.42	1.51
1	B	46	GLN	CG-CD	5.08	1.62	1.51
1	B	102	TYR	CG-CD1	-5.08	1.32	1.39
1	B	68	TYR	CE1-CZ	5.06	1.45	1.38

All (83) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	343	GLU	OE1-CD-OE2	14.69	140.93	123.30
1	B	393	ARG	NE-CZ-NH2	-12.68	113.96	120.30
1	B	433	ARG	NE-CZ-NH1	10.91	125.75	120.30
1	A	532	ARG	NE-CZ-NH2	-9.29	115.66	120.30
1	A	433	ARG	NE-CZ-NH1	9.18	124.89	120.30
1	B	529	GLU	OE1-CD-OE2	-8.56	113.03	123.30
1	B	76	ASP	CB-CG-OD2	-8.39	110.75	118.30
1	B	82	ARG	NE-CZ-NH1	8.10	124.35	120.30
1	A	602	ARG	NE-CZ-NH2	-7.99	116.30	120.30
1	A	433	ARG	NE-CZ-NH2	-7.92	116.34	120.30
1	B	713	ARG	NE-CZ-NH1	7.76	124.18	120.30
1	B	713	ARG	NE-CZ-NH2	-7.75	116.43	120.30
1	B	506	ARG	NE-CZ-NH1	7.57	124.09	120.30
1	B	54	ARG	CG-CD-NE	-7.51	96.03	111.80
1	A	263	ARG	NE-CZ-NH2	-7.45	116.58	120.30
1	A	54	ARG	NE-CZ-NH1	7.25	123.93	120.30
1	B	82	ARG	NE-CZ-NH2	-7.24	116.68	120.30
1	A	60	ASP	CB-CG-OD1	7.18	124.77	118.30
1	A	82	ARG	NE-CZ-NH2	-7.16	116.72	120.30
1	B	433	ARG	NE-CZ-NH2	-7.06	116.77	120.30
1	A	76	ASP	CB-CG-OD2	-6.91	112.08	118.30
1	A	121	ASP	CB-CG-OD1	6.84	124.45	118.30
1	B	532	ARG	NE-CZ-NH2	-6.84	116.88	120.30
1	B	726	GLU	OE1-CD-OE2	-6.73	115.23	123.30
1	B	54	ARG	NE-CZ-NH2	-6.65	116.97	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	60	ASP	CB-CG-OD1	6.62	124.25	118.30
1	A	73	GLU	OE1-CD-OE2	6.56	131.18	123.30
1	A	602	ARG	NE-CZ-NH1	6.53	123.57	120.30
1	A	713	ARG	NE-CZ-NH1	6.49	123.54	120.30
1	A	82	ARG	NE-CZ-NH1	6.46	123.53	120.30
1	A	48	ASP	CB-CG-OD1	6.45	124.11	118.30
1	A	649	ARG	NE-CZ-NH1	6.39	123.50	120.30
1	B	268	ASP	CB-CG-OD2	-6.37	112.57	118.30
1	B	268	ASP	CB-CG-OD1	6.36	124.02	118.30
1	B	60	ASP	CB-CG-OD2	-6.25	112.68	118.30
1	A	701	ARG	NE-CZ-NH1	6.19	123.40	120.30
1	A	83	ASP	CB-CG-OD2	6.10	123.79	118.30
1	A	343	GLU	CG-CD-OE2	-6.04	106.21	118.30
1	A	395	ASP	CB-CG-OD1	5.99	123.69	118.30
1	B	132	ARG	NE-CZ-NH2	-5.96	117.32	120.30
1	A	506	ARG	NE-CZ-NH1	5.96	123.28	120.30
1	B	48	ASP	CB-CG-OD1	5.95	123.65	118.30
1	A	393	ARG	NE-CZ-NH1	5.94	123.27	120.30
1	B	108	ARG	NE-CZ-NH2	-5.84	117.38	120.30
1	A	504	ARG	NE-CZ-NH1	5.82	123.21	120.30
1	A	108	ARG	NE-CZ-NH2	-5.81	117.40	120.30
1	A	98	ASP	CB-CG-OD2	5.78	123.50	118.30
1	A	54	ARG	CG-CD-NE	-5.75	99.72	111.80
1	B	512	ASP	CB-CG-OD1	-5.75	113.12	118.30
1	B	121	ASP	CB-CG-OD1	5.72	123.45	118.30
1	A	218	ARG	NE-CZ-NH2	-5.72	117.44	120.30
1	B	688	ARG	NE-CZ-NH1	5.72	123.16	120.30
1	A	681	ASP	CB-CG-OD2	-5.71	113.16	118.30
1	B	149	ARG	NE-CZ-NH2	-5.71	117.45	120.30
1	B	726	GLU	CG-CD-OE1	5.64	129.59	118.30
1	A	60	ASP	CB-CG-OD2	-5.61	113.25	118.30
1	B	54	ARG	NE-CZ-NH1	5.61	123.11	120.30
1	B	149	ARG	NE-CZ-NH1	5.59	123.10	120.30
1	B	98	ASP	CB-CG-OD1	-5.58	113.27	118.30
1	A	730	ARG	NE-CZ-NH1	5.55	123.08	120.30
1	B	506	ARG	NE-CZ-NH2	-5.47	117.56	120.30
1	B	73	GLU	OE1-CD-OE2	5.45	129.84	123.30
1	A	414	ASP	CB-CG-OD2	5.43	123.18	118.30
1	A	730	ARG	NE-CZ-NH2	-5.41	117.59	120.30
1	A	149	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	B	730	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	B	426	ARG	NE-CZ-NH1	-5.33	117.64	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	376	ASP	CB-CG-OD2	-5.32	113.51	118.30
1	B	649	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	B	382	ARG	NE-CZ-NH2	-5.27	117.67	120.30
1	B	571	THR	CB-CA-C	-5.26	97.39	111.60
1	B	735	VAL	CG1-CB-CG2	-5.26	102.48	110.90
1	A	47	LEU	CB-CG-CD1	-5.24	102.09	111.00
1	A	70	GLN	CA-CB-CG	5.20	124.83	113.40
1	A	584	GLU	OE1-CD-OE2	-5.17	117.09	123.30
1	B	218	ARG	NE-CZ-NH1	5.16	122.88	120.30
1	A	689	ASP	CB-CG-OD2	-5.14	113.67	118.30
1	A	670	ASP	CB-CG-OD1	5.12	122.90	118.30
1	A	268	ASP	CB-CG-OD2	-5.09	113.72	118.30
1	B	73	GLU	CB-CA-C	-5.07	100.25	110.40
1	A	54	ARG	NE-CZ-NH2	-5.02	117.79	120.30
1	B	41	ASP	CB-CG-OD2	5.02	122.82	118.30
1	A	434	TYR	CB-CG-CD1	5.02	124.01	121.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5537	0	5360	22	0
1	B	5522	0	5343	29	0
2	A	43	0	30	0	0
2	B	43	0	30	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	4	0	0	0	0
5	B	4	0	0	0	0
6	A	5	0	0	0	0
6	B	5	0	0	0	0
7	A	8	0	14	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	B	10	0	7	2	0
9	B	8	0	14	3	0
10	B	23	0	12	0	0
11	A	651	0	0	7	1
11	B	709	0	0	12	1
All	All	12576	0	10810	57	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (57) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:161[B]:ARG:NH1	11:A:901:HOH:O	2.01	0.93
1:B:622[A]:GLN:NE2	8:B:806:NIZ:O1	2.04	0.91
1:A:161[B]:ARG:CZ	11:A:901:HOH:O	2.20	0.88
1:A:119[B]:THR:HG21	11:A:1066:HOH:O	1.74	0.87
7:A:807:MRD:H1C2	7:A:807:MRD:O4	1.76	0.84
1:A:119[B]:THR:HG23	1:A:593:VAL:HG11	1.64	0.79
1:B:571:THR:HG23	11:B:1118:HOH:O	1.86	0.74
9:B:807:MPD:H11	9:B:807:MPD:O4	1.89	0.73
7:A:807:MRD:O4	7:A:807:MRD:C1	2.31	0.73
1:B:178:GLU:OE1	11:B:901:HOH:O	2.06	0.72
1:B:571:THR:CG2	11:B:1118:HOH:O	2.37	0.72
1:B:512:ASP:OD1	11:B:902:HOH:O	2.08	0.71
1:B:540:ARG:HA	1:B:540:ARG:NE	2.05	0.71
1:B:540:ARG:CZ	1:B:540:ARG:HA	2.23	0.69
1:B:69:ALA:O	1:B:73:GLU:HG2	1.98	0.64
1:A:69:ALA:O	1:A:73:GLU:HG2	1.98	0.63
9:B:807:MPD:O4	9:B:807:MPD:C1	2.49	0.60
1:B:123:ARG:NH2	1:B:622[B]:GLN:OE1	2.36	0.58
1:A:119[B]:THR:CG2	1:A:593:VAL:HG11	2.34	0.56
1:A:290:ALA:HB1	7:A:807:MRD:H5C3	1.86	0.56
1:B:123:ARG:HH21	1:B:622[A]:GLN:HE21	1.56	0.54
1:B:696:LYS:HE2	11:B:967:HOH:O	2.08	0.54
1:A:144:ASN:HA	1:A:146:ASP:OD1	2.10	0.51
1:A:360:HIS:ND1	11:A:906:HOH:O	2.35	0.50
1:B:144:ASN:HA	1:B:146:ASP:OD1	2.12	0.50
1:A:47:LEU:O	11:A:902:HOH:O	2.19	0.50
1:A:313:TYR:CE2	1:A:314:ARG:HD3	2.47	0.49
1:A:290:ALA:CB	7:A:807:MRD:H5C3	2.41	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:111:TRP:HZ3	1:B:238:TYR:HH	1.58	0.49
1:A:346:PHE:CE2	1:A:403[A]:ARG:NE	2.82	0.47
1:A:400:LYS:HE2	11:A:1466:HOH:O	2.15	0.46
1:B:313:TYR:CE2	1:B:314:ARG:HD3	2.50	0.46
1:B:405:PHE:HB3	1:B:412:PHE:HB2	1.97	0.46
1:B:431:ARG:HD2	1:B:447:GLN:OE1	2.15	0.46
1:B:725:GLN:NE2	11:B:931:HOH:O	2.49	0.46
1:A:123:ARG:HH21	1:A:622[A]:GLN:NE2	2.15	0.45
1:A:647:GLN:HG2	11:A:1112:HOH:O	2.15	0.45
1:B:571:THR:HG22	11:B:1118:HOH:O	2.09	0.45
1:B:410:GLU:HB2	11:B:1383:HOH:O	2.17	0.45
1:B:544:GLN:OE1	11:B:903:HOH:O	2.21	0.44
1:A:88:MET:HB3	1:A:101:HIS:CE1	2.53	0.44
1:A:143:ALA:HA	1:A:309:TRP:CH2	2.53	0.43
1:B:123:ARG:HH21	1:B:622[A]:GLN:NE2	2.17	0.43
1:B:403:ARG:NH1	11:B:938:HOH:O	2.51	0.43
7:A:807:MRD:H1C2	7:A:807:MRD:HA	1.81	0.43
1:A:346:PHE:CD2	1:A:403[A]:ARG:CZ	3.03	0.42
1:B:426:ARG:HA	1:B:426:ARG:HD2	1.90	0.42
1:B:453:VAL:HG11	1:B:457:LEU:HD21	2.00	0.42
1:A:405:PHE:HB3	1:A:412:PHE:HB2	1.99	0.42
1:B:625:THR:HG22	8:B:806:NIZ:H4	2.01	0.42
1:B:112:HIS:CE1	1:B:141:ASP:O	2.73	0.41
1:B:143:ALA:HA	1:B:309:TRP:CH2	2.55	0.41
1:A:431:ARG:HD2	1:A:447:GLN:OE1	2.20	0.41
9:B:807:MPD:H11	9:B:807:MPD:HO4	1.82	0.41
1:B:647:GLN:HG2	11:B:1038:HOH:O	2.19	0.40
1:B:688:ARG:NE	11:B:905:HOH:O	2.38	0.40
1:A:111:TRP:HZ3	1:A:238:TYR:HH	1.64	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:A:1166:HOH:O	11:B:979:HOH:O[2_444]	2.14	0.06

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	718/728 (99%)	708 (99%)	10 (1%)	0	100	100
1	B	715/728 (98%)	707 (99%)	8 (1%)	0	100	100
All	All	1433/1456 (98%)	1415 (99%)	18 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	557/561 (99%)	548 (98%)	9 (2%)	62	56
1	B	554/561 (99%)	539 (97%)	15 (3%)	44	34
All	All	1111/1122 (99%)	1087 (98%)	24 (2%)	57	43

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	ARG
1	A	70	GLN
1	A	118	ARG
1	A	141	ASP
1	A	608	LYS
1	A	610	ARG
1	A	622[A]	GLN
1	A	622[B]	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	649	ARG
1	B	40	ARG
1	B	46	GLN
1	B	64	LYS
1	B	118	ARG
1	B	141	ASP
1	B	227	ASN
1	B	403	ARG
1	B	540	ARG
1	B	571	THR
1	B	608	LYS
1	B	622[A]	GLN
1	B	622[B]	GLN
1	B	633[A]	VAL
1	B	633[B]	VAL
1	B	649	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	227	ASN
1	A	247	ASN
1	A	647	GLN
1	B	46	GLN
1	B	227	ASN
1	B	647	GLN
1	B	650	HIS
1	B	725	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 16 ligands modelled in this entry, 4 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	MRD	A	807	-	7,7,7	0.56	0	9,10,10	1.45	2 (22%)
10	AMP	B	809	-	22,25,25	1.86	5 (22%)	25,38,38	2.38	10 (40%)
6	PO4	A	806	-	4,4,4	0.74	0	6,6,6	2.14	1 (16%)
2	HEM	A	801	1,11	27,50,50	1.25	4 (14%)	17,82,82	2.17	5 (29%)
5	OXY	A	805	-	1,1,1	0.03	0	-	-	-
6	PO4	B	808	-	4,4,4	1.05	0	6,6,6	1.45	1 (16%)
5	OXY	B	805	-	1,1,1	0.14	0	-	-	-
9	MPD	B	807	-	7,7,7	0.93	0	9,10,10	1.61	2 (22%)
8	NIZ	B	806	-	10,10,10	1.64	2 (20%)	12,12,12	1.86	4 (33%)
5	OXY	B	804	-	1,1,1	0.17	0	-	-	-
5	OXY	A	804	-	1,1,1	0.25	0	-	-	-
2	HEM	B	801	1,11	27,50,50	1.57	5 (18%)	17,82,82	2.07	6 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	MRD	A	807	-	-	4/5/5/5	-
10	AMP	B	809	-	-	0/6/26/26	0/3/3/3
2	HEM	A	801	1,11	-	0/6/54/54	-
9	MPD	B	807	-	-	4/5/5/5	-
8	NIZ	B	806	-	-	1/6/6/6	0/1/1/1
2	HEM	B	801	1,11	-	0/6/54/54	-

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	HEM	C3B-C2B	-4.81	1.33	1.40
10	B	809	AMP	C2-N3	4.48	1.39	1.32
10	B	809	AMP	C2'-C1'	3.80	1.59	1.53
2	B	801	HEM	C3C-C2C	-3.22	1.35	1.40
10	B	809	AMP	C4-N3	3.20	1.40	1.35
8	B	806	NIZ	C-N2	3.13	1.37	1.33
8	B	806	NIZ	C5-C1	2.93	1.44	1.39
10	B	809	AMP	C5-C4	2.92	1.48	1.40
2	A	801	HEM	C1D-CHD	-2.76	1.33	1.41
2	A	801	HEM	CAA-C2A	-2.71	1.48	1.52
2	A	801	HEM	C3B-C2B	-2.60	1.36	1.40
2	B	801	HEM	C4D-C3D	2.54	1.48	1.42
10	B	809	AMP	C8-N7	2.42	1.39	1.34
2	B	801	HEM	C1D-ND	-2.23	1.31	1.36
2	B	801	HEM	C2A-C3A	-2.11	1.31	1.37
2	A	801	HEM	C4B-NB	-2.09	1.31	1.36

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B	809	AMP	N3-C2-N1	-4.95	120.94	128.68
2	A	801	HEM	CBD-CAD-C3D	4.74	121.21	112.48
6	A	806	PO4	O4-P-O3	4.62	122.78	107.97
2	A	801	HEM	CAA-CBA-CGA	-4.60	104.95	112.67
10	B	809	AMP	C2-N1-C6	4.42	126.31	118.75
8	B	806	NIZ	C1-C-N2	4.37	121.26	116.27
2	B	801	HEM	CAA-CBA-CGA	-4.15	105.71	112.67
10	B	809	AMP	N6-C6-N1	3.96	126.80	118.57
2	B	801	HEM	CAD-CBD-CGD	3.95	119.30	112.67
10	B	809	AMP	O2P-P-O5'	-3.70	96.90	106.73
2	A	801	HEM	CMC-C2C-C3C	3.61	131.42	124.68
10	B	809	AMP	O2P-P-O1P	3.52	124.45	110.68
10	B	809	AMP	C1'-N9-C4	-3.50	120.50	126.64
2	B	801	HEM	CMA-C3A-C4A	-3.44	123.18	128.46
10	B	809	AMP	P-O5'-C5'	3.33	127.48	118.30
2	B	801	HEM	CBD-CAD-C3D	3.15	118.28	112.48
9	B	807	MPD	O2-C2-C3	-2.85	99.09	109.80
6	B	808	PO4	O4-P-O1	-2.83	100.55	110.89
2	A	801	HEM	CAD-CBD-CGD	2.82	117.41	112.67
7	A	807	MRD	C1-C2-C3	2.66	122.35	109.96
8	B	806	NIZ	O1-C-C1	-2.43	116.60	120.94
2	B	801	HEM	CMA-C3A-C2A	2.36	129.40	124.94
10	B	809	AMP	C5-C6-N6	-2.34	116.79	120.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	806	NIZ	C4-N1-C3	2.34	122.34	116.85
7	A	807	MRD	CM-C2-C1	-2.30	105.79	110.57
10	B	809	AMP	O5'-P-O1P	-2.23	100.21	106.47
10	B	809	AMP	O3'-C3'-C4'	2.23	117.50	111.05
2	A	801	HEM	C3C-C4C-NC	-2.21	106.77	110.94
9	B	807	MPD	CM-C2-C1	2.16	115.07	110.57
8	B	806	NIZ	C2-C3-N1	-2.10	119.97	123.62
2	B	801	HEM	C1D-C2D-C3D	2.02	108.40	107.00

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	807	MRD	C1-C2-C3-C4
7	A	807	MRD	O2-C2-C3-C4
8	B	806	NIZ	C1-C-N2-N3
9	B	807	MPD	O2-C2-C3-C4
9	B	807	MPD	C1-C2-C3-C4
9	B	807	MPD	CM-C2-C3-C4
7	A	807	MRD	C2-C3-C4-C5
7	A	807	MRD	C2-C3-C4-O4
9	B	807	MPD	C2-C3-C4-O4


There are no ring outliers.


3 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	807	MRD	5	0
9	B	807	MPD	3	0
8	B	806	NIZ	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	713/728 (97%)	-0.24	19 (2%) 54 56	15, 23, 45, 83	0
1	B	713/728 (97%)	-0.33	13 (1%) 68 70	15, 21, 40, 73	0
All	All	1426/1456 (97%)	-0.29	32 (2%) 62 63	15, 22, 43, 83	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	680	ALA	5.6
1	A	540	ARG	5.3
1	A	541	GLY	5.1
1	A	748	ALA	5.0
1	A	610	ARG	4.5
1	B	679	ALA	4.3
1	B	540	ARG	4.2
1	A	608	LYS	3.7
1	B	608	LYS	3.7
1	B	541	GLY	3.6
1	A	680	ALA	3.6
1	B	610	ARG	3.4
1	A	215	PRO	3.3
1	A	378	SER	3.1
1	A	679	ALA	3.1
1	A	220	SER	2.9
1	B	65	ASP	2.9
1	A	221	GLY	2.9
1	A	454	ASP	2.8
1	B	748	ALA	2.7
1	B	64	LYS	2.6
1	B	454	ASP	2.5
1	A	213	GLY	2.5
1	B	366	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	222	ASP	2.4
1	A	379	LYS	2.4
1	A	682	ALA	2.4
1	A	377	PRO	2.3
1	B	44	PRO	2.1
1	A	145	LEU	2.1
1	A	64	LYS	2.1
1	B	682	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
9	MPD	B	807	8/8	0.89	0.15	42,46,53,54	0
8	NIZ	B	806	10/10	0.91	0.12	36,42,48,49	0
7	MRD	A	807	8/8	0.92	0.16	48,55,61,62	0
6	PO4	A	806	5/5	0.92	0.19	57,59,66,67	0
5	OXY	A	805	2/2	0.94	0.32	47,47,47,52	0
5	OXY	B	805	2/2	0.95	0.17	36,36,36,52	0
10	AMP	B	809	23/23	0.95	0.16	29,32,51,54	0
6	PO4	B	808	5/5	0.95	0.19	45,54,57,61	0
2	HEM	A	801	43/43	0.98	0.13	18,20,23,24	0
5	OXY	B	804	2/2	0.98	0.10	26,26,26,28	0
5	OXY	A	804	2/2	0.98	0.12	34,34,34,35	0
3	NA	B	802	1/1	0.99	0.05	18,18,18,18	0
2	HEM	B	801	43/43	0.99	0.13	14,15,17,18	0
4	CL	A	803	1/1	0.99	0.14	25,25,25,25	1
3	NA	A	802	1/1	0.99	0.06	16,16,16,16	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	CL	B	803	1/1	0.99	0.12	20,20,20,20	1


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around HEM A 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.