



wwPDB X-ray Structure Validation Summary Report ⓘ

May 16, 2020 – 11:31 am BST

PDB ID : 3SYV
Title : Crystal structure of mPACSIN 3 F-BAR domain mutant
Authors : Bai, X.
Deposited on : 2011-07-18
Resolution : 3.10 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	347	
1	B	347	
1	C	347	
1	D	347	
1	E	347	
1	F	347	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	347	<div><div><div></div><div></div><div></div><div></div></div><div>2%</div><div>41%</div><div>25%</div><div>7%</div><div>27%</div></div>
1	H	347	<div><div><div></div><div></div><div></div><div></div></div><div>%</div><div>41%</div><div>25%</div><div>5%</div><div>29%</div></div>

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 16470 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein kinase C and casein kinase II substrate protein 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			2047	1284	384	372	7			
1	B	257	Total	C	N	O	S	0	0	0
			2115	1317	403	387	8			
1	C	257	Total	C	N	O	S	0	0	0
			2061	1284	390	379	8			
1	D	255	Total	C	N	O	S	0	0	0
			2085	1304	396	378	7			
1	E	255	Total	C	N	O	S	0	0	1
			2044	1278	387	374	5			
1	F	255	Total	C	N	O	S	0	0	0
			2050	1283	392	369	6			
1	G	254	Total	C	N	O	S	0	0	0
			1978	1231	374	368	5			
1	H	247	Total	C	N	O	S	0	0	0
			1981	1236	378	364	3			

There are 56 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	HIS	-	EXPRESSION TAG	UNP Q99JB8
A	-4	HIS	-	EXPRESSION TAG	UNP Q99JB8
A	-3	HIS	-	EXPRESSION TAG	UNP Q99JB8
A	-2	HIS	-	EXPRESSION TAG	UNP Q99JB8
A	-1	HIS	-	EXPRESSION TAG	UNP Q99JB8
A	0	HIS	-	EXPRESSION TAG	UNP Q99JB8
A	121	GLN	PRO	ENGINEERED MUTATION	UNP Q99JB8
B	-5	HIS	-	EXPRESSION TAG	UNP Q99JB8
B	-4	HIS	-	EXPRESSION TAG	UNP Q99JB8
B	-3	HIS	-	EXPRESSION TAG	UNP Q99JB8
B	-2	HIS	-	EXPRESSION TAG	UNP Q99JB8
B	-1	HIS	-	EXPRESSION TAG	UNP Q99JB8
B	0	HIS	-	EXPRESSION TAG	UNP Q99JB8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	121	GLN	PRO	ENGINEERED MUTATION	UNP Q99JB8
C	-5	HIS	-	EXPRESSION TAG	UNP Q99JB8
C	-4	HIS	-	EXPRESSION TAG	UNP Q99JB8
C	-3	HIS	-	EXPRESSION TAG	UNP Q99JB8
C	-2	HIS	-	EXPRESSION TAG	UNP Q99JB8
C	-1	HIS	-	EXPRESSION TAG	UNP Q99JB8
C	0	HIS	-	EXPRESSION TAG	UNP Q99JB8
C	121	GLN	PRO	ENGINEERED MUTATION	UNP Q99JB8
D	-5	HIS	-	EXPRESSION TAG	UNP Q99JB8
D	-4	HIS	-	EXPRESSION TAG	UNP Q99JB8
D	-3	HIS	-	EXPRESSION TAG	UNP Q99JB8
D	-2	HIS	-	EXPRESSION TAG	UNP Q99JB8
D	-1	HIS	-	EXPRESSION TAG	UNP Q99JB8
D	0	HIS	-	EXPRESSION TAG	UNP Q99JB8
D	121	GLN	PRO	ENGINEERED MUTATION	UNP Q99JB8
E	-5	HIS	-	EXPRESSION TAG	UNP Q99JB8
E	-4	HIS	-	EXPRESSION TAG	UNP Q99JB8
E	-3	HIS	-	EXPRESSION TAG	UNP Q99JB8
E	-2	HIS	-	EXPRESSION TAG	UNP Q99JB8
E	-1	HIS	-	EXPRESSION TAG	UNP Q99JB8
E	0	HIS	-	EXPRESSION TAG	UNP Q99JB8
E	121	GLN	PRO	ENGINEERED MUTATION	UNP Q99JB8
F	-5	HIS	-	EXPRESSION TAG	UNP Q99JB8
F	-4	HIS	-	EXPRESSION TAG	UNP Q99JB8
F	-3	HIS	-	EXPRESSION TAG	UNP Q99JB8
F	-2	HIS	-	EXPRESSION TAG	UNP Q99JB8
F	-1	HIS	-	EXPRESSION TAG	UNP Q99JB8
F	0	HIS	-	EXPRESSION TAG	UNP Q99JB8
F	121	GLN	PRO	ENGINEERED MUTATION	UNP Q99JB8
G	-5	HIS	-	EXPRESSION TAG	UNP Q99JB8
G	-4	HIS	-	EXPRESSION TAG	UNP Q99JB8
G	-3	HIS	-	EXPRESSION TAG	UNP Q99JB8
G	-2	HIS	-	EXPRESSION TAG	UNP Q99JB8
G	-1	HIS	-	EXPRESSION TAG	UNP Q99JB8
G	0	HIS	-	EXPRESSION TAG	UNP Q99JB8
G	121	GLN	PRO	ENGINEERED MUTATION	UNP Q99JB8
H	-5	HIS	-	EXPRESSION TAG	UNP Q99JB8
H	-4	HIS	-	EXPRESSION TAG	UNP Q99JB8
H	-3	HIS	-	EXPRESSION TAG	UNP Q99JB8
H	-2	HIS	-	EXPRESSION TAG	UNP Q99JB8
H	-1	HIS	-	EXPRESSION TAG	UNP Q99JB8
H	0	HIS	-	EXPRESSION TAG	UNP Q99JB8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	121	GLN	PRO	ENGINEERED MUTATION	UNP Q99JB8

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	14	Total O 14 14	0	0
2	B	13	Total O 13 13	0	0
2	C	19	Total O 19 19	0	0
2	D	12	Total O 12 12	0	0
2	E	12	Total O 12 12	0	0
2	F	16	Total O 16 16	0	0
2	G	10	Total O 10 10	0	0
2	H	13	Total O 13 13	0	0


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- [illegible]


- [illegible]

SER
PRO
ASP
GLU
HIS
THR
LEU
THR
SER
ILE
GLU
VAL
PRO
THR
ARG
ASP
GLY
THR
ALA
ALA
PRO
PRO
PRO
GLN
SER


● Molecule 1: Protein kinase C and casein kinase II substrate protein 3




● Molecule 1: Protein kinase C and casein kinase II substrate protein 3




● Molecule 1: Protein kinase C and casein kinase II substrate protein 3



- Molecule 1: Protein kinase C and casein kinase II substrate protein 3



- Molecule 1: Protein kinase C and casein kinase II substrate protein 3



ARG
SER
PRO
ASP
GLU
VAL
THR
LEU
THR
SER
ILE
VAL
PRO
THR
ASP
ASP
GLY
THR
ALA
PRO
PRO
PRO
GLN
SER

● Molecule 1: Protein kinase C and casein kinase II substrate protein 3



HIS	HIS	HIS	HIS	HIS	HIS	MET	ALA	PRO	GLU	GLU	SER	VAL	GLY	GLY	G14	S15	F16	W17	E18	A19	G20	R23	R24	R28	Y29	E30	D31	L35	C36	L39	V40	S41	A47	R48	I49	E50	K51	A54	Q65	Q66	L57	R62	K63	W64	A67	V68	E69
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

K70	G71	P72	Q73	T76	L77	W81	H82	F85	A88	E89	R90	L91	S92	E93	L94	H95	L96	E97	W98	R99	E100	G104	P105	D106	S107	E108	R109	V110	R115	R120	Q121	R127	R130	K141	P142	W143	L144	L147	A160	E164	LYS	THR	ALA	GLN	THR	ARG
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----

GLU	SER	HIS	ALA	LYS	ALA	ASP	SER	SER	MET	SER	GLN	GLU	GLN	LEU	LYS	GLN	GLU	ARG	VAL	GLY	ARG	C195	K203	T204	Q205	Y206	E207	Q208	T209	L210	Y216	THR	P218	R219	E225	F228	E229	S230	C231	Q232	E235	R236	Q237	R238	L239	F242	K243	L247	T248	L249
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

H250	Q251	H252	L253	D254	S258	D259	K260	F261	L264	R265	R266	Q269	A275	S276	D277	E278	E279	D280	L281	S286	T287	H288	G289	P290	G291	MET	ALA	MET	ASN	TRP	PRO	GLN	PHE	GLU	GLU	TRP	SER	LEU	ASP	THR	GLN	ARG	ALA	ILE	SER	ARG	LYS	LYS	GLY	ARG	SER	PRO
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ASP
GLU
VAL
THR
LEU
THR
SER
ILE
VAL
PRO
THR
THR
ARG
ASP
GLY
THR
PRO
PRO
GLN
SER

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	120.57Å 108.90Å 222.32Å 90.00° 90.05° 90.00°	Depositor
Resolution (Å)	48.90 – 3.10 48.90 – 3.10	Depositor EDS
% Data completeness (in resolution range)	98.7 (48.90-3.10) 98.5 (48.90-3.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.60 (at 3.12Å)	Xtriage
Refinement program	REFMAC 5.5.0110	Depositor
R, R_{free}	0.281 , 0.337 0.274 , 0.328	Depositor DCC
R_{free} test set	5196 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	64.1	Xtriage
Anisotropy	0.371	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 31.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.55$, $\langle L^2 \rangle = 0.40$	Xtriage
Estimated twinning fraction	0.458 for h,-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	16470	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 50.83 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.1201e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.12	6/2094 (0.3%)	1.01	5/2811 (0.2%)
1	B	1.14	7/2160 (0.3%)	1.00	2/2895 (0.1%)
1	C	1.12	8/2104 (0.4%)	1.00	4/2821 (0.1%)
1	D	1.26	11/2133 (0.5%)	1.06	4/2862 (0.1%)
1	E	1.17	6/2092 (0.3%)	1.02	6/2813 (0.2%)
1	F	1.22	12/2097 (0.6%)	1.05	2/2821 (0.1%)
1	G	1.14	3/2021 (0.1%)	1.03	5/2724 (0.2%)
1	H	1.28	12/2025 (0.6%)	1.08	9/2725 (0.3%)
All	All	1.18	65/16726 (0.4%)	1.03	37/22472 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

The worst 5 of 65 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	108	GLU	CG-CD	10.46	1.67	1.51
1	H	108	GLU	CG-CD	10.14	1.67	1.51
1	D	160	ALA	C-O	9.96	1.42	1.23
1	H	97	GLU	CG-CD	9.93	1.66	1.51
1	A	108	GLU	CG-CD	8.23	1.64	1.51

The worst 5 of 37 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	238	ARG	NE-CZ-NH2	-9.19	115.71	120.30
1	D	161	ARG	NE-CZ-NH2	-7.60	116.50	120.30
1	A	28	ARG	NE-CZ-NH1	6.89	123.75	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	219	ARG	NE-CZ-NH1	6.88	123.74	120.30
1	E	238	ARG	NE-CZ-NH2	-6.84	116.88	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	160	ALA	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2047	0	1943	82	0
1	B	2115	0	2020	76	0
1	C	2061	0	1930	97	0
1	D	2085	0	1982	110	0
1	E	2044	0	1900	111	0
1	F	2050	0	1898	93	0
1	G	1978	0	1807	89	0
1	H	1981	0	1827	84	0
2	A	14	0	0	1	0
2	B	13	0	0	2	0
2	C	19	0	0	0	0
2	D	12	0	0	3	0
2	E	12	0	0	0	0
2	F	16	0	0	2	0
2	G	10	0	0	0	0
2	H	13	0	0	1	0
All	All	16470	0	15307	658	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

The worst 5 of 658 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:196:THR:CG2	1:D:196:THR:CB	1.76	1.59
1:D:121:GLN:HE22	1:D:130:ARG:CD	1.42	1.33
1:D:121:GLN:NE2	1:D:130:ARG:HD3	1.46	1.30
1:E:76:THR:CG2	1:E:275:ALA:HA	1.69	1.23
1:A:76:THR:CG2	1:A:275:ALA:HA	1.74	1.18

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	243/347 (70%)	229 (94%)	10 (4%)	4 (2%)	9	37
1	B	253/347 (73%)	236 (93%)	14 (6%)	3 (1%)	13	44
1	C	251/347 (72%)	231 (92%)	20 (8%)	0	100	100
1	D	249/347 (72%)	230 (92%)	17 (7%)	2 (1%)	19	54
1	E	249/347 (72%)	232 (93%)	16 (6%)	1 (0%)	34	69
1	F	247/347 (71%)	224 (91%)	21 (8%)	2 (1%)	19	54
1	G	250/347 (72%)	222 (89%)	25 (10%)	3 (1%)	13	44
1	H	241/347 (70%)	224 (93%)	14 (6%)	3 (1%)	13	44
All	All	1983/2776 (71%)	1828 (92%)	137 (7%)	18 (1%)	17	52

5 of 18 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	213	LEU
1	F	297	PRO
1	B	290	PRO
1	D	71	GLY
1	H	71	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	201/294 (68%)	173 (86%)	28 (14%)	3	15
1	B	210/294 (71%)	177 (84%)	33 (16%)	2	11
1	C	197/294 (67%)	154 (78%)	43 (22%)	1	4
1	D	205/294 (70%)	172 (84%)	33 (16%)	2	10
1	E	196/294 (67%)	157 (80%)	39 (20%)	1	5
1	F	193/294 (66%)	157 (81%)	36 (19%)	1	7
1	G	182/294 (62%)	143 (79%)	39 (21%)	1	4
1	H	186/294 (63%)	159 (86%)	27 (14%)	3	13
All	All	1570/2352 (67%)	1292 (82%)	278 (18%)	2	8

5 of 278 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	248	THR
1	E	212	GLU
1	H	56	GLN
1	D	266	ARG
1	E	41	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 69 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	251	GLN
1	E	262	HIS
1	H	208	GLN
1	D	265	HIS
1	E	226	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/347 (72%)	0.36	5 (2%) 65 44	37, 61, 103, 129	0
1	B	257/347 (74%)	0.41	8 (3%) 49 26	25, 55, 120, 137	0
1	C	257/347 (74%)	0.38	3 (1%) 79 61	42, 59, 97, 112	0
1	D	255/347 (73%)	0.38	5 (1%) 65 44	34, 54, 120, 135	0
1	E	255/347 (73%)	0.40	8 (3%) 49 26	39, 59, 108, 127	0
1	F	255/347 (73%)	0.46	10 (3%) 39 20	32, 55, 101, 114	0
1	G	254/347 (73%)	0.34	6 (2%) 59 37	41, 59, 83, 98	0
1	H	247/347 (71%)	0.39	2 (0%) 86 72	35, 53, 89, 102	0
All	All	2030/2776 (73%)	0.39	47 (2%) 60 39	25, 57, 103, 137	0

The worst 5 of 47 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	292	MET	7.4
1	C	293	ALA	6.4
1	F	293	ALA	5.8
1	E	291	GLY	5.0
1	E	166	THR	4.9

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.