



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 03:35 am BST

PDB ID : 5SYX
Title : Crystal structure of Burkholderia pseudomallei KatG variant W139F
Authors : Loewen, P.C.
Deposited on : 2016-08-12
Resolution : 1.77 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	9185 (1.80-1.76)
Clashscore	141614	10184 (1.80-1.76)
Ramachandran outliers	138981	10051 (1.80-1.76)
Sidechain outliers	138945	10050 (1.80-1.76)
RSRZ outliers	127900	9032 (1.80-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	728	<div> <div>2%</div> <div> <div></div> <div>86%</div> <div>11%</div> <div>••</div> </div> </div>
1	B	728	<div> <div>2%</div> <div> <div></div> <div>87%</div> <div>10%</div> <div>••</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	PO4	A	805	-	X	-	-
7	MPD	A	807	-	X	-	-
7	MPD	B	806	-	-	X	-
7	MPD	B	807	-	-	X	-

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 12884 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Catalase-peroxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	713	Total	C	N	O	S	0	7	0
			5543	3500	986	1043	14			
1	B	713	Total	C	N	O	S	0	9	0
			5549	3506	989	1040	14			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	139	PHE	TRP	engineered mutation	UNP Q3JNW6
B	139	PHE	TRP	engineered mutation	UNP Q3JNW6

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	Fe	N	O	
			43	34	1	4	4	
							0	0


- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Na		
			1	1	0	0
3	A	1	Total	Na		
			1	1	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Cl		
			1	1	0	0
4	A	1	Total	Cl		
			1	1	0	0

- Molecule 5 is OXYGEN MOLECULE (three-letter code: OXY) (formula: O₂).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	O		
			2	2	0	0
5	B	1	Total	O		
			2	2	0	0

- Molecule 6 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	P	0	0
			5	4	1		
6	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 7 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: $\text{C}_6\text{H}_{14}\text{O}_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			8	6	2		
7	A	1	Total	C	O	0	0
			8	6	2		
7	A	1	Total	C	O	0	0
			8	6	2		
7	B	1	Total	C	O	0	0
			8	6	2		
7	B	1	Total	C	O	0	0
			8	6	2		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	844	Total	O	0	0
			844	844		
8	B	804	Total	O	0	0
			804	804		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Catalase-peroxidase



• Molecule 1: Catalase-peroxidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	100.67Å 115.95Å 175.02Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.77 48.37 – 1.77	Depositor EDS
% Data completeness (in resolution range)	99.6 (20.00-1.77) 99.6 (48.37-1.77)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.18 (at 1.77Å)	Xtriage
Refinement program	REFMAC 5.8.0151	Depositor
R, R_{free}	0.141 , 0.172 0.154 , 0.183	Depositor DCC
R_{free} test set	9845 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	19.2	Xtriage
Anisotropy	0.433	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	12884	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: TOX, OXY, CL, NA, PO4, MPD, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.40	36/5682 (0.6%)	1.30	69/7719 (0.9%)
1	B	1.42	30/5696 (0.5%)	1.27	58/7738 (0.7%)
All	All	1.41	66/11378 (0.6%)	1.29	127/15457 (0.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	3
All	All	0	4

All (66) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	726	GLU	CD-OE1	11.14	1.38	1.25
1	A	426[A]	ARG	CZ-NH2	10.57	1.46	1.33
1	A	426[B]	ARG	CZ-NH2	10.57	1.46	1.33
1	B	410	GLU	CG-CD	10.30	1.67	1.51
1	B	198	GLU	CD-OE2	9.92	1.36	1.25
1	B	426[A]	ARG	CZ-NH2	9.58	1.45	1.33
1	B	426[B]	ARG	CZ-NH2	9.58	1.45	1.33
1	B	730[A]	ARG	CZ-NH1	8.92	1.44	1.33
1	B	730[B]	ARG	CZ-NH1	8.92	1.44	1.33
1	B	512	ASP	CB-CG	8.27	1.69	1.51
1	A	725	GLN	CG-CD	8.21	1.70	1.51
1	A	178	GLU	CD-OE1	-7.59	1.17	1.25
1	A	438	GLU	CD-OE1	-7.55	1.17	1.25
1	A	726	GLU	CG-CD	7.46	1.63	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	514	GLU	CD-OE2	-7.38	1.17	1.25
1	B	512	ASP	CG-OD2	7.35	1.42	1.25
1	B	269	GLU	CD-OE2	-7.03	1.18	1.25
1	A	343	GLU	CD-OE1	6.96	1.33	1.25
1	A	584	GLU	CG-CD	6.88	1.62	1.51
1	B	438	GLU	CD-OE1	-6.85	1.18	1.25
1	A	349	GLU	CD-OE2	-6.73	1.18	1.25
1	A	532	ARG	NE-CZ	-6.70	1.24	1.33
1	A	407[A]	GLU	CD-OE1	6.44	1.32	1.25
1	A	407[B]	GLU	CD-OE1	6.44	1.32	1.25
1	A	434	TYR	CG-CD1	-6.42	1.30	1.39
1	B	496	LYS	CE-NZ	-6.40	1.33	1.49
1	B	686	GLU	CG-CD	6.36	1.61	1.51
1	B	196	GLU	CB-CG	-6.34	1.40	1.52
1	A	178	GLU	CG-CD	6.31	1.61	1.51
1	A	589	GLU	CD-OE1	6.30	1.32	1.25
1	B	478	SER	CB-OG	6.29	1.50	1.42
1	B	726	GLU	CG-CD	6.27	1.61	1.51
1	A	442	GLU	CD-OE2	-6.25	1.18	1.25
1	B	526	GLU	CG-CD	6.23	1.61	1.51
1	B	198	GLU	CD-OE1	6.19	1.32	1.25
1	A	711	GLN	CD-NE2	-6.18	1.17	1.32
1	B	540	ARG	C-O	6.04	1.34	1.23
1	A	407[A]	GLU	CG-CD	6.00	1.60	1.51
1	A	407[B]	GLU	CG-CD	6.00	1.60	1.51
1	A	633	VAL	CB-CG1	-5.92	1.40	1.52
1	B	226	GLU	CB-CG	-5.87	1.41	1.52
1	A	540	ARG	C-O	5.86	1.34	1.23
1	B	730[A]	ARG	CZ-NH2	5.81	1.40	1.33
1	B	730[B]	ARG	CZ-NH2	5.81	1.40	1.33
1	A	434	TYR	CE2-CZ	-5.69	1.31	1.38
1	B	674	GLU	CD-OE2	-5.60	1.19	1.25
1	A	514	GLU	CD-OE1	-5.55	1.19	1.25
1	A	223	ARG	CZ-NH2	5.54	1.40	1.33
1	A	454	ASP	CB-CG	5.54	1.63	1.51
1	A	398	TYR	CD1-CE1	5.52	1.47	1.39
1	A	161	ARG	CZ-NH1	5.50	1.40	1.33
1	A	196	GLU	CG-CD	5.48	1.60	1.51
1	A	434	TYR	CG-CD2	-5.46	1.32	1.39
1	A	519	GLU	CD-OE1	5.43	1.31	1.25
1	A	514	GLU	CD-OE2	-5.41	1.19	1.25
1	B	465	GLU	CD-OE1	5.39	1.31	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	736	TRP	CZ3-CH2	-5.38	1.31	1.40
1	A	198	GLU	CD-OE2	5.36	1.31	1.25
1	A	699	GLY	N-CA	5.28	1.53	1.46
1	B	303	GLU	CD-OE2	-5.26	1.19	1.25
1	A	478	SER	CB-OG	5.23	1.49	1.42
1	B	410	GLU	CD-OE1	5.10	1.31	1.25
1	B	674	GLU	CG-CD	5.10	1.59	1.51
1	A	532	ARG	CG-CD	5.09	1.64	1.51
1	A	247	ASN	CG-ND2	-5.03	1.20	1.32
1	B	514	GLU	CG-CD	5.01	1.59	1.51

All (127) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	426[A]	ARG	NE-CZ-NH1	-19.34	110.63	120.30
1	A	426[B]	ARG	NE-CZ-NH1	-19.34	110.63	120.30
1	B	512	ASP	CB-CG-OD1	-11.57	107.89	118.30
1	A	730	ARG	NE-CZ-NH1	10.95	125.78	120.30
1	B	713	ARG	NE-CZ-NH1	10.85	125.73	120.30
1	B	82	ARG	NE-CZ-NH1	9.75	125.17	120.30
1	A	713	ARG	NE-CZ-NH1	9.48	125.04	120.30
1	B	713	ARG	NE-CZ-NH2	-9.21	115.70	120.30
1	B	149	ARG	NE-CZ-NH1	9.16	124.88	120.30
1	B	393	ARG	NE-CZ-NH2	-9.05	115.78	120.30
1	A	670	ASP	CB-CG-OD2	-9.04	110.16	118.30
1	B	506	ARG	NE-CZ-NH1	8.89	124.74	120.30
1	B	730[A]	ARG	NE-CZ-NH1	-8.74	115.93	120.30
1	B	730[B]	ARG	NE-CZ-NH1	-8.74	115.93	120.30
1	A	149	ARG	NE-CZ-NH1	8.73	124.67	120.30
1	B	683	ASP	CB-CG-OD2	-8.45	110.69	118.30
1	A	149	ARG	NE-CZ-NH2	-8.34	116.13	120.30
1	B	426[A]	ARG	NE-CZ-NH1	-8.31	116.14	120.30
1	B	426[B]	ARG	NE-CZ-NH1	-8.31	116.14	120.30
1	A	48	ASP	CB-CG-OD1	8.22	125.70	118.30
1	A	431	ARG	NE-CZ-NH2	8.09	124.34	120.30
1	B	60	ASP	CB-CG-OD2	-8.01	111.09	118.30
1	B	82	ARG	NE-CZ-NH2	-7.83	116.38	120.30
1	A	82	ARG	NE-CZ-NH2	-7.82	116.39	120.30
1	A	529[A]	GLU	OE1-CD-OE2	-7.80	113.94	123.30
1	A	529[B]	GLU	OE1-CD-OE2	-7.80	113.94	123.30
1	B	744	ARG	NE-CZ-NH2	-7.75	116.42	120.30
1	A	263	ARG	NE-CZ-NH2	-7.66	116.47	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	60	ASP	CB-CG-OD2	-7.63	111.44	118.30
1	A	649	ARG	NE-CZ-NH2	-7.61	116.50	120.30
1	A	108	ARG	NE-CZ-NH1	7.60	124.10	120.30
1	A	690	ARG	NE-CZ-NH1	-7.48	116.56	120.30
1	B	48	ASP	CB-CG-OD1	7.36	124.92	118.30
1	A	602	ARG	NE-CZ-NH2	-7.23	116.68	120.30
1	B	504	ARG	NE-CZ-NH1	7.21	123.90	120.30
1	B	403[A]	ARG	NE-CZ-NH1	7.16	123.88	120.30
1	B	403[B]	ARG	NE-CZ-NH1	7.16	123.88	120.30
1	A	403	ARG	CG-CD-NE	7.12	126.74	111.80
1	B	268	ASP	CB-CG-OD1	7.11	124.70	118.30
1	B	744	ARG	NE-CZ-NH1	7.05	123.82	120.30
1	B	226	GLU	OE1-CD-OE2	-7.04	114.85	123.30
1	B	610	ARG	NE-CZ-NH1	6.91	123.76	120.30
1	A	434	TYR	CB-CG-CD1	6.90	125.14	121.00
1	B	683	ASP	CB-CG-OD1	6.88	124.49	118.30
1	B	65	ASP	CB-CG-OD2	-6.85	112.14	118.30
1	A	320	ASP	CB-CG-OD1	-6.83	112.16	118.30
1	B	690	ARG	NE-CZ-NH2	6.77	123.68	120.30
1	A	76	ASP	CB-CG-OD2	-6.76	112.21	118.30
1	A	433	ARG	NE-CZ-NH1	6.71	123.66	120.30
1	A	218	ARG	NE-CZ-NH2	-6.69	116.95	120.30
1	B	404	ARG	NE-CZ-NH2	-6.63	116.99	120.30
1	A	223	ARG	NE-CZ-NH1	-6.57	117.01	120.30
1	A	426[A]	ARG	NE-CZ-NH2	6.54	123.57	120.30
1	A	426[B]	ARG	NE-CZ-NH2	6.54	123.57	120.30
1	B	123	ARG	NE-CZ-NH1	6.53	123.57	120.30
1	A	683	ASP	CB-CG-OD1	6.37	124.03	118.30
1	B	149	ARG	NE-CZ-NH2	-6.34	117.13	120.30
1	B	218	ARG	NE-CZ-NH2	-6.32	117.14	120.30
1	B	123	ARG	NE-CZ-NH2	-6.30	117.15	120.30
1	B	728	PHE	CB-CG-CD1	-6.25	116.42	120.80
1	A	713	ARG	NE-CZ-NH2	-6.25	117.18	120.30
1	B	98	ASP	CB-CG-OD2	-6.19	112.73	118.30
1	A	54	ARG	NE-CZ-NH1	6.18	123.39	120.30
1	A	82	ARG	NE-CZ-NH1	6.10	123.35	120.30
1	A	407[A]	GLU	CG-CD-OE1	6.10	130.50	118.30
1	A	407[B]	GLU	CG-CD-OE1	6.10	130.50	118.30
1	B	514	GLU	OE1-CD-OE2	-6.09	116.00	123.30
1	B	375	PHE	CB-CG-CD2	-6.01	116.59	120.80
1	A	690	ARG	NE-CZ-NH2	5.97	123.28	120.30
1	B	427	ASP	CB-CG-OD2	-5.96	112.93	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	183	LYS	CB-CG-CD	5.93	127.01	111.60
1	B	76	ASP	CB-CG-OD2	-5.93	112.97	118.30
1	A	376	ASP	CB-CG-OD2	-5.92	112.97	118.30
1	A	191	ARG	NE-CZ-NH2	-5.91	117.34	120.30
1	B	40	ARG	NE-CZ-NH1	5.86	123.23	120.30
1	A	183	LYS	CD-CE-NZ	-5.86	98.22	111.70
1	B	512	ASP	CB-CG-OD2	5.83	123.55	118.30
1	A	730	ARG	NE-CZ-NH2	-5.77	117.42	120.30
1	B	108	ARG	NE-CZ-NH2	-5.74	117.43	120.30
1	A	404	ARG	NE-CZ-NH1	5.74	123.17	120.30
1	A	701	ARG	NE-CZ-NH1	5.69	123.15	120.30
1	A	296	GLU	OE1-CD-OE2	5.66	130.10	123.30
1	A	60	ASP	CB-CG-OD1	5.65	123.39	118.30
1	A	587	ASP	CB-CG-OD1	5.63	123.37	118.30
1	A	223	ARG	NE-CZ-NH2	5.63	123.11	120.30
1	A	222	ASP	CB-CG-OD1	5.62	123.36	118.30
1	B	698	THR	CA-CB-CG2	-5.61	104.54	112.40
1	A	404	ARG	NE-CZ-NH2	-5.60	117.50	120.30
1	A	433	ARG	NE-CZ-NH2	-5.59	117.50	120.30
1	A	698	THR	CA-CB-CG2	-5.59	104.58	112.40
1	A	108	ARG	NE-CZ-NH2	-5.58	117.51	120.30
1	B	701	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	A	167	ASP	CB-CG-OD2	-5.57	113.28	118.30
1	B	108	ARG	NE-CZ-NH1	5.57	123.08	120.30
1	A	578	ARG	NE-CZ-NH1	5.50	123.05	120.30
1	A	183	LYS	CA-CB-CG	-5.45	101.40	113.40
1	B	414	ASP	CB-CG-OD1	5.38	123.14	118.30
1	A	610	ARG	NE-CZ-NH1	5.38	122.99	120.30
1	B	578	ARG	NE-CZ-NH1	5.37	122.98	120.30
1	A	426[A]	ARG	NH1-CZ-NH2	5.36	125.29	119.40
1	A	426[B]	ARG	NH1-CZ-NH2	5.36	125.29	119.40
1	B	434	TYR	CB-CG-CD1	5.35	124.21	121.00
1	B	506	ARG	NE-CZ-NH2	-5.35	117.63	120.30
1	A	438	GLU	CG-CD-OE1	-5.32	107.65	118.30
1	A	393	ARG	NE-CZ-NH1	5.31	122.95	120.30
1	B	54	ARG	NE-CZ-NH2	-5.31	117.65	120.30
1	A	98	ASP	CB-CG-OD1	5.30	123.07	118.30
1	A	438	GLU	OE1-CD-OE2	5.28	129.64	123.30
1	A	405	PHE	CB-CG-CD2	-5.28	117.11	120.80
1	A	225	LEU	CB-CG-CD2	-5.27	102.05	111.00
1	B	497	ARG	NE-CZ-NH2	-5.26	117.67	120.30
1	B	587	ASP	CB-CG-OD1	5.26	123.04	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	431	ARG	NE-CZ-NH2	5.24	122.92	120.30
1	B	745	PHE	CG-CD2-CE2	-5.19	115.09	120.80
1	A	40	ARG	NE-CZ-NH1	5.17	122.88	120.30
1	B	688	ARG	NE-CZ-NH2	-5.17	117.72	120.30
1	B	263	ARG	NE-CZ-NH2	-5.16	117.72	120.30
1	A	375	PHE	CB-CG-CD2	-5.15	117.19	120.80
1	A	520[A]	GLN	CB-CG-CD	5.15	124.99	111.60
1	A	520[B]	GLN	CB-CG-CD	5.15	124.99	111.60
1	B	633[A]	VAL	CA-CB-CG1	-5.11	103.24	110.90
1	B	633[B]	VAL	CA-CB-CG1	-5.11	103.24	110.90
1	A	492	ARG	NE-CZ-NH2	-5.07	117.76	120.30
1	A	683	ASP	CB-CG-OD2	-5.06	113.75	118.30
1	B	405	PHE	CB-CG-CD1	5.06	124.34	120.80
1	B	223	ARG	NE-CZ-NH1	-5.02	117.79	120.30
1	A	132	ARG	NE-CZ-NH1	5.01	122.80	120.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	199	ASP	Mainchain
1	B	199	ASP	Mainchain
1	B	226	GLU	Sidechain
1	B	514	GLU	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5543	0	5361	21	0
1	B	5549	0	5383	37	0
2	A	43	0	30	0	0
2	B	43	0	30	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	1	0	0	1	0
4	B	1	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	2	0	0	0	0
5	B	2	0	0	1	0
6	A	5	0	0	0	0
6	B	5	0	0	0	0
7	A	24	0	42	5	0
7	B	16	0	28	14	0
8	A	844	0	0	10	0
8	B	804	0	0	20	0
All	All	12884	0	10874	72	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:520[A]:GLN:HG3	8:A:1186:HOH:O	1.43	1.14
7:A:808:MPD:H52	7:A:808:MPD:H11	1.31	1.11
1:B:520[A]:GLN:HG3	8:B:945:HOH:O	1.55	1.05
1:A:119[B]:THR:HG21	8:A:1137:HOH:O	1.59	1.02
1:A:70:GLN:NE2	8:A:903:HOH:O	2.00	0.93
1:B:506:ARG:HE	7:B:806:MPD:H12	1.36	0.89
7:B:806:MPD:H51	8:B:1397:HOH:O	1.80	0.81
1:A:610:ARG:HD2	1:A:611:VAL:HG23	1.63	0.80
1:B:431:ARG:CD	8:B:1482:HOH:O	2.28	0.80
1:B:55:HIS:HD2	8:B:1349:HOH:O	1.64	0.80
1:B:610:ARG:HD2	1:B:611:VAL:HG23	1.65	0.79
1:B:431:ARG:HD2	8:B:1482:HOH:O	1.83	0.79
7:A:807:MPD:H53	7:A:807:MPD:H12	1.64	0.79
7:A:808:MPD:C5	7:A:808:MPD:H11	2.10	0.79
1:B:730[A]:ARG:HG2	8:B:930:HOH:O	1.84	0.77
1:A:711:GLN:NE2	8:A:906:HOH:O	2.18	0.74
7:B:807:MPD:H53	7:B:807:MPD:C1	2.21	0.70
1:B:730[A]:ARG:HD2	8:B:1526:HOH:O	1.93	0.68
1:B:512:ASP:OD1	8:B:903:HOH:O	2.11	0.67
1:A:504:ARG:HD2	8:A:947:HOH:O	1.97	0.65
1:B:512:ASP:HB2	8:B:1420:HOH:O	1.97	0.65
1:B:119[B]:THR:HG22	8:B:1177:HOH:O	1.97	0.64
7:B:806:MPD:H13	8:B:1574:HOH:O	1.96	0.64
1:A:336:GLN:NE2	8:A:905:HOH:O	2.17	0.63
1:A:198:GLU:HG3	4:A:803:CL:CL	2.37	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:290:ALA:HB1	7:B:807:MPD:HM3	1.83	0.61
1:B:633[A]:VAL:CG2	1:B:719:TYR:CZ	2.83	0.61
1:B:633[A]:VAL:HG22	1:B:719:TYR:CZ	2.37	0.60
1:B:198:GLU:HG3	4:B:803:CL:CL	2.39	0.59
1:A:520[A]:GLN:CG	8:A:1186:HOH:O	2.18	0.59
7:A:807:MPD:H53	7:A:807:MPD:C1	2.31	0.59
1:A:426[A]:ARG:NE	8:A:904:HOH:O	2.09	0.58
7:B:807:MPD:H11	7:B:807:MPD:O4	2.03	0.58
1:B:519:GLU:OE1	8:B:904:HOH:O	2.17	0.57
7:B:806:MPD:C1	7:B:806:MPD:H52	2.34	0.57
1:B:633[A]:VAL:HG22	1:B:719:TYR:CE2	2.40	0.56
1:B:730[A]:ARG:CG	8:B:930:HOH:O	2.46	0.55
7:B:807:MPD:H11	7:B:807:MPD:H53	1.88	0.55
1:B:506:ARG:NE	7:B:806:MPD:H12	2.16	0.54
1:B:119[B]:THR:CG2	8:B:1177:HOH:O	2.53	0.54
1:B:506:ARG:HE	7:B:806:MPD:C1	2.14	0.53
7:B:807:MPD:H53	7:B:807:MPD:H12	1.89	0.53
1:A:593:VAL:HG13	8:A:914:HOH:O	2.09	0.52
1:B:591:MET:SD	1:B:594:LEU:HD12	2.50	0.52
5:B:804:OXY:O2	8:B:905:HOH:O	2.18	0.52
1:B:696:LYS:NZ	8:B:914:HOH:O	2.37	0.52
1:B:119[B]:THR:HB	1:B:593:VAL:HG11	1.93	0.51
1:B:520[A]:GLN:CG	8:B:945:HOH:O	2.33	0.51
7:B:806:MPD:H52	7:B:806:MPD:H11	1.94	0.49
1:B:399:GLU:OE1	1:B:403[A]:ARG:NH1	2.45	0.49
7:B:807:MPD:C5	7:B:807:MPD:C1	2.89	0.48
1:B:629:PRO:O	1:B:633[A]:VAL:HG23	2.15	0.47
1:B:662:ASN:H	1:B:725:GLN:HE22	1.62	0.46
1:B:696:LYS:HE2	8:B:1214:HOH:O	2.15	0.45
1:B:431:ARG:HD2	1:B:447:GLN:OE1	2.16	0.45
1:A:428:MET:O	1:A:433:ARG:HD3	2.18	0.43
1:A:119[B]:THR:HG23	1:A:593:VAL:HG11	2.00	0.43
1:B:223:ARG:HH11	1:B:223:ARG:HD2	1.68	0.43
7:A:807:MPD:C5	7:A:807:MPD:H12	2.44	0.43
1:B:74:LYS:HE3	8:B:1234:HOH:O	2.17	0.43
1:B:540:ARG:HA	1:B:540:ARG:NH1	2.35	0.42
1:A:223:ARG:HD2	1:A:223:ARG:HH11	1.72	0.42
1:B:186:GLY:HA2	8:B:912:HOH:O	2.19	0.42
1:A:426[B]:ARG:HD2	1:A:426[B]:ARG:HA	1.77	0.41
1:A:58:LEU:HB3	1:B:53:HIS:HD2	1.85	0.41
1:B:633[A]:VAL:HG21	1:B:719:TYR:CZ	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:144:ASN:HA	1:A:146:ASP:OD1	2.20	0.41
1:A:591:MET:SD	1:A:594:LEU:HD12	2.61	0.41
1:A:647:GLN:HG3	8:A:1179:HOH:O	2.21	0.40
1:A:431:ARG:HD2	1:A:447:GLN:OE1	2.21	0.40
1:B:290:ALA:CB	7:B:807:MPD:HM3	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	716/728 (98%)	706 (99%)	10 (1%)	0	100	100
1	B	718/728 (99%)	710 (99%)	8 (1%)	0	100	100
All	All	1434/1456 (98%)	1416 (99%)	18 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	555/560 (99%)	544 (98%)	11 (2%)	55	40
1	B	557/560 (100%)	552 (99%)	5 (1%)	78	72
All	All	1112/1120 (99%)	1096 (99%)	16 (1%)	67	56

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	ARG
1	A	64	LYS
1	A	118	ARG
1	A	141	ASP
1	A	183	LYS
1	A	223	ARG
1	A	255[A]	ARG
1	A	255[B]	ARG
1	A	608	LYS
1	A	610	ARG
1	A	725	GLN
1	B	40	ARG
1	B	64	LYS
1	B	118	ARG
1	B	141	ASP
1	B	610	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	70	GLN
1	A	227	ASN
1	A	247	ASN
1	A	647	GLN
1	B	55	HIS
1	B	227	ASN
1	B	711	GLN
1	B	725	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TOX	A	111[A]	2	10,17,18	3.06	3 (30%)	10,23,25	1.82	4 (40%)
1	TOX	A	111[B]	-	10,17,18	3.06	3 (30%)	10,23,25	1.82	4 (40%)
1	TOX	B	111[A]	2	10,17,18	2.49	4 (40%)	10,23,25	1.85	3 (30%)
1	TOX	B	111[B]	-	10,17,18	2.49	4 (40%)	10,23,25	1.85	3 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TOX	A	111[A]	2	-	2/4/8/10	0/2/2/2
1	TOX	A	111[B]	-	-	2/4/8/10	0/2/2/2
1	TOX	B	111[A]	2	-	2/4/8/10	0/2/2/2
1	TOX	B	111[B]	-	-	2/4/8/10	0/2/2/2

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	111[A]	TOX	CD1-NE1	-8.66	1.30	1.39
1	A	111[B]	TOX	CD1-NE1	-8.66	1.30	1.39
1	B	111[A]	TOX	CD1-NE1	-5.71	1.33	1.39
1	B	111[B]	TOX	CD1-NE1	-5.71	1.33	1.39
1	B	111[A]	TOX	CZ2-CE2	-2.99	1.35	1.41
1	B	111[B]	TOX	CZ2-CE2	-2.99	1.35	1.41
1	B	111[A]	TOX	CE3-CD2	-2.97	1.36	1.42
1	B	111[B]	TOX	CE3-CD2	-2.97	1.36	1.42
1	A	111[A]	TOX	O-C	2.72	1.30	1.19
1	A	111[B]	TOX	O-C	2.72	1.30	1.19
1	A	111[A]	TOX	CZ3-CE3	2.32	1.42	1.36
1	A	111[B]	TOX	CZ3-CE3	2.32	1.42	1.36
1	B	111[A]	TOX	O-C	2.27	1.29	1.19
1	B	111[B]	TOX	O-C	2.27	1.29	1.19

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	111[A]	TOX	CZ2-CE2-CD2	-3.58	116.07	120.94
1	A	111[B]	TOX	CZ2-CE2-CD2	-3.58	116.07	120.94
1	B	111[A]	TOX	CG-CB-CA	3.55	120.02	114.53
1	B	111[B]	TOX	CG-CB-CA	3.55	120.02	114.53
1	B	111[A]	TOX	CB-CG-CD1	3.45	132.23	127.97
1	B	111[B]	TOX	CB-CG-CD1	3.45	132.23	127.97
1	A	111[A]	TOX	CB-CA-C	2.36	115.89	111.47
1	A	111[B]	TOX	CB-CA-C	2.36	115.89	111.47
1	A	111[A]	TOX	CZ3-CE3-CD2	-2.34	117.65	120.89
1	A	111[B]	TOX	CZ3-CE3-CD2	-2.34	117.65	120.89
1	A	111[A]	TOX	CG-CB-CA	2.13	117.83	114.53
1	A	111[B]	TOX	CG-CB-CA	2.13	117.83	114.53
1	B	111[A]	TOX	CB-CG-CD2	-2.07	123.03	126.25
1	B	111[B]	TOX	CB-CG-CD2	-2.07	123.03	126.25

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	111[A]	TOX	N-CA-CB-CG
1	A	111[A]	TOX	C-CA-CB-CG
1	A	111[B]	TOX	N-CA-CB-CG
1	A	111[B]	TOX	C-CA-CB-CG
1	B	111[A]	TOX	N-CA-CB-CG
1	B	111[A]	TOX	C-CA-CB-CG
1	B	111[B]	TOX	N-CA-CB-CG
1	B	111[B]	TOX	C-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 15 ligands modelled in this entry, 4 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	A	801	1	27,50,50	1.32	3 (11%)	17,82,82	1.89	5 (29%)
5	OXY	B	804	-	1,1,1	0.48	0	-		
5	OXY	A	804	-	1,1,1	0.71	0	-		
7	MPD	A	806	-	7,7,7	0.73	0	9,10,10	1.46	2 (22%)
6	PO4	A	805	-	4,4,4	1.30	0	6,6,6	2.61	4 (66%)
7	MPD	A	808	-	7,7,7	1.10	0	9,10,10	1.50	1 (11%)
7	MPD	B	806	-	7,7,7	1.52	2 (28%)	9,10,10	1.45	2 (22%)
2	HEM	B	801	1	27,50,50	1.76	7 (25%)	17,82,82	2.46	9 (52%)
6	PO4	B	805	-	4,4,4	1.46	1 (25%)	6,6,6	1.49	1 (16%)
7	MPD	B	807	-	7,7,7	0.78	0	9,10,10	1.77	3 (33%)
7	MPD	A	807	-	7,7,7	0.67	0	9,10,10	2.73	5 (55%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	801	1	-	0/6/54/54	-
7	MPD	B	806	-	-	4/5/5/5	-
7	MPD	A	808	-	-	4/5/5/5	-
2	HEM	B	801	1	-	0/6/54/54	-
7	MPD	A	806	-	-	5/5/5/5	-
7	MPD	B	807	-	-	2/5/5/5	-
7	MPD	A	807	-	-	4/5/5/5	-

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	HEM	C3B-C2B	-5.65	1.32	1.40
2	A	801	HEM	C1A-NA	3.55	1.43	1.36
2	B	801	HEM	C4A-NA	3.03	1.42	1.36
2	A	801	HEM	CMD-C2D	-2.98	1.45	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	805	PO4	P-O3	-2.64	1.46	1.54
2	B	801	HEM	CMB-C2B	2.45	1.57	1.51
2	B	801	HEM	C1D-CHD	2.36	1.47	1.41
7	B	806	MPD	CM-C2	2.34	1.59	1.52
2	B	801	HEM	CMD-C2D	-2.29	1.46	1.51
7	B	806	MPD	C3-C2	2.28	1.59	1.53
2	A	801	HEM	CMA-C3A	2.17	1.56	1.51
2	B	801	HEM	C3C-CAC	2.13	1.52	1.47
2	B	801	HEM	C3C-C2C	-2.07	1.37	1.40

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	801	HEM	CAA-CBA-CGA	-4.80	104.61	112.67
6	A	805	PO4	O4-P-O1	-4.57	94.16	110.89
2	A	801	HEM	CAA-CBA-CGA	-4.53	105.06	112.67
7	A	807	MPD	O2-C2-C3	-4.45	93.08	109.80
2	B	801	HEM	CMD-C2D-C1D	-4.12	122.14	128.46
2	B	801	HEM	CMA-C3A-C4A	-4.06	122.22	128.46
7	A	807	MPD	O4-C4-C3	-3.70	96.42	111.36
7	A	807	MPD	C1-C2-C3	3.59	126.69	109.96
7	A	808	MPD	CM-C2-C1	-3.59	103.09	110.57
7	A	807	MPD	CM-C2-C1	-3.55	103.19	110.57
2	B	801	HEM	CMB-C2B-C3B	3.28	130.82	124.68
7	B	807	MPD	CM-C2-C1	3.03	116.88	110.57
6	B	805	PO4	O3-P-O2	2.89	117.24	107.97
7	B	806	MPD	O4-C4-C3	2.82	122.76	111.36
2	A	801	HEM	CMA-C3A-C4A	-2.79	124.17	128.46
6	A	805	PO4	O4-P-O3	2.78	116.90	107.97
2	A	801	HEM	C4C-C3C-C2C	2.67	108.76	106.90
7	A	806	MPD	O4-C4-C3	-2.66	100.63	111.36
7	B	807	MPD	O2-C2-C1	-2.63	99.64	108.08
2	A	801	HEM	CMB-C2B-C3B	2.61	129.57	124.68
2	B	801	HEM	C4A-C3A-C2A	2.55	108.77	107.00
7	B	807	MPD	O4-C4-C5	-2.51	98.52	109.38
2	A	801	HEM	CAD-CBD-CGD	2.51	116.88	112.67
6	A	805	PO4	O3-P-O1	2.43	119.80	110.89
7	A	807	MPD	O2-C2-CM	2.42	115.86	108.08
2	B	801	HEM	C1D-C2D-C3D	2.39	108.66	107.00
2	B	801	HEM	CMD-C2D-C3D	2.22	129.12	124.94
7	A	806	MPD	C5-C4-C3	2.21	122.12	111.69
7	B	806	MPD	O4-C4-C5	-2.20	99.87	109.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	801	HEM	CBA-CAA-C2A	2.16	116.47	112.49
6	A	805	PO4	O3-P-O2	-2.04	101.41	107.97
2	B	801	HEM	CMA-C3A-C2A	2.01	128.73	124.94

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	806	MPD	C1-C2-C3-C4
7	A	806	MPD	O2-C2-C3-C4
7	A	806	MPD	C2-C3-C4-O4
7	A	808	MPD	C2-C3-C4-O4
7	A	808	MPD	C2-C3-C4-C5
7	A	807	MPD	C1-C2-C3-C4
7	A	807	MPD	O2-C2-C3-C4
7	B	806	MPD	C2-C3-C4-C5
7	A	807	MPD	C2-C3-C4-C5
7	A	806	MPD	CM-C2-C3-C4
7	A	808	MPD	C1-C2-C3-C4
7	B	806	MPD	C1-C2-C3-C4
7	B	806	MPD	CM-C2-C3-C4
7	A	807	MPD	CM-C2-C3-C4
7	A	808	MPD	O2-C2-C3-C4
7	B	806	MPD	O2-C2-C3-C4
7	B	807	MPD	O2-C2-C3-C4
7	A	806	MPD	C2-C3-C4-C5
7	B	807	MPD	C2-C3-C4-O4


There are no ring outliers.


5 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	804	OXY	1	0
7	A	808	MPD	2	0
7	B	806	MPD	7	0
7	B	807	MPD	7	0
7	A	807	MPD	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	712/728 (97%)	-0.27	13 (1%) 68 68	13, 19, 37, 83	0
1	B	712/728 (97%)	-0.31	13 (1%) 68 68	12, 19, 37, 97	0
All	All	1424/1456 (97%)	-0.29	26 (1%) 68 68	12, 19, 37, 97	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	541	GLY	4.9
1	B	610	ARG	4.6
1	B	748	ALA	4.5
1	A	748	ALA	4.2
1	A	540	ARG	4.1
1	B	541	GLY	4.0
1	B	540	ARG	4.0
1	A	680	ALA	3.7
1	B	679	ALA	3.5
1	A	610	ARG	3.4
1	A	454	ASP	3.3
1	A	215	PRO	3.2
1	A	679	ALA	3.2
1	B	36	GLY	2.8
1	A	221	GLY	2.8
1	A	608	LYS	2.7
1	B	608	LYS	2.6
1	A	220	SER	2.5
1	B	366	GLY	2.3
1	B	682	ALA	2.3
1	B	45	ASN	2.3
1	B	37	THR	2.3
1	A	609	TYR	2.1
1	B	44	PRO	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	542	GLY	2.0
1	B	454	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TOX	A	111[A]	16/17	0.97	0.10	12,14,15,18	2
1	TOX	A	111[B]	16/17	0.97	0.10	12,14,15,18	2
1	TOX	B	111[A]	16/17	0.98	0.10	12,14,16,19	2
1	TOX	B	111[B]	16/17	0.98	0.10	12,14,16,19	2

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	MPD	B	807	8/8	0.81	0.18	49,57,64,69	0
7	MPD	A	806	8/8	0.85	0.20	66,67,70,70	0
7	MPD	B	806	8/8	0.87	0.20	30,41,42,42	0
7	MPD	A	807	8/8	0.88	0.14	46,55,60,62	0
6	PO4	B	805	5/5	0.90	0.25	37,58,64,69	0
4	CL	B	803	1/1	0.90	0.09	38,38,38,38	0
5	OXY	A	804	2/2	0.91	0.16	33,33,33,36	0
6	PO4	A	805	5/5	0.92	0.19	38,51,63,64	0
4	CL	A	803	1/1	0.93	0.09	38,38,38,38	0
7	MPD	A	808	8/8	0.93	0.18	35,39,48,51	0
5	OXY	B	804	2/2	0.96	0.12	28,28,28,34	0
2	HEM	B	801	43/43	0.98	0.10	12,14,16,20	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	HEM	A	801	43/43	0.98	0.08	12,14,17,19	0
3	NA	B	802	1/1	1.00	0.05	16,16,16,16	0
3	NA	A	802	1/1	1.00	0.04	16,16,16,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.