



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 4, 2022 – 08:18 PM EDT

PDB ID : 5T3Z
Title : 3.5 Angstrom Crystal Structure of a Fully and Natively Glycosylated BG505
SOSIP.664 HIV-1 Env Trimer in Complex with the Broadly Neutralizing An-
tibodies IOMA and 10-1074
Authors : Gristick, H.B.; Bjorkman, P.J.
Deposited on : 2016-08-26
Resolution : 3.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	FAILED
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	FAILED
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.27

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.50 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 12300 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Envelope glycoprotein gp160.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	126	Total	C	N	O	S	0	0	0
			1001	633	172	190	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	559	PRO	ILE	engineered mutation	UNP Q2N0S6
B	605	CYS	THR	engineered mutation	UNP Q2N0S6

- Molecule 2 is a protein called Envelope glycoprotein gp160.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	G	450	Total	C	N	O	S	0	0	0
			3538	2221	624	666	27			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	332	ASN	THR	engineered mutation	UNP Q2N0S6
G	501	CYS	ALA	engineered mutation	UNP Q2N0S6
G	509	ARG	-	expression tag	UNP Q2N0S6
G	510	ARG	-	expression tag	UNP Q2N0S6
G	512	ARG	-	expression tag	UNP Q2N0S6
G	513	ARG	-	expression tag	UNP Q2N0S6

- Molecule 3 is a protein called 10-1074 Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	230	Total	C	N	O	S	0	0	0
			1753	1108	293	345	7			

- Molecule 4 is a protein called 10-1074 Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	L	211	Total	C	N	O	S	0	0	0
			1607	1006	281	314	6			

- Molecule 5 is a protein called IOMA Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	D	229	Total	C	N	O	S	0	0	0
			1742	1100	298	332	12			

- Molecule 6 is a protein called IOMA Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	E	210	Total	C	N	O	S	0	0	0
			1558	976	261	317	4			

- Molecule 7 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	A	2	Total	C	N	O	0	0	0
			24	14	1	9			

- Molecule 8 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	C	3	Total	C	N	O	0	0	0
			39	22	2	15			
8	W	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 9 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	F	2	Total	C	N	O	0	0	0
			28	16	2	10			
9	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
9	N	2	Total	C	N	O	0	0	0
			28	16	2	10			
9	Q	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 10 is an oligosaccharide called beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)]alpha-D-mannopyranose-(1-3)-[beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
10	J	11	Total	C	N	O	0	0	0
			135	76	5	54			

- Molecule 11 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
11	K	5	Total	C	N	O	0	0	0
			61	34	2	25			
11	U	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 12 is an oligosaccharide called beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
12	M	8	Total	C	N	O	0	0	0
			100	56	4	40			

- Molecule 13 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
13	O	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 14 is an oligosaccharide called beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	P	8	Total	C	N	O	0	0	0
			96	54	3	39			

- Molecule 15 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	R	6	Total	C	N	O	0	0	0
			75	42	3	30			

- Molecule 16 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
16	S	10	Total	C	N	O	0	0	0
			116	64	2	50			


- Molecule 17 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
17	T	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 18 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	V	4	Total	C	N	O	0	0	0
			49	28	2	19			

- Molecule 19 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
19	G	1	Total	C	N	O	0	0
			14	8	1	5		
19	G	1	Total	C	N	O	0	0
			14	8	1	5		

MolProbity and EDS failed to run properly - this section is therefore empty.

3 Data and refinement statistics

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	217.26Å 217.26Å 154.94Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	64.63 – 3.50	Depositor
% Data completeness (in resolution range)	100.0 (64.63-3.50)	Depositor
R_{merge}	0.68	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.36 (at 3.49Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.275 , 0.298	Depositor
Wilson B-factor (Å ²)	112.0	Xtriage
Anisotropy	0.022	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	0.055 for h,-h-k,-l	Xtriage
Reported twinning fraction	0.130 for k,h,-l	Depositor
Outliers	0 of 34373 reflections	Xtriage
Total number of atoms	12300	wwPDB-VP
Average B, all atoms (Å ²)	211.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

87 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	A	1	1,7	14,14,15	0.33	0	17,19,21	0.97	1 (5%)
7	FUC	A	2	7	10,10,11	0.73	0	14,14,16	0.90	0
8	NAG	C	1	1,8	14,14,15	0.37	0	17,19,21	1.30	2 (11%)
8	NAG	C	2	8	14,14,15	0.27	0	17,19,21	1.02	1 (5%)
8	BMA	C	3	8	11,11,12	0.25	0	15,15,17	0.74	0
9	NAG	F	1	9,2	14,14,15	0.29	0	17,19,21	0.88	1 (5%)
9	NAG	F	2	9	14,14,15	0.27	0	17,19,21	0.68	0
9	NAG	I	1	9,2	14,14,15	0.45	0	17,19,21	2.28	6 (35%)
9	NAG	I	2	9	14,14,15	0.29	0	17,19,21	0.90	0
10	NAG	J	1	2,10	14,14,15	0.41	0	17,19,21	1.79	6 (35%)
10	GAL	J	10	10	11,11,12	0.56	0	15,15,17	1.02	1 (6%)
10	FUC	J	11	10	10,10,11	1.41	2 (20%)	14,14,16	1.25	1 (7%)
10	NAG	J	2	10	14,14,15	0.55	0	17,19,21	1.41	2 (11%)
10	BMA	J	3	10	11,11,12	0.48	0	15,15,17	2.00	4 (26%)
10	MAN	J	4	10	11,11,12	0.41	0	15,15,17	2.01	4 (26%)
10	NAG	J	5	10	14,14,15	0.35	0	17,19,21	0.82	0
10	GAL	J	6	10	11,11,12	0.50	0	15,15,17	0.92	0
10	NAG	J	7	10	14,14,15	0.27	0	17,19,21	1.07	1 (5%)
10	MAN	J	8	10	11,11,12	0.65	0	15,15,17	1.96	2 (13%)
10	NAG	J	9	10	14,14,15	0.34	0	17,19,21	0.85	1 (5%)
11	NAG	K	1	2,11	14,14,15	0.39	0	17,19,21	1.38	4 (23%)
11	NAG	K	2	11	14,14,15	0.38	0	17,19,21	2.12	4 (23%)
11	BMA	K	3	11	11,11,12	0.24	0	15,15,17	1.23	2 (13%)
11	MAN	K	4	11	11,11,12	0.29	0	15,15,17	0.87	1 (6%)
11	MAN	K	5	11	11,11,12	0.26	0	15,15,17	0.80	0
12	NAG	M	1	12,2	14,14,15	0.52	0	17,19,21	2.35	4 (23%)
12	NAG	M	2	12	14,14,15	0.51	0	17,19,21	1.93	5 (29%)
12	BMA	M	3	12	11,11,12	0.60	0	15,15,17	1.75	2 (13%)
12	MAN	M	4	12	11,11,12	0.51	0	15,15,17	1.52	3 (20%)
12	NAG	M	5	12	14,14,15	0.30	0	17,19,21	0.80	0
12	GAL	M	6	12	11,11,12	0.58	0	15,15,17	1.02	1 (6%)
12	MAN	M	7	12	11,11,12	0.27	0	15,15,17	1.18	1 (6%)
12	NAG	M	8	12	14,14,15	0.29	0	17,19,21	0.79	1 (5%)
9	NAG	N	1	9,2	14,14,15	0.38	0	17,19,21	0.86	1 (5%)
9	NAG	N	2	9	14,14,15	0.29	0	17,19,21	0.80	1 (5%)
13	NAG	O	1	13,2	14,14,15	0.36	0	17,19,21	0.90	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
13	NAG	O	2	13	14,14,15	0.35	0	17,19,21	1.39	3 (17%)
13	BMA	O	3	13	11,11,12	0.30	0	15,15,17	1.05	1 (6%)
13	MAN	O	4	13	11,11,12	0.47	0	15,15,17	1.03	1 (6%)
13	MAN	O	5	13	11,11,12	0.49	0	15,15,17	1.13	2 (13%)
13	MAN	O	6	13	11,11,12	0.24	0	15,15,17	0.85	0
13	MAN	O	7	13	11,11,12	0.26	0	15,15,17	0.78	0
14	NAG	P	1	2,14	14,14,15	0.54	0	17,19,21	1.42	2 (11%)
14	NAG	P	2	14	14,14,15	0.32	0	17,19,21	1.12	2 (11%)
14	BMA	P	3	14	11,11,12	0.28	0	15,15,17	1.42	2 (13%)
14	MAN	P	4	14	11,11,12	0.49	0	15,15,17	1.82	3 (20%)
14	NAG	P	5	14	14,14,15	0.28	0	17,19,21	0.63	0
14	GAL	P	6	14	11,11,12	0.48	0	15,15,17	0.94	0
14	MAN	P	7	14	11,11,12	0.50	0	15,15,17	1.25	2 (13%)
14	FUC	P	8	14	10,10,11	0.61	0	14,14,16	0.92	0
9	NAG	Q	1	9,2	14,14,15	0.29	0	17,19,21	0.53	0
9	NAG	Q	2	9	14,14,15	0.30	0	17,19,21	0.67	0
15	NAG	R	1	2,15	14,14,15	0.35	0	17,19,21	0.97	2 (11%)
15	NAG	R	2	15	14,14,15	0.34	0	17,19,21	0.77	0
15	BMA	R	3	15	11,11,12	0.24	0	15,15,17	1.48	2 (13%)
15	MAN	R	4	15	11,11,12	0.21	0	15,15,17	1.19	1 (6%)
15	NAG	R	5	15	14,14,15	0.28	0	17,19,21	0.76	0
15	MAN	R	6	15	11,11,12	0.88	0	15,15,17	1.47	1 (6%)
16	NAG	S	1	2,16	14,14,15	0.34	0	17,19,21	0.78	0
16	MAN	S	10	16	11,11,12	0.28	0	15,15,17	0.75	0
16	NAG	S	2	16	14,14,15	0.28	0	17,19,21	1.36	2 (11%)
16	BMA	S	3	16	11,11,12	0.31	0	15,15,17	1.04	1 (6%)
16	MAN	S	4	16	11,11,12	0.23	0	15,15,17	1.11	2 (13%)
16	MAN	S	5	16	11,11,12	0.33	0	15,15,17	1.51	3 (20%)
16	MAN	S	6	16	11,11,12	0.28	0	15,15,17	0.88	1 (6%)
16	MAN	S	7	16	11,11,12	0.27	0	15,15,17	0.78	0
16	MAN	S	8	16	11,11,12	0.29	0	15,15,17	1.38	3 (20%)
16	MAN	S	9	16	11,11,12	0.28	0	15,15,17	0.97	1 (6%)
17	NAG	T	1	2,17	14,14,15	0.43	0	17,19,21	1.06	2 (11%)
17	NAG	T	2	17	14,14,15	0.40	0	17,19,21	1.65	4 (23%)
17	BMA	T	3	17	11,11,12	0.61	0	15,15,17	1.92	3 (20%)
17	MAN	T	4	17	11,11,12	0.85	0	15,15,17	1.92	5 (33%)
17	MAN	T	5	17	11,11,12	0.51	0	15,15,17	1.25	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	MAN	T	6	17	11,11,12	0.81	0	15,15,17	1.98	5 (33%)
17	MAN	T	7	17	11,11,12	1.39	2 (18%)	15,15,17	1.81	3 (20%)
11	NAG	U	1	2,11	14,14,15	0.37	0	17,19,21	1.05	2 (11%)
11	NAG	U	2	11	14,14,15	0.39	0	17,19,21	1.27	1 (5%)
11	BMA	U	3	11	11,11,12	0.46	0	15,15,17	1.51	3 (20%)
11	MAN	U	4	11	11,11,12	0.33	0	15,15,17	0.98	0
11	MAN	U	5	11	11,11,12	1.20	2 (18%)	15,15,17	2.42	3 (20%)
18	NAG	V	1	2,18	14,14,15	0.32	0	17,19,21	1.14	3 (17%)
18	NAG	V	2	18	14,14,15	0.29	0	17,19,21	0.89	0
18	BMA	V	3	18	11,11,12	0.27	0	15,15,17	0.75	0
18	FUC	V	4	18	10,10,11	1.02	0	14,14,16	1.28	2 (14%)
8	NAG	W	1	2,8	14,14,15	0.29	0	17,19,21	0.77	1 (5%)
8	NAG	W	2	8	14,14,15	0.31	0	17,19,21	1.20	2 (11%)
8	BMA	W	3	8	11,11,12	0.33	0	15,15,17	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	A	1	1,7	-	0/6/23/26	0/1/1/1
7	FUC	A	2	7	-	-	0/1/1/1
8	NAG	C	1	1,8	-	1/6/23/26	0/1/1/1
8	NAG	C	2	8	-	3/6/23/26	0/1/1/1
8	BMA	C	3	8	-	0/2/19/22	0/1/1/1
9	NAG	F	1	9,2	-	0/6/23/26	0/1/1/1
9	NAG	F	2	9	-	0/6/23/26	0/1/1/1
9	NAG	I	1	9,2	-	0/6/23/26	0/1/1/1
9	NAG	I	2	9	-	2/6/23/26	0/1/1/1
10	NAG	J	1	2,10	-	2/6/23/26	0/1/1/1
10	GAL	J	10	10	-	0/2/19/22	0/1/1/1
10	FUC	J	11	10	-	-	0/1/1/1
10	NAG	J	2	10	-	1/6/23/26	0/1/1/1
10	BMA	J	3	10	-	0/2/19/22	0/1/1/1
10	MAN	J	4	10	-	0/2/19/22	0/1/1/1
10	NAG	J	5	10	-	0/6/23/26	0/1/1/1
10	GAL	J	6	10	-	0/2/19/22	0/1/1/1
10	NAG	J	7	10	-	0/6/23/26	0/1/1/1
10	MAN	J	8	10	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	NAG	J	9	10	-	2/6/23/26	0/1/1/1
11	NAG	K	1	2,11	-	2/6/23/26	0/1/1/1
11	NAG	K	2	11	-	3/6/23/26	0/1/1/1
11	BMA	K	3	11	-	2/2/19/22	0/1/1/1
11	MAN	K	4	11	-	0/2/19/22	0/1/1/1
11	MAN	K	5	11	-	0/2/19/22	0/1/1/1
12	NAG	M	1	12,2	-	2/6/23/26	0/1/1/1
12	NAG	M	2	12	-	3/6/23/26	0/1/1/1
12	BMA	M	3	12	-	2/2/19/22	0/1/1/1
12	MAN	M	4	12	-	2/2/19/22	0/1/1/1
12	NAG	M	5	12	-	2/6/23/26	0/1/1/1
12	GAL	M	6	12	-	2/2/19/22	0/1/1/1
12	MAN	M	7	12	-	0/2/19/22	0/1/1/1
12	NAG	M	8	12	-	2/6/23/26	0/1/1/1
9	NAG	N	1	9,2	-	0/6/23/26	0/1/1/1
9	NAG	N	2	9	-	0/6/23/26	0/1/1/1
13	NAG	O	1	13,2	-	2/6/23/26	0/1/1/1
13	NAG	O	2	13	-	2/6/23/26	0/1/1/1
13	BMA	O	3	13	-	1/2/19/22	0/1/1/1
13	MAN	O	4	13	-	1/2/19/22	0/1/1/1
13	MAN	O	5	13	-	0/2/19/22	0/1/1/1
13	MAN	O	6	13	-	2/2/19/22	0/1/1/1
13	MAN	O	7	13	-	0/2/19/22	0/1/1/1
14	NAG	P	1	2,14	-	2/6/23/26	0/1/1/1
14	NAG	P	2	14	-	0/6/23/26	0/1/1/1
14	BMA	P	3	14	-	2/2/19/22	0/1/1/1
14	MAN	P	4	14	-	2/2/19/22	0/1/1/1
14	NAG	P	5	14	-	2/6/23/26	0/1/1/1
14	GAL	P	6	14	-	2/2/19/22	0/1/1/1
14	MAN	P	7	14	-	2/2/19/22	0/1/1/1
14	FUC	P	8	14	-	-	0/1/1/1
9	NAG	Q	1	9,2	-	2/6/23/26	0/1/1/1
9	NAG	Q	2	9	-	0/6/23/26	0/1/1/1
15	NAG	R	1	2,15	-	0/6/23/26	0/1/1/1
15	NAG	R	2	15	-	0/6/23/26	0/1/1/1
15	BMA	R	3	15	-	2/2/19/22	0/1/1/1
15	MAN	R	4	15	-	1/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	NAG	R	5	15	-	2/6/23/26	0/1/1/1
15	MAN	R	6	15	-	0/2/19/22	0/1/1/1
16	NAG	S	1	2,16	-	0/6/23/26	0/1/1/1
16	MAN	S	10	16	-	0/2/19/22	0/1/1/1
16	NAG	S	2	16	-	1/6/23/26	0/1/1/1
16	BMA	S	3	16	-	0/2/19/22	0/1/1/1
16	MAN	S	4	16	-	0/2/19/22	0/1/1/1
16	MAN	S	5	16	-	0/2/19/22	0/1/1/1
16	MAN	S	6	16	-	0/2/19/22	0/1/1/1
16	MAN	S	7	16	-	2/2/19/22	0/1/1/1
16	MAN	S	8	16	-	0/2/19/22	0/1/1/1
16	MAN	S	9	16	-	2/2/19/22	0/1/1/1
17	NAG	T	1	2,17	-	1/6/23/26	0/1/1/1
17	NAG	T	2	17	-	1/6/23/26	0/1/1/1
17	BMA	T	3	17	-	0/2/19/22	0/1/1/1
17	MAN	T	4	17	-	0/2/19/22	0/1/1/1
17	MAN	T	5	17	-	0/2/19/22	0/1/1/1
17	MAN	T	6	17	-	1/2/19/22	0/1/1/1
17	MAN	T	7	17	-	2/2/19/22	0/1/1/1
11	NAG	U	1	2,11	-	0/6/23/26	0/1/1/1
11	NAG	U	2	11	-	0/6/23/26	0/1/1/1
11	BMA	U	3	11	-	2/2/19/22	0/1/1/1
11	MAN	U	4	11	-	0/2/19/22	0/1/1/1
11	MAN	U	5	11	-	2/2/19/22	0/1/1/1
18	NAG	V	1	2,18	-	0/6/23/26	0/1/1/1
18	NAG	V	2	18	-	1/6/23/26	0/1/1/1
18	BMA	V	3	18	-	0/2/19/22	0/1/1/1
18	FUC	V	4	18	-	-	0/1/1/1
8	NAG	W	1	2,8	-	2/6/23/26	0/1/1/1
8	NAG	W	2	8	-	0/6/23/26	0/1/1/1
8	BMA	W	3	8	-	2/2/19/22	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	T	7	MAN	O5-C1	3.25	1.48	1.43
11	U	5	MAN	O5-C1	3.16	1.48	1.43
17	T	7	MAN	C1-C2	3.01	1.59	1.52
10	J	11	FUC	O2-C2	-2.38	1.38	1.43
11	U	5	MAN	C1-C2	2.30	1.57	1.52
10	J	11	FUC	C1-C2	2.18	1.57	1.52

All (142) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	K	2	NAG	C2-N2-C7	6.57	132.26	122.90
9	I	1	NAG	O4-C4-C5	6.05	124.32	109.30
10	J	8	MAN	O2-C2-C3	5.91	121.98	110.14
11	U	5	MAN	C1-C2-C3	5.88	116.89	109.67
10	J	4	MAN	C1-C2-C3	-5.41	103.02	109.67
11	U	5	MAN	C1-O5-C5	5.40	119.52	112.19
17	T	3	BMA	O3-C3-C2	5.06	119.69	109.99
17	T	4	MAN	C1-C2-C3	5.06	115.89	109.67
12	M	1	NAG	O4-C4-C3	-5.05	98.66	110.35
14	P	1	NAG	O4-C4-C5	-4.49	98.15	109.30
10	J	3	BMA	C1-C2-C3	4.48	115.17	109.67
10	J	3	BMA	O3-C3-C2	-4.42	101.52	109.99
9	I	1	NAG	C1-O5-C5	4.28	117.99	112.19
12	M	1	NAG	O3-C3-C2	-4.23	100.71	109.47
14	P	4	MAN	O5-C1-C2	-4.22	104.25	110.77
12	M	1	NAG	O4-C4-C5	-4.22	98.81	109.30
11	U	5	MAN	O5-C1-C2	-4.18	104.32	110.77
12	M	1	NAG	O5-C1-C2	-4.17	104.70	111.29
17	T	2	NAG	O4-C4-C5	-4.07	99.18	109.30
10	J	2	NAG	O5-C1-C2	-4.05	104.89	111.29
17	T	6	MAN	O3-C3-C2	4.00	117.66	109.99
12	M	3	BMA	O5-C1-C2	-3.96	104.66	110.77
17	T	7	MAN	C1-C2-C3	3.85	114.40	109.67
10	J	4	MAN	O4-C4-C5	3.85	118.85	109.30
15	R	3	BMA	O3-C3-C2	-3.84	102.64	109.99
10	J	1	NAG	O4-C4-C3	-3.79	101.59	110.35
8	C	1	NAG	O4-C4-C3	-3.78	101.62	110.35
12	M	2	NAG	C4-C3-C2	3.76	116.53	111.02
14	P	4	MAN	C1-O5-C5	3.69	117.19	112.19
12	M	2	NAG	O4-C4-C5	-3.58	100.41	109.30
15	R	6	MAN	O5-C5-C6	3.58	112.81	107.20
17	T	7	MAN	O5-C1-C2	-3.56	105.27	110.77
12	M	4	MAN	O5-C1-C2	-3.55	105.29	110.77
12	M	2	NAG	O4-C4-C3	-3.55	102.14	110.35
9	I	1	NAG	O4-C4-C3	3.54	118.54	110.35
14	P	7	MAN	O5-C5-C6	3.50	112.69	107.20
17	T	7	MAN	C1-O5-C5	3.42	116.82	112.19
12	M	2	NAG	O5-C1-C2	-3.39	105.94	111.29
11	U	2	NAG	O5-C1-C2	-3.34	106.01	111.29
11	K	2	NAG	C8-C7-N2	3.32	121.71	116.10
11	U	3	BMA	C1-C2-C3	3.27	113.69	109.67
10	J	8	MAN	O3-C3-C2	3.27	116.25	109.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	T	6	MAN	O5-C5-C6	3.21	112.24	107.20
12	M	3	BMA	O3-C3-C4	3.18	117.70	110.35
17	T	2	NAG	O5-C5-C6	3.12	112.10	107.20
16	S	5	MAN	O5-C1-C2	-3.10	105.98	110.77
13	O	2	NAG	O4-C4-C5	-3.10	101.61	109.30
17	T	6	MAN	O3-C3-C4	3.00	117.28	110.35
18	V	4	FUC	O2-C2-C1	2.99	115.28	109.15
17	T	6	MAN	C3-C4-C5	-2.98	104.92	110.24
16	S	8	MAN	C1-C2-C3	-2.97	106.01	109.67
10	J	7	NAG	C1-O5-C5	2.95	116.19	112.19
12	M	4	MAN	C1-O5-C5	2.93	116.17	112.19
17	T	5	MAN	C1-C2-C3	2.93	113.27	109.67
16	S	5	MAN	O2-C2-C1	-2.92	103.18	109.15
10	J	1	NAG	O5-C5-C6	2.91	111.77	107.20
10	J	1	NAG	C1-O5-C5	-2.90	108.26	112.19
11	K	1	NAG	O4-C4-C3	-2.84	103.78	110.35
16	S	2	NAG	O4-C4-C5	-2.81	102.33	109.30
17	T	3	BMA	O5-C1-C2	-2.75	106.52	110.77
17	T	4	MAN	O4-C4-C3	2.71	116.62	110.35
17	T	2	NAG	O4-C4-C3	-2.71	104.09	110.35
8	W	2	NAG	O4-C4-C5	-2.68	102.64	109.30
9	N	1	NAG	O4-C4-C5	-2.64	102.75	109.30
14	P	4	MAN	O2-C2-C1	-2.63	103.77	109.15
14	P	2	NAG	O4-C4-C3	-2.62	104.30	110.35
15	R	4	MAN	O5-C1-C2	-2.61	106.73	110.77
11	K	1	NAG	O5-C1-C2	-2.61	107.16	111.29
16	S	4	MAN	C1-C2-C3	2.59	112.84	109.67
14	P	2	NAG	O4-C4-C5	-2.58	102.89	109.30
11	K	1	NAG	C1-O5-C5	2.58	115.68	112.19
12	M	7	MAN	O5-C1-C2	-2.57	106.80	110.77
11	U	3	BMA	O5-C5-C6	2.57	111.23	107.20
13	O	5	MAN	O5-C1-C2	-2.56	106.81	110.77
8	C	1	NAG	O5-C5-C6	-2.56	103.20	107.20
12	M	4	MAN	O2-C2-C3	-2.52	105.08	110.14
10	J	1	NAG	C4-C3-C2	2.52	114.71	111.02
11	U	1	NAG	C1-O5-C5	2.50	115.57	112.19
10	J	9	NAG	C1-O5-C5	2.49	115.57	112.19
14	P	3	BMA	C3-C4-C5	-2.49	105.80	110.24
12	M	8	NAG	O5-C5-C6	2.47	111.07	107.20
16	S	8	MAN	O5-C1-C2	-2.47	106.97	110.77
17	T	1	NAG	O4-C4-C3	-2.46	104.66	110.35
7	A	1	NAG	O5-C5-C6	2.46	111.05	107.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	J	11	FUC	C1-C2-C3	2.45	112.68	109.67
16	S	5	MAN	O2-C2-C3	-2.44	105.25	110.14
17	T	5	MAN	O5-C5-C6	2.43	111.01	107.20
11	U	3	BMA	O3-C3-C2	-2.41	105.38	109.99
10	J	3	BMA	C6-C5-C4	-2.39	107.40	113.00
11	K	1	NAG	O5-C5-C6	-2.38	103.47	107.20
17	T	4	MAN	O3-C3-C2	-2.37	105.46	109.99
9	F	1	NAG	O4-C4-C3	-2.34	104.94	110.35
8	W	2	NAG	O5-C1-C2	-2.33	107.61	111.29
14	P	3	BMA	O5-C5-C6	2.32	110.84	107.20
13	O	2	NAG	O5-C1-C2	-2.32	107.62	111.29
17	T	2	NAG	O5-C1-C2	-2.31	107.64	111.29
15	R	3	BMA	C1-C2-C3	2.31	112.51	109.67
14	P	1	NAG	O5-C1-C2	-2.30	107.66	111.29
16	S	3	BMA	O3-C3-C2	-2.30	105.59	109.99
9	I	1	NAG	C4-C3-C2	-2.30	107.65	111.02
11	K	2	NAG	C1-C2-N2	2.28	114.39	110.49
16	S	9	MAN	O5-C5-C6	2.27	110.77	107.20
13	O	2	NAG	O4-C4-C3	-2.26	105.11	110.35
15	R	1	NAG	C1-O5-C5	2.25	115.24	112.19
16	S	2	NAG	O4-C4-C3	-2.24	105.16	110.35
12	M	2	NAG	O3-C3-C2	-2.23	104.84	109.47
17	T	6	MAN	O5-C1-C2	-2.22	107.35	110.77
10	J	4	MAN	O2-C2-C1	-2.18	104.70	109.15
10	J	4	MAN	O5-C1-C2	-2.17	107.42	110.77
10	J	1	NAG	O4-C4-C5	-2.17	103.91	109.30
11	K	2	NAG	O5-C5-C6	2.17	110.60	107.20
10	J	10	GAL	C1-O5-C5	2.16	115.11	112.19
15	R	1	NAG	O5-C1-C2	-2.16	107.88	111.29
18	V	1	NAG	C6-C5-C4	-2.15	107.97	113.00
18	V	4	FUC	O5-C5-C4	2.15	113.37	109.52
8	C	2	NAG	O5-C5-C6	2.14	110.55	107.20
13	O	5	MAN	C1-O5-C5	-2.14	109.30	112.19
17	T	1	NAG	C1-O5-C5	-2.13	109.31	112.19
18	V	1	NAG	O4-C4-C3	-2.12	105.44	110.35
10	J	1	NAG	C3-C4-C5	-2.12	106.46	110.24
17	T	4	MAN	O4-C4-C5	2.12	114.56	109.30
11	K	3	BMA	O3-C3-C2	-2.11	105.94	109.99
10	J	3	BMA	C2-C3-C4	-2.11	107.24	110.89
17	T	3	BMA	O5-C5-C6	2.11	110.51	107.20
8	W	1	NAG	C1-O5-C5	2.10	115.04	112.19
16	S	8	MAN	O2-C2-C3	-2.10	105.93	110.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	P	7	MAN	C1-O5-C5	-2.09	109.36	112.19
10	J	2	NAG	C1-C2-N2	2.09	114.06	110.49
11	K	3	BMA	O5-C5-C6	2.09	110.48	107.20
16	S	6	MAN	O5-C1-C2	-2.07	107.58	110.77
9	I	1	NAG	C3-C4-C5	2.06	113.92	110.24
13	O	1	NAG	C1-O5-C5	2.05	114.97	112.19
13	O	4	MAN	C1-C2-C3	2.04	112.18	109.67
9	N	2	NAG	O5-C5-C6	2.04	110.40	107.20
16	S	4	MAN	O5-C1-C2	-2.04	107.62	110.77
13	O	3	BMA	C1-C2-C3	2.04	112.17	109.67
12	M	6	GAL	C1-O5-C5	2.03	114.94	112.19
11	K	4	MAN	O5-C5-C6	2.03	110.38	107.20
17	T	4	MAN	C2-C3-C4	-2.03	107.39	110.89
18	V	1	NAG	O5-C1-C2	-2.02	108.09	111.29
9	I	1	NAG	O5-C5-C4	-2.02	105.92	110.83
11	U	1	NAG	O5-C1-C2	-2.01	108.12	111.29

There are no chirality outliers.

All (79) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	W	3	BMA	C4-C5-C6-O6
12	M	4	MAN	O5-C5-C6-O6
14	P	6	GAL	O5-C5-C6-O6
8	W	3	BMA	O5-C5-C6-O6
14	P	1	NAG	O5-C5-C6-O6
15	R	5	NAG	O5-C5-C6-O6
9	Q	1	NAG	O5-C5-C6-O6
11	U	5	MAN	O5-C5-C6-O6
14	P	3	BMA	O5-C5-C6-O6
12	M	3	BMA	O5-C5-C6-O6
12	M	6	GAL	C4-C5-C6-O6
14	P	1	NAG	C4-C5-C6-O6
14	P	6	GAL	C4-C5-C6-O6
12	M	2	NAG	O5-C5-C6-O6
12	M	4	MAN	C4-C5-C6-O6
15	R	5	NAG	C4-C5-C6-O6
12	M	6	GAL	O5-C5-C6-O6
9	Q	1	NAG	C4-C5-C6-O6
11	U	5	MAN	C4-C5-C6-O6
14	P	3	BMA	C4-C5-C6-O6
8	C	2	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	T	7	MAN	O5-C5-C6-O6
12	M	3	BMA	C4-C5-C6-O6
8	W	1	NAG	C8-C7-N2-C2
8	W	1	NAG	O7-C7-N2-C2
11	K	1	NAG	C8-C7-N2-C2
11	K	1	NAG	O7-C7-N2-C2
11	K	2	NAG	C8-C7-N2-C2
11	K	2	NAG	O7-C7-N2-C2
12	M	5	NAG	C8-C7-N2-C2
12	M	5	NAG	O7-C7-N2-C2
12	M	8	NAG	C8-C7-N2-C2
12	M	8	NAG	O7-C7-N2-C2
14	P	5	NAG	C8-C7-N2-C2
14	P	5	NAG	O7-C7-N2-C2
12	M	2	NAG	C4-C5-C6-O6
17	T	7	MAN	C4-C5-C6-O6
14	P	4	MAN	O5-C5-C6-O6
15	R	3	BMA	O5-C5-C6-O6
8	C	2	NAG	O5-C5-C6-O6
17	T	2	NAG	O5-C5-C6-O6
10	J	1	NAG	O5-C5-C6-O6
16	S	7	MAN	O5-C5-C6-O6
16	S	7	MAN	C4-C5-C6-O6
11	K	3	BMA	O5-C5-C6-O6
13	O	6	MAN	C4-C5-C6-O6
14	P	7	MAN	C4-C5-C6-O6
15	R	3	BMA	C4-C5-C6-O6
14	P	4	MAN	C4-C5-C6-O6
16	S	9	MAN	C4-C5-C6-O6
10	J	1	NAG	C4-C5-C6-O6
9	I	2	NAG	O5-C5-C6-O6
10	J	2	NAG	O5-C5-C6-O6
13	O	6	MAN	O5-C5-C6-O6
12	M	1	NAG	C4-C5-C6-O6
12	M	2	NAG	C1-C2-N2-C7
10	J	9	NAG	O5-C5-C6-O6
13	O	1	NAG	O5-C5-C6-O6
13	O	1	NAG	C4-C5-C6-O6
10	J	9	NAG	C4-C5-C6-O6
11	K	3	BMA	C4-C5-C6-O6
11	U	3	BMA	C4-C5-C6-O6
17	T	1	NAG	O5-C5-C6-O6

Continued on next page...


Continued from previous page...



Mol	Chain	Res	Type	Atoms
8	C	2	NAG	C3-C2-N2-C7
11	K	2	NAG	C3-C2-N2-C7
16	S	2	NAG	C3-C2-N2-C7
16	S	9	MAN	O5-C5-C6-O6
13	O	3	BMA	C4-C5-C6-O6
15	R	4	MAN	O5-C5-C6-O6
12	M	1	NAG	O5-C5-C6-O6
13	O	4	MAN	O5-C5-C6-O6
8	C	1	NAG	C1-C2-N2-C7
11	U	3	BMA	O5-C5-C6-O6
9	I	2	NAG	C1-C2-N2-C7
18	V	2	NAG	O5-C5-C6-O6
17	T	6	MAN	C4-C5-C6-O6
13	O	2	NAG	C3-C2-N2-C7
13	O	2	NAG	C1-C2-N2-C7
14	P	7	MAN	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


























Oligosaccharide Chain M




Bond lengths




Bond angles





Torsions






Rings











4.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
19	NAG	G	3550	2	14,14,15	0.31	0	17,19,21	0.71	0
19	NAG	G	3390	2	14,14,15	0.29	0	17,19,21	0.77	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
19	NAG	G	3550	2	-	4/6/23/26	0/1/1/1
19	NAG	G	3390	2	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	G	3390	NAG	O5-C5-C6	2.08	110.46	107.20

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
19	G	3550	NAG	C8-C7-N2-C2
19	G	3550	NAG	O7-C7-N2-C2
19	G	3550	NAG	C4-C5-C6-O6
19	G	3390	NAG	C4-C5-C6-O6
19	G	3550	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

5 Fit of model and data ⓘ

5.1 Protein, DNA and RNA chains ⓘ

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates ⓘ

EDS failed to run properly - this section is therefore empty.

5.4 Ligands ⓘ

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers ⓘ

EDS failed to run properly - this section is therefore empty.