



wwPDB X-ray Structure Validation Summary Report ⓘ

May 21, 2020 – 11:30 pm BST

PDB ID : 1TB3
Title : Crystal Structure Analysis of Recombinant Rat Kidney Long-chain Hydroxy Acid Oxidase
Authors : Cunane, L.M.; Barton, J.D.; Chen, Z.W.; Le, K.H.D.; Amar, D.; Lederer, F.; Mathews, F.S.
Deposited on : 2004-05-19
Resolution : 2.30 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	352	<div> <div>3%</div> <div> <div></div> <div>73%</div> <div>18%</div> <div>• 6%</div> </div> </div>
1	B	352	<div> <div>4%</div> <div> <div></div> <div>71%</div> <div>19%</div> <div>• 7%</div> </div> </div>
1	C	352	<div> <div>6%</div> <div> <div></div> <div>72%</div> <div>20%</div> <div>• 6%</div> </div> </div>
1	D	352	<div> <div>3%</div> <div> <div></div> <div>70%</div> <div>20%</div> <div>• 7%</div> </div> </div>
1	E	352	<div> <div>6%</div> <div> <div></div> <div>71%</div> <div>19%</div> <div>• 8%</div> </div> </div>
1	F	352	<div> <div>3%</div> <div> <div></div> <div>70%</div> <div>21%</div> <div>• 6%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	352	<div><div></div><div>4%</div><div></div><div>71%</div><div></div><div>20%</div><div></div><div>•</div><div>7%</div></div>
1	H	352	<div><div></div><div>5%</div><div></div><div>71%</div><div></div><div>20%</div><div></div><div>•</div><div>6%</div></div>

2 Entry composition


There are 4 unique types of molecules in this entry. The entry contains 21605 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hydroxyacid oxidase 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	332	Total	C	N	O	S	0	0	0
			2568	1624	449	481	14			
1	B	327	Total	C	N	O	S	0	0	0
			2537	1605	444	474	14			
1	C	332	Total	C	N	O	S	0	0	0
			2568	1624	449	481	14			
1	D	329	Total	C	N	O	S	0	0	0
			2550	1614	446	476	14			
1	E	324	Total	C	N	O	S	0	0	0
			2519	1593	441	471	14			
1	F	332	Total	C	N	O	S	0	0	0
			2568	1624	449	481	14			
1	G	329	Total	C	N	O	S	0	0	0
			2547	1611	446	476	14			
1	H	332	Total	C	N	O	S	0	0	0
			2568	1624	449	481	14			

- Molecule 2 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C₁₇H₂₁N₄O₉P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	C	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	D	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	E	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	F	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	G	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	H	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 3 is ACETIC ACID (three-letter code: ACY) (formula: C₂H₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	E	1	Total	C	O	0	0
			4	2	2		
3	F	1	Total	C	O	0	0
			4	2	2		
3	G	1	Total	C	O	0	0
			4	2	2		
3	H	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	130	Total	O	0	0
			130	130		
4	B	75	Total	O	0	0
			75	75		
4	C	106	Total	O	0	0
			106	106		
4	D	115	Total	O	0	0
			115	115		


Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	71	Total 71	O 71	0	0
4	F	166	Total 166	O 166	0	0
4	G	109	Total 109	O 109	0	0
4	H	128	Total 128	O 128	0	0




• Molecule 1: Hydroxyacid oxidase 3




• Molecule 1: Hydroxyacid oxidase 3




• Molecule 1: Hydroxyacid oxidase 3



• Molecule 1: Hydroxyacid oxidase 3



• Molecule 1: Hydroxyacid oxidase 3



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	114.84Å 151.10Å 222.36Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.30 39.99 – 2.30	Depositor EDS
% Data completeness (in resolution range)	83.1 (40.00-2.30) 83.2 (39.99-2.30)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.24 (at 2.29Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.239 , 0.269 0.236 , 0.268	Depositor DCC
R_{free} test set	8006 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	28.5	Xtriage
Anisotropy	0.253	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 57.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	21605	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 90.06 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.6809e-08. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, ACY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.35	0/2610	0.62	0/3528
1	B	0.34	0/2579	0.60	0/3485
1	C	0.34	0/2610	0.60	0/3528
1	D	0.35	0/2592	0.60	0/3503
1	E	0.34	0/2562	0.59	0/3463
1	F	0.36	0/2610	0.62	0/3528
1	G	0.36	0/2589	0.60	0/3499
1	H	0.35	0/2610	0.61	0/3528
All	All	0.35	0/20762	0.60	0/28062

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2568	0	2584	58	0
1	B	2537	0	2563	64	0
1	C	2568	0	2584	63	0
1	D	2550	0	2576	66	0
1	E	2519	0	2546	61	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2568	0	2584	64	0
1	G	2547	0	2567	70	0
1	H	2568	0	2584	69	0
2	A	31	0	19	0	0
2	B	31	0	19	1	0
2	C	31	0	19	1	0
2	D	31	0	19	0	0
2	E	31	0	19	0	0
2	F	31	0	19	0	0
2	G	31	0	19	1	0
2	H	31	0	19	0	0
3	A	4	0	3	0	0
3	B	4	0	3	0	0
3	C	4	0	3	0	0
3	D	4	0	3	0	0
3	E	4	0	3	0	0
3	F	4	0	3	0	0
3	G	4	0	3	0	0
3	H	4	0	3	0	0
4	A	130	0	0	4	0
4	B	75	0	0	2	0
4	C	106	0	0	2	0
4	D	115	0	0	2	0
4	E	71	0	0	3	0
4	F	166	0	0	6	0
4	G	109	0	0	2	0
4	H	128	0	0	4	0
All	All	21605	0	20764	489	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 489 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:220:ILE:H	1:B:240:GLN:HE21	1.13	0.96
1:F:220:ILE:H	1:F:240:GLN:HE21	1.12	0.94
1:G:220:ILE:H	1:G:240:GLN:HE21	1.16	0.94
1:D:220:ILE:H	1:D:240:GLN:HE21	1.16	0.93
1:E:220:ILE:H	1:E:240:GLN:HE21	1.18	0.91

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	326/352 (93%)	310 (95%)	13 (4%)	3 (1%)	17	20
1	B	321/352 (91%)	308 (96%)	11 (3%)	2 (1%)	25	31
1	C	326/352 (93%)	309 (95%)	14 (4%)	3 (1%)	17	20
1	D	323/352 (92%)	310 (96%)	11 (3%)	2 (1%)	25	31
1	E	320/352 (91%)	306 (96%)	12 (4%)	2 (1%)	25	31
1	F	326/352 (93%)	311 (95%)	12 (4%)	3 (1%)	17	20
1	G	323/352 (92%)	309 (96%)	12 (4%)	2 (1%)	25	31
1	H	326/352 (93%)	311 (95%)	12 (4%)	3 (1%)	17	20
All	All	2591/2816 (92%)	2474 (96%)	97 (4%)	20 (1%)	19	23

5 of 20 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	173	ASN
1	B	173	ASN
1	C	173	ASN
1	D	173	ASN
1	E	173	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	272/296 (92%)	256 (94%)	16 (6%)	19	27
1	B	270/296 (91%)	254 (94%)	16 (6%)	19	27
1	C	272/296 (92%)	257 (94%)	15 (6%)	21	30
1	D	271/296 (92%)	256 (94%)	15 (6%)	21	30
1	E	269/296 (91%)	256 (95%)	13 (5%)	25	36
1	F	272/296 (92%)	257 (94%)	15 (6%)	21	30
1	G	270/296 (91%)	255 (94%)	15 (6%)	21	29
1	H	272/296 (92%)	257 (94%)	15 (6%)	21	30
All	All	2168/2368 (92%)	2048 (94%)	120 (6%)	21	30

5 of 120 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	252	LEU
1	E	222	LEU
1	H	212	LEU
1	D	262	LEU
1	D	327	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 67 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	173	ASN
1	E	163	ASN
1	H	137	ASN
1	D	237	HIS
1	E	64	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	FMN	E	5401	-	31,33,33	2.96	11 (35%)	40,50,50	3.04	8 (20%)
2	FMN	D	4401	-	31,33,33	2.95	11 (35%)	40,50,50	2.97	8 (20%)
3	ACY	A	1402	-	1,3,3	3.28	1 (100%)	0,3,3	0.00	-
2	FMN	A	1401	-	31,33,33	2.90	11 (35%)	40,50,50	3.04	8 (20%)
3	ACY	H	8402	-	1,3,3	3.24	1 (100%)	0,3,3	0.00	-
2	FMN	H	8401	-	31,33,33	3.00	12 (38%)	40,50,50	2.99	8 (20%)
3	ACY	B	2402	-	1,3,3	3.13	1 (100%)	0,3,3	0.00	-
2	FMN	B	2401	-	31,33,33	2.96	12 (38%)	40,50,50	2.99	8 (20%)
2	FMN	C	3401	-	31,33,33	2.91	12 (38%)	40,50,50	2.97	8 (20%)
3	ACY	D	4402	-	1,3,3	3.10	1 (100%)	0,3,3	0.00	-
3	ACY	G	7402	-	1,3,3	3.22	1 (100%)	0,3,3	0.00	-
2	FMN	G	7401	-	31,33,33	3.01	11 (35%)	40,50,50	2.97	9 (22%)
3	ACY	E	5402	-	1,3,3	3.22	1 (100%)	0,3,3	0.00	-
3	ACY	F	6402	-	1,3,3	3.21	1 (100%)	0,3,3	0.00	-
2	FMN	F	6401	-	31,33,33	2.86	11 (35%)	40,50,50	3.07	9 (22%)
3	ACY	C	3402	-	1,3,3	3.05	1 (100%)	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FMN	E	5401	-	-	5/18/18/18	0/3/3/3
2	FMN	D	4401	-	-	5/18/18/18	0/3/3/3
2	FMN	A	1401	-	-	5/18/18/18	0/3/3/3
2	FMN	H	8401	-	-	5/18/18/18	0/3/3/3
2	FMN	B	2401	-	-	5/18/18/18	0/3/3/3
2	FMN	C	3401	-	-	5/18/18/18	0/3/3/3
2	FMN	G	7401	-	-	5/18/18/18	0/3/3/3
2	FMN	F	6401	-	-	5/18/18/18	0/3/3/3

The worst 5 of 99 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	7401	FMN	C1'-N10	-11.16	1.36	1.48
2	H	8401	FMN	C1'-N10	-10.82	1.37	1.48
2	E	5401	FMN	C1'-N10	-10.79	1.37	1.48
2	D	4401	FMN	C1'-N10	-10.75	1.37	1.48
2	B	2401	FMN	C1'-N10	-10.58	1.37	1.48

The worst 5 of 66 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	5401	FMN	C4-N3-C2	14.40	127.30	115.14
2	F	6401	FMN	C4-N3-C2	14.17	127.11	115.14
2	B	2401	FMN	C4-N3-C2	14.17	127.11	115.14
2	A	1401	FMN	C4-N3-C2	14.08	127.03	115.14
2	D	4401	FMN	C4-N3-C2	14.03	126.99	115.14

There are no chirality outliers.

5 of 40 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	5401	FMN	C2'-C3'-C4'-O4'
2	E	5401	FMN	O3'-C3'-C4'-O4'
2	E	5401	FMN	O3'-C3'-C4'-C5'
2	D	4401	FMN	C2'-C3'-C4'-O4'
2	D	4401	FMN	C2'-C3'-C4'-C5'


There are no ring outliers.

3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	2401	FMN	1	0
2	C	3401	FMN	1	0
2	G	7401	FMN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand FMN E 5401




Ligand FMN D 4401




Bond lengths



Bond angles




Torsions




Rings


Ligand FMN A 1401




Ligand FMN H 8401




Ligand FMN B 2401




Bond lengths



Bond angles




Torsions




Rings


Ligand FMN C 3401




Bond lengths



Bond angles




Torsions




Rings


Ligand FMN G 7401




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	332/352 (94%)	-0.19	9 (2%) 54 62	16, 31, 73, 98	0
1	B	327/352 (92%)	0.06	13 (3%) 38 45	22, 39, 73, 96	0
1	C	332/352 (94%)	-0.04	20 (6%) 21 28	21, 35, 78, 99	0
1	D	329/352 (93%)	-0.11	12 (3%) 42 49	20, 36, 76, 96	0
1	E	324/352 (92%)	0.22	21 (6%) 18 24	22, 40, 73, 95	0
1	F	332/352 (94%)	-0.18	12 (3%) 42 49	13, 28, 72, 97	0
1	G	329/352 (93%)	-0.00	13 (3%) 38 45	18, 35, 77, 99	0
1	H	332/352 (94%)	-0.05	18 (5%) 25 32	19, 34, 76, 99	0
All	All	2637/2816 (93%)	-0.04	118 (4%) 33 40	13, 35, 76, 99	0

The worst 5 of 118 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	185	ALA	8.7
1	E	202	ALA	6.8
1	C	182	ASP	6.3
1	A	182	ASP	6.2
1	C	183	LEU	6.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ACY	B	2402	4/4	0.81	0.35	57,58,63,64	0
3	ACY	E	5402	4/4	0.84	0.20	59,62,64,64	0
3	ACY	A	1402	4/4	0.88	0.24	36,39,41,45	0
3	ACY	F	6402	4/4	0.89	0.27	35,36,38,42	0
3	ACY	C	3402	4/4	0.89	0.31	46,48,49,50	0
3	ACY	G	7402	4/4	0.91	0.15	57,60,63,64	0
3	ACY	H	8402	4/4	0.93	0.30	45,47,48,51	0
2	FMN	B	2401	31/31	0.95	0.16	21,36,43,45	0
3	ACY	D	4402	4/4	0.95	0.18	41,51,51,52	0
2	FMN	E	5401	31/31	0.95	0.15	19,37,43,45	0
2	FMN	G	7401	31/31	0.96	0.13	17,37,43,46	0
2	FMN	C	3401	31/31	0.96	0.15	18,33,37,40	0
2	FMN	D	4401	31/31	0.96	0.14	22,33,37,41	0
2	FMN	H	8401	31/31	0.96	0.15	11,29,34,36	0
2	FMN	F	6401	31/31	0.97	0.15	11,21,28,30	0
2	FMN	A	1401	31/31	0.97	0.13	15,25,36,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FMN B 2401:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN E 5401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN G 7401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN C 3401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN D 4401:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN H 8401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN F 6401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FMN A 1401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.