



Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2020 – 03:44 am BST

PDB ID : 3TC1
Title : Crystal Structure of Octaprenyl Pyrophosphate Synthase from *Helicobacter pylori*
Authors : Zhang, J.Y.; Zhang, X.L.; Li, D.F.; Zou, Q.M.; Wang, D.C.
Deposited on : 2011-08-08
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	315	<div> <div>3%</div> <div> <div></div> <div>68%</div> <div>19%</div> <div>•</div> <div>8%</div> </div> </div>
1	B	315	<div> <div>4%</div> <div> <div></div> <div>78%</div> <div>18%</div> <div>•••</div> </div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5296 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Octaprenyl Pyrophosphate Synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	289	Total	C	N	O	S	0	0	0
			2312	1493	372	437	10			
1	B	305	Total	C	N	O	S	0	0	0
			2445	1578	398	458	11			

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Mg	0	0
			1	1		
2	A	1	Total	Mg	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	272	Total	O	0	0
			272	272		
3	B	265	Total	O	0	0
			265	265		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Octaprenyl Pyrophosphate Synthase



• Molecule 1: Octaprenyl Pyrophosphate Synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	109.33Å 109.33Å 103.41Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	54.64 – 2.00 48.89 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.9 (54.64-2.00) 100.0 (48.89-2.10)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	10.36 (at 2.10Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.201 , 0.239 0.206 , 0.205	Depositor DCC
R_{free} test set	1856 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	22.6	Xtrriage
Anisotropy	0.066	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 51.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5296	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 74.63 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.4736e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.53	0/2347	0.72	8/3152 (0.3%)
1	B	0.51	4/2483 (0.2%)	0.59	3/3334 (0.1%)
All	All	0.52	4/4830 (0.1%)	0.65	11/6486 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	180	LYS	C-O	-7.83	1.08	1.23
1	B	182	ALA	CA-CB	-6.75	1.38	1.52
1	B	181	ASP	C-O	-6.55	1.10	1.23
1	B	180	LYS	CD-CE	-5.73	1.36	1.51

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	290	GLU	N-CA-C	6.45	128.42	111.00
1	B	181	ASP	CB-CG-OD1	5.97	123.67	118.30
1	A	1	MET	N-CA-C	-5.96	94.90	111.00
1	A	208	ASP	CB-CG-OD2	-5.56	113.29	118.30
1	B	1	MET	C-N-CA	-5.42	108.14	121.70
1	A	99	PHE	N-CA-C	-5.40	96.43	111.00
1	A	208	ASP	CB-CG-OD1	5.37	123.13	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	2	GLN	CB-CA-C	5.35	121.09	110.40
1	A	1	MET	C-N-CA	-5.34	108.35	121.70
1	A	209	ALA	N-CA-C	5.21	125.06	111.00
1	A	211	THR	N-CA-CB	-5.05	100.70	110.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	210	LYS	CA

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2312	0	2365	79	0
1	B	2445	0	2519	63	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	272	0	0	7	0
3	B	265	0	0	11	0
All	All	5296	0	4884	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:209:ALA:O	1:A:210:LYS:HG3	1.57	1.04
1:B:80:ILE:HD11	1:B:142:VAL:HG11	1.40	1.02
1:B:113:PHE:HB2	3:B:544:HOH:O	1.61	0.99
1:A:2:GLN:HE22	1:A:5:GLN:HG3	1.29	0.97
1:A:1:MET:HB2	1:A:41:LYS:HG2	1.46	0.96
1:B:3:GLU:HG2	3:B:531:HOH:O	1.66	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2:GLN:NE2	1:A:5:GLN:HG3	1.82	0.92
1:A:211:THR:HG22	1:A:212:LEU:O	1.75	0.85
1:B:1:MET:HG3	1:B:2:GLN:N	1.92	0.84
1:A:288:LYS:HG2	1:A:289:GLY:N	1.93	0.83
1:A:221:LYS:HD2	1:A:251:ASP:HB2	1.60	0.81
1:A:209:ALA:O	1:A:210:LYS:CG	2.29	0.80
1:A:299:ALA:O	1:A:302:VAL:HG12	1.83	0.79
1:B:36:LYS:HE3	1:B:41:LYS:NZ	2.00	0.76
1:A:207:GLN:HE22	1:A:214:LYS:HA	1.51	0.75
1:A:97:GLY:HA2	1:A:101:ALA:HB2	1.69	0.75
1:B:34:PRO:O	1:B:87:ARG:NH1	2.20	0.74
1:B:250:GLN:HG3	3:B:552:HOH:O	1.87	0.73
1:A:4:LYS:HE2	3:A:550:HOH:O	1.88	0.72
1:B:1:MET:CG	1:B:2:GLN:N	2.53	0.72
1:B:1:MET:CG	1:B:2:GLN:H	2.03	0.71
1:A:300:GLN:NE2	3:A:473:HOH:O	2.24	0.71
1:A:99:PHE:O	1:A:103:MET:HG3	1.90	0.70
1:A:98:ASN:HD21	1:A:100:ASN:ND2	1.90	0.69
1:A:2:GLN:NE2	1:A:5:GLN:CG	2.54	0.68
1:B:1:MET:HB3	1:B:41:LYS:HG2	1.75	0.68
1:A:77:ASP:O	1:A:80:ILE:HG12	1.93	0.68
1:B:80:ILE:HG21	1:B:138:GLU:OE1	1.96	0.66
1:B:1:MET:HG3	1:B:2:GLN:H	1.57	0.64
1:B:207:GLN:HG3	3:B:377:HOH:O	1.98	0.64
1:A:114:PHE:O	1:A:117:SER:HB2	1.99	0.62
1:B:87:ARG:HD2	3:B:542:HOH:O	1.98	0.62
1:A:217:PHE:CD2	1:A:256:ILE:HD12	2.35	0.61
1:B:2:GLN:HB2	3:B:471:HOH:O	2.00	0.61
1:A:98:ASN:HD21	1:A:100:ASN:CG	2.04	0.60
1:A:165:HIS:HD2	1:A:168:GLU:OE1	1.83	0.60
1:B:36:LYS:HE3	1:B:41:LYS:HZ2	1.65	0.60
1:A:1:MET:CB	1:A:41:LYS:HG2	2.26	0.60
1:A:80:ILE:HA	1:B:99:PHE:CD1	2.37	0.59
1:B:80:ILE:HD13	1:B:138:GLU:OE1	2.02	0.59
1:B:294:ILE:HD12	1:B:294:ILE:H	1.68	0.59
1:A:36:LYS:HD2	3:A:559:HOH:O	2.03	0.58
1:B:294:ILE:N	1:B:294:ILE:HD12	2.18	0.58
1:A:209:ALA:O	1:A:210:LYS:CB	2.48	0.58
1:B:15:SER:O	1:B:19:GLU:HG3	2.04	0.57
1:B:36:LYS:HD2	1:B:38:LEU:HB2	1.84	0.57
1:A:208:ASP:OD1	1:A:209:ALA:N	2.37	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:285:GLU:HG2	3:A:394:HOH:O	2.04	0.57
1:A:142:VAL:HG21	1:B:99:PHE:CD2	2.41	0.56
1:A:136:ARG:O	1:A:140:GLU:HG3	2.05	0.56
1:B:296:GLU:O	1:B:300:GLN:HG3	2.05	0.56
1:A:2:GLN:OE1	1:A:4:LYS:N	2.39	0.56
1:A:133:ARG:NH2	1:A:165:HIS:CE1	2.74	0.55
1:A:103:MET:HB3	1:B:139:ILE:HG12	1.88	0.55
1:B:80:ILE:CD1	1:B:142:VAL:HG11	2.27	0.55
1:B:36:LYS:HD3	1:B:36:LYS:O	2.08	0.54
1:B:304:SER:O	1:B:305:ARG:HB2	2.08	0.54
1:B:133:ARG:NH2	1:B:165:HIS:CD2	2.77	0.53
1:A:50:LYS:HB3	1:A:50:LYS:NZ	2.24	0.53
1:A:206:THR:OG1	1:A:269:ILE:HD12	2.08	0.53
1:A:302:VAL:HG13	1:A:303:ILE:N	2.25	0.52
1:A:207:GLN:NE2	1:A:213:GLY:O	2.42	0.52
1:A:221:LYS:CD	1:A:251:ASP:HB2	2.36	0.52
1:A:158:ILE:O	1:A:162:LYS:HG2	2.10	0.51
1:B:160:GLU:HA	1:B:164:ALA:HB3	1.92	0.51
1:A:76:HIS:HB3	1:B:103:MET:HE2	1.93	0.50
1:A:1:MET:HE1	1:A:2:GLN:HB2	1.94	0.50
1:B:86:ARG:O	1:B:87:ARG:HB2	2.12	0.50
1:A:256:ILE:CG2	1:A:260:LYS:HE3	2.42	0.50
1:B:2:GLN:HG2	1:B:5:GLN:OE1	2.12	0.49
1:A:210:LYS:O	1:A:211:THR:OG1	2.30	0.49
1:A:149:ASN:O	1:A:225:THR:HG21	2.13	0.49
1:A:98:ASN:ND2	1:A:100:ASN:ND2	2.59	0.49
1:A:160:GLU:HA	1:A:164:ALA:HB3	1.95	0.48
1:B:36:LYS:HE3	1:B:41:LYS:HZ1	1.75	0.48
1:B:285:GLU:O	1:B:288:LYS:HB2	2.14	0.48
1:A:118:LYS:HG2	1:B:125:GLN:OE1	2.14	0.48
1:A:256:ILE:HG22	1:A:260:LYS:HE3	1.95	0.48
1:B:77:ASP:HA	1:B:80:ILE:HG22	1.95	0.47
1:A:292:ASN:ND2	1:A:295:LEU:H	2.12	0.47
1:A:281:LYS:O	1:A:285:GLU:HB3	2.14	0.47
1:B:133:ARG:NH2	1:B:165:HIS:NE2	2.62	0.47
1:B:277:GLN:O	1:B:281:LYS:HG3	2.15	0.47
1:A:302:VAL:CG1	1:A:303:ILE:N	2.78	0.47
1:A:216:ASN:HD22	1:A:216:ASN:N	2.13	0.47
1:A:2:GLN:HG2	3:A:505:HOH:O	2.15	0.47
1:B:98:ASN:O	1:B:102:VAL:HG23	2.15	0.47
1:B:231:LEU:HD13	1:B:271:GLU:HG2	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:191:ASN:HD22	1:B:279:TYR:HD1	1.63	0.47
1:A:210:LYS:C	1:A:211:THR:HG1	2.17	0.46
1:A:77:ASP:OD2	1:A:138:GLU:CD	2.54	0.46
1:B:89:LEU:HA	1:B:89:LEU:HD23	1.81	0.46
1:B:36:LYS:HD3	1:B:36:LYS:C	2.37	0.45
1:A:183:LYS:HD3	3:A:367:HOH:O	2.15	0.45
1:B:302:VAL:HG23	3:B:504:HOH:O	2.15	0.45
1:B:2:GLN:CG	1:B:5:GLN:OE1	2.64	0.45
1:B:1:MET:HG2	1:B:2:GLN:H	1.82	0.45
1:B:87:ARG:NH1	3:B:542:HOH:O	2.48	0.45
1:A:250:GLN:NE2	1:A:250:GLN:HA	2.32	0.45
1:B:210:LYS:HE3	3:B:554:HOH:O	2.17	0.45
1:A:159:LEU:HG	1:A:197:GLN:HG2	1.98	0.45
1:B:210:LYS:HG3	3:B:550:HOH:O	2.17	0.45
1:B:207:GLN:HG2	1:B:215:PRO:HD3	1.99	0.45
1:A:292:ASN:HD22	1:A:295:LEU:H	1.65	0.45
1:A:80:ILE:CA	1:B:99:PHE:CD1	2.99	0.45
1:B:86:ARG:O	1:B:87:ARG:CB	2.62	0.44
1:A:296:GLU:O	1:A:300:GLN:HG3	2.17	0.44
1:A:206:THR:HG22	1:A:207:GLN:N	2.33	0.44
1:A:103:MET:HB3	1:B:139:ILE:CG1	2.48	0.44
1:A:2:GLN:NE2	1:A:5:GLN:CD	2.71	0.44
1:A:2:GLN:OE1	1:A:4:LYS:HB3	2.18	0.44
1:A:76:HIS:HB3	1:B:103:MET:CE	2.48	0.43
1:A:1:MET:CE	1:A:2:GLN:HB2	2.48	0.43
1:A:287:ILE:O	1:A:290:GLU:HB2	2.19	0.43
1:B:1:MET:HB3	1:B:41:LYS:CG	2.46	0.43
1:A:205:ILE:HD12	1:A:206:THR:OG1	2.19	0.43
1:A:277:GLN:HG2	1:A:303:ILE:HG12	1.99	0.43
1:A:98:ASN:OD1	1:A:100:ASN:ND2	2.51	0.43
1:B:130:ALA:O	1:B:134:LEU:HG	2.19	0.43
1:B:1:MET:SD	1:B:41:LYS:O	2.77	0.42
1:A:210:LYS:C	1:A:211:THR:OG1	2.55	0.42
1:B:294:ILE:CD1	1:B:294:ILE:H	2.29	0.42
1:A:280:SER:HB2	1:A:303:ILE:HD13	2.00	0.42
1:A:181:ASP:CG	1:A:184:ILE:HG12	2.40	0.42
1:A:97:GLY:CA	1:A:101:ALA:HB2	2.45	0.41
1:B:257:GLU:O	1:B:261:GLU:HG3	2.19	0.41
1:A:216:ASN:ND2	1:A:216:ASN:N	2.68	0.41
1:A:257:GLU:HG2	3:A:365:HOH:O	2.20	0.41
1:B:191:ASN:HD21	1:B:282:LYS:HE2	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:274:LYS:HD2	3:B:524:HOH:O	2.21	0.40
1:B:32:ILE:HD11	1:B:104:LEU:HD21	2.02	0.40
1:A:152:LYS:HG2	1:A:230:LEU:HD13	2.04	0.40
1:A:207:GLN:HE22	1:A:214:LYS:CA	2.28	0.40
1:A:165:HIS:CD2	1:A:168:GLU:OE1	2.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	285/315 (90%)	277 (97%)	8 (3%)	0	100	100
1	B	303/315 (96%)	293 (97%)	10 (3%)	0	100	100
All	All	588/630 (93%)	570 (97%)	18 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/277 (91%)	242 (96%)	10 (4%)	31	29
1	B	267/277 (96%)	260 (97%)	7 (3%)	46	48
All	All	519/554 (94%)	502 (97%)	17 (3%)	38	37

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	GLN
1	A	77	ASP
1	A	80	ILE
1	A	98	ASN
1	A	119	MET
1	A	183	LYS
1	A	285	GLU
1	A	288	LYS
1	A	292	ASN
1	A	293	LEU
1	B	1	MET
1	B	2	GLN
1	B	36	LYS
1	B	88	LYS
1	B	142	VAL
1	B	291	ASN
1	B	292	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	ASN
1	A	98	ASN
1	A	100	ASN
1	A	125	GLN
1	A	165	HIS
1	A	207	GLN
1	A	216	ASN
1	A	250	GLN
1	A	292	ASN
1	B	191	ASN
1	B	292	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	289/315 (91%)	-0.07	10 (3%) 44 43	13, 22, 57, 79	0
1	B	305/315 (96%)	-0.05	14 (4%) 32 31	13, 23, 53, 78	0
All	All	594/630 (94%)	-0.06	24 (4%) 38 37	13, 23, 55, 79	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	209	ALA	10.0
1	A	211	THR	7.0
1	B	209	ALA	6.3
1	A	210	LYS	6.1
1	B	1	MET	4.4
1	B	85	MET	4.3
1	B	87	ARG	3.6
1	B	210	LYS	3.4
1	B	212	LEU	3.2
1	B	88	LYS	3.2
1	A	99	PHE	3.1
1	A	1	MET	3.0
1	B	89	LEU	3.0
1	A	212	LEU	2.9
1	A	97	GLY	2.8
1	A	49	GLU	2.7
1	B	304	SER	2.5
1	B	81	ASP	2.4
1	A	302	VAL	2.3
1	B	92	ILE	2.3
1	B	99	PHE	2.2
1	A	98	ASN	2.1
1	B	211	THR	2.1
1	B	301	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	MG	B	501	1/1	0.86	0.09	32,32,32,32	0
2	MG	A	500	1/1	0.93	0.09	35,35,35,35	0

6.5 Other polymers [i](#)

There are no such residues in this entry.