



# Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 06:05 am BST

PDB ID : 5TEN  
Title : Structure of 4-Hydroxy-tetrahydrodipicolinate Reductase from *Vibrio vulnificus* with 2,5 Furan Dicarboxylic and NADH with Intact Polyhistidine Tag  
Authors : Mank, N.; Pote, S.; Arnette, K.; Klapper, V.; Chruszcz, M.  
Deposited on : 2016-09-22  
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	269	<div> <div>6%</div> <div>91%</div> <div>8%</div> </div>
1	B	269	<div> <div>4%</div> <div>94%</div> <div>6%</div> </div>
1	C	269	<div> <div>7%</div> <div>92%</div> <div>7%</div> </div>
1	D	269	<div> <div>4%</div> <div>92%</div> <div>7%</div> </div>
1	E	269	<div> <div>6%</div> <div>94%</div> <div>6%</div> </div>
1	F	269	<div> <div>13%</div> <div>93%</div> <div>7%</div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	269	<div><div></div><div>6%</div><div>93%</div><div>7%</div></div>
1	H	269	<div><div></div><div>9%</div><div>92%</div><div>7%</div></div>

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 16407 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 4-hydroxy-tetrahydrodipicolinate reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	269	Total	C	N	O	S	0	0	0
			1964	1232	341	378	13			
1	B	269	Total	C	N	O	S	0	0	0
			1961	1230	344	374	13			
1	C	269	Total	C	N	O	S	0	0	0
			1987	1247	348	379	13			
1	D	269	Total	C	N	O	S	0	0	0
			1988	1247	348	380	13			
1	E	269	Total	C	N	O	S	0	0	0
			1928	1212	335	368	13			
1	F	269	Total	C	N	O	S	0	0	0
			1940	1217	340	370	13			
1	G	269	Total	C	N	O	S	0	0	0
			1959	1232	344	370	13			
1	H	267	Total	C	N	O	S	0	0	0
			1927	1208	342	364	13			

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C<sub>21</sub>H<sub>27</sub>N<sub>7</sub>O<sub>14</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	E	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	F	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	G	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	H	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is 2,5 Furan Dicarboxylic Acid (three-letter code: 7FN) (formula:  $C_6H_4O_5$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			11	6	5		
4	C	1	Total	C	O	0	0
			11	6	5		
4	C	1	Total	C	O	0	0
			11	6	5		
4	D	1	Total	C	O	0	0
			11	6	5		
4	E	1	Total	C	O	0	0
			11	6	5		
4	F	1	Total	C	O	0	0
			11	6	5		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	G	1	Total	C	O	0	0
			11	6	5		
4	H	1	Total	C	O	0	0
			11	6	5		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	31	Total	O	0	0
			31	31		
5	B	33	Total	O	0	0
			33	33		
5	C	24	Total	O	0	0
			24	24		
5	D	30	Total	O	0	0
			30	30		
5	E	10	Total	O	0	0
			10	10		
5	F	21	Total	O	0	0
			21	21		
5	G	32	Total	O	0	0
			32	32		
5	H	37	Total	O	0	0
			37	37		




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 4-hydroxy-tetrahydronicotinate reductase




- Molecule 1: 4-hydroxy-tetrahydronicotinate reductase



- Molecule 1: 4-hydroxy-tetrahydronicotinate reductase





- Molecule 1: 4-hydroxy-tetrahydronicotinate reductase




- Molecule 1: 4-hydroxy-tetrahydronicotinate reductase





- Molecule 1: 4-hydroxy-tetrahydrodipicolinate reductase



- Molecule 1: 4-hydroxy-tetrahydrodipicolinate reductase



- Molecule 1: 4-hydroxy-tetrahydrodipicolinate reductase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	68.44Å 117.55Å 131.52Å 90.00° 92.19° 90.00°	Depositor
Resolution (Å)	50.00 – 2.45 30.82 – 2.44	Depositor EDS
% Data completeness (in resolution range)	96.9 (50.00-2.45) 96.7 (30.82-2.44)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	0.13	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.29 (at 2.45Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, $R_{free}$	0.223 , 0.255 0.226 , 0.256	Depositor DCC
$R_{free}$ test set	3726 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	35.1	Xtriage
Anisotropy	1.124	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 34.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.041 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	16407	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 42.66 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.9733e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 7FN, SO4, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.92	0/1994	0.97	2/2706 (0.1%)
1	B	0.88	0/1991	0.93	4/2702 (0.1%)
1	C	0.88	1/2017 (0.0%)	0.93	2/2732 (0.1%)
1	D	0.91	0/2018	0.92	4/2732 (0.1%)
1	E	0.81	1/1958 (0.1%)	0.89	2/2663 (0.1%)
1	F	0.84	0/1970	0.90	2/2677 (0.1%)
1	G	0.93	1/1989 (0.1%)	0.95	3/2699 (0.1%)
1	H	0.84	0/1956	0.96	6/2658 (0.2%)
All	All	0.88	3/15893 (0.0%)	0.93	25/21569 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	59	CYS	CB-SG	6.25	1.92	1.82
1	E	59	CYS	CB-SG	6.01	1.92	1.82
1	C	59	CYS	CB-SG	5.49	1.91	1.82

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	157	ARG	NE-CZ-NH1	-10.21	115.19	120.30
1	H	157	ARG	NE-CZ-NH2	9.64	125.12	120.30
1	A	226	ARG	NE-CZ-NH2	-7.31	116.65	120.30
1	B	236	ARG	NE-CZ-NH2	6.67	123.63	120.30
1	B	60	ASP	CB-CG-OD1	-6.60	112.36	118.30
1	B	60	ASP	CB-CG-OD2	6.51	124.16	118.30
1	G	226	ARG	NE-CZ-NH2	-6.35	117.12	120.30
1	E	226	ARG	NE-CZ-NH2	-6.30	117.15	120.30
1	H	226	ARG	NE-CZ-NH2	-6.10	117.25	120.30
1	A	197	ARG	NE-CZ-NH2	5.98	123.29	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	208	ARG	NE-CZ-NH1	5.94	123.27	120.30
1	G	236	ARG	NE-CZ-NH2	5.89	123.25	120.30
1	D	60	ASP	CB-CG-OD1	5.89	123.60	118.30
1	D	35	ARG	NE-CZ-NH2	5.86	123.23	120.30
1	D	226	ARG	NE-CZ-NH2	-5.76	117.42	120.30
1	C	60	ASP	CB-CG-OD1	5.66	123.39	118.30
1	F	226	ARG	NE-CZ-NH2	-5.47	117.56	120.30
1	F	35	ARG	NE-CZ-NH1	5.47	123.03	120.30
1	B	35	ARG	NE-CZ-NH1	5.45	123.02	120.30
1	C	226	ARG	NE-CZ-NH2	-5.34	117.63	120.30
1	H	60	ASP	CB-CG-OD1	5.34	123.10	118.30
1	G	60	ASP	CB-CG-OD1	5.29	123.06	118.30
1	H	35	ARG	NE-CZ-NH1	5.21	122.91	120.30
1	D	107	ARG	NE-CZ-NH1	5.11	122.86	120.30
1	E	60	ASP	CB-CG-OD1	5.01	122.81	118.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1964	0	1925	12	0
1	B	1961	0	1922	9	0
1	C	1987	0	1976	11	0
1	D	1988	0	1976	9	0
1	E	1928	0	1867	8	0
1	F	1940	0	1879	11	0
1	G	1959	0	1933	10	0
1	H	1927	0	1885	10	0
2	A	44	0	26	0	0
2	B	44	0	26	2	0
2	C	44	0	26	0	0
2	D	44	0	26	1	0
2	E	44	0	26	1	0
2	F	44	0	26	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	G	44	0	26	2	0
2	H	44	0	26	0	0
3	A	20	0	0	0	0
3	B	5	0	0	0	0
3	C	15	0	0	0	0
3	D	5	0	0	0	0
3	E	10	0	0	0	0
3	F	15	0	0	0	0
3	G	10	0	0	0	0
3	H	15	0	0	1	0
4	B	11	0	0	0	0
4	C	22	0	0	0	0
4	D	11	0	0	0	0
4	E	11	0	0	0	0
4	F	11	0	0	0	0
4	G	11	0	0	0	0
4	H	11	0	0	0	0
5	A	31	0	0	1	0
5	B	33	0	0	0	0
5	C	24	0	0	0	0
5	D	30	0	0	0	0
5	E	10	0	0	0	0
5	F	21	0	0	1	0
5	G	32	0	0	1	0
5	H	37	0	0	0	0
All	All	16407	0	15571	74	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:49:CYS:SG	1:B:51:GLU:HB2	2.08	0.93
1:B:215:GLU:HG2	1:B:232:LYS:HG2	1.78	0.65
1:H:215:GLU:HG2	1:H:232:LYS:HG2	1.79	0.64
1:F:15:ARG:HG2	1:F:48:LEU:CD2	2.30	0.61
1:A:215:GLU:HG2	1:A:232:LYS:HG2	1.83	0.60
1:E:215:GLU:HG2	1:E:232:LYS:HG2	1.82	0.60
1:G:215:GLU:HG2	1:G:232:LYS:HG2	1.81	0.60
1:A:127:VAL:HG11	1:D:146:TYR:OH	2.01	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:215:GLU:HG2	1:D:232:LYS:HG2	1.83	0.59
1:B:51:GLU:HG2	1:B:54:PHE:HZ	1.68	0.59
1:C:215:GLU:HG2	1:C:232:LYS:HG2	1.83	0.59
1:F:215:GLU:HG2	1:F:232:LYS:HG2	1.83	0.59
1:E:197:ARG:NH2	1:E:201:GLU:O	2.37	0.57
1:C:90:GLN:HG3	1:C:91:TYR:CD2	2.39	0.57
1:H:28:LYS:HD2	1:H:29:VAL:H	1.69	0.56
1:E:11:GLY:HA3	2:E:1001:NAD:H52A	1.88	0.55
1:G:68:GLN:NE2	5:G:1101:HOH:O	2.39	0.54
1:A:65:GLN:O	1:A:68:GLN:HG2	2.08	0.54
1:F:66:ILE:HD12	1:F:69:PHE:CZ	2.42	0.54
1:G:63:ALA:O	1:G:66:ILE:HG23	2.08	0.53
1:F:15:ARG:HG2	1:F:48:LEU:HD23	1.89	0.53
1:H:241:ASN:ND2	3:H:1005:SO4:O4	2.39	0.52
1:A:54:PHE:O	1:A:55:ASP:HB2	2.08	0.52
1:G:197:ARG:O	1:H:157:ARG:NH1	2.43	0.52
1:A:155:HIS:NE2	5:A:1101:HOH:O	2.34	0.52
1:H:66:ILE:HD12	1:H:69:PHE:CZ	2.45	0.52
1:G:268:ASP:O	1:G:269:LEU:HB2	2.09	0.51
1:B:66:ILE:HD12	1:B:69:PHE:CZ	2.45	0.51
1:E:197:ARG:HG2	1:E:198:THR:O	2.10	0.51
1:G:157:ARG:NH1	1:H:148:ASP:OD1	2.43	0.51
1:C:4:ILE:HD12	1:C:27:ALA:HB1	1.93	0.50
1:F:15:ARG:CG	1:F:48:LEU:HD21	2.42	0.50
1:E:66:ILE:HD12	1:E:69:PHE:CZ	2.46	0.50
1:B:49:CYS:SG	1:B:51:GLU:CB	2.94	0.50
1:F:98:GLY:O	2:F:1001:NAD:H2N	2.12	0.50
1:C:41:VAL:HG21	1:C:60:ASP:HB3	1.93	0.50
1:D:66:ILE:HD12	1:D:69:PHE:CZ	2.46	0.50
1:D:4:ILE:HD12	1:D:27:ALA:HB1	1.94	0.49
1:E:197:ARG:NH1	1:E:201:GLU:HG3	2.28	0.49
1:A:138:LYS:HG3	1:D:138:LYS:HE2	1.93	0.49
1:B:4:ILE:HD12	1:B:27:ALA:HB1	1.94	0.49
1:A:71:VAL:HG23	1:A:94:SER:C	2.33	0.49
1:F:15:ARG:HG2	1:F:48:LEU:HD21	1.94	0.48
1:G:4:ILE:HD12	1:G:27:ALA:HB1	1.95	0.48
1:B:51:GLU:HG2	1:B:54:PHE:CZ	2.48	0.48
1:D:104:GLU:H	1:D:104:GLU:CD	2.16	0.48
1:B:35:ARG:HG3	2:B:1001:NAD:C5A	2.44	0.48
1:C:105:GLU:HG2	1:C:106:GLN:N	2.29	0.48
1:G:98:GLY:O	2:G:1001:NAD:H2N	2.14	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4:ILE:HD12	1:A:27:ALA:HB1	1.96	0.47
1:E:4:ILE:HD12	1:E:27:ALA:HB1	1.95	0.46
1:F:214:GLY:HA3	5:F:1104:HOH:O	2.14	0.46
1:D:3:ARG:HG2	1:D:28:LYS:HD3	1.98	0.46
1:F:4:ILE:HD12	1:F:27:ALA:HB1	1.98	0.46
1:A:261:THR:HG23	1:A:266:LEU:HB2	1.98	0.45
1:G:157:ARG:NH2	1:H:197:ARG:O	2.49	0.45
1:E:103:THR:HG22	1:E:104:GLU:N	2.33	0.44
1:A:134:LYS:HE3	1:A:138:LYS:HE2	1.99	0.44
1:D:66:ILE:HD11	1:D:93:LYS:HG3	2.01	0.43
1:H:4:ILE:HD12	1:H:27:ALA:HB1	2.01	0.43
1:C:66:ILE:HG23	1:C:93:LYS:HE3	2.01	0.43
1:D:98:GLY:O	2:D:1001:NAD:H2N	2.18	0.43
1:H:66:ILE:HD11	1:H:93:LYS:HG3	2.01	0.41
1:F:155:HIS:HB2	1:F:208:ARG:NH1	2.35	0.41
1:G:11:GLY:HA3	2:G:1001:NAD:H52A	2.02	0.41
1:A:237:MET:O	1:A:237:MET:HG2	2.21	0.41
1:B:98:GLY:O	2:B:1001:NAD:H2N	2.21	0.41
1:C:40:LEU:O	1:C:40:LEU:HG	2.20	0.41
1:A:211:ASP:OD2	1:C:224:GLY:N	2.45	0.41
1:C:104:GLU:HG2	1:C:105:GLU:N	2.36	0.40
1:F:66:ILE:CD1	1:F:93:LYS:HE3	2.52	0.40
1:H:66:ILE:CD1	1:H:93:LYS:HE3	2.52	0.40
1:C:10:ALA:HB2	1:C:40:LEU:HD22	2.03	0.40
1:C:34:GLU:HG3	1:C:40:LEU:HD23	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	267/269 (99%)	259 (97%)	8 (3%)	0	100	100

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	267/269 (99%)	260 (97%)	7 (3%)	0	100	100
1	C	267/269 (99%)	261 (98%)	6 (2%)	0	100	100
1	D	267/269 (99%)	260 (97%)	7 (3%)	0	100	100
1	E	267/269 (99%)	259 (97%)	8 (3%)	0	100	100
1	F	267/269 (99%)	259 (97%)	8 (3%)	0	100	100
1	G	267/269 (99%)	259 (97%)	8 (3%)	0	100	100
1	H	265/269 (98%)	258 (97%)	7 (3%)	0	100	100
All	All	2134/2152 (99%)	2075 (97%)	59 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	197/207 (95%)	192 (98%)	5 (2%)	47	60
1	B	195/207 (94%)	192 (98%)	3 (2%)	65	76
1	C	202/207 (98%)	198 (98%)	4 (2%)	55	67
1	D	202/207 (98%)	197 (98%)	5 (2%)	47	60
1	E	188/207 (91%)	185 (98%)	3 (2%)	62	74
1	F	189/207 (91%)	186 (98%)	3 (2%)	62	74
1	G	195/207 (94%)	192 (98%)	3 (2%)	65	76
1	H	189/207 (91%)	186 (98%)	3 (2%)	62	74
All	All	1557/1656 (94%)	1528 (98%)	29 (2%)	57	69

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	ARG
1	A	68	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	85	LEU
1	A	153	GLU
1	A	237	MET
1	B	59	CYS
1	B	85	LEU
1	B	153	GLU
1	C	59	CYS
1	C	85	LEU
1	C	105	GLU
1	C	153	GLU
1	D	59	CYS
1	D	85	LEU
1	D	90	GLN
1	D	107	ARG
1	D	153	GLU
1	E	59	CYS
1	E	85	LEU
1	E	153	GLU
1	F	59	CYS
1	F	85	LEU
1	F	153	GLU
1	G	59	CYS
1	G	85	LEU
1	G	153	GLU
1	H	85	LEU
1	H	90	GLN
1	H	153	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	90	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

35 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAD	B	1001	-	42,48,48	0.99	2 (4%)	50,73,73	1.83	10 (20%)
4	7FN	B	1002	-	1,11,11	0.95	0	0,15,15	0.00	-
3	SO4	F	1004	-	4,4,4	0.44	0	6,6,6	0.61	0
2	NAD	D	1001	-	42,48,48	0.89	1 (2%)	50,73,73	1.35	10 (20%)
3	SO4	G	1004	-	4,4,4	0.40	0	6,6,6	0.40	0
3	SO4	F	1003	-	4,4,4	0.41	0	6,6,6	0.35	0
3	SO4	B	1003	-	4,4,4	0.36	0	6,6,6	0.76	0
4	7FN	C	1002	-	1,11,11	1.16	0	0,15,15	0.00	-
3	SO4	A	1002	-	4,4,4	0.39	0	6,6,6	0.57	0
4	7FN	F	1002	-	1,11,11	0.82	0	0,15,15	0.00	-
2	NAD	H	1001	-	42,48,48	0.91	2 (4%)	50,73,73	1.66	10 (20%)
2	NAD	E	1001	-	42,48,48	0.97	2 (4%)	50,73,73	1.58	9 (18%)
2	NAD	F	1001	-	42,48,48	0.94	3 (7%)	50,73,73	1.51	11 (22%)
3	SO4	E	1004	-	4,4,4	0.41	0	6,6,6	0.59	0
3	SO4	E	1003	-	4,4,4	0.37	0	6,6,6	0.35	0
4	7FN	G	1002	-	1,11,11	0.79	0	0,15,15	0.00	-
4	7FN	E	1002	-	1,11,11	0.81	0	0,15,15	0.00	-
2	NAD	G	1001	-	42,48,48	0.86	1 (2%)	50,73,73	1.64	10 (20%)
4	7FN	D	1002	-	1,11,11	0.85	0	0,15,15	0.00	-
4	7FN	H	1002	-	1,11,11	1.15	0	0,15,15	0.00	-
3	SO4	A	1004	-	4,4,4	0.30	0	6,6,6	0.29	0
3	SO4	H	1004	-	4,4,4	0.41	0	6,6,6	0.38	0
2	NAD	C	1001	-	42,48,48	1.02	3 (7%)	50,73,73	1.58	11 (22%)
3	SO4	H	1003	-	4,4,4	0.39	0	6,6,6	0.11	0
2	NAD	A	1001	-	42,48,48	0.99	3 (7%)	50,73,73	1.59	10 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	7FN	C	1006	-	1,11,11	0.82	0	0,15,15	0.00	-
3	SO4	D	1003	-	4,4,4	0.44	0	6,6,6	0.95	0
3	SO4	C	1005	-	4,4,4	0.34	0	6,6,6	0.75	0
3	SO4	G	1003	-	4,4,4	0.27	0	6,6,6	0.72	0
3	SO4	F	1005	-	4,4,4	0.74	0	6,6,6	0.44	0
3	SO4	C	1003	-	4,4,4	0.38	0	6,6,6	0.57	0
3	SO4	C	1004	-	4,4,4	0.35	0	6,6,6	0.55	0
3	SO4	A	1005	-	4,4,4	0.47	0	6,6,6	0.34	0
3	SO4	H	1005	-	4,4,4	0.76	0	6,6,6	0.62	0
3	SO4	A	1003	-	4,4,4	0.36	0	6,6,6	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	7FN	F	1002	-	-	0/0/8/8	0/1/1/1
4	7FN	B	1002	-	-	0/0/8/8	0/1/1/1
2	NAD	H	1001	-	-	4/26/62/62	0/5/5/5
2	NAD	E	1001	-	-	9/26/62/62	0/5/5/5
2	NAD	F	1001	-	-	5/26/62/62	0/5/5/5
2	NAD	C	1001	-	-	6/26/62/62	0/5/5/5
2	NAD	D	1001	-	-	5/26/62/62	0/5/5/5
4	7FN	D	1002	-	-	0/0/8/8	0/1/1/1
2	NAD	B	1001	-	-	5/26/62/62	0/5/5/5
4	7FN	G	1002	-	-	0/0/8/8	0/1/1/1
4	7FN	E	1002	-	-	0/0/8/8	0/1/1/1
4	7FN	C	1002	-	-	0/0/8/8	0/1/1/1
2	NAD	G	1001	-	-	6/26/62/62	0/5/5/5
4	7FN	H	1002	-	-	0/0/8/8	0/1/1/1
4	7FN	C	1006	-	-	0/0/8/8	0/1/1/1
2	NAD	A	1001	-	-	7/26/62/62	0/5/5/5

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	NAD	O4D-C1D	3.04	1.45	1.41
2	F	1001	NAD	C5A-C4A	2.97	1.48	1.40
2	C	1001	NAD	O4D-C1D	2.83	1.45	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1001	NAD	C2B-C1B	-2.77	1.49	1.53
2	E	1001	NAD	C2D-C1D	-2.69	1.49	1.53
2	E	1001	NAD	C5A-C4A	2.53	1.47	1.40
2	A	1001	NAD	C5A-C4A	2.46	1.47	1.40
2	G	1001	NAD	C5A-C4A	2.39	1.47	1.40
2	H	1001	NAD	C5A-C4A	2.36	1.47	1.40
2	D	1001	NAD	C5A-C4A	2.31	1.47	1.40
2	B	1001	NAD	C5A-C4A	2.30	1.47	1.40
2	A	1001	NAD	C2A-N3A	2.19	1.35	1.32
2	F	1001	NAD	C2A-N3A	2.15	1.35	1.32
2	C	1001	NAD	C5A-C4A	2.14	1.46	1.40
2	H	1001	NAD	C3N-C7N	2.08	1.53	1.50
2	C	1001	NAD	C3N-C7N	2.04	1.53	1.50
2	F	1001	NAD	C6A-C5A	2.03	1.50	1.43

All (81) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	1001	NAD	C3N-C7N-N7N	4.76	123.46	117.75
2	B	1001	NAD	C3N-C7N-N7N	4.69	123.38	117.75
2	H	1001	NAD	C3N-C2N-N1N	4.63	124.95	120.43
2	B	1001	NAD	C6N-N1N-C2N	-4.55	117.83	121.97
2	G	1001	NAD	O4B-C1B-C2B	-4.26	100.71	106.93
2	E	1001	NAD	N3A-C2A-N1A	-4.17	122.16	128.68
2	C	1001	NAD	C1B-N9A-C4A	-4.17	119.32	126.64
2	C	1001	NAD	N3A-C2A-N1A	-4.16	122.18	128.68
2	A	1001	NAD	N3A-C2A-N1A	-4.13	122.22	128.68
2	B	1001	NAD	N3A-C2A-N1A	-4.08	122.31	128.68
2	G	1001	NAD	C3N-C7N-N7N	4.02	122.58	117.75
2	H	1001	NAD	N3A-C2A-N1A	-3.75	122.82	128.68
2	E	1001	NAD	C4A-C5A-N7A	-3.74	105.50	109.40
2	F	1001	NAD	N3A-C2A-N1A	-3.71	122.88	128.68
2	G	1001	NAD	N3A-C2A-N1A	-3.68	122.92	128.68
2	G	1001	NAD	C3N-C2N-N1N	3.68	124.02	120.43
2	C	1001	NAD	C3N-C7N-N7N	3.63	122.11	117.75
2	H	1001	NAD	C6N-N1N-C2N	-3.63	118.67	121.97
2	B	1001	NAD	C5N-C4N-C3N	-3.62	116.06	120.34
2	A	1001	NAD	O4B-C1B-C2B	-3.59	101.68	106.93
2	B	1001	NAD	C1B-N9A-C4A	-3.59	120.34	126.64
2	F	1001	NAD	C6N-N1N-C2N	-3.54	118.74	121.97
2	A	1001	NAD	C3D-C2D-C1D	3.38	106.06	100.98
2	E	1001	NAD	C1B-N9A-C4A	-3.37	120.72	126.64

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	1001	NAD	C4A-C5A-N7A	-3.33	105.92	109.40
2	H	1001	NAD	O7N-C7N-N7N	-3.30	117.89	122.58
2	A	1001	NAD	C4A-C5A-N7A	-3.25	106.02	109.40
2	B	1001	NAD	C3N-C2N-N1N	3.17	123.52	120.43
2	E	1001	NAD	PN-O3-PA	-3.13	122.08	132.83
2	A	1001	NAD	O7N-C7N-N7N	-3.13	118.14	122.58
2	D	1001	NAD	C3N-C2N-N1N	3.12	123.48	120.43
2	B	1001	NAD	O7N-C7N-N7N	-3.11	118.15	122.58
2	C	1001	NAD	C3N-C2N-N1N	3.08	123.44	120.43
2	D	1001	NAD	N3A-C2A-N1A	-2.93	124.10	128.68
2	G	1001	NAD	C6N-N1N-C2N	-2.86	119.37	121.97
2	F	1001	NAD	O4D-C1D-C2D	-2.86	102.75	106.93
2	G	1001	NAD	O7N-C7N-N7N	-2.82	118.58	122.58
2	H	1001	NAD	C1B-N9A-C4A	-2.81	121.70	126.64
2	E	1001	NAD	C2A-N1A-C6A	2.75	123.47	118.75
2	G	1001	NAD	O2A-PA-O5B	-2.75	94.97	107.75
2	C	1001	NAD	C2D-C3D-C4D	2.73	107.95	102.64
2	C	1001	NAD	C2A-N1A-C6A	2.72	123.40	118.75
2	F	1001	NAD	C3D-C2D-C1D	2.68	105.02	100.98
2	C	1001	NAD	O2A-PA-O1A	2.68	125.50	112.24
2	G	1001	NAD	O4D-C1D-C2D	-2.67	103.03	106.93
2	D	1001	NAD	PN-O3-PA	-2.66	123.68	132.83
2	D	1001	NAD	O7N-C7N-N7N	-2.66	118.79	122.58
2	B	1001	NAD	PN-O3-PA	-2.66	123.69	132.83
2	E	1001	NAD	O5B-PA-O1A	2.66	119.44	109.07
2	B	1001	NAD	O2A-PA-O1A	2.64	125.28	112.24
2	C	1001	NAD	O7N-C7N-N7N	-2.59	118.90	122.58
2	F	1001	NAD	C1B-N9A-C4A	-2.58	122.11	126.64
2	A	1001	NAD	C3N-C7N-N7N	2.54	120.80	117.75
2	B	1001	NAD	C2A-N1A-C6A	2.53	123.08	118.75
2	F	1001	NAD	C3N-C7N-N7N	2.50	120.75	117.75
2	H	1001	NAD	C2A-N1A-C6A	2.49	123.01	118.75
2	D	1001	NAD	O2A-PA-O1A	2.46	124.41	112.24
2	A	1001	NAD	C6N-N1N-C2N	-2.45	119.74	121.97
2	A	1001	NAD	C2A-N1A-C6A	2.45	122.94	118.75
2	F	1001	NAD	O7N-C7N-N7N	-2.43	119.13	122.58
2	E	1001	NAD	O2A-PA-O5B	-2.42	96.50	107.75
2	E	1001	NAD	C3N-C2N-N1N	2.37	122.74	120.43
2	C	1001	NAD	C2N-N1N-C1D	-2.37	113.86	119.14
2	G	1001	NAD	O2A-PA-O1A	2.31	123.67	112.24
2	C	1001	NAD	O4B-C4B-C3B	2.26	109.58	105.11
2	D	1001	NAD	C2N-N1N-C1D	-2.24	114.15	119.14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1001	NAD	O3D-C3D-C4D	-2.19	104.72	111.05
2	F	1001	NAD	C2A-N1A-C6A	2.18	122.48	118.75
2	A	1001	NAD	PN-O3-PA	-2.16	125.42	132.83
2	F	1001	NAD	C3N-C2N-N1N	2.15	122.53	120.43
2	E	1001	NAD	O4D-C4D-C5D	2.14	116.42	109.37
2	D	1001	NAD	N6A-C6A-N1A	2.13	123.00	118.57
2	A	1001	NAD	O4D-C1D-C2D	-2.13	103.81	106.93
2	H	1001	NAD	O2A-PA-O1A	2.11	122.65	112.24
2	D	1001	NAD	C5N-C4N-C3N	-2.09	117.87	120.34
2	G	1001	NAD	C2A-N1A-C6A	2.05	122.27	118.75
2	D	1001	NAD	C3N-C7N-N7N	2.03	120.19	117.75
2	D	1001	NAD	C1B-N9A-C4A	-2.03	123.08	126.64
2	H	1001	NAD	C2D-C3D-C4D	2.02	106.58	102.64
2	H	1001	NAD	C4A-C5A-N7A	-2.00	107.31	109.40
2	F	1001	NAD	O5D-C5D-C4D	2.00	115.89	108.99

There are no chirality outliers.

All (47) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1001	NAD	O4D-C1D-N1N-C2N
2	B	1001	NAD	O4D-C1D-N1N-C6N
2	B	1001	NAD	C2D-C1D-N1N-C2N
2	B	1001	NAD	C2D-C1D-N1N-C6N
2	D	1001	NAD	O4D-C1D-N1N-C2N
2	D	1001	NAD	O4D-C1D-N1N-C6N
2	D	1001	NAD	C2D-C1D-N1N-C2N
2	D	1001	NAD	C2D-C1D-N1N-C6N
2	H	1001	NAD	O4D-C1D-N1N-C2N
2	H	1001	NAD	O4D-C1D-N1N-C6N
2	H	1001	NAD	C2D-C1D-N1N-C2N
2	E	1001	NAD	O4D-C1D-N1N-C2N
2	E	1001	NAD	O4D-C1D-N1N-C6N
2	E	1001	NAD	C2D-C1D-N1N-C2N
2	F	1001	NAD	O4D-C1D-N1N-C2N
2	F	1001	NAD	O4D-C1D-N1N-C6N
2	F	1001	NAD	C2D-C1D-N1N-C2N
2	F	1001	NAD	C2D-C1D-N1N-C6N
2	G	1001	NAD	O4D-C1D-N1N-C2N
2	G	1001	NAD	O4D-C1D-N1N-C6N
2	G	1001	NAD	C2D-C1D-N1N-C2N
2	G	1001	NAD	C2D-C1D-N1N-C6N

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	C	1001	NAD	O4D-C1D-N1N-C2N
2	C	1001	NAD	O4D-C1D-N1N-C6N
2	C	1001	NAD	C2D-C1D-N1N-C2N
2	A	1001	NAD	C5B-O5B-PA-O1A
2	A	1001	NAD	O4D-C4D-C5D-O5D
2	C	1001	NAD	O4B-C4B-C5B-O5B
2	A	1001	NAD	C3D-C4D-C5D-O5D
2	C	1001	NAD	C3B-C4B-C5B-O5B
2	G	1001	NAD	O4B-C4B-C5B-O5B
2	G	1001	NAD	C3B-C4B-C5B-O5B
2	E	1001	NAD	O4B-C4B-C5B-O5B
2	E	1001	NAD	C5D-O5D-PN-O3
2	A	1001	NAD	C5B-O5B-PA-O3
2	A	1001	NAD	PA-O3-PN-O1N
2	A	1001	NAD	C5B-O5B-PA-O2A
2	D	1001	NAD	O4B-C4B-C5B-O5B
2	E	1001	NAD	C3B-C4B-C5B-O5B
2	E	1001	NAD	C2D-C1D-N1N-C6N
2	C	1001	NAD	C2D-C1D-N1N-C6N
2	B	1001	NAD	O4B-C4B-C5B-O5B
2	F	1001	NAD	O4B-C4B-C5B-O5B
2	E	1001	NAD	C5D-O5D-PN-O1N
2	E	1001	NAD	C5D-O5D-PN-O2N
2	H	1001	NAD	O4B-C4B-C5B-O5B
2	A	1001	NAD	O4B-C4B-C5B-O5B

There are no ring outliers.


6 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1001	NAD	2	0
2	D	1001	NAD	1	0
2	E	1001	NAD	1	0
2	F	1001	NAD	1	0
2	G	1001	NAD	2	0
3	H	1005	SO4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.





Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	269/269 (100%)	0.25	15 (5%) 24 21	27, 44, 78, 99	0
1	B	269/269 (100%)	0.03	10 (3%) 41 38	28, 40, 73, 110	0
1	C	269/269 (100%)	0.26	19 (7%) 16 12	29, 42, 80, 105	0
1	D	269/269 (100%)	0.10	10 (3%) 41 38	27, 38, 71, 86	0
1	E	269/269 (100%)	0.47	17 (6%) 20 16	30, 55, 106, 128	0
1	F	269/269 (100%)	0.74	36 (13%) 3 2	33, 55, 96, 112	0
1	G	269/269 (100%)	0.30	17 (6%) 20 16	29, 47, 76, 105	0
1	H	267/269 (99%)	0.45	23 (8%) 10 7	26, 48, 95, 118	0
All	All	2150/2152 (99%)	0.32	147 (6%) 17 13	26, 46, 89, 128	0

All (147) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	269	LEU	7.0
1	F	39	SER	6.5
1	E	268	ASP	6.0
1	E	39	SER	5.7
1	B	268	ASP	5.6
1	E	52	GLY	5.3
1	C	40	LEU	5.2
1	F	42	GLY	5.1
1	F	112	LEU	4.8
1	C	55	ASP	4.8
1	F	50	GLY	4.6
1	H	49	CYS	4.5
1	G	265	GLY	4.4
1	D	268	ASP	4.4
1	E	47	GLU	4.3
1	H	2	VAL	4.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	193	ILE	4.2
1	F	36	PRO	4.2
1	E	42	GLY	4.2
1	F	193	ILE	4.1
1	F	268	ASP	4.1
1	B	269	LEU	4.0
1	A	36	PRO	4.0
1	E	29	VAL	4.0
1	F	35	ARG	4.0
1	B	49	CYS	3.9
1	E	48	LEU	3.9
1	H	31	ALA	3.9
1	F	115	GLN	3.8
1	D	111	ASP	3.8
1	A	38	SER	3.8
1	C	195	GLY	3.7
1	C	193	ILE	3.6
1	G	176	GLY	3.6
1	G	45	LEU	3.6
1	C	50	GLY	3.6
1	H	52	GLY	3.6
1	G	18	VAL	3.5
1	C	51	GLU	3.5
1	E	36	PRO	3.5
1	G	47	GLU	3.4
1	H	88	CYS	3.4
1	C	252	GLU	3.4
1	F	91	TYR	3.3
1	D	115	GLN	3.3
1	F	55	ASP	3.2
1	C	194	THR	3.2
1	E	22	HIS	3.2
1	H	20	ALA	3.2
1	H	54	PHE	3.1
1	B	50	GLY	3.1
1	F	38	SER	3.1
1	G	46	GLY	3.1
1	F	269	LEU	3.1
1	F	109	GLN	3.0
1	C	191	GLU	3.0
1	D	37	GLU	3.0
1	F	198	THR	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	52	GLY	2.9
1	F	48	LEU	2.9
1	E	111	ASP	2.9
1	H	258	TYR	2.9
1	A	185	VAL	2.9
1	H	256	GLY	2.9
1	H	27	ALA	2.8
1	B	23	HIS	2.7
1	H	45	LEU	2.7
1	H	251	HIS	2.7
1	F	37	GLU	2.7
1	E	112	LEU	2.7
1	E	266	LEU	2.7
1	F	258	TYR	2.7
1	A	162	ALA	2.7
1	D	104	GLU	2.7
1	F	72	ILE	2.6
1	A	269	LEU	2.6
1	G	48	LEU	2.6
1	F	256	GLY	2.6
1	H	26	VAL	2.6
1	H	44	ASP	2.6
1	A	40	LEU	2.6
1	G	40	LEU	2.6
1	H	51	GLU	2.6
1	E	21	ALA	2.5
1	F	184	ASP	2.5
1	C	43	VAL	2.5
1	B	252	GLU	2.5
1	C	53	LYS	2.5
1	D	39	SER	2.5
1	H	29	VAL	2.5
1	G	141	LYS	2.5
1	F	189	ALA	2.5
1	F	45	LEU	2.4
1	C	110	ILE	2.4
1	H	25	PRO	2.4
1	C	196	GLU	2.4
1	F	113	VAL	2.4
1	A	116	GLN	2.4
1	D	269	LEU	2.4
1	F	26	VAL	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	H	96	VAL	2.4
1	C	177	ALA	2.4
1	C	181	LYS	2.3
1	E	1	MET	2.3
1	H	1	MET	2.3
1	H	94	SER	2.3
1	A	37	GLU	2.3
1	C	41	VAL	2.3
1	G	57	VAL	2.3
1	A	252	GLU	2.3
1	G	39	SER	2.2
1	F	196	GLU	2.2
1	A	55	ASP	2.2
1	C	47	GLU	2.2
1	G	69	PHE	2.2
1	H	112	LEU	2.2
1	F	1	MET	2.2
1	H	180	ASN	2.2
1	A	52	GLY	2.2
1	A	60	ASP	2.2
1	G	25	PRO	2.2
1	H	50	GLY	2.2
1	G	194	THR	2.2
1	F	108	GLU	2.1
1	D	112	LEU	2.1
1	E	55	ASP	2.1
1	A	26	VAL	2.1
1	E	267	ASN	2.1
1	G	38	SER	2.1
1	B	253	LYS	2.1
1	D	265	GLY	2.1
1	F	119	VAL	2.1
1	F	103	THR	2.1
1	G	54	PHE	2.1
1	D	252	GLU	2.1
1	F	73	ILE	2.1
1	A	104	GLU	2.1
1	G	55	ASP	2.1
1	C	42	GLY	2.1
1	F	46	GLY	2.1
1	F	52	GLY	2.1
1	C	179	GLY	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	F	104	GLU	2.1
1	F	267	ASN	2.0
1	B	46	GLY	2.0
1	B	1	MET	2.0
1	F	166	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	SO4	F	1004	5/5	0.60	0.29	88,106,115,116	0
3	SO4	A	1005	5/5	0.67	0.36	93,96,115,116	0
3	SO4	C	1003	5/5	0.70	0.33	75,89,101,102	0
3	SO4	C	1005	5/5	0.75	0.34	89,90,91,96	0
3	SO4	H	1003	5/5	0.77	0.33	116,125,136,138	0
3	SO4	H	1005	5/5	0.77	0.38	77,77,91,91	0
3	SO4	F	1005	5/5	0.83	0.40	66,69,78,80	0
3	SO4	E	1004	5/5	0.83	0.28	65,78,82,96	0
3	SO4	A	1004	5/5	0.84	0.40	89,98,104,113	0
3	SO4	G	1004	5/5	0.85	0.29	90,91,103,112	0
2	NAD	A	1001	44/44	0.87	0.17	61,75,84,86	0
3	SO4	A	1002	5/5	0.87	0.20	68,72,79,80	0
3	SO4	F	1003	5/5	0.87	0.24	53,72,78,83	0
4	7FN	C	1006	11/11	0.88	0.24	50,57,60,61	0
2	NAD	F	1001	44/44	0.88	0.18	31,50,81,86	0
3	SO4	H	1004	5/5	0.89	0.24	75,76,84,92	0
3	SO4	D	1003	5/5	0.91	0.21	60,63,66,69	0
4	7FN	D	1002	11/11	0.91	0.17	30,36,39,40	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	SO4	B	1003	5/5	0.91	0.18	59,63,77,77	0
4	7FN	F	1002	11/11	0.92	0.15	33,42,46,49	0
2	NAD	E	1001	44/44	0.92	0.15	34,51,62,68	0
4	7FN	B	1002	11/11	0.93	0.13	27,29,31,31	0
3	SO4	E	1003	5/5	0.93	0.29	90,92,94,98	0
4	7FN	G	1002	11/11	0.93	0.13	29,35,40,42	0
4	7FN	E	1002	11/11	0.93	0.13	34,36,40,41	0
4	7FN	C	1002	11/11	0.94	0.13	28,36,39,39	0
2	NAD	G	1001	44/44	0.94	0.13	32,40,51,54	0
2	NAD	C	1001	44/44	0.95	0.13	30,38,41,43	0
2	NAD	D	1001	44/44	0.95	0.14	25,36,40,42	0
4	7FN	H	1002	11/11	0.95	0.13	33,37,46,47	0
3	SO4	G	1003	5/5	0.95	0.28	85,90,96,96	0
3	SO4	C	1004	5/5	0.96	0.15	55,58,64,67	0
2	NAD	B	1001	44/44	0.96	0.12	26,33,40,42	0
2	NAD	H	1001	44/44	0.96	0.13	26,35,41,47	0
3	SO4	A	1003	5/5	0.96	0.15	61,62,65,67	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




#### Electron density around NAD A 1001:

2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAD F 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAD E 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAD G 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NAD C 1001:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around NAD D 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAD B 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around NAD H 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.