



Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 09:56 pm BST

PDB ID : 1TF2
Title : Crystal structure of SecA:ADP in an open conformation from Bacillus Subtilis
Authors : Osborne, A.R.; Clemons Jr., W.M.; Rapoport, T.A.
Deposited on : 2004-05-26
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	844	<div> <div>2%</div> <div> <div></div> <div>49%</div> <div>38%</div> <div>•</div> <div>9%</div> </div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6217 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Preprotein translocase secA subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	772	Total	C	N	O	S	0	0	0
			6163	3856	1077	1196	34			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	CLONING ARTIFACT	UNP P28366
A	-1	PRO	-	CLONING ARTIFACT	UNP P28366
A	0	HIS	-	CLONING ARTIFACT	UNP P28366

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	26	Total	O	0	0
			26	26		

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Chain A:

2%
49%
38%
9%

GLY SER GLY LYS LYS THR LYS ASN CYS CYS ARG THR ARG LYS VAL VAL GLN GLN THR THR ALA HIS PRO LYS GLY ASP ASN LYS LYS ALA PRO VAL ARG LYS VAL VAL ASP THR GLY ARG ASN PRO CYS THR HIS

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	149.23 Å 107.19 Å 72.05 Å 90.00° 94.96° 90.00°	Depositor
Resolution (Å)	44.98 – 2.90 44.98 – 2.20	Depositor EDS
% Data completeness (in resolution range)	93.3 (44.98-2.90) 96.3 (44.98-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.00 (at 2.20 Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.228 , 0.292 0.230 , 0.290	Depositor DCC
R_{free} test set	3265 reflections (5.69%)	wwPDB-VP
Wilson B-factor (Å ²)	62.4	Xtriage
Anisotropy	0.387	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 36.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6217	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	0/6247	0.65	1/8396 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	666	LEU	N-CA-C	5.02	124.56	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6163	0	6159	303	0
2	A	1	0	0	0	0
3	A	27	0	12	1	0
4	A	26	0	0	6	0
All	All	6217	0	6171	303	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (303) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:31:GLY:HA2	1:A:34:GLU:HB2	1.43	0.97
1:A:738:ILE:HD12	1:A:752:TYR:HB2	1.48	0.92
1:A:436:THR:HG22	1:A:484:THR:HA	1.56	0.86
1:A:238:ASN:OD1	1:A:297:HIS:HE1	1.61	0.84
1:A:83:LYS:HD3	1:A:83:LYS:N	1.96	0.80
1:A:301:GLN:HB2	1:A:304:VAL:HG13	1.62	0.80
1:A:622:ASN:HA	1:A:709:ARG:HD2	1.64	0.80
1:A:693:ILE:HG22	1:A:697:ASN:HD21	1.46	0.79
1:A:409:ARG:HG3	1:A:541:MET:SD	2.23	0.78
1:A:380:GLU:HB2	1:A:590:PHE:HE1	1.48	0.78
1:A:128:THR:HG22	1:A:129:VAL:H	1.46	0.78
1:A:83:LYS:H	1:A:83:LYS:HD3	1.47	0.78
1:A:675:ASP:HB3	1:A:687:LEU:HD13	1.66	0.77
1:A:676:ILE:HG23	1:A:684:MET:CE	2.14	0.77
1:A:671:LEU:HD11	1:A:691:ARG:HG3	1.67	0.75
1:A:658:VAL:HG11	1:A:672:GLU:HG2	1.68	0.74
1:A:83:LYS:H	1:A:83:LYS:CD	1.95	0.73
1:A:237:ALA:O	1:A:241:VAL:HG23	1.88	0.73
1:A:159:MET:HE2	1:A:163:GLU:HG2	1.70	0.73
1:A:193:LYS:HE2	1:A:619:ASP:OD1	1.88	0.72
1:A:260:GLN:HE21	1:A:740:LEU:HD22	1.54	0.72
1:A:420:GLU:O	1:A:424:GLN:HG2	1.89	0.72
1:A:715:ILE:HA	1:A:718:ARG:HD3	1.69	0.72
1:A:190:VAL:HG22	1:A:195:GLN:HB2	1.72	0.72
1:A:300:MET:HA	1:A:300:MET:HE2	1.70	0.71
1:A:463:ASN:HD22	1:A:463:ASN:C	1.93	0.70
1:A:624:ARG:NH2	1:A:696:TYR:HB2	2.05	0.70
1:A:301:GLN:HB2	1:A:304:VAL:CG1	2.20	0.70
1:A:747:ASN:HD22	1:A:748:PRO:HD2	1.57	0.70
1:A:100:MET:O	1:A:106:LYS:HE3	1.92	0.70
1:A:617:VAL:HG13	1:A:623:LEU:HD21	1.75	0.69
1:A:693:ILE:HG22	1:A:697:ASN:ND2	2.07	0.68
1:A:204:ALA:HB2	1:A:364:TYR:CE2	2.28	0.68
1:A:332:GLY:HA2	1:A:335:GLN:OE1	1.94	0.68
1:A:418:VAL:O	1:A:422:VAL:HG23	1.94	0.68
1:A:627:VAL:O	1:A:631:ILE:HG13	1.94	0.68
1:A:676:ILE:HG23	1:A:684:MET:HE2	1.77	0.67
1:A:359:ASN:OD1	1:A:604:ARG:HD3	1.95	0.67
1:A:142:GLY:HA2	1:A:152:VAL:HG21	1.75	0.67
1:A:549:PHE:HD1	1:A:549:PHE:H	1.41	0.67
1:A:624:ARG:HD3	1:A:712:GLU:OE2	1.93	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:675:ASP:O	1:A:679:LYS:HG3	1.95	0.67
1:A:112:LEU:HB2	1:A:113:PRO:CD	2.25	0.66
1:A:378:GLU:HB3	4:A:2028:HOH:O	1.95	0.66
1:A:610:ILE:HD11	1:A:763:MET:HE3	1.77	0.66
1:A:31:GLY:CA	1:A:34:GLU:HB2	2.22	0.65
1:A:571:SER:HB3	1:A:574:VAL:HG23	1.78	0.65
1:A:238:ASN:OD1	1:A:297:HIS:CE1	2.48	0.65
1:A:380:GLU:HB2	1:A:590:PHE:CE1	2.32	0.65
1:A:747:ASN:HD22	1:A:748:PRO:CD	2.08	0.65
1:A:676:ILE:O	1:A:677:PHE:HB2	1.97	0.65
1:A:657:LEU:HD23	1:A:661:ILE:HG12	1.80	0.64
1:A:166:GLU:HA	1:A:166:GLU:OE2	1.98	0.64
1:A:433:LEU:HD21	1:A:525:ARG:HD3	1.80	0.64
1:A:426:TYR:CD2	1:A:454:ILE:HD12	2.32	0.64
1:A:548:ARG:HB3	1:A:549:PHE:HD1	1.61	0.64
1:A:602:VAL:O	1:A:606:GLN:HG3	1.98	0.63
1:A:408:TYR:CE2	1:A:568:PRO:HG3	2.33	0.63
1:A:516:ARG:NH1	1:A:583:LYS:HG2	2.13	0.62
1:A:698:GLU:O	1:A:702:GLN:HB2	1.98	0.62
1:A:216:GLU:HG2	4:A:2022:HOH:O	1.99	0.62
1:A:252:TYR:HD2	1:A:259:VAL:HG22	1.64	0.62
1:A:292:GLN:HA	1:A:292:GLN:OE1	2.00	0.62
1:A:278:LEU:HD22	1:A:287:ASN:HB2	1.80	0.61
1:A:671:LEU:O	1:A:672:GLU:HB2	2.00	0.61
1:A:396:ARG:HB2	1:A:529:GLN:O	2.01	0.61
1:A:495:LEU:HD11	1:A:531:ASP:HB3	1.82	0.60
1:A:513:HIS:CD2	1:A:518:ILE:HG13	2.35	0.60
1:A:644:PRO:C	1:A:646:GLU:H	2.04	0.60
1:A:288:HIS:CD2	1:A:733:GLN:HE21	2.19	0.60
1:A:548:ARG:HB3	1:A:549:PHE:CD1	2.36	0.59
1:A:83:LYS:HA	1:A:86:LEU:HG	1.84	0.59
1:A:675:ASP:CB	1:A:687:LEU:HD13	2.31	0.59
1:A:93:HIS:CD2	1:A:117:ASN:HD21	2.21	0.59
1:A:549:PHE:CD1	1:A:549:PHE:N	2.71	0.59
1:A:252:TYR:CD2	1:A:259:VAL:HG22	2.38	0.58
1:A:110:SER:O	1:A:114:VAL:HG23	2.02	0.58
1:A:128:THR:HG22	1:A:129:VAL:N	2.18	0.58
1:A:463:ASN:O	1:A:467:GLU:HG3	2.04	0.58
1:A:334:HIS:O	1:A:338:GLU:HG3	2.02	0.58
1:A:484:THR:O	1:A:486:MET:N	2.37	0.58
1:A:564:ASP:HB2	1:A:566:SER:OG	2.05	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:763:MET:O	1:A:767:ILE:HG13	2.04	0.57
1:A:187:ASP:OD1	1:A:197:VAL:HG22	2.05	0.56
1:A:18:ARG:HG3	1:A:18:ARG:HH11	1.70	0.56
1:A:512:ARG:HH12	1:A:582:GLN:HG2	1.70	0.56
1:A:178:ASN:HD22	1:A:178:ASN:H	1.51	0.56
1:A:277:ASN:HD22	1:A:278:LEU:N	2.03	0.56
1:A:522:LEU:O	1:A:525:ARG:HG3	2.06	0.55
1:A:738:ILE:CD1	1:A:752:TYR:HB2	2.29	0.55
1:A:400:ARG:HD3	1:A:526:SER:O	2.05	0.55
1:A:142:GLY:O	1:A:146:GLU:HG3	2.05	0.55
1:A:623:LEU:O	1:A:627:VAL:HG23	2.06	0.55
1:A:738:ILE:HG12	1:A:738:ILE:O	2.06	0.55
1:A:676:ILE:HG23	1:A:684:MET:HE3	1.88	0.55
1:A:190:VAL:HG22	1:A:195:GLN:CB	2.37	0.55
1:A:181:GLY:HA3	1:A:221:LEU:CD1	2.37	0.55
1:A:151:THR:O	1:A:170:ALA:HB1	2.07	0.54
1:A:443:GLU:O	1:A:447:LYS:HG3	2.07	0.54
1:A:657:LEU:O	1:A:661:ILE:HG12	2.06	0.54
1:A:233:LEU:HD11	1:A:286:LEU:HD13	1.88	0.54
1:A:229:LYS:O	1:A:347:ASN:ND2	2.41	0.54
1:A:290:ILE:O	1:A:294:LEU:HB2	2.07	0.54
1:A:630:MET:HE2	1:A:771:VAL:HB	1.88	0.54
1:A:74:ARG:HB2	1:A:80:PHE:HD1	1.72	0.54
1:A:414:LYS:O	1:A:418:VAL:HG23	2.08	0.53
1:A:242:ARG:HH11	1:A:242:ARG:HG2	1.73	0.53
1:A:436:THR:HG21	1:A:442:SER:OG	2.08	0.53
1:A:123:GLY:O	1:A:202:HIS:HD2	1.91	0.53
1:A:642:TYR:C	1:A:644:PRO:HD3	2.29	0.53
1:A:112:LEU:HB2	1:A:113:PRO:HD3	1.91	0.53
1:A:516:ARG:HH12	1:A:583:LYS:HG2	1.73	0.53
1:A:159:MET:CE	1:A:163:GLU:HG2	2.39	0.53
1:A:666:LEU:O	1:A:695:LYS:NZ	2.36	0.53
1:A:630:MET:HE3	1:A:768:GLU:HA	1.91	0.52
1:A:144:ILE:O	1:A:147:PHE:HB3	2.10	0.52
1:A:2:LEU:O	1:A:6:ASN:ND2	2.43	0.52
1:A:247:GLU:OE2	1:A:247:GLU:HA	2.10	0.52
1:A:424:GLN:HE21	1:A:424:GLN:HA	1.75	0.52
1:A:447:LYS:O	1:A:451:ASN:ND2	2.42	0.52
1:A:688:ILE:O	1:A:692:ILE:HG12	2.09	0.52
1:A:418:VAL:HG13	1:A:508:VAL:HG11	1.91	0.52
1:A:414:LYS:HG3	1:A:538:TYR:HB3	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123:GLY:HA2	1:A:171:ASP:O	2.10	0.52
1:A:226:GLN:HE21	1:A:227:ALA:H	1.58	0.51
1:A:230:SER:OG	1:A:232:LYS:HG2	2.10	0.51
1:A:538:TYR:O	1:A:539:LEU:HD23	2.09	0.51
1:A:317:ASP:OD2	1:A:320:THR:HG23	2.09	0.51
1:A:546:MET:HG3	1:A:555:MET:SD	2.50	0.51
1:A:208:GLU:HA	1:A:208:GLU:OE1	2.10	0.51
1:A:492:ASP:OD2	1:A:528:ARG:NH1	2.43	0.51
1:A:252:TYR:HE2	1:A:299:ALA:HB2	1.76	0.51
1:A:463:ASN:ND2	1:A:463:ASN:C	2.62	0.51
1:A:553:ARG:O	1:A:556:ALA:HB3	2.10	0.51
1:A:624:ARG:HH21	1:A:696:TYR:HB2	1.74	0.51
1:A:639:ILE:HA	1:A:657:LEU:HD11	1.92	0.51
1:A:79:MET:CE	1:A:108:LEU:HD22	2.41	0.50
1:A:512:ARG:HB3	1:A:512:ARG:HH11	1.76	0.50
1:A:571:SER:HB3	1:A:574:VAL:CG2	2.40	0.50
1:A:771:VAL:O	1:A:771:VAL:HG12	2.10	0.50
1:A:93:HIS:HD2	1:A:117:ASN:HD21	1.59	0.50
1:A:36:LEU:HD21	1:A:44:LYS:HE2	1.93	0.50
1:A:202:HIS:HB3	4:A:2029:HOH:O	2.11	0.50
1:A:307:VAL:HG13	1:A:316:VAL:CG2	2.42	0.50
1:A:302:LYS:O	1:A:303:ASP:HB2	2.12	0.50
1:A:376:THR:HG21	1:A:516:ARG:HH21	1.76	0.49
1:A:557:MET:HE2	1:A:558:LEU:HA	1.94	0.49
1:A:190:VAL:CG2	1:A:195:GLN:HB2	2.41	0.49
1:A:185:LEU:HD22	1:A:353:ALA:HB1	1.94	0.49
1:A:684:MET:HA	1:A:687:LEU:HD12	1.93	0.49
1:A:556:ALA:HB1	1:A:560:ARG:HH12	1.78	0.49
1:A:692:ILE:HG23	1:A:776:MET:SD	2.53	0.49
1:A:240:PHE:CZ	1:A:244:LEU:HD21	2.47	0.49
1:A:610:ILE:HD11	1:A:763:MET:CE	2.41	0.49
1:A:264:GLU:CD	1:A:264:GLU:H	2.16	0.48
1:A:277:ASN:O	1:A:280:ASP:HB2	2.13	0.48
1:A:368:ALA:CA	1:A:387:MET:HE3	2.43	0.48
1:A:671:LEU:HD22	1:A:674:SER:CB	2.43	0.48
1:A:724:TRP:NE1	1:A:728:ILE:HD11	2.28	0.48
1:A:159:MET:HE3	1:A:163:GLU:OE2	2.13	0.48
1:A:657:LEU:HD23	1:A:661:ILE:CG1	2.42	0.48
1:A:677:PHE:C	1:A:679:LYS:H	2.16	0.48
1:A:624:ARG:HG2	1:A:696:TYR:CE1	2.48	0.48
1:A:260:GLN:HE21	1:A:740:LEU:CD2	2.21	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:99:GLU:HA	1:A:371:THR:O	2.13	0.48
1:A:376:THR:HB	1:A:377:GLU:OE2	2.13	0.48
1:A:382:ARG:O	1:A:386:ASN:HA	2.14	0.48
1:A:412:GLU:H	1:A:412:GLU:CD	2.14	0.48
1:A:624:ARG:CD	1:A:712:GLU:OE2	2.61	0.48
1:A:644:PRO:O	1:A:646:GLU:N	2.45	0.48
1:A:51:ARG:HB3	4:A:2017:HOH:O	2.12	0.48
1:A:651:GLU:OE1	1:A:654:LEU:HD13	2.13	0.48
1:A:17:ASN:ND2	1:A:20:GLU:HG3	2.28	0.48
1:A:444:LEU:HD13	1:A:444:LEU:C	2.35	0.47
1:A:242:ARG:NH1	1:A:242:ARG:HG2	2.28	0.47
1:A:576:ARG:HH11	1:A:576:ARG:HG3	1.78	0.47
1:A:307:VAL:HG13	1:A:316:VAL:HG21	1.96	0.47
1:A:129:VAL:CG2	1:A:133:LEU:HD12	2.44	0.47
1:A:698:GLU:HG3	1:A:702:GLN:OE1	2.14	0.47
1:A:178:ASN:H	1:A:178:ASN:ND2	2.12	0.47
1:A:328:ARG:HB3	1:A:334:HIS:ND1	2.30	0.47
1:A:145:PHE:CD2	1:A:172:ILE:CD1	2.98	0.47
1:A:671:LEU:HD22	1:A:674:SER:HB2	1.97	0.47
1:A:199:ARG:O	1:A:200:PRO:C	2.53	0.46
1:A:92:LEU:HB2	1:A:113:PRO:HG3	1.98	0.46
1:A:168:TYR:CE2	1:A:198:GLN:HG2	2.51	0.46
1:A:424:GLN:NE2	1:A:424:GLN:HA	2.31	0.46
1:A:576:ARG:NH1	1:A:576:ARG:HG3	2.31	0.46
1:A:31:GLY:HA2	1:A:34:GLU:CB	2.29	0.46
1:A:571:SER:CB	1:A:574:VAL:HG23	2.44	0.46
1:A:676:ILE:O	1:A:677:PHE:CB	2.64	0.46
1:A:308:VAL:HG13	1:A:343:LEU:HD11	1.98	0.46
1:A:2:LEU:HD23	1:A:2:LEU:HA	1.74	0.46
1:A:408:TYR:CZ	1:A:568:PRO:HG3	2.51	0.46
1:A:251:THR:CG2	1:A:260:GLN:HB2	2.46	0.46
1:A:486:MET:HA	1:A:486:MET:HE2	1.98	0.46
1:A:70:ARG:HG3	1:A:81:PRO:HB2	1.98	0.46
1:A:185:LEU:O	1:A:189:MET:HG3	2.16	0.45
1:A:27:ASP:O	1:A:30:ARG:HB3	2.16	0.45
1:A:74:ARG:NH2	1:A:80:PHE:CE1	2.84	0.45
1:A:738:ILE:HD13	1:A:748:PRO:HB3	1.98	0.45
1:A:79:MET:HB3	3:A:843:ADP:C6	2.51	0.45
1:A:320:THR:C	1:A:322:ARG:H	2.20	0.45
1:A:644:PRO:C	1:A:646:GLU:N	2.70	0.45
1:A:21:LYS:O	1:A:24:ASN:N	2.46	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:314:VAL:HA	4:A:2004:HOH:O	2.16	0.45
1:A:759:MET:O	1:A:762:HIS:HB3	2.16	0.45
1:A:14:ARG:HD3	1:A:14:ARG:N	2.31	0.45
1:A:408:TYR:O	1:A:540:SER:HA	2.17	0.45
1:A:41:LEU:O	1:A:44:LYS:HB2	2.17	0.45
1:A:771:VAL:CG1	1:A:771:VAL:O	2.64	0.45
1:A:486:MET:HA	1:A:486:MET:CE	2.47	0.45
1:A:510:THR:C	1:A:511:GLU:HG3	2.37	0.45
1:A:698:GLU:HG2	1:A:699:LYS:N	2.32	0.45
1:A:241:VAL:HG13	1:A:294:LEU:HD12	1.99	0.44
1:A:463:ASN:HD22	1:A:464:HIS:N	2.16	0.44
1:A:429:GLY:O	1:A:477:LYS:HG3	2.18	0.44
1:A:666:LEU:O	1:A:667:ASP:CB	2.64	0.44
1:A:693:ILE:O	1:A:697:ASN:ND2	2.50	0.44
1:A:137:ASP:HB3	1:A:174:TYR:HE2	1.82	0.44
1:A:62:LEU:HD23	1:A:62:LEU:C	2.37	0.44
1:A:244:LEU:HB3	1:A:249:ASP:HB3	1.98	0.44
1:A:662:ASN:HB3	1:A:668:GLU:HA	1.99	0.44
1:A:16:LEU:HB3	1:A:20:GLU:HB2	1.99	0.44
1:A:231:THR:HG23	1:A:347:ASN:ND2	2.32	0.44
1:A:516:ARG:HD2	1:A:579:GLU:OE1	2.17	0.44
1:A:657:LEU:HD23	1:A:657:LEU:O	2.17	0.44
1:A:295:LYS:HD3	1:A:333:LEU:HD13	2.00	0.44
1:A:26:ILE:HG13	1:A:63:VAL:HG13	1.99	0.44
1:A:550:GLY:O	1:A:551:ALA:C	2.56	0.44
1:A:623:LEU:HA	4:A:2002:HOH:O	2.17	0.44
1:A:692:ILE:O	1:A:695:LYS:HB3	2.17	0.44
1:A:630:MET:CE	1:A:771:VAL:HB	2.48	0.44
1:A:320:THR:O	1:A:322:ARG:N	2.51	0.44
1:A:57:THR:O	1:A:60:ASP:HB2	2.18	0.43
1:A:638:ALA:O	1:A:641:ALA:HB3	2.17	0.43
1:A:659:ASP:O	1:A:663:THR:HB	2.18	0.43
1:A:463:ASN:ND2	1:A:466:ARG:H	2.16	0.43
1:A:516:ARG:NH1	1:A:583:LYS:CG	2.81	0.43
1:A:630:MET:CE	1:A:768:GLU:HA	2.49	0.43
1:A:231:THR:CG2	1:A:347:ASN:ND2	2.82	0.43
1:A:191:LEU:HD23	1:A:192:TYR:CE1	2.54	0.43
1:A:500:LYS:CE	1:A:500:LYS:H	2.32	0.43
1:A:233:LEU:HD11	1:A:286:LEU:CD1	2.48	0.43
1:A:529:GLN:HA	1:A:529:GLN:OE1	2.18	0.43
1:A:131:GLU:CD	1:A:156:LEU:HD22	2.39	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:444:LEU:HD13	1:A:444:LEU:O	2.18	0.43
1:A:45:THR:O	1:A:49:LYS:HG3	2.19	0.43
1:A:513:HIS:CG	1:A:514:GLU:N	2.86	0.43
1:A:210:ASP:O	1:A:214:ILE:HB	2.19	0.43
1:A:527:GLY:HA2	1:A:531:ASP:O	2.19	0.43
1:A:698:GLU:HG3	1:A:702:GLN:CD	2.39	0.43
1:A:719:ALA:O	1:A:723:LYS:HG2	2.19	0.42
1:A:696:TYR:CD1	1:A:696:TYR:C	2.93	0.42
1:A:202:HIS:O	1:A:365:GLU:HB3	2.18	0.42
1:A:20:GLU:O	1:A:24:ASN:ND2	2.52	0.42
1:A:622:ASN:ND2	1:A:709:ARG:HE	2.17	0.42
1:A:259:VAL:HG12	1:A:294:LEU:HD23	2.02	0.42
1:A:147:PHE:HD2	1:A:148:LEU:HD23	1.83	0.42
1:A:287:ASN:O	1:A:291:ASN:ND2	2.52	0.42
1:A:28:ALA:C	1:A:30:ARG:H	2.23	0.42
1:A:182:PHE:HB3	1:A:186:ARG:HH21	1.85	0.42
1:A:671:LEU:CD1	1:A:691:ARG:HG3	2.45	0.42
1:A:715:ILE:HD13	1:A:718:ARG:HD3	2.01	0.42
1:A:115:TYR:C	1:A:115:TYR:CD2	2.93	0.42
1:A:277:ASN:HB3	1:A:280:ASP:HB2	2.01	0.42
1:A:203:PHE:HB2	1:A:366:LYS:HB3	2.02	0.42
1:A:657:LEU:O	1:A:660:LEU:HB3	2.19	0.42
1:A:747:ASN:ND2	1:A:748:PRO:HD2	2.30	0.42
1:A:112:LEU:CB	1:A:113:PRO:CD	2.97	0.42
1:A:659:ASP:O	1:A:663:THR:HG22	2.19	0.42
1:A:241:VAL:HG12	1:A:241:VAL:O	2.19	0.41
1:A:280:ASP:OD2	1:A:282:LYS:HD2	2.20	0.41
1:A:689:MET:O	1:A:693:ILE:HG12	2.20	0.41
1:A:84:VAL:HA	1:A:87:MET:CE	2.50	0.41
1:A:545:LEU:HD12	1:A:545:LEU:O	2.19	0.41
1:A:751:GLU:OE1	1:A:755:GLU:OE2	2.38	0.41
1:A:135:SER:O	1:A:139:GLU:HB3	2.20	0.41
1:A:459:LEU:HD21	1:A:470:ILE:HG21	2.03	0.41
1:A:546:MET:HA	1:A:551:ALA:HB1	2.02	0.41
1:A:668:GLU:OE2	1:A:669:GLY:N	2.54	0.41
1:A:709:ARG:HH11	1:A:709:ARG:N	2.18	0.41
1:A:214:ILE:HD11	1:A:381:PHE:CE2	2.55	0.41
1:A:446:SER:O	1:A:450:LYS:HG3	2.21	0.41
1:A:281:VAL:HB	1:A:759:MET:HE2	2.01	0.41
1:A:138:ALA:HB2	1:A:174:TYR:CG	2.56	0.41
1:A:763:MET:O	1:A:763:MET:HG2	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:85:GLN:NE2	1:A:105:GLY:HA3	2.36	0.41
1:A:50:GLU:O	1:A:53:GLU:HB3	2.21	0.41
1:A:716:VAL:O	1:A:719:ALA:HB3	2.21	0.41
1:A:226:GLN:NE2	1:A:227:ALA:H	2.19	0.41
1:A:294:LEU:HD12	1:A:294:LEU:HA	1.89	0.41
1:A:301:GLN:O	1:A:305:ASP:HB2	2.21	0.41
1:A:656:GLY:C	1:A:658:VAL:N	2.74	0.41
1:A:93:HIS:HD2	1:A:117:ASN:ND2	2.19	0.41
1:A:120:THR:OG1	1:A:122:LYS:HG3	2.20	0.40
1:A:512:ARG:HD2	1:A:519:ASP:OD1	2.21	0.40
1:A:0:HIS:O	1:A:4:ILE:HG13	2.20	0.40
1:A:292:GLN:CA	1:A:292:GLN:OE1	2.69	0.40
1:A:93:HIS:CD2	1:A:116:LEU:HD23	2.56	0.40
1:A:39:ASP:N	1:A:39:ASP:OD2	2.54	0.40
1:A:639:ILE:HA	1:A:657:LEU:CD1	2.52	0.40
1:A:732:ASP:OD2	1:A:736:GLN:NE2	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	766/844 (91%)	678 (88%)	61 (8%)	27 (4%)	3 14

All (27) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	318	SER
1	A	485	ASN
1	A	528	ARG
1	A	549	PHE
1	A	667	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	672	GLU
1	A	677	PHE
1	A	679	LYS
1	A	778	ALA
1	A	29	ILE
1	A	249	ASP
1	A	325	LYS
1	A	548	ARG
1	A	645	ARG
1	A	675	ASP
1	A	744	ALA
1	A	55	GLY
1	A	101	LYS
1	A	255	LYS
1	A	81	PRO
1	A	202	HIS
1	A	530	GLY
1	A	653	LYS
1	A	656	GLY
1	A	321	GLY
1	A	552	GLU
1	A	644	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	662/723 (92%)	619 (94%)	43 (6%)	17 45

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	ARG
1	A	34	GLU
1	A	38	ASP
1	A	58	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	83	LYS
1	A	84	VAL
1	A	128	THR
1	A	177	ASN
1	A	194	GLU
1	A	263	GLU
1	A	277	ASN
1	A	278	LEU
1	A	304	VAL
1	A	320	THR
1	A	348	GLU
1	A	367	LEU
1	A	370	MET
1	A	371	THR
1	A	376	THR
1	A	386	ASN
1	A	411	MET
1	A	436	THR
1	A	463	ASN
1	A	492	ASP
1	A	500	LYS
1	A	512	ARG
1	A	546	MET
1	A	549	PHE
1	A	557	MET
1	A	580	SER
1	A	644	PRO
1	A	646	GLU
1	A	655	ASP
1	A	667	ASP
1	A	672	GLU
1	A	673	LYS
1	A	689	MET
1	A	696	TYR
1	A	747	ASN
1	A	749	LEU
1	A	750	ARG
1	A	754	MET
1	A	776	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	0	HIS
1	A	6	ASN
1	A	24	ASN
1	A	93	HIS
1	A	178	ASN
1	A	202	HIS
1	A	226	GLN
1	A	260	GLN
1	A	277	ASN
1	A	288	HIS
1	A	291	ASN
1	A	297	HIS
1	A	347	ASN
1	A	386	ASN
1	A	395	ASN
1	A	424	GLN
1	A	451	ASN
1	A	463	ASN
1	A	485	ASN
1	A	513	HIS
1	A	570	GLN
1	A	595	GLN
1	A	598	GLN
1	A	605	GLN
1	A	613	GLN
1	A	697	ASN
1	A	736	GLN
1	A	747	ASN
1	A	762	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	ADP	A	843	2	24,29,29	1.30	2 (8%)	29,45,45	1.51	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	A	843	2	-	1/12/32/32	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	843	ADP	O4'-C1'	3.65	1.46	1.41
3	A	843	ADP	PA-O5'	-2.86	1.47	1.59

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	843	ADP	N3-C2-N1	-6.00	119.30	128.68
3	A	843	ADP	O4'-C1'-C2'	-2.95	102.62	106.93

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	843	ADP	PB-O3A-PA-O1A

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	843	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	772/844 (91%)	-0.50	13 (1%) 70 69	26, 54, 114, 140	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	650	GLU	7.0
1	A	675	ASP	4.1
1	A	651	GLU	4.0
1	A	701	GLU	3.5
1	A	248	LYS	3.4
1	A	645	ARG	3.2
1	A	671	LEU	3.2
1	A	702	GLN	2.9
1	A	0	HIS	2.6
1	A	226	GLN	2.5
1	A	694	THR	2.3
1	A	670	ALA	2.2
1	A	696	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	ADP	A	843	27/27	0.93	0.16	65,69,74,75	0
2	MG	A	842	1/1	0.95	0.17	41,41,41,41	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.