



Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 12:07 pm BST

PDB ID : 1TH0
Title : Structure of human Senp2
Authors : Reverter, D.; Lima, C.D.
Deposited on : 2004-05-31
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	226	<div> <div>3%</div> <div> <div></div> <div>71%</div> <div>26%</div> <div>.</div> </div> </div>
1	B	226	<div> <div>4%</div> <div> <div></div> <div>68%</div> <div>26%</div> <div>..</div> </div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3953 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sentrin-specific protease 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	226	Total	C	N	O	S	0	0	0
			1884	1211	328	334	11			
1	B	223	Total	C	N	O	S	0	0	0
			1860	1195	325	329	11			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	111	Total	O	0	0
			111	111		
2	B	98	Total	O	0	0
			98	98		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Sentrin-specific protease 2



• Molecule 1: Sentrin-specific protease 2



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	123.24Å 59.23Å 94.02Å 90.00° 111.29° 90.00°	Depositor
Resolution (Å)	19.46 – 2.20 19.46 – 2.10	Depositor EDS
% Data completeness (in resolution range)	86.4 (19.46-2.20) 84.3 (19.46-2.10)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.00 (at 2.09Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.210 , 0.247 0.211 , 0.219	Depositor DCC
R_{free} test set	1703 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	29.7	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3953	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/1930	0.56	0/2600
1	B	0.36	0/1906	0.87	7/2567 (0.3%)
All	All	0.37	0/3836	0.73	7/5167 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	369	THR	O-C-N	22.25	158.30	122.70
1	B	369	THR	CA-C-N	-17.36	79.01	117.20
1	B	368	LEU	O-C-N	-9.60	107.35	122.70
1	B	369	THR	C-N-CA	-8.37	100.77	121.70
1	B	370	GLU	O-C-N	-6.65	112.06	122.70
1	B	368	LEU	CA-C-N	6.40	131.29	117.20
1	B	368	LEU	C-N-CA	6.14	137.06	121.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1884	0	1896	74	0
1	B	1860	0	1869	75	1
2	A	111	0	0	3	1
2	B	98	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	3953	0	3765	149	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:396:ARG:NH1	1:B:396:ARG:HA	1.09	1.41
1:B:388:ILE:CG2	1:B:396:ARG:HH21	1.34	1.40
1:A:558:TYR:CB	1:A:563:LYS:HD3	1.61	1.30
1:A:558:TYR:HB3	1:A:563:LYS:CD	1.61	1.30
1:B:388:ILE:HG23	1:B:396:ARG:NH2	1.50	1.24
1:B:391:SER:OG	1:B:396:ARG:CZ	1.88	1.19
1:B:396:ARG:NH1	1:B:396:ARG:CA	2.05	1.19
1:B:396:ARG:CZ	1:B:396:ARG:HA	1.79	1.12
1:A:558:TYR:O	1:A:563:LYS:HE2	1.47	1.11
1:A:420:MET:HB3	1:A:437:VAL:HG11	1.31	1.07
1:B:388:ILE:CG2	1:B:396:ARG:NH2	2.11	1.05
1:B:369:THR:OG1	1:B:372:MET:HG3	1.57	1.02
1:B:388:ILE:HG23	1:B:396:ARG:HH21	0.86	1.01
1:B:396:ARG:HA	1:B:396:ARG:HH11	1.29	0.98
1:B:388:ILE:HG21	1:B:396:ARG:HE	1.28	0.95
1:A:558:TYR:C	1:A:563:LYS:HE2	1.93	0.89
1:A:399:ARG:HG2	1:A:403:GLN:HE21	1.39	0.87
1:A:558:TYR:HB3	1:A:563:LYS:HD3	0.86	0.86
1:A:558:TYR:CG	1:A:563:LYS:HD3	2.12	0.84
1:A:550:MET:HB3	1:A:572:MET:HE1	1.60	0.84
1:B:388:ILE:HG22	1:B:396:ARG:HH21	1.41	0.82
1:B:396:ARG:HH12	1:B:396:ARG:HA	1.42	0.81
1:A:558:TYR:CD2	1:A:563:LYS:HD3	2.14	0.81
1:B:391:SER:OG	1:B:396:ARG:NH1	2.13	0.81
1:B:388:ILE:CG2	1:B:396:ARG:HE	1.95	0.79
1:B:391:SER:OG	1:B:396:ARG:NE	2.16	0.79
1:A:550:MET:HB3	1:A:572:MET:CE	2.12	0.79
1:A:558:TYR:HB3	1:A:563:LYS:CE	2.13	0.77
1:A:558:TYR:C	1:A:563:LYS:CE	2.53	0.77
1:B:388:ILE:HG21	1:B:396:ARG:NE	2.00	0.77
1:B:396:ARG:CZ	1:B:396:ARG:CA	2.54	0.76
1:B:388:ILE:HG23	1:B:396:ARG:CZ	2.15	0.76
1:A:563:LYS:HZ2	1:A:565:ILE:CG1	2.02	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:366:LEU:HD21	1:A:578:LYS:HD2	1.71	0.72
1:A:558:TYR:O	1:A:563:LYS:CE	2.34	0.71
1:A:426:ARG:HE	1:A:427:ASN:HD22	1.40	0.70
1:B:388:ILE:CG2	1:B:396:ARG:CZ	2.69	0.70
1:B:391:SER:HA	1:B:396:ARG:NH1	2.07	0.69
1:A:420:MET:CB	1:A:437:VAL:HG11	2.16	0.69
1:B:512:LEU:HB3	1:B:524:LEU:HD11	1.75	0.68
1:A:577:LYS:O	1:A:580:VAL:HG13	1.93	0.67
1:B:388:ILE:CG2	1:B:396:ARG:NE	2.56	0.66
1:B:369:THR:HG1	1:B:372:MET:HG3	1.60	0.66
1:B:395:LEU:O	1:B:396:ARG:NH1	2.29	0.65
1:A:558:TYR:CB	1:A:563:LYS:CD	2.44	0.65
1:A:563:LYS:HZ2	1:A:565:ILE:HG12	1.61	0.65
1:B:384:PRO:HG2	1:B:387:GLU:HB2	1.81	0.63
1:B:390:SER:O	1:B:396:ARG:NH2	2.29	0.63
1:A:558:TYR:O	1:A:563:LYS:HG3	1.99	0.62
1:A:542:GLN:HE22	1:A:548:CYS:HB3	1.65	0.62
1:B:391:SER:HA	1:B:396:ARG:HH12	1.64	0.61
1:B:495:ASP:OD2	1:B:499:GLN:HB2	1.99	0.60
1:A:558:TYR:CD2	1:A:563:LYS:CD	2.84	0.60
1:A:366:LEU:CD2	1:A:578:LYS:HD2	2.32	0.60
1:A:512:LEU:HB3	1:A:524:LEU:HD11	1.84	0.59
1:B:396:ARG:CB	1:B:396:ARG:CZ	2.80	0.59
1:A:530:THR:HG22	2:A:5:HOH:O	2.01	0.59
1:B:390:SER:C	1:B:396:ARG:HH22	2.06	0.58
1:A:384:PRO:HG2	1:A:387:GLU:HB2	1.86	0.58
1:B:578:LYS:HE3	1:B:589:LEU:HB2	1.85	0.58
1:A:563:LYS:HZ2	1:A:565:ILE:HG13	1.68	0.58
1:B:388:ILE:HD13	1:B:396:ARG:HE	1.67	0.58
1:A:366:LEU:CG	1:A:578:LYS:HD2	2.34	0.58
1:B:483:VAL:HG21	1:B:559:ILE:HD13	1.85	0.57
1:A:578:LYS:O	1:A:582:GLU:HG3	2.04	0.57
1:B:459:LYS:NZ	1:B:459:LYS:HB3	2.20	0.57
1:B:462:ASN:HB3	1:B:465:GLU:HB2	1.86	0.57
1:A:558:TYR:HD2	1:A:563:LYS:CD	2.17	0.57
1:B:525:ASN:HD22	1:B:528:GLU:CD	2.09	0.55
1:A:526:LEU:HD21	2:A:207:HOH:O	2.07	0.55
1:A:380:LEU:HD22	1:A:406:LYS:HG3	1.87	0.55
1:B:463:LEU:HD22	1:B:515:GLU:HG2	1.87	0.55
1:A:558:TYR:HB3	1:A:563:LYS:NZ	2.22	0.54
1:B:391:SER:CA	1:B:396:ARG:NH1	2.71	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:369:THR:N	1:B:372:MET:HE3	2.23	0.54
1:A:399:ARG:CG	1:A:403:GLN:HE21	2.15	0.53
1:A:469:ILE:HB	1:A:484:ILE:HB	1.91	0.53
1:B:369:THR:O	1:B:372:MET:N	2.41	0.53
1:B:578:LYS:O	1:B:582:GLU:HG3	2.08	0.53
1:B:469:ILE:HB	1:B:484:ILE:HB	1.91	0.52
1:A:399:ARG:HG2	1:A:403:GLN:NE2	2.17	0.52
1:A:426:ARG:HH21	1:A:427:ASN:HD21	1.58	0.52
1:A:388:ILE:HD13	1:A:396:ARG:HD3	1.91	0.52
1:B:530:THR:HG23	2:B:81:HOH:O	2.10	0.52
1:A:426:ARG:CZ	1:A:561:ARG:HD2	2.39	0.52
1:A:550:MET:HB3	1:A:572:MET:HE2	1.90	0.51
1:A:458:THR:O	1:A:461:VAL:HG12	2.10	0.51
1:B:404:THR:HB	1:B:410:TRP:O	2.10	0.51
1:A:581:TRP:CZ3	1:A:589:LEU:HD21	2.45	0.51
1:B:390:SER:O	1:B:396:ARG:NH1	2.44	0.51
1:A:365:LEU:HD21	1:A:571:GLN:HG2	1.92	0.50
1:B:428:LYS:HD2	1:B:428:LYS:O	2.11	0.50
1:A:426:ARG:NH2	1:A:561:ARG:HD2	2.27	0.50
1:B:414:GLU:HB2	2:B:41:HOH:O	2.12	0.50
1:A:559:ILE:N	1:A:563:LYS:HZ3	2.10	0.49
1:A:581:TRP:CE2	1:A:585:HIS:CD2	3.00	0.49
1:A:426:ARG:HE	1:A:427:ASN:ND2	2.07	0.49
1:A:576:ARG:O	1:A:580:VAL:HG12	2.12	0.49
1:A:399:ARG:O	1:A:403:GLN:HG3	2.13	0.49
1:A:443:TYR:HB3	1:A:444:PRO:HD3	1.95	0.48
1:B:403:GLN:HG2	1:B:406:LYS:HD2	1.93	0.48
1:A:369:THR:HG23	1:A:370:GLU:N	2.29	0.48
1:A:574:LEU:HD22	1:A:574:LEU:O	2.12	0.48
1:B:492:LYS:HD3	1:B:534:MET:HE3	1.95	0.48
1:B:436:HIS:HB2	1:B:466:GLN:HG3	1.95	0.48
1:A:503:ARG:HB3	2:A:204:HOH:O	2.13	0.48
1:B:581:TRP:CE2	1:B:585:HIS:CD2	3.02	0.48
1:B:530:THR:HG22	1:B:531:HIS:N	2.29	0.47
1:B:426:ARG:O	1:B:426:ARG:HD2	2.15	0.47
1:A:542:GLN:HE22	1:A:548:CYS:CB	2.25	0.47
1:B:391:SER:CB	1:B:396:ARG:NH1	2.77	0.47
1:B:369:THR:O	1:B:372:MET:HB2	2.15	0.47
1:B:464:PHE:CE2	1:B:524:LEU:HD21	2.50	0.47
1:B:459:LYS:HD2	1:B:459:LYS:C	2.36	0.46
1:B:577:LYS:HG3	2:B:200:HOH:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:563:LYS:NZ	1:A:565:ILE:HG12	2.29	0.46
1:A:486:LEU:N	1:A:486:LEU:HD12	2.31	0.45
1:A:426:ARG:HH21	1:A:427:ASN:ND2	2.14	0.45
1:B:554:LYS:HB3	1:B:567:PHE:CE2	2.51	0.45
1:B:443:TYR:HB3	1:B:444:PRO:HD3	1.97	0.45
1:B:561:ARG:NH1	1:B:563:LYS:HD2	2.32	0.45
1:A:481:LEU:HB2	1:A:552:THR:HG23	1.99	0.45
1:B:367:GLU:N	2:B:65:HOH:O	2.49	0.45
1:B:456:ARG:C	1:B:456:ARG:HE	2.20	0.45
1:A:572:MET:HA	1:A:572:MET:HE3	1.98	0.44
1:A:416:ILE:O	1:A:420:MET:HG2	2.17	0.44
1:A:420:MET:HB3	1:A:437:VAL:CG1	2.23	0.44
1:B:464:PHE:HA	1:B:486:LEU:HD13	2.01	0.43
1:A:436:HIS:HB2	1:A:466:GLN:HG3	2.00	0.43
1:B:393:PHE:O	1:B:394:LYS:HB2	2.18	0.43
1:B:459:LYS:HZ3	1:B:459:LYS:HB3	1.83	0.42
1:A:369:THR:HG22	1:A:372:MET:H	1.84	0.42
1:A:404:THR:HB	1:A:410:TRP:O	2.19	0.42
1:B:426:ARG:C	1:B:426:ARG:HD2	2.41	0.42
1:B:437:VAL:HG23	1:B:437:VAL:O	2.20	0.42
1:A:568:THR:OG1	1:A:571:GLN:NE2	2.53	0.41
1:B:369:THR:C	1:B:371:ASP:N	2.73	0.41
1:A:427:ASN:HA	1:A:432:TYR:HB2	2.03	0.41
1:A:410:TRP:CD1	1:A:546:SER:HA	2.55	0.41
1:A:558:TYR:CA	1:A:563:LYS:CD	2.99	0.41
1:B:415:VAL:CG1	1:B:579:MET:CE	2.99	0.41
1:A:557:ASP:O	1:A:561:ARG:HD3	2.21	0.41
1:B:390:SER:C	1:B:396:ARG:NH2	2.72	0.41
1:B:477:VAL:O	1:B:477:VAL:HG13	2.20	0.41
1:B:417:ASN:OD1	1:B:440:THR:HG23	2.21	0.41
1:B:454:VAL:HA	1:B:457:TRP:CD1	2.56	0.41
1:A:469:ILE:HD12	1:A:486:LEU:HD11	2.04	0.40
1:A:369:THR:HG23	1:A:371:ASP:H	1.86	0.40
1:A:411:LEU:HD11	1:A:550:MET:SD	2.62	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:370:GLU:OE2	2:A:152:HOH:O 3_555	1.03	1.17

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	224/226 (99%)	217 (97%)	7 (3%)	0	100	100
1	B	221/226 (98%)	212 (96%)	8 (4%)	1 (0%)	29	31
All	All	445/452 (98%)	429 (96%)	15 (3%)	1 (0%)	47	55

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	449	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	210/210 (100%)	200 (95%)	10 (5%)	25	32
1	B	207/210 (99%)	195 (94%)	12 (6%)	20	23
All	All	417/420 (99%)	395 (95%)	22 (5%)	22	27

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	369	THR
1	A	371	ASP
1	A	395	LEU
1	A	407	ASN
1	A	427	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	499	GLN
1	A	503	ARG
1	A	525	ASN
1	A	563	LYS
1	A	580	VAL
1	B	370	GLU
1	B	371	ASP
1	B	396	ARG
1	B	403	GLN
1	B	439	SER
1	B	456	ARG
1	B	459	LYS
1	B	462	ASN
1	B	477	VAL
1	B	519	LYS
1	B	528	GLU
1	B	559	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	403	GLN
1	A	407	ASN
1	A	427	ASN
1	A	462	ASN
1	A	499	GLN
1	A	525	ASN
1	A	537	HIS
1	A	542	GLN
1	A	571	GLN
1	B	378	ASN
1	B	525	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	226/226 (100%)	-0.08	7 (3%)	49	47	15, 32, 55, 78	0
1	B	223/226 (98%)	-0.03	9 (4%)	38	36	16, 35, 55, 65	0
All	All	449/452 (99%)	-0.05	16 (3%)	42	41	15, 33, 56, 78	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	366	LEU	6.0
1	A	382	HIS	5.4
1	B	396	ARG	5.4
1	B	370	GLU	4.9
1	B	382	HIS	4.2
1	B	456	ARG	4.1
1	A	370	GLU	4.0
1	B	428	LYS	3.6
1	A	563	LYS	3.5
1	A	570	HIS	3.0
1	A	365	LEU	3.0
1	B	459	LYS	2.8
1	B	460	GLY	2.8
1	B	521	ASN	2.7
1	B	386	ASP	2.2
1	A	536	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.