



wwPDB X-ray Structure Validation Summary Report ⓘ

May 15, 2020 – 01:15 pm BST

PDB ID : 5TJR
Title : X-ray Crystal structure of a methylmalonate semialdehyde dehydrogenase from Pseudomonas sp. AAC
Authors : Peat, T.S.; Newman, J.
Deposited on : 2016-10-05
Resolution : 2.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3104 (3.00-2.92)
Clashscore	141614	3462 (3.00-2.92)
Ramachandran outliers	138981	3340 (3.00-2.92)
Sidechain outliers	138945	3343 (3.00-2.92)
RSRZ outliers	127900	2986 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	531	 2% 71% 14% • 13%
1	B	531	 2% 69% 16% • 12%
1	C	531	 3% 70% 16% • 13%
1	D	531	 4% 69% 18% • 12%
1	E	531	 3% 71% 14% • 14%
1	F	531	 2% 69% 15% • 15%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 20975 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methylmalonate-semialdehyde dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	460	Total 3471	C 2210	N 600	O 646	S 15	0	0	0
1	B	465	Total 3525	C 2249	N 607	O 654	S 15	0	1	0
1	C	461	Total 3455	C 2196	N 601	O 643	S 15	0	0	0
1	D	468	Total 3535	C 2252	N 613	O 655	S 15	0	0	0
1	E	455	Total 3408	C 2170	N 590	O 633	S 15	0	0	0
1	F	454	Total 3430	C 2185	N 594	O 636	S 15	0	0	0

There are 198 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-32	MET	-	initiating methionine	UNP A0A081YAY7
A	-31	ARG	-	expression tag	UNP A0A081YAY7
A	-30	GLY	-	expression tag	UNP A0A081YAY7
A	-29	SER	-	expression tag	UNP A0A081YAY7
A	-28	HIS	-	expression tag	UNP A0A081YAY7
A	-27	HIS	-	expression tag	UNP A0A081YAY7
A	-26	HIS	-	expression tag	UNP A0A081YAY7
A	-25	HIS	-	expression tag	UNP A0A081YAY7
A	-24	HIS	-	expression tag	UNP A0A081YAY7
A	-23	HIS	-	expression tag	UNP A0A081YAY7
A	-22	GLY	-	expression tag	UNP A0A081YAY7
A	-21	MET	-	expression tag	UNP A0A081YAY7
A	-20	ALA	-	expression tag	UNP A0A081YAY7
A	-19	SER	-	expression tag	UNP A0A081YAY7
A	-18	MET	-	expression tag	UNP A0A081YAY7
A	-17	THR	-	expression tag	UNP A0A081YAY7
A	-16	GLY	-	expression tag	UNP A0A081YAY7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-15	GLY	-	expression tag	UNP A0A081YAY7
A	-14	GLN	-	expression tag	UNP A0A081YAY7
A	-13	GLN	-	expression tag	UNP A0A081YAY7
A	-12	MET	-	expression tag	UNP A0A081YAY7
A	-11	GLY	-	expression tag	UNP A0A081YAY7
A	-10	ARG	-	expression tag	UNP A0A081YAY7
A	-9	ASP	-	expression tag	UNP A0A081YAY7
A	-8	LEU	-	expression tag	UNP A0A081YAY7
A	-7	TYR	-	expression tag	UNP A0A081YAY7
A	-6	ASP	-	expression tag	UNP A0A081YAY7
A	-5	ASP	-	expression tag	UNP A0A081YAY7
A	-4	ASP	-	expression tag	UNP A0A081YAY7
A	-3	ASP	-	expression tag	UNP A0A081YAY7
A	-2	LYS	-	expression tag	UNP A0A081YAY7
A	-1	GLY	-	expression tag	UNP A0A081YAY7
A	0	SER	-	expression tag	UNP A0A081YAY7
B	-32	MET	-	initiating methionine	UNP A0A081YAY7
B	-31	ARG	-	expression tag	UNP A0A081YAY7
B	-30	GLY	-	expression tag	UNP A0A081YAY7
B	-29	SER	-	expression tag	UNP A0A081YAY7
B	-28	HIS	-	expression tag	UNP A0A081YAY7
B	-27	HIS	-	expression tag	UNP A0A081YAY7
B	-26	HIS	-	expression tag	UNP A0A081YAY7
B	-25	HIS	-	expression tag	UNP A0A081YAY7
B	-24	HIS	-	expression tag	UNP A0A081YAY7
B	-23	HIS	-	expression tag	UNP A0A081YAY7
B	-22	GLY	-	expression tag	UNP A0A081YAY7
B	-21	MET	-	expression tag	UNP A0A081YAY7
B	-20	ALA	-	expression tag	UNP A0A081YAY7
B	-19	SER	-	expression tag	UNP A0A081YAY7
B	-18	MET	-	expression tag	UNP A0A081YAY7
B	-17	THR	-	expression tag	UNP A0A081YAY7
B	-16	GLY	-	expression tag	UNP A0A081YAY7
B	-15	GLY	-	expression tag	UNP A0A081YAY7
B	-14	GLN	-	expression tag	UNP A0A081YAY7
B	-13	GLN	-	expression tag	UNP A0A081YAY7
B	-12	MET	-	expression tag	UNP A0A081YAY7
B	-11	GLY	-	expression tag	UNP A0A081YAY7
B	-10	ARG	-	expression tag	UNP A0A081YAY7
B	-9	ASP	-	expression tag	UNP A0A081YAY7
B	-8	LEU	-	expression tag	UNP A0A081YAY7
B	-7	TYR	-	expression tag	UNP A0A081YAY7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	ASP	-	expression tag	UNP A0A081YAY7
B	-5	ASP	-	expression tag	UNP A0A081YAY7
B	-4	ASP	-	expression tag	UNP A0A081YAY7
B	-3	ASP	-	expression tag	UNP A0A081YAY7
B	-2	LYS	-	expression tag	UNP A0A081YAY7
B	-1	GLY	-	expression tag	UNP A0A081YAY7
B	0	SER	-	expression tag	UNP A0A081YAY7
C	-32	MET	-	initiating methionine	UNP A0A081YAY7
C	-31	ARG	-	expression tag	UNP A0A081YAY7
C	-30	GLY	-	expression tag	UNP A0A081YAY7
C	-29	SER	-	expression tag	UNP A0A081YAY7
C	-28	HIS	-	expression tag	UNP A0A081YAY7
C	-27	HIS	-	expression tag	UNP A0A081YAY7
C	-26	HIS	-	expression tag	UNP A0A081YAY7
C	-25	HIS	-	expression tag	UNP A0A081YAY7
C	-24	HIS	-	expression tag	UNP A0A081YAY7
C	-23	HIS	-	expression tag	UNP A0A081YAY7
C	-22	GLY	-	expression tag	UNP A0A081YAY7
C	-21	MET	-	expression tag	UNP A0A081YAY7
C	-20	ALA	-	expression tag	UNP A0A081YAY7
C	-19	SER	-	expression tag	UNP A0A081YAY7
C	-18	MET	-	expression tag	UNP A0A081YAY7
C	-17	THR	-	expression tag	UNP A0A081YAY7
C	-16	GLY	-	expression tag	UNP A0A081YAY7
C	-15	GLY	-	expression tag	UNP A0A081YAY7
C	-14	GLN	-	expression tag	UNP A0A081YAY7
C	-13	GLN	-	expression tag	UNP A0A081YAY7
C	-12	MET	-	expression tag	UNP A0A081YAY7
C	-11	GLY	-	expression tag	UNP A0A081YAY7
C	-10	ARG	-	expression tag	UNP A0A081YAY7
C	-9	ASP	-	expression tag	UNP A0A081YAY7
C	-8	LEU	-	expression tag	UNP A0A081YAY7
C	-7	TYR	-	expression tag	UNP A0A081YAY7
C	-6	ASP	-	expression tag	UNP A0A081YAY7
C	-5	ASP	-	expression tag	UNP A0A081YAY7
C	-4	ASP	-	expression tag	UNP A0A081YAY7
C	-3	ASP	-	expression tag	UNP A0A081YAY7
C	-2	LYS	-	expression tag	UNP A0A081YAY7
C	-1	GLY	-	expression tag	UNP A0A081YAY7
C	0	SER	-	expression tag	UNP A0A081YAY7
D	-32	MET	-	initiating methionine	UNP A0A081YAY7
D	-31	ARG	-	expression tag	UNP A0A081YAY7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-30	GLY	-	expression tag	UNP A0A081YAY7
D	-29	SER	-	expression tag	UNP A0A081YAY7
D	-28	HIS	-	expression tag	UNP A0A081YAY7
D	-27	HIS	-	expression tag	UNP A0A081YAY7
D	-26	HIS	-	expression tag	UNP A0A081YAY7
D	-25	HIS	-	expression tag	UNP A0A081YAY7
D	-24	HIS	-	expression tag	UNP A0A081YAY7
D	-23	HIS	-	expression tag	UNP A0A081YAY7
D	-22	GLY	-	expression tag	UNP A0A081YAY7
D	-21	MET	-	expression tag	UNP A0A081YAY7
D	-20	ALA	-	expression tag	UNP A0A081YAY7
D	-19	SER	-	expression tag	UNP A0A081YAY7
D	-18	MET	-	expression tag	UNP A0A081YAY7
D	-17	THR	-	expression tag	UNP A0A081YAY7
D	-16	GLY	-	expression tag	UNP A0A081YAY7
D	-15	GLY	-	expression tag	UNP A0A081YAY7
D	-14	GLN	-	expression tag	UNP A0A081YAY7
D	-13	GLN	-	expression tag	UNP A0A081YAY7
D	-12	MET	-	expression tag	UNP A0A081YAY7
D	-11	GLY	-	expression tag	UNP A0A081YAY7
D	-10	ARG	-	expression tag	UNP A0A081YAY7
D	-9	ASP	-	expression tag	UNP A0A081YAY7
D	-8	LEU	-	expression tag	UNP A0A081YAY7
D	-7	TYR	-	expression tag	UNP A0A081YAY7
D	-6	ASP	-	expression tag	UNP A0A081YAY7
D	-5	ASP	-	expression tag	UNP A0A081YAY7
D	-4	ASP	-	expression tag	UNP A0A081YAY7
D	-3	ASP	-	expression tag	UNP A0A081YAY7
D	-2	LYS	-	expression tag	UNP A0A081YAY7
D	-1	GLY	-	expression tag	UNP A0A081YAY7
D	0	SER	-	expression tag	UNP A0A081YAY7
E	-32	MET	-	initiating methionine	UNP A0A081YAY7
E	-31	ARG	-	expression tag	UNP A0A081YAY7
E	-30	GLY	-	expression tag	UNP A0A081YAY7
E	-29	SER	-	expression tag	UNP A0A081YAY7
E	-28	HIS	-	expression tag	UNP A0A081YAY7
E	-27	HIS	-	expression tag	UNP A0A081YAY7
E	-26	HIS	-	expression tag	UNP A0A081YAY7
E	-25	HIS	-	expression tag	UNP A0A081YAY7
E	-24	HIS	-	expression tag	UNP A0A081YAY7
E	-23	HIS	-	expression tag	UNP A0A081YAY7
E	-22	GLY	-	expression tag	UNP A0A081YAY7

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	-21	MET	-	expression tag	UNP A0A081YAY7
E	-20	ALA	-	expression tag	UNP A0A081YAY7
E	-19	SER	-	expression tag	UNP A0A081YAY7
E	-18	MET	-	expression tag	UNP A0A081YAY7
E	-17	THR	-	expression tag	UNP A0A081YAY7
E	-16	GLY	-	expression tag	UNP A0A081YAY7
E	-15	GLY	-	expression tag	UNP A0A081YAY7
E	-14	GLN	-	expression tag	UNP A0A081YAY7
E	-13	GLN	-	expression tag	UNP A0A081YAY7
E	-12	MET	-	expression tag	UNP A0A081YAY7
E	-11	GLY	-	expression tag	UNP A0A081YAY7
E	-10	ARG	-	expression tag	UNP A0A081YAY7
E	-9	ASP	-	expression tag	UNP A0A081YAY7
E	-8	LEU	-	expression tag	UNP A0A081YAY7
E	-7	TYR	-	expression tag	UNP A0A081YAY7
E	-6	ASP	-	expression tag	UNP A0A081YAY7
E	-5	ASP	-	expression tag	UNP A0A081YAY7
E	-4	ASP	-	expression tag	UNP A0A081YAY7
E	-3	ASP	-	expression tag	UNP A0A081YAY7
E	-2	LYS	-	expression tag	UNP A0A081YAY7
E	-1	GLY	-	expression tag	UNP A0A081YAY7
E	0	SER	-	expression tag	UNP A0A081YAY7
F	-32	MET	-	initiating methionine	UNP A0A081YAY7
F	-31	ARG	-	expression tag	UNP A0A081YAY7
F	-30	GLY	-	expression tag	UNP A0A081YAY7
F	-29	SER	-	expression tag	UNP A0A081YAY7
F	-28	HIS	-	expression tag	UNP A0A081YAY7
F	-27	HIS	-	expression tag	UNP A0A081YAY7
F	-26	HIS	-	expression tag	UNP A0A081YAY7
F	-25	HIS	-	expression tag	UNP A0A081YAY7
F	-24	HIS	-	expression tag	UNP A0A081YAY7
F	-23	HIS	-	expression tag	UNP A0A081YAY7
F	-22	GLY	-	expression tag	UNP A0A081YAY7
F	-21	MET	-	expression tag	UNP A0A081YAY7
F	-20	ALA	-	expression tag	UNP A0A081YAY7
F	-19	SER	-	expression tag	UNP A0A081YAY7
F	-18	MET	-	expression tag	UNP A0A081YAY7
F	-17	THR	-	expression tag	UNP A0A081YAY7
F	-16	GLY	-	expression tag	UNP A0A081YAY7
F	-15	GLY	-	expression tag	UNP A0A081YAY7
F	-14	GLN	-	expression tag	UNP A0A081YAY7
F	-13	GLN	-	expression tag	UNP A0A081YAY7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-12	MET	-	expression tag	UNP A0A081YAY7
F	-11	GLY	-	expression tag	UNP A0A081YAY7
F	-10	ARG	-	expression tag	UNP A0A081YAY7
F	-9	ASP	-	expression tag	UNP A0A081YAY7
F	-8	LEU	-	expression tag	UNP A0A081YAY7
F	-7	TYR	-	expression tag	UNP A0A081YAY7
F	-6	ASP	-	expression tag	UNP A0A081YAY7
F	-5	ASP	-	expression tag	UNP A0A081YAY7
F	-4	ASP	-	expression tag	UNP A0A081YAY7
F	-3	ASP	-	expression tag	UNP A0A081YAY7
F	-2	LYS	-	expression tag	UNP A0A081YAY7
F	-1	GLY	-	expression tag	UNP A0A081YAY7
F	0	SER	-	expression tag	UNP A0A081YAY7

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	F	1	27	10	5	10	2	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total 3	O 3	0	0
3	B	5	Total 5	O 5	0	0
3	C	2	Total 2	O 2	0	0
3	D	3	Total 3	O 3	0	0
3	E	1	Total 1	O 1	0	0
3	F	2	Total 2	O 2	0	0



• Molecule 1: Methylmalonate-semialdehyde dehydrogenase



SER

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	115.89Å 156.63Å 192.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.00 – 2.95 47.60 – 2.95	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.00-2.95) 99.9 (47.60-2.95)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.28 (at 2.96Å)	Xtrriage
Refinement program	REFMAC 5.8.0155	Depositor
R, R_{free}	0.212 , 0.249 0.215 , 0.251	Depositor DCC
R_{free} test set	3714 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	69.2	Xtrriage
Anisotropy	0.016	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 57.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	20975	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	0/3542	0.82	7/4810 (0.1%)
1	B	0.61	0/3600	0.84	5/4889 (0.1%)
1	C	0.66	0/3525	0.87	10/4787 (0.2%)
1	D	0.60	0/3610	0.84	8/4900 (0.2%)
1	E	0.58	0/3479	0.85	10/4730 (0.2%)
1	F	0.62	0/3501	0.88	15/4755 (0.3%)
All	All	0.61	0/21257	0.85	55/28871 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	D	0	1
1	E	0	1
All	All	0	4

There are no bond length outliers.

The worst 5 of 55 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	209	ASP	CB-CG-OD1	-11.03	108.37	118.30
1	B	454	ARG	CG-CD-NE	10.00	132.80	111.80
1	E	260	ASP	CB-CG-OD1	9.48	126.83	118.30
1	E	209	ASP	CB-CG-OD2	9.43	126.78	118.30
1	A	209	ASP	CB-CG-OD2	8.92	126.33	118.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	230	GLU	Mainchain
1	A	305	ILE	Mainchain
1	D	175	GLU	Mainchain
1	E	260	ASP	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3471	0	3443	54	0
1	B	3525	0	3483	61	0
1	C	3455	0	3410	59	0
1	D	3535	0	3490	67	0
1	E	3408	0	3347	54	0
1	F	3430	0	3405	50	0
2	A	27	0	12	0	0
2	B	27	0	12	1	0
2	D	27	0	12	1	0
2	E	27	0	12	1	0
2	F	27	0	12	1	0
3	A	3	0	0	0	0
3	B	5	0	0	0	0
3	C	2	0	0	0	0
3	D	3	0	0	0	0
3	E	1	0	0	0	0
3	F	2	0	0	0	0
All	All	20975	0	20638	336	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 336 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:ASN:ND2	1:A:88:GLU:O	1.88	1.06

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:46:ILE:CG2	1:C:216:GLU:HG3	1.99	0.92
1:C:23:PHE:O	1:C:25:PRO:HD3	1.74	0.86
1:B:152:ALA:O	1:B:156:LEU:HD12	1.79	0.83
1:F:19:THR:HG22	1:F:33:LYS:HG2	1.60	0.83

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	452/531 (85%)	432 (96%)	20 (4%)	0	100	100
1	B	458/531 (86%)	438 (96%)	20 (4%)	0	100	100
1	C	453/531 (85%)	430 (95%)	21 (5%)	2 (0%)	34	69
1	D	460/531 (87%)	444 (96%)	16 (4%)	0	100	100
1	E	447/531 (84%)	428 (96%)	19 (4%)	0	100	100
1	F	446/531 (84%)	423 (95%)	23 (5%)	0	100	100
All	All	2716/3186 (85%)	2595 (96%)	119 (4%)	2 (0%)	51	83

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	28	GLY
1	C	271	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	353/416 (85%)	343 (97%)	10 (3%)	43	74
1	B	358/416 (86%)	342 (96%)	16 (4%)	27	61
1	C	349/416 (84%)	338 (97%)	11 (3%)	39	71
1	D	358/416 (86%)	343 (96%)	15 (4%)	30	63
1	E	343/416 (82%)	334 (97%)	9 (3%)	46	75
1	F	350/416 (84%)	338 (97%)	12 (3%)	37	69
All	All	2111/2496 (85%)	2038 (96%)	73 (4%)	37	68

5 of 73 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	153	MET
1	D	116	GLU
1	F	262	ASP
1	D	24	ASN
1	D	188	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 9 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	244	GLN
1	D	202	HIS
1	D	6	HIS
1	A	491	GLN
1	B	342	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ADP	E	501	-	24,29,29	1.10	2 (8%)	29,45,45	1.41	5 (17%)
2	ADP	F	501	-	24,29,29	1.00	2 (8%)	29,45,45	1.53	6 (20%)
2	ADP	D	501	-	24,29,29	1.06	1 (4%)	29,45,45	1.64	4 (13%)
2	ADP	A	501	-	24,29,29	1.03	2 (8%)	29,45,45	1.63	7 (24%)
2	ADP	B	501	-	24,29,29	1.08	2 (8%)	29,45,45	1.57	7 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	E	501	-	-	0/12/32/32	0/3/3/3
2	ADP	F	501	-	-	8/12/32/32	0/3/3/3
2	ADP	D	501	-	-	5/12/32/32	0/3/3/3
2	ADP	A	501	-	-	6/12/32/32	0/3/3/3
2	ADP	B	501	-	-	4/12/32/32	0/3/3/3

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	501	ADP	C2-N3	2.92	1.36	1.32
2	A	501	ADP	C2-N3	2.63	1.36	1.32
2	F	501	ADP	C2-N3	2.62	1.36	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	501	ADP	C5-C4	2.45	1.47	1.40
2	D	501	ADP	C5-C4	2.35	1.47	1.40

The worst 5 of 29 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	ADP	N3-C2-N1	-4.31	121.94	128.68
2	A	501	ADP	C4-C5-N7	-3.84	105.40	109.40
2	E	501	ADP	C3'-C2'-C1'	3.67	106.50	100.98
2	F	501	ADP	N3-C2-N1	-3.65	122.97	128.68
2	D	501	ADP	PA-O3A-PB	-3.65	120.30	132.83

There are no chirality outliers.

5 of 23 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	F	501	ADP	C5'-O5'-PA-O1A
2	F	501	ADP	C5'-O5'-PA-O3A
2	F	501	ADP	O4'-C4'-C5'-O5'
2	F	501	ADP	C3'-C4'-C5'-O5'
2	D	501	ADP	C5'-O5'-PA-O3A


There are no ring outliers.



4 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	501	ADP	1	0
2	F	501	ADP	1	0
2	D	501	ADP	1	0
2	B	501	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	460/531 (86%)	0.11	11 (2%) 59 42	38, 65, 115, 157	0
1	B	465/531 (87%)	-0.02	8 (1%) 70 53	36, 65, 118, 149	0
1	C	461/531 (86%)	0.03	18 (3%) 39 25	34, 67, 114, 148	0
1	D	468/531 (88%)	0.00	20 (4%) 35 22	36, 67, 114, 141	0
1	E	455/531 (85%)	0.08	17 (3%) 41 27	39, 73, 126, 157	0
1	F	454/531 (85%)	0.05	9 (1%) 65 48	39, 69, 111, 139	0
All	All	2763/3186 (86%)	0.04	83 (3%) 50 34	34, 68, 118, 157	0

The worst 5 of 83 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	273	TYR	5.9
1	F	30	ALA	4.6
1	E	493	ALA	4.6
1	C	34	VAL	4.4
1	A	364	LEU	4.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ADP	E	501	27/27	0.80	0.28	83,95,105,108	27
2	ADP	A	501	27/27	0.85	0.27	76,91,100,105	27
2	ADP	F	501	27/27	0.89	0.21	65,80,89,95	27
2	ADP	D	501	27/27	0.90	0.20	59,67,74,77	27
2	ADP	B	501	27/27	0.91	0.22	61,67,72,76	27

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around ADP A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ADP F 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers

There are no such residues in this entry.