



Full wwPDB X-ray Structure Validation Report ⓘ

May 18, 2020 – 06:28 pm BST

PDB ID : 4TLZ
Title : Kutzneria sp. 744 ornithine N-hydroxylase, KtzI-FADox-NADP⁺-L-orn
Authors : Setser, J.W.; Drennan, C.L.
Deposited on : 2014-05-30
Resolution : 2.41 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4647 (2.44-2.40)
Clashscore	141614	5161 (2.44-2.40)
Ramachandran outliers	138981	5073 (2.44-2.40)
Sidechain outliers	138945	5074 (2.44-2.40)
RSRZ outliers	127900	4543 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	443	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> % 82% 10% • 6% </div> </div>
1	B	443	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> % 79% 13% • 6% </div> </div>
1	C	443	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> 2% 81% 11% • 6% </div> </div>
1	D	443	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> % 80% 12% • 6% </div> </div>

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 13905 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called KtzI.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	415	Total	C	N	O	S	0	0	0
			3216	2019	573	614	10			
1	B	415	Total	C	N	O	S	0	0	0
			3234	2029	586	609	10			
1	C	415	Total	C	N	O	S	0	0	0
			3199	2011	570	608	10			
1	D	415	Total	C	N	O	S	0	0	0
			3222	2022	576	614	10			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	initiating methionine	UNP A8CF85
A	-17	GLY	-	expression tag	UNP A8CF85
A	-16	SER	-	expression tag	UNP A8CF85
A	-15	SER	-	expression tag	UNP A8CF85
A	-14	HIS	-	expression tag	UNP A8CF85
A	-13	HIS	-	expression tag	UNP A8CF85
A	-12	HIS	-	expression tag	UNP A8CF85
A	-11	HIS	-	expression tag	UNP A8CF85
A	-10	HIS	-	expression tag	UNP A8CF85
A	-9	HIS	-	expression tag	UNP A8CF85
A	-8	SER	-	expression tag	UNP A8CF85
A	-7	SER	-	expression tag	UNP A8CF85
A	-6	GLY	-	expression tag	UNP A8CF85
A	-5	LEU	-	expression tag	UNP A8CF85
A	-4	VAL	-	expression tag	UNP A8CF85
A	-3	PRO	-	expression tag	UNP A8CF85
A	-2	ARG	-	expression tag	UNP A8CF85
A	-1	GLY	-	expression tag	UNP A8CF85
A	0	SER	-	expression tag	UNP A8CF85
A	1	HIS	-	expression tag	UNP A8CF85
A	2	MET	-	expression tag	UNP A8CF85

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	MET	-	initiating methionine	UNP A8CF85
B	-17	GLY	-	expression tag	UNP A8CF85
B	-16	SER	-	expression tag	UNP A8CF85
B	-15	SER	-	expression tag	UNP A8CF85
B	-14	HIS	-	expression tag	UNP A8CF85
B	-13	HIS	-	expression tag	UNP A8CF85
B	-12	HIS	-	expression tag	UNP A8CF85
B	-11	HIS	-	expression tag	UNP A8CF85
B	-10	HIS	-	expression tag	UNP A8CF85
B	-9	HIS	-	expression tag	UNP A8CF85
B	-8	SER	-	expression tag	UNP A8CF85
B	-7	SER	-	expression tag	UNP A8CF85
B	-6	GLY	-	expression tag	UNP A8CF85
B	-5	LEU	-	expression tag	UNP A8CF85
B	-4	VAL	-	expression tag	UNP A8CF85
B	-3	PRO	-	expression tag	UNP A8CF85
B	-2	ARG	-	expression tag	UNP A8CF85
B	-1	GLY	-	expression tag	UNP A8CF85
B	0	SER	-	expression tag	UNP A8CF85
B	1	HIS	-	expression tag	UNP A8CF85
B	2	MET	-	expression tag	UNP A8CF85
C	-18	MET	-	initiating methionine	UNP A8CF85
C	-17	GLY	-	expression tag	UNP A8CF85
C	-16	SER	-	expression tag	UNP A8CF85
C	-15	SER	-	expression tag	UNP A8CF85
C	-14	HIS	-	expression tag	UNP A8CF85
C	-13	HIS	-	expression tag	UNP A8CF85
C	-12	HIS	-	expression tag	UNP A8CF85
C	-11	HIS	-	expression tag	UNP A8CF85
C	-10	HIS	-	expression tag	UNP A8CF85
C	-9	HIS	-	expression tag	UNP A8CF85
C	-8	SER	-	expression tag	UNP A8CF85
C	-7	SER	-	expression tag	UNP A8CF85
C	-6	GLY	-	expression tag	UNP A8CF85
C	-5	LEU	-	expression tag	UNP A8CF85
C	-4	VAL	-	expression tag	UNP A8CF85
C	-3	PRO	-	expression tag	UNP A8CF85
C	-2	ARG	-	expression tag	UNP A8CF85
C	-1	GLY	-	expression tag	UNP A8CF85
C	0	SER	-	expression tag	UNP A8CF85
C	1	HIS	-	expression tag	UNP A8CF85
C	2	MET	-	expression tag	UNP A8CF85

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	-18	MET	-	initiating methionine	UNP A8CF85
D	-17	GLY	-	expression tag	UNP A8CF85
D	-16	SER	-	expression tag	UNP A8CF85
D	-15	SER	-	expression tag	UNP A8CF85
D	-14	HIS	-	expression tag	UNP A8CF85
D	-13	HIS	-	expression tag	UNP A8CF85
D	-12	HIS	-	expression tag	UNP A8CF85
D	-11	HIS	-	expression tag	UNP A8CF85
D	-10	HIS	-	expression tag	UNP A8CF85
D	-9	HIS	-	expression tag	UNP A8CF85
D	-8	SER	-	expression tag	UNP A8CF85
D	-7	SER	-	expression tag	UNP A8CF85
D	-6	GLY	-	expression tag	UNP A8CF85
D	-5	LEU	-	expression tag	UNP A8CF85
D	-4	VAL	-	expression tag	UNP A8CF85
D	-3	PRO	-	expression tag	UNP A8CF85
D	-2	ARG	-	expression tag	UNP A8CF85
D	-1	GLY	-	expression tag	UNP A8CF85
D	0	SER	-	expression tag	UNP A8CF85
D	1	HIS	-	expression tag	UNP A8CF85
D	2	MET	-	expression tag	UNP A8CF85

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 4 is L-ornithine (three-letter code: ORN) (formula: C₅H₁₂N₂O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			9	5	2	2		
4	B	1	Total	C	N	O	0	0
			9	5	2	2		
4	C	1	Total	C	N	O	0	0
			9	5	2	2		
4	D	1	Total	C	N	O	0	0
			9	5	2	2		

- Molecule 5 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	2	Total	K	0	0
			2	2		
5	A	3	Total	K	0	0
			3	3		
5	D	1	Total	K	0	0
			1	1		
5	C	2	Total	K	0	0
			2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	162	Total	O	0	0
			162	162		



Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	154	Total 154	O 154	0	0
6	C	127	Total 127	O 127	0	0
6	D	143	Total 143	O 143	0	0



● Molecule 1: KtziI



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	84.62Å 157.66Å 165.29Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.30 – 2.41 47.30 – 2.41	Depositor EDS
% Data completeness (in resolution range)	94.7 (47.30-2.41) 94.7 (47.30-2.41)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.19 (at 2.42Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, R_{free}	0.178 , 0.215 0.183 , 0.216	Depositor DCC
R_{free} test set	4110 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	29.1	Xtriage
Anisotropy	0.125	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 35.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.009 for -h,l,k	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13905	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ORN, K, NAP, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/3296	0.54	0/4492
1	B	0.56	0/3313	0.57	3/4509 (0.1%)
1	C	0.60	1/3279 (0.0%)	0.56	2/4471 (0.0%)
1	D	0.52	2/3302 (0.1%)	0.53	2/4499 (0.0%)
All	All	0.55	3/13190 (0.0%)	0.55	7/17971 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	195	PRO	N-CD	5.30	1.55	1.47
1	D	195	PRO	N-CD	5.29	1.55	1.47
1	D	351	PRO	N-CD	5.06	1.54	1.47

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	109	ASP	CB-CG-OD2	5.95	123.65	118.30
1	B	44	ARG	NE-CZ-NH2	-5.85	117.38	120.30
1	C	194	ASP	C-N-CD	5.59	140.14	128.40
1	D	350	ASP	C-N-CD	5.46	139.86	128.40
1	B	381	THR	C-N-CD	5.36	139.65	128.40
1	B	301	ARG	NE-CZ-NH2	-5.33	117.63	120.30
1	D	194	ASP	C-N-CD	5.03	138.96	128.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3216	0	3037	31	0
1	B	3234	0	3086	46	0
1	C	3199	0	3016	42	0
1	D	3222	0	3048	36	0
2	A	53	0	28	5	0
2	B	53	0	30	1	0
2	C	53	0	30	1	0
2	D	53	0	30	5	0
3	A	48	0	25	2	0
3	B	48	0	25	0	0
3	C	48	0	25	1	0
3	D	48	0	25	3	0
4	A	9	0	11	0	0
4	B	9	0	11	0	0
4	C	9	0	11	0	0
4	D	9	0	11	1	0
5	A	3	0	0	0	0
5	B	2	0	0	0	0
5	C	2	0	0	0	0
5	D	1	0	0	0	0
6	A	162	0	0	2	0
6	B	154	0	0	9	0
6	C	127	0	0	2	0
6	D	143	0	0	0	0
All	All	13905	0	12449	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:138:PRO:HG2	1:A:385:ARG:NH1	1.68	1.08
1:C:197:SER:O	1:C:198:LEU:HD23	1.52	1.06
1:B:140:ASP:C	1:B:386:CYS:SG	2.46	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:141:SER:N	1:B:386:CYS:SG	2.45	0.90
1:B:329:ARG:NH2	1:B:333:TYR:CD1	2.44	0.86
1:D:27:ALA:HB1	1:D:118:LEU:HD21	1.63	0.80
1:A:138:PRO:HG2	1:A:385:ARG:HH12	1.47	0.76
1:C:120:HIS:CD2	1:C:121:GLU:N	2.56	0.73
1:B:316:ILE:HD12	1:B:321:ARG:HD2	1.71	0.72
1:C:63:VAL:HG22	1:C:67:LYS:HD2	1.73	0.71
1:B:215:ARG:NH2	6:B:664:HOH:O	2.24	0.70
1:D:187:LEU:HD13	1:D:191:ARG:HH21	1.58	0.69
1:B:422:ARG:HD2	6:B:657:HOH:O	1.94	0.68
1:B:105:ARG:HH22	1:D:297:ALA:HA	1.59	0.67
1:B:196:ARG:O	1:B:199:ARG:HD2	1.99	0.63
1:B:314:LYS:NZ	6:B:601:HOH:O	2.31	0.63
1:B:179:PHE:CD1	1:B:193:ARG:NH2	2.68	0.61
1:D:148:THR:HB	1:D:149:PRO:CD	2.30	0.61
1:A:148:THR:HB	1:A:149:PRO:CD	2.30	0.61
1:C:198:LEU:HD21	1:C:339:VAL:HG21	1.82	0.61
1:C:177:ASP:HB3	1:C:180:VAL:H	1.66	0.60
1:C:148:THR:HB	1:C:149:PRO:CD	2.31	0.59
1:A:44:ARG:HG2	2:A:501:FAD:C4A	2.31	0.59
1:C:380:THR:HG21	1:C:384:LEU:HD22	1.85	0.59
1:C:13:ASP:OD1	1:C:423:LYS:HE3	2.01	0.59
1:B:148:THR:HB	1:B:149:PRO:CD	2.33	0.59
1:C:381:THR:HB	1:C:382:PRO:HD2	1.86	0.57
1:C:377:ARG:HD2	1:C:389:TYR:CZ	2.40	0.57
1:A:377:ARG:HD2	1:A:389:TYR:CZ	2.41	0.56
1:C:198:LEU:CD2	1:C:339:VAL:CG2	2.84	0.56
1:D:187:LEU:HD13	1:D:191:ARG:NH2	2.19	0.56
1:C:420:GLU:O	1:C:424:SER:HB2	2.05	0.55
1:A:138:PRO:CG	1:A:385:ARG:NH1	2.57	0.55
1:B:179:PHE:HD1	1:B:193:ARG:HH22	1.52	0.55
1:C:381:THR:HB	1:C:382:PRO:CD	2.37	0.55
1:C:198:LEU:HD21	1:C:339:VAL:CG2	2.37	0.54
1:C:120:HIS:HD2	1:C:121:GLU:N	2.03	0.53
1:B:221:ARG:O	1:B:301:ARG:NH2	2.41	0.53
1:B:331:GLU:HB2	6:B:603:HOH:O	2.08	0.53
1:C:198:LEU:CD2	1:C:339:VAL:HG23	2.38	0.53
1:A:63:VAL:HG22	1:A:67:LYS:HD3	1.91	0.53
1:C:120:HIS:HD2	1:C:121:GLU:C	2.11	0.52
1:A:93:ARG:HH12	1:C:295:GLU:HG3	1.74	0.52
1:B:105:ARG:NH2	1:D:297:ALA:HA	2.25	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:326:SER:OG	1:B:329:ARG:HG3	2.09	0.52
1:B:117:LYS:HD2	6:B:729:HOH:O	2.10	0.51
1:D:221:ARG:O	1:D:301:ARG:NH2	2.43	0.51
1:B:131:ILE:HD13	1:B:160:ILE:HD13	1.92	0.51
1:B:141:SER:CA	1:B:386:CYS:SG	2.97	0.51
1:D:148:THR:HB	1:D:149:PRO:HD2	1.93	0.51
1:A:93:ARG:NH1	1:C:295:GLU:HG3	2.26	0.50
1:B:179:PHE:CE1	1:B:193:ARG:NH2	2.79	0.50
1:C:358:LEU:HD22	1:C:384:LEU:HD11	1.94	0.50
1:B:329:ARG:NH1	1:B:331:GLU:OE2	2.45	0.50
1:B:242:PRO:HB2	1:C:288:TYR:CD1	2.47	0.50
1:D:44:ARG:HG2	2:D:501:FAD:N3A	2.26	0.49
2:A:501:FAD:O2A	6:A:762:HOH:O	2.20	0.49
1:B:269:ARG:NH2	6:B:740:HOH:O	2.42	0.49
1:D:104:ARG:HD3	3:D:502:NAP:O7N	2.13	0.49
2:A:501:FAD:C4	3:A:502:NAP:H4D	2.43	0.49
1:A:418:SER:O	1:A:422:ARG:HG3	2.13	0.49
1:A:148:THR:HB	1:A:149:PRO:HD2	1.92	0.48
1:B:148:THR:HB	1:B:149:PRO:HD2	1.95	0.48
1:C:148:THR:HB	1:C:149:PRO:HD2	1.94	0.48
1:A:376:TYR:CE1	1:A:411:ARG:HG3	2.48	0.48
1:D:44:ARG:O	1:D:125:ASP:HA	2.13	0.48
1:C:27:ALA:HB1	1:C:118:LEU:HD21	1.94	0.48
2:C:501:FAD:C4	3:C:502:NAP:H4D	2.43	0.47
1:A:194:ASP:OD2	1:A:195:PRO:HD2	2.14	0.47
1:B:93:ARG:NH1	1:D:295:GLU:OE2	2.47	0.47
1:D:384:LEU:HD22	1:D:386:CYS:SG	2.55	0.47
1:C:120:HIS:CD2	1:C:121:GLU:C	2.88	0.47
1:B:45:ARG:HG3	6:B:648:HOH:O	2.15	0.46
1:C:198:LEU:CD2	1:C:339:VAL:HG21	2.46	0.46
1:A:14:VAL:O	1:A:39:SER:HA	2.16	0.46
1:B:221:ARG:HB2	6:B:665:HOH:O	2.16	0.46
1:D:316:ILE:HD12	1:D:321:ARG:NH1	2.31	0.46
1:A:396:HIS:CD2	1:A:397:THR:HG23	2.50	0.46
1:A:27:ALA:HB1	1:A:118:LEU:HD21	1.98	0.45
1:A:131:ILE:HD13	1:A:160:ILE:HD13	1.97	0.45
1:C:131:ILE:HD13	1:C:160:ILE:HD13	1.98	0.45
1:D:14:VAL:O	1:D:39:SER:HA	2.16	0.45
2:A:501:FAD:C4X	3:A:502:NAP:H4D	2.47	0.45
1:D:179:PHE:CD1	1:D:193:ARG:NH2	2.84	0.45
1:C:120:HIS:CD2	1:C:121:GLU:O	2.70	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:14:VAL:O	1:C:39:SER:HA	2.17	0.44
2:B:501:FAD:O1A	2:B:501:FAD:O4'	2.25	0.44
1:B:62:GLN:NE2	1:B:280:ASP:OD1	2.51	0.44
1:D:139:VAL:HB	1:D:384:LEU:HD23	1.98	0.44
1:D:396:HIS:CD2	1:D:397:THR:HG23	2.53	0.44
1:B:394:THR:OG1	1:B:402:SER:HB2	2.16	0.44
1:C:200:ARG:NH1	1:C:338:ASP:OD1	2.50	0.44
2:D:501:FAD:HM72	3:D:502:NAP:C5N	2.47	0.44
1:D:285:ARG:CG	1:D:285:ARG:HH11	2.31	0.44
1:A:221:ARG:O	1:A:301:ARG:NH2	2.51	0.44
1:B:376:TYR:CE1	1:B:411:ARG:HG3	2.53	0.44
1:C:396:HIS:CD2	1:C:397:THR:HG23	2.53	0.44
1:B:14:VAL:O	1:B:39:SER:HA	2.17	0.43
1:A:242:PRO:HB2	1:D:288:TYR:CD1	2.54	0.43
1:C:44:ARG:O	1:C:125:ASP:HA	2.18	0.43
1:B:158:ARG:O	1:B:386:CYS:HB3	2.19	0.43
1:C:316:ILE:HD12	1:C:321:ARG:HD2	1.99	0.43
1:D:179:PHE:HD1	1:D:193:ARG:HH22	1.65	0.43
1:A:295:GLU:OE2	6:A:731:HOH:O	2.21	0.43
1:D:367:GLU:HG2	1:D:369:ARG:HH21	1.84	0.43
1:C:120:HIS:C	1:C:120:HIS:CD2	2.91	0.43
1:C:62:GLN:NE2	6:C:650:HOH:O	2.52	0.43
1:B:288:TYR:CD1	1:C:242:PRO:HB2	2.54	0.43
1:D:44:ARG:HG2	2:D:501:FAD:C4A	2.48	0.43
1:B:316:ILE:O	1:B:317:ALA:HB3	2.19	0.43
1:A:292:TYR:HD2	1:C:93:ARG:HD2	1.84	0.43
1:D:137:ARG:HA	1:D:138:PRO:C	2.39	0.42
1:D:171:PRO:HG3	1:D:344:THR:HG21	2.00	0.42
1:B:367:GLU:H	1:B:367:GLU:CD	2.21	0.42
1:A:167:VAL:HA	1:A:168:PRO:HD3	1.92	0.42
1:A:171:PRO:HG3	1:A:344:THR:HG21	2.00	0.42
1:C:198:LEU:HD22	1:C:339:VAL:HG23	2.00	0.42
1:D:304:PHE:HB3	1:D:306:ASN:HD21	1.85	0.42
1:D:166:LEU:HB3	1:D:346:TYR:HB3	2.01	0.42
1:D:63:VAL:HG22	1:D:67:LYS:HD2	2.00	0.42
1:A:44:ARG:O	1:A:125:ASP:HA	2.20	0.42
1:B:242:PRO:HB2	1:C:288:TYR:CG	2.54	0.42
1:B:27:ALA:HB1	1:B:118:LEU:HD21	2.01	0.42
1:B:367:GLU:N	1:B:367:GLU:CD	2.73	0.42
1:A:243:PHE:HD2	1:D:284:ILE:HG23	1.84	0.42
2:D:501:FAD:C4	3:D:502:NAP:H4D	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:301:ARG:NH1	6:C:682:HOH:O	2.40	0.42
1:A:288:TYR:CD1	1:D:242:PRO:HB2	2.55	0.41
1:A:194:ASP:HA	1:A:195:PRO:HD3	1.94	0.41
1:A:198:LEU:HD22	1:A:339:VAL:CG2	2.50	0.41
1:A:44:ARG:HG2	2:A:501:FAD:N3A	2.35	0.41
1:C:198:LEU:HD22	1:C:339:VAL:CG2	2.49	0.41
1:B:13:ASP:OD1	1:B:423:LYS:HE3	2.20	0.41
1:B:396:HIS:CD2	1:B:397:THR:HG23	2.55	0.41
1:D:142:VAL:HG13	1:D:386:CYS:SG	2.61	0.41
1:D:376:TYR:CE1	1:D:411:ARG:HG3	2.55	0.41
1:D:44:ARG:HD3	2:D:501:FAD:C5A	2.50	0.41
1:C:197:SER:O	1:C:198:LEU:CD2	2.44	0.41
1:A:304:PHE:HB3	1:A:306:ASN:HD21	1.86	0.41
1:B:329:ARG:NH2	1:B:333:TYR:CE1	2.86	0.41
1:B:231:PRO:O	1:B:307:LEU:HA	2.20	0.41
1:A:316:ILE:O	1:A:317:ALA:HB3	2.21	0.41
1:D:167:VAL:HA	1:D:168:PRO:HD3	1.91	0.41
1:B:263:ALA:HB2	1:C:328:ALA:HA	2.02	0.40
1:D:107:PHE:O	1:D:110:TYR:HB3	2.22	0.40
1:D:62:GLN:HB2	4:D:503:ORN:HD3	2.03	0.40
1:B:93:ARG:HB2	6:B:619:HOH:O	2.21	0.40
1:B:171:PRO:HG3	1:B:344:THR:HG21	2.03	0.40
1:B:107:PHE:O	1:B:110:TYR:HB3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	413/443 (93%)	397 (96%)	16 (4%)	0	100	100
1	B	413/443 (93%)	399 (97%)	14 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	413/443 (93%)	392 (95%)	20 (5%)	1 (0%)	47	61
1	D	413/443 (93%)	399 (97%)	14 (3%)	0	100	100
All	All	1652/1772 (93%)	1587 (96%)	64 (4%)	1 (0%)	51	67

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	356	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	338/372 (91%)	326 (96%)	12 (4%)	35	52
1	B	340/372 (91%)	326 (96%)	14 (4%)	30	47
1	C	334/372 (90%)	319 (96%)	15 (4%)	27	42
1	D	339/372 (91%)	324 (96%)	15 (4%)	28	43
All	All	1351/1488 (91%)	1295 (96%)	56 (4%)	30	47

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	ARG
1	A	45	ARG
1	A	63	VAL
1	A	105	ARG
1	A	167	VAL
1	A	176	SER
1	A	192	ASP
1	A	295	GLU
1	A	335	LEU
1	A	340	LEU
1	A	354	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	369	ARG
1	B	45	ARG
1	B	63	VAL
1	B	105	ARG
1	B	167	VAL
1	B	176	SER
1	B	199	ARG
1	B	329	ARG
1	B	330	GLU
1	B	335	LEU
1	B	340	LEU
1	B	354	LEU
1	B	384	LEU
1	B	402	SER
1	B	423	LYS
1	C	44	ARG
1	C	63	VAL
1	C	93	ARG
1	C	105	ARG
1	C	116	SER
1	C	167	VAL
1	C	193	ARG
1	C	198	LEU
1	C	215	ARG
1	C	295	GLU
1	C	318	ASP
1	C	335	LEU
1	C	340	LEU
1	C	354	LEU
1	C	424	SER
1	D	62	GLN
1	D	63	VAL
1	D	116	SER
1	D	167	VAL
1	D	175	GLN
1	D	176	SER
1	D	194	ASP
1	D	215	ARG
1	D	285	ARG
1	D	295	GLU
1	D	335	LEU
1	D	340	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	377	ARG
1	D	384	LEU
1	D	423	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	189	HIS
1	A	306	ASN
1	A	309	HIS
1	B	189	HIS
1	B	306	ASN
1	B	309	HIS
1	C	62	GLN
1	C	120	HIS
1	C	175	GLN
1	C	189	HIS
1	C	306	ASN
1	C	309	HIS
1	D	175	GLN
1	D	306	ASN
1	D	309	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 8 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAP	A	502	-	45,52,52	1.57	7 (15%)	56,80,80	1.36	7 (12%)
4	ORN	D	503	-	4,8,8	0.50	0	3,9,9	0.67	0
2	FAD	B	501	-	51,58,58	3.39	18 (35%)	60,89,89	2.16	14 (23%)
2	FAD	C	501	-	51,58,58	3.63	20 (39%)	60,89,89	2.21	17 (28%)
2	FAD	A	501	-	51,58,58	3.13	20 (39%)	60,89,89	2.64	21 (35%)
2	FAD	D	501	-	51,58,58	3.18	17 (33%)	60,89,89	2.31	20 (33%)
4	ORN	C	503	-	4,8,8	0.69	0	3,9,9	0.83	0
4	ORN	A	503	-	4,8,8	0.58	0	3,9,9	1.01	0
3	NAP	D	502	-	45,52,52	1.46	6 (13%)	56,80,80	1.25	3 (5%)
4	ORN	B	503	-	4,8,8	0.69	0	3,9,9	0.93	0
3	NAP	C	502	-	45,52,52	1.54	7 (15%)	56,80,80	1.25	4 (7%)
3	NAP	B	502	-	45,52,52	1.46	7 (15%)	56,80,80	1.28	5 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAP	A	502	-	-	5/31/67/67	0/5/5/5
4	ORN	D	503	-	-	0/4/8/8	-
2	FAD	B	501	-	-	8/30/50/50	0/6/6/6
2	FAD	C	501	-	-	5/30/50/50	0/6/6/6
2	FAD	A	501	-	-	10/30/50/50	0/6/6/6
2	FAD	D	501	-	-	9/30/50/50	0/6/6/6
4	ORN	C	503	-	-	0/4/8/8	-
4	ORN	A	503	-	-	0/4/8/8	-
3	NAP	D	502	-	-	6/31/67/67	0/5/5/5
4	ORN	B	503	-	-	0/4/8/8	-
3	NAP	C	502	-	-	7/31/67/67	0/5/5/5
3	NAP	B	502	-	-	5/31/67/67	0/5/5/5

All (102) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	501	FAD	O3'-C3'	-15.71	1.06	1.43
2	A	501	FAD	C4X-C10	12.43	1.51	1.38
2	D	501	FAD	C4X-C10	11.81	1.50	1.38
2	B	501	FAD	C4X-C10	11.24	1.50	1.38
2	C	501	FAD	C4X-C10	11.13	1.49	1.38
2	D	501	FAD	O3'-C3'	-10.22	1.18	1.43
2	B	501	FAD	C8M-C8	-9.81	1.31	1.51
2	A	501	FAD	C5X-N5	8.75	1.49	1.35
2	B	501	FAD	C5X-N5	8.56	1.49	1.35
2	C	501	FAD	C5X-N5	8.41	1.49	1.35
2	D	501	FAD	C5X-N5	8.17	1.48	1.35
2	B	501	FAD	O3'-C3'	-7.10	1.26	1.43
2	B	501	FAD	C1'-N10	-5.98	1.42	1.48
2	A	501	FAD	O3'-C3'	-5.96	1.28	1.43
2	B	501	FAD	C4'-C3'	5.61	1.64	1.53
2	D	501	FAD	C2-N1	5.52	1.49	1.38
2	A	501	FAD	C2-N1	5.38	1.48	1.38
2	C	501	FAD	C2-N1	5.16	1.48	1.38
2	A	501	FAD	C9A-N10	5.05	1.45	1.38
2	B	501	FAD	C2-N1	5.04	1.48	1.38
2	D	501	FAD	C4-N3	5.00	1.41	1.33
2	C	501	FAD	C4-N3	4.93	1.41	1.33
2	A	501	FAD	C4-N3	4.76	1.41	1.33
3	A	502	NAP	C7N-N7N	4.75	1.42	1.33
3	C	502	NAP	C7N-N7N	4.56	1.41	1.33
2	B	501	FAD	C4-N3	4.52	1.40	1.33
2	C	501	FAD	C4'-C3'	4.50	1.61	1.53
2	D	501	FAD	C9A-N10	4.44	1.44	1.38
2	A	501	FAD	O2'-C2'	-4.43	1.34	1.43
3	B	502	NAP	C7N-N7N	4.39	1.41	1.33
2	A	501	FAD	C2'-C3'	4.33	1.61	1.53
3	D	502	NAP	C7N-N7N	4.16	1.40	1.33
2	B	501	FAD	C7M-C7	-4.09	1.42	1.51
3	D	502	NAP	C2D-C3D	-4.00	1.42	1.53
3	A	502	NAP	C3B-C2B	-3.99	1.44	1.52
2	C	501	FAD	C9A-N10	3.94	1.43	1.38
3	A	502	NAP	C2D-C3D	-3.91	1.42	1.53
3	C	502	NAP	C2D-C3D	-3.85	1.42	1.53
2	A	501	FAD	C4-C4X	3.84	1.48	1.41
3	C	502	NAP	C3B-C2B	-3.80	1.44	1.52
2	B	501	FAD	PA-O2A	-3.80	1.37	1.55
3	B	502	NAP	C3B-C2B	-3.70	1.44	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	NAP	C6A-N6A	3.68	1.47	1.34
3	B	502	NAP	C2D-C3D	-3.65	1.43	1.53
3	D	502	NAP	C6A-N6A	3.62	1.47	1.34
2	C	501	FAD	C4-C4X	3.60	1.47	1.41
3	B	502	NAP	C6A-N6A	3.59	1.47	1.34
2	C	501	FAD	PA-O1A	-3.58	1.38	1.50
2	D	501	FAD	C2B-C1B	-3.58	1.48	1.53
2	D	501	FAD	C4-C4X	3.56	1.47	1.41
3	C	502	NAP	C6A-N6A	3.55	1.47	1.34
2	C	501	FAD	PA-O2A	-3.55	1.38	1.55
2	B	501	FAD	C4-C4X	3.48	1.47	1.41
3	D	502	NAP	C3B-C2B	-3.47	1.45	1.52
2	B	501	FAD	C9A-N10	3.47	1.43	1.38
2	C	501	FAD	P-O2P	-3.39	1.39	1.55
2	A	501	FAD	C2B-C1B	-3.32	1.48	1.53
2	C	501	FAD	P-O1P	-3.30	1.39	1.50
2	B	501	FAD	C2B-C1B	-3.17	1.49	1.53
2	C	501	FAD	C2B-C1B	-3.12	1.49	1.53
3	B	502	NAP	C2D-C1D	-3.09	1.49	1.53
2	D	501	FAD	PA-O5B	3.01	1.71	1.59
2	D	501	FAD	C6A-N6A	3.00	1.45	1.34
2	B	501	FAD	PA-O1A	-2.99	1.40	1.50
3	C	502	NAP	C2D-C1D	-2.96	1.49	1.53
2	B	501	FAD	C6A-N6A	2.86	1.44	1.34
3	A	502	NAP	C2D-C1D	-2.86	1.49	1.53
2	A	501	FAD	C6A-N6A	2.82	1.44	1.34
2	A	501	FAD	PA-O5B	2.81	1.70	1.59
2	A	501	FAD	O4'-C4'	-2.79	1.37	1.43
3	A	502	NAP	C2A-N3A	2.69	1.36	1.32
2	A	501	FAD	C5'-C4'	2.67	1.55	1.51
2	D	501	FAD	C4'-C3'	-2.63	1.48	1.53
2	C	501	FAD	C6A-N6A	2.63	1.43	1.34
2	C	501	FAD	C8-C7	2.55	1.47	1.40
2	D	501	FAD	O2'-C2'	-2.53	1.38	1.43
2	D	501	FAD	C4X-N5	2.53	1.37	1.33
2	D	501	FAD	C2A-N3A	2.48	1.36	1.32
3	B	502	NAP	O4D-C4D	-2.46	1.39	1.45
2	D	501	FAD	PA-O2A	2.43	1.66	1.55
2	C	501	FAD	C4X-N5	2.40	1.36	1.33
3	D	502	NAP	C2D-C1D	-2.39	1.50	1.53
2	A	501	FAD	C4X-N5	2.37	1.36	1.33
3	C	502	NAP	O4D-C4D	-2.36	1.39	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	FAD	C2A-N3A	2.33	1.35	1.32
2	A	501	FAD	C2-N3	2.33	1.42	1.38
3	C	502	NAP	C2A-N3A	2.31	1.35	1.32
2	B	501	FAD	O2'-C2'	-2.31	1.38	1.43
3	D	502	NAP	O4D-C4D	-2.31	1.39	1.45
2	C	501	FAD	C1'-N10	-2.29	1.45	1.48
2	A	501	FAD	C4'-C3'	-2.29	1.49	1.53
2	D	501	FAD	O4'-C4'	-2.28	1.38	1.43
2	B	501	FAD	C2A-N3A	2.28	1.35	1.32
2	A	501	FAD	PA-O1A	2.26	1.58	1.50
2	C	501	FAD	O4B-C4B	-2.26	1.39	1.45
2	C	501	FAD	C2-N3	2.23	1.42	1.38
2	A	501	FAD	PA-O2A	2.19	1.65	1.55
2	C	501	FAD	C2A-N3A	2.18	1.35	1.32
2	B	501	FAD	O4'-C4'	-2.18	1.38	1.43
3	A	502	NAP	O4D-C4D	-2.14	1.40	1.45
2	D	501	FAD	C2-N3	2.10	1.42	1.38
3	B	502	NAP	C2A-N3A	2.02	1.35	1.32

All (91) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	FAD	O5B-PA-O1A	-8.01	77.76	109.07
2	D	501	FAD	C4-N3-C2	7.36	121.36	115.14
2	C	501	FAD	C4-N3-C2	7.22	121.24	115.14
2	C	501	FAD	O4'-C4'-C3'	6.66	125.29	109.10
2	B	501	FAD	C4-N3-C2	6.64	120.75	115.14
2	A	501	FAD	C4-N3-C2	6.49	120.62	115.14
2	A	501	FAD	O3'-C3'-C4'	6.45	124.39	108.81
2	B	501	FAD	O4'-C4'-C3'	5.98	123.65	109.10
2	A	501	FAD	O2A-PA-O1A	-5.93	82.91	112.24
2	C	501	FAD	N3A-C2A-N1A	-5.82	119.58	128.68
2	D	501	FAD	N3A-C2A-N1A	-5.56	119.99	128.68
2	B	501	FAD	N3A-C2A-N1A	-5.47	120.14	128.68
2	A	501	FAD	N3A-C2A-N1A	-5.45	120.16	128.68
3	D	502	NAP	N3A-C2A-N1A	-5.28	120.43	128.68
2	D	501	FAD	C5'-C4'-C3'	-5.19	102.18	112.20
2	D	501	FAD	O4'-C4'-C3'	4.99	121.24	109.10
3	C	502	NAP	N3A-C2A-N1A	-4.96	120.93	128.68
3	B	502	NAP	N3A-C2A-N1A	-4.86	121.08	128.68
3	A	502	NAP	N3A-C2A-N1A	-4.86	121.09	128.68
2	D	501	FAD	P-O3P-PA	-4.79	116.40	132.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	FAD	O2P-P-O5'	-4.78	85.55	107.75
2	C	501	FAD	C4-C4X-C10	-4.77	116.79	119.95
2	A	501	FAD	O5'-P-O1P	-4.58	91.17	109.07
2	D	501	FAD	O2'-C2'-C3'	-4.51	98.13	109.10
2	A	501	FAD	C4'-C3'-C2'	4.44	122.59	113.36
2	B	501	FAD	C5'-C4'-C3'	-4.42	103.67	112.20
2	C	501	FAD	C4-C4X-N5	4.33	123.55	118.60
2	C	501	FAD	O3'-C3'-C2'	4.27	119.12	108.81
2	D	501	FAD	C4X-C10-N10	-4.24	115.95	120.30
2	B	501	FAD	C1'-N10-C9A	4.22	121.62	118.29
2	B	501	FAD	O3'-C3'-C2'	3.97	118.41	108.81
2	A	501	FAD	C1'-N10-C9A	3.83	121.31	118.29
2	D	501	FAD	C4-C4X-C10	-3.75	117.47	119.95
2	A	501	FAD	O4'-C4'-C3'	3.54	117.71	109.10
2	D	501	FAD	C4-C4X-N5	3.53	122.63	118.60
2	A	501	FAD	O4'-C4'-C5'	3.49	117.77	109.92
3	C	502	NAP	C3N-C7N-N7N	3.44	121.87	117.75
2	B	501	FAD	C4-C4X-N5	3.37	122.45	118.60
2	A	501	FAD	O5'-C5'-C4'	3.25	118.03	109.36
2	D	501	FAD	C4'-C3'-C2'	3.15	119.92	113.36
2	A	501	FAD	C4-C4X-C10	-3.15	117.87	119.95
2	B	501	FAD	C10-C4X-N5	-3.13	119.09	121.26
2	A	501	FAD	C4-C4X-N5	3.06	122.10	118.60
2	C	501	FAD	C4X-C10-N10	-3.00	117.22	120.30
3	B	502	NAP	C2N-C3N-C4N	2.97	121.63	118.26
2	C	501	FAD	C1'-C2'-C3'	-2.96	101.53	109.79
2	B	501	FAD	C4A-C5A-N7A	-2.95	106.33	109.40
2	B	501	FAD	C4X-C10-N10	-2.94	117.28	120.30
2	B	501	FAD	C4X-C4-N3	-2.94	119.41	123.43
2	C	501	FAD	C5'-C4'-C3'	-2.91	106.58	112.20
3	D	502	NAP	O5D-C5D-C4D	2.83	118.72	108.99
2	B	501	FAD	P-O3P-PA	-2.79	123.24	132.83
2	D	501	FAD	C4A-C5A-N7A	-2.75	106.53	109.40
2	A	501	FAD	C4A-C5A-N7A	-2.73	106.55	109.40
2	D	501	FAD	C4X-C4-N3	-2.72	119.71	123.43
2	D	501	FAD	O3'-C3'-C2'	-2.71	102.26	108.81
3	A	502	NAP	O5B-PA-O1A	2.71	119.65	109.07
2	A	501	FAD	C4X-N5-C5X	2.68	119.45	116.77
2	C	501	FAD	C4X-N5-C5X	2.68	119.44	116.77
3	A	502	NAP	C2N-C3N-C4N	2.67	121.28	118.26
3	A	502	NAP	O2A-PA-O5B	2.66	120.09	107.75
3	A	502	NAP	O4D-C1D-C2D	-2.58	103.16	106.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	FAD	O3'-C3'-C4'	2.56	114.99	108.81
2	C	501	FAD	C1'-N10-C9A	2.55	120.30	118.29
2	A	501	FAD	C4X-C10-N10	-2.52	117.71	120.30
2	D	501	FAD	O5B-PA-O1A	-2.51	99.26	109.07
2	C	501	FAD	C4X-C4-N3	-2.49	120.03	123.43
2	A	501	FAD	C4X-C4-N3	-2.45	120.08	123.43
2	C	501	FAD	C8M-C8-C7	-2.39	115.83	120.74
3	D	502	NAP	C3D-C2D-C1D	2.32	104.47	100.98
2	C	501	FAD	C10-C4X-N5	-2.31	119.66	121.26
2	D	501	FAD	O2A-PA-O1A	-2.30	100.86	112.24
3	A	502	NAP	C3D-C2D-C1D	2.25	104.37	100.98
2	B	501	FAD	C4-C4X-C10	-2.25	118.46	119.95
3	C	502	NAP	C3D-C2D-C1D	2.25	104.36	100.98
2	D	501	FAD	C4X-N5-C5X	2.20	118.97	116.77
2	C	501	FAD	O4B-C4B-C3B	2.18	109.43	105.11
2	C	501	FAD	C4A-C5A-N7A	-2.18	107.13	109.40
3	B	502	NAP	C4A-C5A-N7A	-2.16	107.15	109.40
2	C	501	FAD	C1B-N9A-C4A	-2.16	122.85	126.64
2	A	501	FAD	C1'-N10-C10	-2.15	116.48	118.41
3	A	502	NAP	C6N-N1N-C2N	-2.14	120.02	121.97
3	B	502	NAP	O5D-C5D-C4D	2.13	116.33	108.99
3	C	502	NAP	PN-O3-PA	-2.12	125.54	132.83
2	D	501	FAD	C9A-C5X-N5	-2.12	119.05	122.36
3	B	502	NAP	C1B-N9A-C4A	-2.09	122.97	126.64
2	A	501	FAD	C5'-C4'-C3'	-2.07	108.20	112.20
2	B	501	FAD	O4B-C4B-C3B	2.05	109.18	105.11
2	D	501	FAD	O4B-C4B-C3B	2.04	109.15	105.11
2	A	501	FAD	O2P-P-O1P	2.04	122.30	112.24
2	D	501	FAD	C6-C5X-N5	2.03	121.29	119.05

There are no chirality outliers.

All (55) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	501	FAD	N10-C1'-C2'-O2'
2	B	501	FAD	C5'-O5'-P-O1P
2	A	501	FAD	C5B-O5B-PA-O2A
2	A	501	FAD	N10-C1'-C2'-O2'
2	A	501	FAD	O3'-C3'-C4'-C5'
2	D	501	FAD	C5B-O5B-PA-O1A
2	D	501	FAD	C5B-O5B-PA-O3P
3	C	502	NAP	C2B-O2B-P2B-O1X

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	502	NAP	PA-O3-PN-O5D
3	B	502	NAP	C5D-O5D-PN-O3
3	A	502	NAP	O4B-C4B-C5B-O5B
3	A	502	NAP	C3B-C4B-C5B-O5B
2	B	501	FAD	O3'-C3'-C4'-C5'
2	C	501	FAD	O3'-C3'-C4'-C5'
2	B	501	FAD	O3'-C3'-C4'-O4'
2	A	501	FAD	O3'-C3'-C4'-O4'
2	D	501	FAD	O3'-C3'-C4'-O4'
2	A	501	FAD	P-O3P-PA-O1A
3	C	502	NAP	PN-O3-PA-O1A
2	C	501	FAD	O3'-C3'-C4'-O4'
2	D	501	FAD	O3'-C3'-C4'-C5'
2	B	501	FAD	C2'-C3'-C4'-C5'
2	A	501	FAD	C2'-C3'-C4'-C5'
2	D	501	FAD	C2'-C3'-C4'-C5'
3	D	502	NAP	PA-O3-PN-O5D
2	A	501	FAD	C4'-C5'-O5'-P
2	B	501	FAD	C5'-O5'-P-O3P
3	C	502	NAP	C2B-O2B-P2B-O3X
3	B	502	NAP	C2B-O2B-P2B-O2X
3	D	502	NAP	PN-O3-PA-O2A
3	A	502	NAP	C5B-O5B-PA-O1A
2	B	501	FAD	C3'-C4'-C5'-O5'
2	C	501	FAD	N10-C1'-C2'-O2'
2	D	501	FAD	C2'-C3'-C4'-O4'
3	D	502	NAP	O4D-C4D-C5D-O5D
2	B	501	FAD	O4B-C4B-C5B-O5B
2	C	501	FAD	O4B-C4B-C5B-O5B
3	B	502	NAP	O4B-C4B-C5B-O5B
2	D	501	FAD	O4B-C4B-C5B-O5B
3	A	502	NAP	C5B-O5B-PA-O3
2	A	501	FAD	C5B-O5B-PA-O3P
3	B	502	NAP	C2B-O2B-P2B-O3X
2	A	501	FAD	O2'-C2'-C3'-O3'
2	A	501	FAD	O4B-C4B-C5B-O5B
3	D	502	NAP	O4B-C4B-C5B-O5B
3	A	502	NAP	PN-O3-PA-O2A
3	D	502	NAP	PN-O3-PA-O1A
3	C	502	NAP	PN-O3-PA-O2A
2	C	501	FAD	C5'-O5'-P-O1P
2	D	501	FAD	C5'-O5'-P-O1P

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	D	502	NAP	C5B-O5B-PA-O1A
3	C	502	NAP	C5D-O5D-PN-O1N
3	C	502	NAP	O4B-C4B-C5B-O5B
3	B	502	NAP	C3B-C2B-O2B-P2B
2	D	501	FAD	N10-C1'-C2'-O2'


There are no ring outliers.

8 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	NAP	2	0
4	D	503	ORN	1	0
2	B	501	FAD	1	0
2	C	501	FAD	1	0
2	A	501	FAD	5	0
2	D	501	FAD	5	0
3	D	502	NAP	3	0
3	C	502	NAP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand FAD C 501



Bond lengths




Bond angles





Torsions





Rings











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	415/443 (93%)	-0.42	4 (0%) 82 80	18, 27, 48, 69	0
1	B	415/443 (93%)	-0.34	3 (0%) 87 86	16, 27, 50, 61	0
1	C	415/443 (93%)	-0.21	9 (2%) 62 59	18, 33, 67, 81	0
1	D	415/443 (93%)	-0.29	4 (0%) 82 80	20, 31, 53, 69	0
All	All	1660/1772 (93%)	-0.32	20 (1%) 79 76	16, 29, 58, 81	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	424	SER	5.4
1	C	424	SER	4.0
1	C	151	ALA	3.9
1	C	152	THR	3.6
1	C	135	PRO	3.1
1	D	192	ASP	3.0
1	C	149	PRO	2.7
1	C	134	GLY	2.6
1	A	10	PRO	2.5
1	B	424	SER	2.4
1	D	36	ALA	2.4
1	A	424	SER	2.4
1	D	318	ASP	2.3
1	A	366	ALA	2.2
1	A	194	ASP	2.2
1	C	10	PRO	2.1
1	C	140	ASP	2.1
1	C	423	LYS	2.1
1	B	193	ARG	2.0
1	B	192	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	K	C	504	1/1	0.76	0.12	64,64,64,64	0
5	K	B	505	1/1	0.84	0.09	55,55,55,55	0
5	K	A	506	1/1	0.87	0.07	78,78,78,78	0
5	K	D	504	1/1	0.89	0.07	54,54,54,54	0
5	K	C	505	1/1	0.90	0.07	60,60,60,60	0
4	ORN	D	503	9/9	0.93	0.19	27,28,33,39	0
5	K	A	505	1/1	0.93	0.07	40,40,40,40	0
5	K	A	504	1/1	0.94	0.09	48,48,48,48	0
3	NAP	A	502	48/48	0.95	0.12	18,27,33,36	0
3	NAP	D	502	48/48	0.95	0.12	24,33,38,40	0
4	ORN	C	503	9/9	0.95	0.13	28,30,33,33	0
2	FAD	C	501	53/53	0.96	0.11	19,33,43,44	0
4	ORN	B	503	9/9	0.96	0.16	24,26,30,32	0
4	ORN	A	503	9/9	0.96	0.15	25,28,35,36	0
3	NAP	B	502	48/48	0.96	0.11	19,25,34,40	0
2	FAD	A	501	53/53	0.97	0.11	15,26,39,43	0
2	FAD	D	501	53/53	0.97	0.12	16,29,37,41	0
2	FAD	B	501	53/53	0.97	0.12	17,24,34,36	0
3	NAP	C	502	48/48	0.98	0.11	19,28,34,39	0
5	K	B	504	1/1	0.98	0.10	47,47,47,47	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NAP A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP D 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around FAD C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD D 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around FAD B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP C 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers

There are no such residues in this entry.