



# Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 02:52 am BST

PDB ID : 4TMB  
Title : CRYSTAL STRUCTURE of OLD YELLOW ENZYME from CANDIDA MACEDONIENSIS AKU4588  
Authors : Horita, S.; Kataoka, M.; Kitamura, N.; Nakagawa, T.; Miyakawa, T.; Ohtsuka, J.; Nagata, K.; Shimizu, S.; Tanokura, M.  
Deposited on : 2014-05-31  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	403	
1	B	403	
1	C	403	
1	D	403	

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 13296 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Old yellow enzyme.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	390	Total	C	N	O	S	0	0	0
			3138	2010	531	592	5			
1	B	374	Total	C	N	O	S	0	0	0
			2991	1910	509	567	5			
1	C	381	Total	C	N	O	S	0	0	0
			3044	1944	518	576	6			
1	D	383	Total	C	N	O	S	0	0	0
			3062	1955	521	580	6			

- Molecule 2 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C<sub>17</sub>H<sub>21</sub>N<sub>4</sub>O<sub>9</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	D	1	Total	C	N	O	P	0	0
			31	17	4	9	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	247	Total	O	0	0
			247	247		
3	B	263	Total	O	0	0
			263	263		
3	C	178	Total	O	0	0
			178	178		
3	D	249	Total	O	0	0
			249	249		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Old yellow enzyme




- Molecule 1: Old yellow enzyme



- Molecule 1: Old yellow enzyme



- Molecule 1: Old yellow enzyme



GLU	PHE	GLU	LYS	TRP	PHE	LYS	GLU	G307	R322	D331	F350	R359	Y375	S387	E390	K398	E399	GLU	LYS	LYS	TYR
-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----

## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	287.51 Å   59.62 Å   100.29 Å 90.00°   109.89°   90.00°	Depositor
Resolution (Å)	19.82 – 1.80 19.82 – 1.80	Depositor EDS
% Data completeness (in resolution range)	98.9 (19.82-1.80) 99.0 (19.82-1.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.98 (at 1.80 Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, $R_{free}$	0.172   ,   0.210 0.226   ,   0.251	Depositor DCC
$R_{free}$ test set	7364 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	17.1	Xtriage
Anisotropy	0.074	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 42.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.015 for -h-2*k,l	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	13296	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.71% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FMN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.97	4/3221 (0.1%)	1.13	13/4370 (0.3%)
1	B	1.03	2/3066 (0.1%)	1.15	17/4158 (0.4%)
1	C	0.87	1/3120 (0.0%)	1.02	10/4228 (0.2%)
1	D	0.97	4/3138 (0.1%)	1.04	8/4251 (0.2%)
All	All	0.96	11/12545 (0.1%)	1.08	48/17007 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	322	ARG	CD-NE	-8.44	1.32	1.46
1	A	218	GLU	CD-OE1	6.92	1.33	1.25
1	A	218	GLU	CD-OE2	6.23	1.32	1.25
1	D	387	SER	CB-OG	6.06	1.50	1.42
1	B	149	GLU	CG-CD	5.65	1.60	1.51
1	D	322	ARG	CZ-NH2	-5.61	1.25	1.33
1	A	133	ARG	CD-NE	-5.60	1.36	1.46
1	B	243	ARG	CD-NE	-5.38	1.37	1.46
1	C	120	ARG	CD-NE	-5.08	1.37	1.46
1	A	239	ARG	CD-NE	-5.05	1.37	1.46
1	D	390	GLU	CD-OE2	-5.01	1.20	1.25

All (48) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	133	ARG	NE-CZ-NH2	-21.31	109.64	120.30
1	B	40	ARG	NE-CZ-NH2	-21.11	109.75	120.30
1	D	322	ARG	NE-CZ-NH2	-18.66	110.97	120.30
1	D	322	ARG	NE-CZ-NH1	17.80	129.20	120.30
1	C	120	ARG	NE-CZ-NH2	-16.75	111.93	120.30
1	A	243	ARG	NE-CZ-NH1	16.44	128.52	120.30
1	B	40	ARG	NE-CZ-NH1	15.59	128.10	120.30
1	A	239	ARG	NE-CZ-NH2	-15.58	112.51	120.30
1	C	120	ARG	NE-CZ-NH1	15.46	128.03	120.30
1	A	133	ARG	NE-CZ-NH1	15.22	127.91	120.30
1	B	40	ARG	CD-NE-CZ	13.96	143.14	123.60
1	A	239	ARG	NE-CZ-NH1	13.32	126.96	120.30
1	B	40	ARG	CG-CD-NE	-12.05	86.49	111.80
1	A	243	ARG	NE-CZ-NH2	-12.01	114.29	120.30
1	D	239	ARG	NE-CZ-NH1	10.99	125.79	120.30
1	C	120	ARG	CB-CG-CD	10.56	139.04	111.60
1	B	40	ARG	CB-CG-CD	10.12	137.91	111.60
1	D	239	ARG	NE-CZ-NH2	-9.67	115.47	120.30
1	B	243	ARG	NE-CZ-NH1	8.24	124.42	120.30
1	B	281	ARG	NE-CZ-NH1	7.46	124.03	120.30
1	A	275	ARG	NE-CZ-NH1	7.41	124.01	120.30
1	B	94	LEU	CA-CB-CG	-7.13	98.90	115.30
1	A	133	ARG	CD-NE-CZ	7.03	133.44	123.60
1	B	239	ARG	NE-CZ-NH2	-6.86	116.87	120.30
1	B	239	ARG	NE-CZ-NH1	6.81	123.71	120.30
1	C	222	ARG	NE-CZ-NH1	-6.76	116.92	120.30
1	B	223	PHE	CB-CG-CD1	6.75	125.53	120.80
1	D	203	ASP	CB-CG-OD1	6.33	124.00	118.30
1	C	120	ARG	CD-NE-CZ	6.31	132.43	123.60
1	B	223	PHE	CB-CG-CD2	-6.28	116.40	120.80
1	B	27	LEU	CB-CG-CD1	6.12	121.41	111.00
1	C	239	ARG	NE-CZ-NH1	5.83	123.22	120.30
1	C	182	ASP	CB-CG-OD1	5.82	123.53	118.30
1	A	27	LEU	CB-CG-CD1	5.79	120.84	111.00
1	B	243	ARG	CB-CG-CD	-5.72	96.74	111.60
1	A	30	ARG	NE-CZ-NH1	-5.69	117.45	120.30
1	D	277	ARG	NE-CZ-NH2	-5.58	117.51	120.30
1	C	133	ARG	NE-CZ-NH2	-5.44	117.58	120.30
1	B	243	ARG	CG-CD-NE	5.39	123.11	111.80
1	A	82	TYR	CB-CG-CD1	5.36	124.22	121.00
1	A	139	ASP	CB-CG-OD1	5.27	123.05	118.30
1	C	348	ARG	NE-CZ-NH2	-5.25	117.67	120.30
1	A	218	GLU	OE1-CD-OE2	5.22	129.56	123.30

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	186	ASP	CB-CG-OD2	5.17	122.95	118.30
1	C	243	ARG	NE-CZ-NH2	-5.14	117.73	120.30
1	D	359	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	B	286	ASP	CB-CG-OD1	5.07	122.86	118.30
1	B	281	ARG	NE-CZ-NH2	-5.07	117.77	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	40	ARG	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3138	0	3059	26	0
1	B	2991	0	2919	21	0
1	C	3044	0	2979	24	0
1	D	3062	0	2998	18	0
2	A	31	0	19	3	0
2	B	31	0	19	4	0
2	C	31	0	19	4	0
2	D	31	0	19	1	0
3	A	247	0	0	1	0
3	B	263	0	0	3	0
3	C	178	0	0	8	0
3	D	249	0	0	1	0
All	All	13296	0	12031	90	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (90) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:120:ARG:HD3	3:C:617:HOH:O	1.51	1.07
1:A:353:ASN:HD21	1:A:367:ASN:H	1.15	0.94
1:A:133:ARG:HD2	1:A:135:ASP:OD1	1.77	0.84
1:C:212:GLU:O	1:C:222:ARG:NH1	2.11	0.83
1:C:120:ARG:CD	3:C:617:HOH:O	2.18	0.81
1:C:375:TYR:CE1	2:C:501:FMN:HM72	2.18	0.79
1:A:78:GLN:HE22	1:A:133:ARG:H	1.36	0.73
1:B:40:ARG:CD	1:B:378:THR:O	2.37	0.73
1:C:195:GLY:H	1:C:199:ASN:HD22	1.37	0.72
1:C:78:GLN:HE22	1:C:133:ARG:H	1.39	0.71
1:A:243:ARG:HD3	1:A:286:ASP:CG	2.10	0.71
1:C:375:TYR:CZ	2:C:501:FMN:HM72	2.27	0.70
1:A:195:GLY:H	1:A:199:ASN:HD22	1.40	0.70
1:C:25:ASN:HD21	1:C:186:ASP:HB3	1.55	0.70
1:B:130:GLU:OE1	3:B:858:HOH:O	2.10	0.69
1:A:235:VAL:O	1:A:239:ARG:HD3	1.93	0.68
1:A:29:HIS:HD2	1:A:31:VAL:H	1.42	0.67
1:A:133:ARG:HD3	1:A:159:HIS:CD2	2.29	0.67
1:B:40:ARG:HD3	1:B:378:THR:O	1.94	0.66
1:A:353:ASN:HD21	1:A:367:ASN:N	1.91	0.65
1:D:78:GLN:HE22	1:D:133:ARG:H	1.45	0.65
1:D:195:GLY:H	1:D:199:ASN:HD22	1.43	0.65
1:D:235:VAL:O	1:D:239:ARG:HD3	1.97	0.63
1:C:40:ARG:O	1:C:49:ASN:HB2	1.99	0.63
1:B:375:TYR:CZ	2:B:501:FMN:HM72	2.36	0.61
1:B:375:TYR:CE1	2:B:501:FMN:HM72	2.38	0.59
1:D:7:ASP:OD1	1:D:398:LYS:NZ	2.32	0.58
1:B:195:GLY:H	1:B:199:ASN:HD22	1.48	0.58
1:D:390:GLU:OE1	3:D:601:HOH:O	2.17	0.58
1:D:14:THR:CG2	1:D:16:ILE:H	2.15	0.58
1:A:243:ARG:CD	1:A:286:ASP:CG	2.73	0.57
1:C:167:LYS:HE3	1:C:167:LYS:O	2.05	0.57
1:B:371:ARG:HD2	3:B:744:HOH:O	2.05	0.56
1:D:11:LEU:O	1:D:14:THR:HB	2.06	0.55
1:C:105:HIS:HE1	1:C:186:ASP:OD2	1.90	0.55
1:B:243:ARG:HD2	1:B:286:ASP:CG	2.28	0.54
1:B:235:VAL:O	1:B:239:ARG:HD2	2.08	0.54
1:C:120:ARG:HD2	1:C:200:GLN:HG2	1.90	0.53
1:C:195:GLY:H	1:C:199:ASN:ND2	2.04	0.53
1:A:243:ARG:HD2	1:A:286:ASP:OD1	2.07	0.53
1:C:29:HIS:HD2	1:C:31:VAL:H	1.57	0.53
1:A:243:ARG:HD3	1:A:286:ASP:OD2	2.08	0.53

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:243:ARG:HH21	2:B:501:FMN:C2	2.22	0.53
1:C:261:ILE:HD12	3:C:636:HOH:O	2.10	0.52
1:D:14:THR:HG23	1:D:16:ILE:H	1.74	0.52
1:D:195:GLY:H	1:D:199:ASN:ND2	2.08	0.52
1:A:129:LYS:HD3	1:A:129:LYS:N	2.25	0.51
1:B:171:LYS:HB3	1:B:171:LYS:NZ	2.25	0.51
1:B:195:GLY:H	1:B:199:ASN:ND2	2.08	0.51
1:C:243:ARG:NH2	2:C:501:FMN:N1	2.59	0.51
1:A:375:TYR:CZ	2:A:501:FMN:HM72	2.47	0.50
1:D:25:ASN:HD21	1:D:186:ASP:HB3	1.77	0.50
1:B:235:VAL:O	1:B:239:ARG:CD	2.61	0.48
1:D:289:GLU:OE2	1:D:322:ARG:HD2	2.14	0.48
1:C:67:LEU:HD11	1:C:112:TRP:CD1	2.49	0.48
1:C:91:LYS:HA	1:C:91:LYS:HE3	1.95	0.48
1:B:25:ASN:HD21	1:B:186:ASP:HB3	1.78	0.48
1:D:289:GLU:OE2	1:D:322:ARG:CD	2.61	0.48
1:B:371:ARG:HD3	1:B:374:PHE:CE2	2.50	0.47
1:B:164:GLU:HG3	3:B:856:HOH:O	2.15	0.47
1:B:40:ARG:O	1:B:49:ASN:HB2	2.15	0.47
1:C:222:ARG:HG3	3:C:718:HOH:O	2.14	0.46
1:D:9:LYS:HE3	1:D:331:ASP:OD1	2.16	0.46
1:A:348:ARG:NH1	2:A:501:FMN:O3P	2.49	0.46
1:A:195:GLY:H	1:A:199:ASN:ND2	2.10	0.45
1:A:25:ASN:HD21	1:A:186:ASP:HB3	1.82	0.45
1:A:235:VAL:O	1:A:239:ARG:CD	2.63	0.45
1:A:40:ARG:O	1:A:49:ASN:HB2	2.16	0.44
1:A:37:THR:O	2:A:501:FMN:H6	2.17	0.44
1:D:221:ALA:HB1	1:D:268:VAL:HG22	1.99	0.44
2:C:501:FMN:H1'1	3:C:763:HOH:O	2.17	0.43
1:A:142:TYR:CD1	1:A:148:LYS:HA	2.53	0.43
1:D:375:TYR:CZ	2:D:501:FMN:HM72	2.54	0.43
1:A:167:LYS:HG2	3:A:632:HOH:O	2.18	0.43
1:A:39:MET:HA	1:A:84:ASN:O	2.19	0.42
1:A:29:HIS:CD2	1:A:31:VAL:H	2.30	0.42
1:C:92:GLU:CD	3:C:752:HOH:O	2.58	0.42
1:B:243:ARG:HD2	1:B:286:ASP:OD2	2.20	0.41
1:B:243:ARG:NH2	2:B:501:FMN:N1	2.60	0.41
1:C:67:LEU:CD1	1:C:112:TRP:CD1	3.03	0.41
1:C:133:ARG:NH2	3:C:725:HOH:O	2.42	0.41
1:D:14:THR:HG22	1:D:16:ILE:H	1.83	0.41
1:A:177:ALA:O	1:A:181:ILE:HG12	2.19	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:142:TYR:CD1	1:D:148:LYS:HA	2.55	0.41
1:C:4:MET:CE	3:C:659:HOH:O	2.67	0.41
1:B:40:ARG:HD2	1:B:378:THR:O	2.19	0.41
1:C:4:MET:HE3	1:C:366:LEU:HD12	2.03	0.41
1:B:221:ALA:HB1	1:B:268:VAL:HG22	2.02	0.41
1:A:310:GLU:OE1	1:A:339:LYS:HE2	2.21	0.40
1:D:105:HIS:HE1	1:D:184:GLY:O	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	388/403 (96%)	379 (98%)	9 (2%)	0	100	100
1	B	370/403 (92%)	358 (97%)	12 (3%)	0	100	100
1	C	377/403 (94%)	366 (97%)	11 (3%)	0	100	100
1	D	379/403 (94%)	370 (98%)	9 (2%)	0	100	100
All	All	1514/1612 (94%)	1473 (97%)	41 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	329/340 (97%)	320 (97%)	9 (3%)	44	31
1	B	313/340 (92%)	307 (98%)	6 (2%)	57	46
1	C	318/340 (94%)	308 (97%)	10 (3%)	40	25
1	D	320/340 (94%)	314 (98%)	6 (2%)	57	46
All	All	1280/1360 (94%)	1249 (98%)	31 (2%)	49	36

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	PHE
1	A	27	LEU
1	A	129	LYS
1	A	167	LYS
1	A	182	ASP
1	A	239	ARG
1	A	243	ARG
1	A	328	LEU
1	A	350	PHE
1	B	94	LEU
1	B	218	GLU
1	B	243	ARG
1	B	310	GLU
1	B	350	PHE
1	B	371	ARG
1	C	6	PHE
1	C	91	LYS
1	C	120	ARG
1	C	141	LEU
1	C	156	ASN
1	C	171	LYS
1	C	328	LEU
1	C	335	LEU
1	C	350	PHE
1	C	389	GLU
1	D	1	MET
1	D	14	THR
1	D	156	ASN
1	D	191	HIS
1	D	223	PHE
1	D	350	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	ASN
1	A	29	HIS
1	A	78	GLN
1	A	84	ASN
1	A	107	ASN
1	A	199	ASN
1	A	353	ASN
1	B	25	ASN
1	B	62	GLN
1	B	107	ASN
1	B	199	ASN
1	B	309	ASN
1	B	372	ASN
1	C	25	ASN
1	C	29	HIS
1	C	78	GLN
1	C	84	ASN
1	C	156	ASN
1	C	199	ASN
1	C	309	ASN
1	C	341	ASN
1	D	5	ASN
1	D	24	ASN
1	D	25	ASN
1	D	62	GLN
1	D	78	GLN
1	D	107	ASN
1	D	156	ASN
1	D	199	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	FMN	C	501	-	31,33,33	3.09	11 (35%)	40,50,50	2.86	11 (27%)
2	FMN	A	501	-	31,33,33	2.84	11 (35%)	40,50,50	2.92	8 (20%)
2	FMN	D	501	-	31,33,33	2.28	8 (25%)	40,50,50	2.45	13 (32%)
2	FMN	B	501	-	31,33,33	3.21	9 (29%)	40,50,50	2.53	14 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FMN	C	501	-	-	1/18/18/18	0/3/3/3
2	FMN	A	501	-	-	1/18/18/18	0/3/3/3
2	FMN	D	501	-	-	1/18/18/18	0/3/3/3
2	FMN	B	501	-	-	1/18/18/18	0/3/3/3

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	FMN	C4A-C10	13.64	1.52	1.38
2	C	501	FMN	C4A-C10	11.84	1.50	1.38
2	A	501	FMN	C4A-C10	10.96	1.49	1.38
2	D	501	FMN	C4A-C10	8.12	1.46	1.38
2	C	501	FMN	C4-C4A	7.73	1.54	1.41
2	B	501	FMN	C4-C4A	6.15	1.52	1.41

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	FMN	C9A-N10	5.32	1.45	1.38
2	B	501	FMN	C8-C7	4.63	1.52	1.40
2	D	501	FMN	C4-C4A	4.22	1.48	1.41
2	B	501	FMN	C9A-C5A	3.77	1.50	1.42
2	B	501	FMN	C4A-N5	3.75	1.38	1.33
2	C	501	FMN	C8-C7	3.75	1.50	1.40
2	D	501	FMN	C4A-N5	3.69	1.38	1.33
2	A	501	FMN	C8-C7	3.63	1.50	1.40
2	B	501	FMN	O4-C4	3.49	1.33	1.24
2	C	501	FMN	C9A-N10	3.46	1.43	1.38
2	A	501	FMN	C10-N1	3.36	1.37	1.33
2	A	501	FMN	C4A-N5	3.34	1.38	1.33
2	D	501	FMN	O3'-C3'	3.28	1.50	1.43
2	C	501	FMN	C9A-C5A	3.15	1.48	1.42
2	A	501	FMN	C2-N1	-3.15	1.31	1.38
2	C	501	FMN	C4-N3	3.00	1.38	1.33
2	A	501	FMN	C4-C4A	2.93	1.46	1.41
2	C	501	FMN	O3'-C3'	2.84	1.49	1.43
2	B	501	FMN	C4-N3	2.80	1.37	1.33
2	A	501	FMN	C9A-C5A	2.65	1.47	1.42
2	A	501	FMN	C4-N3	2.61	1.37	1.33
2	C	501	FMN	O4-C4	2.58	1.31	1.24
2	C	501	FMN	C4A-N5	2.57	1.37	1.33
2	A	501	FMN	O3'-C3'	2.53	1.48	1.43
2	D	501	FMN	C8-C7	2.50	1.47	1.40
2	B	501	FMN	C9A-N10	2.36	1.41	1.38
2	D	501	FMN	C4-N3	2.30	1.37	1.33
2	C	501	FMN	C1'-N10	-2.29	1.45	1.48
2	B	501	FMN	O3'-C3'	2.24	1.48	1.43
2	D	501	FMN	C9A-C5A	2.19	1.47	1.42
2	D	501	FMN	O4-C4	2.15	1.30	1.24
2	A	501	FMN	O4-C4	2.13	1.29	1.24
2	C	501	FMN	C4'-C3'	2.06	1.57	1.53

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	FMN	C4-N3-C2	11.79	125.10	115.14
2	D	501	FMN	C4-N3-C2	9.04	122.78	115.14
2	C	501	FMN	C4A-N5-C5A	8.82	125.59	116.77
2	B	501	FMN	C4-N3-C2	8.51	122.33	115.14
2	C	501	FMN	C10-C4A-N5	-7.68	115.95	121.26

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	FMN	C4A-N5-C5A	7.17	123.93	116.77
2	C	501	FMN	C4-N3-C2	6.27	120.43	115.14
2	C	501	FMN	C4-C4A-N5	6.22	125.70	118.60
2	A	501	FMN	C4A-C4-N3	-6.15	115.02	123.43
2	B	501	FMN	C4A-C4-N3	-5.85	115.43	123.43
2	A	501	FMN	C1'-N10-C10	5.23	123.10	118.41
2	C	501	FMN	C4A-C4-N3	-5.00	116.60	123.43
2	B	501	FMN	C1'-N10-C9A	4.91	122.16	118.29
2	D	501	FMN	C4A-C4-N3	-4.70	117.01	123.43
2	A	501	FMN	C4-C4A-N5	4.63	123.89	118.60
2	D	501	FMN	C4A-N5-C5A	4.45	121.22	116.77
2	D	501	FMN	C1'-N10-C10	4.31	122.27	118.41
2	C	501	FMN	O3'-C3'-C4'	4.23	119.02	108.81
2	B	501	FMN	C4A-N5-C5A	4.15	120.92	116.77
2	D	501	FMN	C4-C4A-C10	-3.96	117.33	119.95
2	B	501	FMN	C5A-C9A-N10	3.95	120.58	117.72
2	A	501	FMN	C10-C4A-N5	-3.84	118.60	121.26
2	A	501	FMN	C4-C4A-C10	-3.72	117.49	119.95
2	D	501	FMN	C5A-C9A-N10	3.54	120.28	117.72
2	D	501	FMN	C4-C4A-N5	3.35	122.43	118.60
2	C	501	FMN	C1'-N10-C10	3.32	121.38	118.41
2	C	501	FMN	O3P-P-O5'	-3.19	98.26	106.73
2	B	501	FMN	C4'-C3'-C2'	-3.11	106.89	113.36
2	B	501	FMN	C9A-N10-C10	-3.05	117.91	121.91
2	D	501	FMN	O3'-C3'-C4'	3.02	116.12	108.81
2	B	501	FMN	O2'-C2'-C3'	-2.96	101.90	109.10
2	B	501	FMN	C4-C4A-N5	2.84	121.84	118.60
2	B	501	FMN	O2'-C2'-C1'	2.82	116.39	109.59
2	C	501	FMN	O2'-C2'-C1'	2.72	116.13	109.59
2	B	501	FMN	C4-C4A-C10	-2.52	118.29	119.95
2	D	501	FMN	C6-C5A-C9A	2.43	122.24	119.05
2	C	501	FMN	C4-C4A-C10	-2.42	118.35	119.95
2	B	501	FMN	C10-C4A-N5	-2.32	119.66	121.26
2	D	501	FMN	C7-C6-C5A	-2.31	117.94	121.22
2	B	501	FMN	O3'-C3'-C4'	2.30	114.37	108.81
2	D	501	FMN	C9A-N10-C10	-2.14	119.11	121.91
2	A	501	FMN	C4'-C3'-C2'	-2.13	108.92	113.36
2	D	501	FMN	C4'-C3'-C2'	-2.10	108.99	113.36
2	B	501	FMN	O5'-P-O1P	-2.09	100.60	106.47
2	D	501	FMN	C9-C8-C7	2.08	123.41	119.91
2	C	501	FMN	O3P-P-O2P	2.06	115.52	107.64

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	D	501	FMN	C4'-C5'-O5'-P
2	A	501	FMN	C4'-C5'-O5'-P
2	C	501	FMN	C4'-C5'-O5'-P
2	B	501	FMN	C4'-C5'-O5'-P


There are no ring outliers.


4 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	501	FMN	4	0
2	A	501	FMN	3	0
2	D	501	FMN	1	0
2	B	501	FMN	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.3 Carbohydrates ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.4 Ligands ⓘ




Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





**Electron density around FMN C 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around FMN A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around FMN D 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around FMN B 501:**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

Unable to reproduce the depositor's R factor - this section is therefore empty.