



# Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 02:18 am BST

PDB ID : 3TNF  
Title : LidA from Legionella in complex with active Rab8a  
Authors : Schoebel, S.; Cichy, A.L.; Goody, R.S.; Itzen, A.  
Deposited on : 2011-09-01  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	174	
2	B	384	

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4590 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ras-related protein Rab-8A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	170	Total	C	N	O	S	0	0	0
			1372	872	236	257	7			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	3	GLY	-	EXPRESSION TAG	UNP P61006
A	4	HIS	-	EXPRESSION TAG	UNP P61006
A	5	MET	-	EXPRESSION TAG	UNP P61006

- Molecule 2 is a protein called LidA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	379	Total	C	N	O	S	0	0	0
			3091	1935	536	613	7			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	200	GLY	-	EXPRESSION TAG	UNP Q5ZWZ3

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		

- Molecule 4 is PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER (three-letter code: GNP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>6</sub>O<sub>13</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			32	10	6	13	3		

- Molecule 5 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula:  $C_6H_{14}O_2$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 8 6 2	0	0
5	A	1	Total C O 8 6 2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			8	6	2		
5	B	1	Total	C	O	0	0
			8	6	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	26	Total	O	0	0
			26	26		
6	B	36	Total	O	0	0
			36	36		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ras-related protein Rab-8A



- Molecule 2: LidA



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	103.82Å 103.82Å 150.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.50 49.08 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (30.00-2.50) 99.8 (49.08-2.50)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.49 (at 2.51Å)	Xtriage
Refinement program	PHENIX 1.7 _650	Depositor
R, $R_{free}$	0.216 , 0.275 0.212 , 0.270	Depositor DCC
$R_{free}$ test set	1458 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	60.2	Xtriage
Anisotropy	0.352	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 48.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4590	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.87% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, MPD, GNP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.51	0/1392	0.58	0/1865
2	B	0.45	0/3138	0.54	0/4197
All	All	0.47	0/4530	0.55	0/6062

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1372	0	1385	32	0
2	B	3091	0	3082	109	0
3	A	1	0	0	0	0
4	A	32	0	13	1	0
5	A	16	0	28	2	0
5	B	16	0	28	4	0
6	A	26	0	0	3	0
6	B	36	0	0	0	0
All	All	4590	0	4536	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.



All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:319:GLY:HA2	2:B:321:LYS:H	1.17	1.10
2:B:325:ASN:O	2:B:327:LYS:HA	1.67	0.94
2:B:391:MET:CE	2:B:444:MET:HB3	1.98	0.94
2:B:225:LYS:HA	2:B:228:LYS:HG2	1.48	0.93
2:B:391:MET:HE1	2:B:444:MET:HB3	1.55	0.87
2:B:237:GLU:HG3	5:B:3:MPD:HM1	1.57	0.86
2:B:481:LEU:HB2	2:B:486:TYR:HE2	1.40	0.86
1:A:71:ARG:HH21	5:A:1:MPD:H31	1.42	0.83
2:B:319:GLY:HA2	2:B:321:LYS:N	1.94	0.82
2:B:328:GLY:HA2	2:B:347:VAL:HB	1.62	0.81
2:B:480:ASN:HD21	2:B:483:GLY:H	1.27	0.81
2:B:319:GLY:CA	2:B:321:LYS:H	1.94	0.79
2:B:250:PHE:HZ	2:B:444:MET:CE	2.01	0.72
2:B:250:PHE:HZ	2:B:444:MET:HE1	1.53	0.72
2:B:391:MET:HE2	2:B:444:MET:HB3	1.72	0.70
2:B:480:ASN:HD21	2:B:483:GLY:N	1.89	0.69
1:A:14:ILE:HD11	1:A:106:ILE:HD11	1.76	0.67
1:A:34:ASN:HD22	1:A:36:THR:H	1.42	0.65
2:B:441:LEU:HA	2:B:444:MET:HE3	1.77	0.65
2:B:315:ASP:O	2:B:319:GLY:HA2	1.98	0.64
2:B:325:ASN:C	2:B:327:LYS:HA	2.17	0.64
2:B:386:LEU:HD13	2:B:390:LYS:HE3	1.78	0.64
2:B:441:LEU:HD23	2:B:444:MET:HE3	1.79	0.64
2:B:497:LYS:HE3	2:B:510:TRP:CD1	2.33	0.64
1:A:111:SER:O	1:A:114:VAL:HG22	1.97	0.63
2:B:250:PHE:CZ	2:B:444:MET:HE1	2.32	0.63
2:B:480:ASN:HD22	2:B:481:LEU:N	1.97	0.63
2:B:537:THR:HG22	2:B:540:LYS:HB3	1.80	0.62
2:B:481:LEU:HB2	2:B:486:TYR:CE2	2.28	0.62
2:B:339:LEU:HD23	2:B:382:SER:OG	2.01	0.61
2:B:250:PHE:CZ	2:B:444:MET:CE	2.83	0.60
2:B:537:THR:HG22	2:B:540:LYS:CB	2.31	0.60
1:A:14:ILE:CD1	1:A:106:ILE:HD11	2.31	0.60
1:A:47:ILE:HD13	1:A:60:GLN:HA	1.83	0.60
1:A:79:ARG:HH11	1:A:79:ARG:HB2	1.66	0.59
2:B:511:GLU:HA	2:B:514:LYS:HD2	1.82	0.59
2:B:441:LEU:HD23	2:B:444:MET:CE	2.33	0.59
2:B:246:ASN:OD1	2:B:437:LYS:HE3	2.03	0.58
1:A:14:ILE:HD12	1:A:102:TRP:CE3	2.38	0.58
2:B:253:LEU:HD22	2:B:437:LYS:HD3	1.84	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:537:THR:HG23	2:B:540:LYS:H	1.70	0.57
2:B:357:LEU:HD13	2:B:357:LEU:N	2.20	0.56
2:B:517:PRO:HA	2:B:520:GLN:HE21	1.69	0.56
2:B:210:LYS:HA	2:B:213:GLN:HB2	1.86	0.56
1:A:34:ASN:ND2	1:A:36:THR:H	2.03	0.56
1:A:140:ALA:HB1	1:A:145:ILE:O	2.06	0.56
2:B:550:THR:OG1	5:B:3:MPD:H12	2.05	0.56
2:B:215:ASN:OD1	2:B:571:LYS:HG2	2.05	0.55
2:B:364:ALA:O	2:B:365:ILE:HD13	2.07	0.54
1:A:130:GLN:HE22	2:B:529:LYS:HE2	1.72	0.54
1:A:89:ASP:OD2	1:A:122:LYS:HE3	2.06	0.54
1:A:27:ARG:HD2	1:A:152:ALA:O	2.06	0.53
2:B:285:LYS:NZ	2:B:286:HIS:HE1	2.06	0.53
1:A:12:LEU:HD23	1:A:62:TRP:HB2	1.91	0.53
6:A:204:HOH:O	2:B:534:THR:HG23	2.09	0.53
2:B:224:LYS:O	2:B:228:LYS:HB3	2.09	0.53
2:B:536:MET:HG2	2:B:540:LYS:HG2	1.91	0.53
2:B:207:GLN:O	2:B:211:ARG:HB2	2.08	0.52
2:B:223:GLU:HG3	2:B:564:LEU:HD11	1.91	0.52
2:B:318:THR:OG1	2:B:320:LYS:HG3	2.09	0.52
2:B:253:LEU:O	2:B:253:LEU:HG	2.05	0.52
2:B:326:GLU:CB	2:B:338:HIS:CE1	2.93	0.52
2:B:394:LEU:HD22	5:B:2:MPD:H11	1.92	0.51
1:A:71:ARG:NH2	5:A:1:MPD:H31	2.20	0.50
2:B:228:LYS:HA	2:B:231:ARG:HE	1.75	0.50
2:B:422:GLU:O	2:B:425:THR:HG23	2.12	0.50
2:B:325:ASN:OD1	2:B:329:ASN:HB2	2.12	0.50
2:B:324:VAL:HG21	2:B:341:ILE:HD11	1.94	0.50
2:B:569:LYS:O	2:B:572:ILE:HG12	2.12	0.50
2:B:209:ILE:HG13	2:B:210:LYS:HD3	1.94	0.50
2:B:391:MET:HE2	2:B:444:MET:CB	2.43	0.49
1:A:147:PHE:CG	1:A:148:MET:N	2.80	0.49
2:B:357:LEU:HD13	2:B:357:LEU:H	1.78	0.49
2:B:224:LYS:HB2	2:B:224:LYS:HE3	1.43	0.48
2:B:517:PRO:HA	2:B:520:GLN:NE2	2.27	0.48
2:B:500:LYS:HD3	2:B:524:GLU:OE2	2.14	0.48
2:B:323:TYR:HB3	2:B:337:ALA:HB2	1.96	0.48
1:A:140:ALA:CB	1:A:147:PHE:HB2	2.44	0.48
2:B:209:ILE:HG13	2:B:210:LYS:N	2.29	0.47
2:B:250:PHE:CZ	2:B:444:MET:HE2	2.49	0.47
2:B:493:LYS:HG3	2:B:506:GLN:HA	1.96	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:285:LYS:HG2	2:B:286:HIS:CE1	2.50	0.47
2:B:293:VAL:O	2:B:297:GLN:HG3	2.15	0.47
1:A:25:LEU:HD22	1:A:63:ASP:HB2	1.97	0.46
1:A:47:ILE:CD1	1:A:60:GLN:HA	2.45	0.46
2:B:369:PRO:HA	2:B:372:LEU:HB2	1.97	0.46
2:B:419:LYS:HD2	2:B:419:LYS:HA	1.55	0.46
2:B:319:GLY:CA	2:B:321:LYS:N	2.67	0.46
2:B:274:LYS:O	2:B:278:LYS:HG3	2.14	0.46
2:B:326:GLU:CB	2:B:338:HIS:ND1	2.79	0.46
2:B:226:LEU:HD13	2:B:564:LEU:HD22	1.98	0.45
2:B:349:GLU:HG3	2:B:354:PHE:CE1	2.52	0.45
2:B:266:ASN:HD21	2:B:314:HIS:CE1	2.33	0.45
2:B:487:PRO:CG	2:B:533:GLU:HG2	2.47	0.45
2:B:285:LYS:HZ3	2:B:286:HIS:HE1	1.65	0.45
1:A:18:GLY:H	4:A:200:GNP:HNB3	1.64	0.45
2:B:250:PHE:HZ	2:B:444:MET:HE2	1.80	0.45
2:B:386:LEU:CD1	2:B:390:LYS:HE3	2.45	0.45
2:B:212:ALA:HB2	2:B:574:ILE:CG2	2.46	0.44
2:B:480:ASN:C	2:B:480:ASN:HD22	2.20	0.44
2:B:394:LEU:HA	2:B:394:LEU:HD13	1.80	0.44
2:B:527:PHE:O	2:B:530:LEU:HB2	2.18	0.44
2:B:503:LEU:HA	2:B:503:LEU:HD23	1.89	0.44
2:B:357:LEU:CD1	2:B:357:LEU:N	2.81	0.44
2:B:487:PRO:HG2	2:B:533:GLU:HG2	1.99	0.44
6:A:189:HOH:O	2:B:534:THR:HG22	2.18	0.44
1:A:147:PHE:O	1:A:148:MET:HB2	2.18	0.44
1:A:169:ILE:O	1:A:173:MET:HB2	2.19	0.43
1:A:34:ASN:HD22	1:A:35:SER:N	2.16	0.43
2:B:343:LYS:HG3	2:B:343:LYS:H	1.44	0.43
2:B:493:LYS:CG	2:B:506:GLN:HA	2.48	0.43
2:B:325:ASN:C	2:B:325:ASN:HD22	2.22	0.43
2:B:537:THR:HG22	2:B:540:LYS:HB2	2.01	0.43
2:B:489:HIS:ND1	2:B:491:GLU:HG2	2.33	0.43
1:A:147:PHE:CD2	1:A:148:MET:N	2.87	0.42
2:B:353:GLN:HE21	2:B:353:GLN:HB2	1.62	0.42
2:B:578:ILE:C	2:B:580:LYS:H	2.21	0.42
2:B:351:GLU:HG2	2:B:352:GLY:N	2.34	0.42
1:A:117:MET:HE3	1:A:117:MET:HB2	1.83	0.42
1:A:133:LYS:O	1:A:137:GLU:HG2	2.20	0.42
1:A:118:ILE:HD11	1:A:145:ILE:HD11	2.02	0.42
1:A:155:ASN:ND2	6:A:190:HOH:O	2.52	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:223:GLU:HG3	2:B:564:LEU:HD21	2.01	0.42
2:B:278:LYS:O	2:B:282:LEU:HG	2.19	0.41
2:B:249:GLY:HA2	2:B:252:LYS:HG3	2.02	0.41
2:B:279:LEU:HA	2:B:279:LEU:HD12	1.75	0.41
1:A:121:ASN:CG	1:A:122:LYS:H	2.24	0.41
2:B:202:LEU:HB3	2:B:204:GLU:H	1.85	0.41
1:A:175:LYS:HB3	1:A:175:LYS:HE2	1.80	0.41
2:B:438:LEU:O	2:B:442:GLN:HG2	2.21	0.41
1:A:56:ARG:O	1:A:57:ILE:HD13	2.21	0.41
2:B:265:ILE:HD13	2:B:313:LEU:HB3	2.03	0.40
2:B:354:PHE:N	2:B:354:PHE:CD2	2.89	0.40
1:A:47:ILE:HA	1:A:47:ILE:HD13	1.88	0.40
2:B:394:LEU:CD2	5:B:2:MPD:H11	2.51	0.40
2:B:228:LYS:HE2	2:B:232:GLN:NE2	2.36	0.40
2:B:225:LYS:CA	2:B:228:LYS:HG2	2.36	0.40
2:B:403:GLU:HA	2:B:406:LEU:HD22	2.04	0.40
2:B:414:MET:O	2:B:415:SER:C	2.60	0.40
2:B:228:LYS:HG3	2:B:228:LYS:O	2.20	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	168/174 (97%)	161 (96%)	6 (4%)	1 (1%)	25	43
2	B	377/384 (98%)	353 (94%)	20 (5%)	4 (1%)	14	26
All	All	545/558 (98%)	514 (94%)	26 (5%)	5 (1%)	17	31

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	319	GLY
2	B	231	ARG
2	B	320	LYS
1	A	171	ALA
2	B	482	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	147/150 (98%)	126 (86%)	21 (14%)	3	6
2	B	340/346 (98%)	281 (83%)	59 (17%)	2	3
All	All	487/496 (98%)	407 (84%)	80 (16%)	2	4

All (80) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	ASP
1	A	12	LEU
1	A	24	VAL
1	A	27	ARG
1	A	30	GLU
1	A	34	ASN
1	A	41	ILE
1	A	51	GLU
1	A	55	LYS
1	A	71	ARG
1	A	79	ARG
1	A	82	MET
1	A	94	LYS
1	A	100	ARG
1	A	132	SER
1	A	137	GLU
1	A	155	ASN
1	A	160	ASN
1	A	167	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	172	LYS
1	A	173	MET
2	B	202	LEU
2	B	210	LYS
2	B	211	ARG
2	B	213	GLN
2	B	227	ASP
2	B	229	LEU
2	B	230	GLU
2	B	236	LEU
2	B	252	LYS
2	B	253	LEU
2	B	267	GLU
2	B	268	LYS
2	B	279	LEU
2	B	284	GLU
2	B	291	LYS
2	B	294	GLN
2	B	298	ARG
2	B	306	LYS
2	B	313	LEU
2	B	325	ASN
2	B	331	VAL
2	B	342	ASN
2	B	343	LYS
2	B	350	HIS
2	B	356	LEU
2	B	357	LEU
2	B	359	LYS
2	B	365	ILE
2	B	366	LYS
2	B	372	LEU
2	B	374	LYS
2	B	382	SER
2	B	386	LEU
2	B	394	LEU
2	B	398	LEU
2	B	406	LEU
2	B	412	LEU
2	B	419	LYS
2	B	425	THR
2	B	434	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	462	VAL
2	B	464	SER
2	B	466	ASN
2	B	480	ASN
2	B	493	LYS
2	B	496	GLU
2	B	503	LEU
2	B	508	GLU
2	B	514	LYS
2	B	530	LEU
2	B	533	GLU
2	B	548	LEU
2	B	555	GLU
2	B	558	GLU
2	B	565	GLU
2	B	571	LYS
2	B	572	ILE
2	B	576	ASN
2	B	577	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	ASN
1	A	105	ASN
1	A	130	GLN
1	A	155	ASN
2	B	232	GLN
2	B	266	ASN
2	B	281	GLN
2	B	286	HIS
2	B	314	HIS
2	B	353	GLN
2	B	480	ASN
2	B	563	GLN
2	B	577	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
5	MPD	B	3	-	7,7,7	0.29	0	9,10,10	0.43	0
5	MPD	B	2	-	7,7,7	0.36	0	9,10,10	0.36	0
4	GNP	A	200	3	28,34,34	2.38	8 (28%)	30,54,54	2.34	9 (30%)
5	MPD	A	177	-	7,7,7	0.30	0	9,10,10	0.31	0
5	MPD	A	1	-	7,7,7	0.38	0	9,10,10	0.57	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MPD	B	3	-	-	2/5/5/5	-
5	MPD	B	2	-	-	0/5/5/5	-
4	GNP	A	200	3	-	3/17/38/38	0/3/3/3
5	MPD	A	177	-	-	3/5/5/5	-
5	MPD	A	1	-	-	2/5/5/5	-

All (8) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	200	GNP	C4-N9	-7.65	1.37	1.47
4	A	200	GNP	C5-C6	-5.41	1.43	1.52
4	A	200	GNP	C6-N1	4.41	1.40	1.33
4	A	200	GNP	PB-O3A	-3.15	1.55	1.59
4	A	200	GNP	PG-O1G	2.98	1.50	1.46
4	A	200	GNP	PB-O2B	-2.71	1.49	1.56
4	A	200	GNP	C5-C4	-2.28	1.39	1.53
4	A	200	GNP	PB-O1B	2.00	1.49	1.46

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	200	GNP	C4-C5-N7	6.38	110.92	102.46
4	A	200	GNP	O2B-PB-O1B	5.51	121.47	109.92
4	A	200	GNP	C5-C6-N1	-5.24	111.72	118.19
4	A	200	GNP	O6-C6-C5	3.78	127.57	119.86
4	A	200	GNP	O3G-PG-O1G	-3.56	104.51	113.45
4	A	200	GNP	O3G-PG-O2G	3.10	115.89	107.64
4	A	200	GNP	O1G-PG-N3B	-2.27	108.43	111.77
4	A	200	GNP	PA-O3A-PB	-2.10	125.22	132.62
4	A	200	GNP	O2G-PG-O1G	2.03	118.54	113.45

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	200	GNP	PG-N3B-PB-O1B
4	A	200	GNP	PA-O3A-PB-O2B
4	A	200	GNP	C2'-C1'-N9-C4
5	A	177	MPD	O2-C2-C3-C4
5	A	1	MPD	CM-C2-C3-C4
5	A	177	MPD	C1-C2-C3-C4
5	A	177	MPD	CM-C2-C3-C4
5	B	3	MPD	C2-C3-C4-C5
5	A	1	MPD	C2-C3-C4-C5
5	B	3	MPD	C2-C3-C4-O4

There are no ring outliers.

4 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	3	MPD	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	2	MPD	2	0
4	A	200	GNP	1	0
5	A	1	MPD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	170/174 (97%)	-0.13	0 100 100	43, 61, 90, 98	0
2	B	379/384 (98%)	0.27	32 (8%) 11 11	40, 72, 125, 137	0
All	All	549/558 (98%)	0.14	32 (5%) 23 24	40, 67, 121, 137	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	221	GLU	7.0
2	B	217	LYS	6.7
2	B	578	ILE	6.4
2	B	575	ALA	6.3
2	B	209	ILE	6.2
2	B	574	ILE	5.9
2	B	216	ILE	5.7
2	B	211	ARG	5.3
2	B	218	LYS	5.2
2	B	564	LEU	4.4
2	B	220	GLU	4.3
2	B	210	LYS	4.2
2	B	214	GLU	4.2
2	B	207	GLN	4.0
2	B	222	LEU	3.8
2	B	208	ALA	3.7
2	B	576	ASN	3.4
2	B	572	ILE	3.4
2	B	206	GLU	3.3
2	B	213	GLN	3.3
2	B	219	GLY	3.3
2	B	212	ALA	3.2
2	B	204	GLU	3.1
2	B	482	GLY	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	577	ASN	2.9
2	B	205	TYR	2.6
2	B	579	SER	2.4
2	B	563	GLN	2.4
2	B	573	GLU	2.4
2	B	203	ASP	2.0
2	B	569	LYS	2.0
2	B	562	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	MG	A	199	1/1	0.87	0.26	50,50,50,50	0
5	MPD	B	3	8/8	0.89	0.28	84,89,90,91	0
5	MPD	A	1	8/8	0.91	0.26	54,65,72,75	0
5	MPD	A	177	8/8	0.94	0.21	59,66,78,83	0
5	MPD	B	2	8/8	0.95	0.26	52,66,69,71	0
4	GNP	A	200	32/32	0.97	0.19	40,50,61,64	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.