



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 23, 2022 – 06:41 PM EDT

PDB ID : 4TNY
Title : Structural basis of cellular dNTP regulation, SAMHD1-dGTP-dATP-dGTP complex
Authors : Ji, X.; Tang, C.; Zhao, Q.; Wang, W.; Xiong, Y.
Deposited on : 2014-06-05
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.27
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.27


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	514	<div> <div>2%</div> <div>86%</div> <div>7% • 6%</div> </div>
1	B	514	<div> <div>4%</div> <div>86%</div> <div>7% • 6%</div> </div>
1	C	514	<div> <div>9%</div> <div>85%</div> <div>8% • 6%</div> </div>
1	D	514	<div> <div>12%</div> <div>84%</div> <div>8% • 6%</div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 16275 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Deoxynucleoside triphosphate triphosphohydrolase SAMHD1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	481	Total	C	N	O	S	0	5	0
			3974	2539	693	721	21			
1	C	481	Total	C	N	O	S	0	5	0
			3974	2539	693	721	21			
1	B	481	Total	C	N	O	S	0	5	0
			3974	2539	693	721	21			
1	D	481	Total	C	N	O	S	0	4	0
			3966	2535	691	719	21			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
A	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
C	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
C	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
B	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
B	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
D	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
D	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3

- Molecule 2 is 2'-DEOXYGUANOSINE-5'-TRIPHOSPHATE (three-letter code: DGT) (formula: C₁₀H₁₆N₅O₁₃P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 31	C 10	N 5	O 13	P 3	0	0
2	C	1	Total 31	C 10	N 5	O 13	P 3	0	0
2	C	1	Total 31	C 10	N 5	O 13	P 3	0	0
2	B	1	Total 31	C 10	N 5	O 13	P 3	0	0
2	B	1	Total 31	C 10	N 5	O 13	P 3	0	0
2	D	1	Total 31	C 10	N 5	O 13	P 3	0	0
2	D	1	Total 31	C 10	N 5	O 13	P 3	0	0
2	D	1	Total 31	C 10	N 5	O 13	P 3	0	0

- Molecule 3 is 2'-DEOXYADENOSINE 5'-TRIPHOSPHATE (three-letter code: DTP) (formula: $\text{C}_{10}\text{H}_{16}\text{N}_5\text{O}_{12}\text{P}_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
3	C	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
3	B	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
3	D	1	Total	C	N	O	P	0	0
			30	10	5	12	3		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		
4	C	1	Total	Mg	0	0
			1	1		
4	B	1	Total	Mg	0	0
			1	1		
4	D	1	Total	Mg	0	0
			1	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	7	Total	O	0	0
			7	7		



Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	3	Total 3	O 3	0	0
5	B	1	Total 1	O 1	0	0
5	D	4	Total 4	O 4	0	0

VAL
GLN
LEU
PHE
LYS
ASP
ASP
PRO
MET

● Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1



LEU
ARG
GLU
ALA
SER
LYS
SER
ARG
VAL
GLN
LEU
PHE
LYS
ASP
ASP
PRO
MET

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	86.25Å 141.87Å 98.33Å 90.00° 116.38° 90.00°	Depositor
Resolution (Å)	50.00 – 2.60 48.69 – 2.58	Depositor EDS
% Data completeness (in resolution range)	98.7 (50.00-2.60) 98.8 (48.69-2.58)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.33 (at 2.58Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.214 , 0.244 0.220 , 0.247	Depositor DCC
R_{free} test set	3322 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	57.1	Xtriage
Anisotropy	0.394	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 58.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.017 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16275	wwPDB-VP
Average B, all atoms (Å ²)	81.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.43% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DTP, MG, DGT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.63	0/4067	0.71	0/5490
1	B	0.61	0/4067	0.70	0/5490
1	C	0.60	0/4067	0.71	0/5490
1	D	0.58	0/4059	0.70	0/5479
All	All	0.61	0/16260	0.71	0/21949

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	D	0	1
All	All	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	276	LEU	Peptide
1	B	276	LEU	Peptide
1	D	276	LEU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3974	0	3944	24	1
1	B	3974	0	3944	23	0
1	C	3974	0	3944	30	0
1	D	3966	0	3939	26	0
2	A	31	0	12	2	0
2	B	62	0	24	1	0
2	C	62	0	24	4	0
2	D	93	0	36	8	0
3	A	30	0	12	2	0
3	B	30	0	12	2	0
3	C	30	0	12	2	0
3	D	30	0	12	2	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	7	0	0	0	0
5	B	1	0	0	0	0
5	C	3	0	0	0	0
5	D	4	0	0	0	0
All	All	16275	0	15915	98	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:377:LYS:NZ	3:D:703:DTP:O2B	2.09	0.85
1:A:535:ASN:OD1	1:A:535:ASN:N	2.21	0.71
1:A:586:VAL:HG11	1:C:522[A]:CYS:SG	2.32	0.68
1:B:535:ASN:OD1	1:B:535:ASN:N	2.22	0.66
1:C:535:ASN:OD1	1:C:535:ASN:N	2.21	0.66
2:D:704:DGT:PA	2:D:704:DGT:O3G	2.54	0.66
1:C:390:PHE:CE2	1:C:426:ILE:HD11	2.36	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:354:LYS:NZ	3:C:701:DTP:O1A	2.32	0.60
1:D:390:PHE:CE2	1:D:426:ILE:HD11	2.37	0.60
1:A:120:ASP:OD1	1:A:121:PRO:HD2	2.00	0.60
1:A:390:PHE:CE2	1:A:426:ILE:HD11	2.37	0.59
1:B:120:ASP:OD1	1:B:121:PRO:HD2	2.03	0.57
1:B:390:PHE:CE2	1:B:426:ILE:HD11	2.39	0.57
1:B:206:ARG:NH2	2:B:702:DGT:O2B	2.34	0.57
1:D:466:ILE:HD13	1:D:466:ILE:N	2.21	0.56
1:A:327:ASN:O	1:C:326:GLN:HG2	2.06	0.56
1:C:598:TRP:O	1:C:599:ASN:HB2	2.06	0.55
1:B:598:TRP:O	1:B:599:ASN:HB2	2.07	0.55
1:B:326:GLN:HG2	1:D:327:ASN:O	2.07	0.54
1:A:326:GLN:HG2	1:C:327:ASN:O	2.07	0.54
1:B:466:ILE:N	1:B:466:ILE:HD13	2.23	0.54
1:A:598:TRP:O	1:A:599:ASN:HB2	2.07	0.54
1:C:215:HIS:NE2	2:C:702:DGT:O2A	2.40	0.54
1:D:598:TRP:O	1:D:599:ASN:HB2	2.08	0.54
1:C:466:ILE:N	1:C:466:ILE:HD13	2.22	0.53
3:B:704:DTP:O2B	1:D:377:LYS:NZ	2.32	0.53
2:C:702:DGT:H4'	2:C:702:DGT:O1A	2.09	0.53
1:A:466:ILE:HD13	1:A:466:ILE:N	2.24	0.52
1:C:120:ASP:OD1	1:C:121:PRO:HD2	2.12	0.50
1:A:428:LEU:HD13	1:D:425:ASN:HB2	1.93	0.49
1:B:586:VAL:HG11	1:D:522[A]:CYS:SG	2.53	0.49
1:A:315:TYR:CD1	2:A:701:DGT:H3'	2.47	0.48
1:A:425:ASN:HB2	1:D:428:LEU:HD13	1.95	0.48
1:D:351:ALA:O	1:D:520:PHE:HA	2.13	0.48
1:D:598:TRP:O	1:D:599:ASN:CB	2.62	0.48
1:B:351:ALA:O	1:B:520:PHE:HA	2.14	0.48
1:B:327:ASN:O	1:D:326:GLN:HG2	2.13	0.48
1:C:351:ALA:O	1:C:520:PHE:HA	2.14	0.48
1:A:598:TRP:O	1:A:599:ASN:CB	2.61	0.48
1:D:241:PHE:O	1:D:245:ILE:HG12	2.14	0.48
2:D:704:DGT:PG	2:D:704:DGT:O1A	2.72	0.47
1:C:241:PHE:O	1:C:245:ILE:HG12	2.14	0.47
1:C:598:TRP:O	1:C:599:ASN:CB	2.61	0.47
1:B:241:PHE:O	1:B:245:ILE:HG12	2.14	0.47
1:B:598:TRP:O	1:B:599:ASN:CB	2.61	0.47
1:A:354:LYS:NZ	3:A:702:DTP:O1A	2.42	0.47
1:A:315:TYR:CE2	2:A:701:DGT:H5'	2.48	0.47
1:A:241:PHE:O	1:A:245:ILE:HG12	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:167:HIS:O	1:D:171:VAL:HG23	2.15	0.47
1:D:120:ASP:OD1	1:D:121:PRO:HD2	2.14	0.47
1:A:167:HIS:O	1:A:171:VAL:HG23	2.16	0.46
1:A:592:THR:N	1:A:593:PRO:CD	2.78	0.46
1:C:167:HIS:O	1:C:171:VAL:HG23	2.16	0.46
1:A:351:ALA:O	1:A:520:PHE:HA	2.16	0.46
1:B:167:HIS:O	1:B:171:VAL:HG23	2.15	0.46
1:D:156:VAL:O	2:D:705:DGT:H8	2.16	0.46
1:A:543:GLU:HG2	1:C:543:GLU:HG2	1.98	0.45
1:B:592:THR:N	1:B:593:PRO:CD	2.80	0.45
1:B:229:VAL:HG12	1:B:230:LYS:N	2.32	0.45
1:C:229:VAL:HG12	1:C:230:LYS:N	2.32	0.45
1:C:592:THR:N	1:C:593:PRO:CD	2.80	0.45
1:C:115:MET:SD	1:C:115:MET:C	2.96	0.45
1:B:115:MET:C	1:B:115:MET:SD	2.94	0.45
1:D:592:THR:N	1:D:593:PRO:CD	2.80	0.44
2:D:705:DGT:H3'	2:D:705:DGT:PA	2.57	0.44
1:D:115:MET:C	1:D:115:MET:SD	2.96	0.44
1:A:115:MET:C	1:A:115:MET:SD	2.95	0.44
1:C:381:ILE:HD12	1:C:381:ILE:HA	1.89	0.44
1:A:229:VAL:HG12	1:A:230:LYS:N	2.33	0.44
1:D:229:VAL:HG12	1:D:230:LYS:N	2.32	0.44
3:C:701:DTP:O1B	2:D:702:DGT:H5'A	2.18	0.44
1:D:186:GLN:HB2	1:D:189:LEU:HD22	2.00	0.43
1:D:455:LYS:HG2	1:D:557:VAL:HG12	2.00	0.43
1:D:368:SER:HA	1:D:371:ARG:HD2	1.99	0.43
1:C:455:LYS:HG2	1:C:557:VAL:HG12	2.00	0.43
2:D:704:DGT:O1A	2:D:704:DGT:O1G	2.36	0.43
1:B:455:LYS:HG2	1:B:557:VAL:HG12	2.01	0.43
1:B:230:LYS:HA	1:B:230:LYS:HD2	1.88	0.43
1:C:230:LYS:HD2	1:C:230:LYS:HA	1.85	0.43
1:B:186:GLN:HB2	1:B:189:LEU:HD22	2.00	0.42
1:B:522[A]:CYS:SG	1:D:586:VAL:HG11	2.59	0.42
1:D:291:PRO:HG2	1:D:293:ASN:OD1	2.19	0.42
1:C:186:GLN:HB2	1:C:189:LEU:HD22	2.01	0.42
2:D:705:DGT:N3	2:D:705:DGT:H2'A	2.34	0.42
1:C:251:LYS:HB2	1:C:252:PRO:HD3	2.00	0.42
1:C:291:PRO:HG2	1:C:293:ASN:OD1	2.20	0.42
1:C:425:ASN:HB2	1:B:428:LEU:HD13	2.01	0.42
1:C:390:PHE:CE2	1:C:426:ILE:CD1	3.03	0.41
2:C:702:DGT:O1B	2:C:702:DGT:O3G	2.36	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:352:ARG:HH22	3:A:702:DTP:PG	2.44	0.41
3:B:704:DTP:H2'1	1:D:157:PHE:CE2	2.56	0.41
1:A:291:PRO:HG2	1:A:293:ASN:OD1	2.21	0.41
1:C:315:TYR:CE2	2:C:702:DGT:H5'	2.56	0.41
1:D:375:GLN:NE2	2:D:704:DGT:O6	2.45	0.41
1:C:321:HIS:CE1	1:B:321:HIS:CE1	3.09	0.40
1:D:354:LYS:NZ	3:D:703:DTP:O1A	2.53	0.40
1:A:543:GLU:HG3	1:C:543:GLU:HG3	2.03	0.40
1:C:232:THR:HB	1:C:234:GLU:OE1	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:490:ASP:OD1	1:A:527:ASN:O[2_545]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	482/514 (94%)	476 (99%)	6 (1%)	0	100	100
1	B	482/514 (94%)	477 (99%)	5 (1%)	0	100	100
1	C	482/514 (94%)	475 (98%)	7 (2%)	0	100	100
1	D	481/514 (94%)	476 (99%)	5 (1%)	0	100	100
All	All	1927/2056 (94%)	1904 (99%)	23 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	432/459 (94%)	419 (97%)	13 (3%)	41	67
1	B	432/459 (94%)	418 (97%)	14 (3%)	39	65
1	C	432/459 (94%)	420 (97%)	12 (3%)	43	69
1	D	431/459 (94%)	417 (97%)	14 (3%)	39	65
All	All	1727/1836 (94%)	1674 (97%)	53 (3%)	40	66

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	115	MET
1	A	118	ILE
1	A	189	LEU
1	A	277	GLU
1	A	315	TYR
1	A	325	ILE
1	A	326	GLN
1	A	359	LEU
1	A	466	ILE
1	A	467	LYS
1	A	478	LYS
1	A	535	ASN
1	A	556	LYS
1	C	115	MET
1	C	118	ILE
1	C	189	LEU
1	C	277	GLU
1	C	315	TYR
1	C	325	ILE
1	C	326	GLN
1	C	466	ILE
1	C	467	LYS
1	C	478	LYS
1	C	535	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	594	GLN
1	B	115	MET
1	B	118	ILE
1	B	189	LEU
1	B	240	MET
1	B	277	GLU
1	B	315	TYR
1	B	325	ILE
1	B	326	GLN
1	B	466	ILE
1	B	467	LYS
1	B	478	LYS
1	B	535	ASN
1	B	556	LYS
1	B	594	GLN
1	D	115	MET
1	D	118	ILE
1	D	189	LEU
1	D	277	GLU
1	D	284	LEU
1	D	315	TYR
1	D	325	ILE
1	D	326	GLN
1	D	371	ARG
1	D	466	ILE
1	D	467	LYS
1	D	478	LYS
1	D	556	LYS
1	D	594	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	364	HIS
1	A	425	ASN
1	C	364	HIS
1	C	425	ASN
1	B	364	HIS
1	B	425	ASN
1	D	364	HIS
1	D	425	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 16 ligands modelled in this entry, 4 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	DTP	C	701	4	26,32,32	1.05	1 (3%)	30,50,50	1.69	7 (23%)
3	DTP	A	702	4	26,32,32	0.86	0	30,50,50	2.03	10 (33%)
2	DGT	D	702	4	26,33,33	0.90	0	32,52,52	1.97	11 (34%)
2	DGT	D	704	-	26,33,33	1.38	2 (7%)	32,52,52	2.18	8 (25%)
2	DGT	C	702	-	26,33,33	1.31	2 (7%)	32,52,52	2.09	8 (25%)
2	DGT	B	703	4	26,33,33	1.28	2 (7%)	32,52,52	1.97	8 (25%)
2	DGT	B	702	-	26,33,33	1.43	3 (11%)	32,52,52	2.23	10 (31%)
2	DGT	C	703	4	26,33,33	0.90	2 (7%)	32,52,52	1.80	8 (25%)
2	DGT	A	701	-	26,33,33	1.44	3 (11%)	32,52,52	2.08	10 (31%)
3	DTP	B	704	4	26,32,32	0.85	1 (3%)	30,50,50	2.13	8 (26%)
3	DTP	D	703	4	26,32,32	0.99	2 (7%)	30,50,50	1.64	7 (23%)
2	DGT	D	705	4	26,33,33	1.08	2 (7%)	32,52,52	2.08	7 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DTP	C	701	4	-	8/18/34/34	0/3/3/3
3	DTP	A	702	4	-	8/18/34/34	0/3/3/3
2	DGT	D	702	4	-	6/18/34/34	0/3/3/3
2	DGT	D	704	-	-	5/18/34/34	0/3/3/3
2	DGT	C	702	-	-	6/18/34/34	0/3/3/3
2	DGT	B	703	4	-	2/18/34/34	0/3/3/3
2	DGT	B	702	-	-	5/18/34/34	0/3/3/3
2	DGT	C	703	4	-	6/18/34/34	0/3/3/3
2	DGT	A	701	-	-	3/18/34/34	0/3/3/3
3	DTP	B	704	4	-	7/18/34/34	0/3/3/3
3	DTP	D	703	4	-	2/18/34/34	0/3/3/3
2	DGT	D	705	4	-	5/18/34/34	0/3/3/3

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	704	DGT	C5-C6	5.18	1.50	1.41
2	C	702	DGT	C5-C6	4.70	1.49	1.41
2	B	702	DGT	C5-C6	4.55	1.49	1.41
2	B	703	DGT	C5-C6	4.51	1.49	1.41
2	A	701	DGT	C5-C6	4.35	1.48	1.41
2	D	705	DGT	C5-C6	3.35	1.47	1.41
2	A	701	DGT	C5-C4	3.17	1.49	1.40
2	B	702	DGT	C5-C4	3.04	1.49	1.40
2	D	705	DGT	C5-C4	2.84	1.48	1.40
2	B	703	DGT	C5-C4	2.77	1.48	1.40
2	A	701	DGT	O4'-C4'	-2.72	1.38	1.45
2	C	702	DGT	C5-C4	2.72	1.48	1.40
2	D	704	DGT	C5-C4	2.71	1.48	1.40
2	C	703	DGT	C5-C6	2.63	1.45	1.41
3	D	703	DTP	O4'-C4'	-2.45	1.39	1.45
3	C	701	DTP	C2-N3	2.39	1.35	1.32
2	C	703	DGT	C5-C4	2.31	1.47	1.40
3	D	703	DTP	C2-N3	2.18	1.35	1.32
2	B	702	DGT	C8-N7	2.15	1.38	1.34
3	B	704	DTP	C5-C4	2.04	1.46	1.40

All (102) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	702	DTP	N3-C2-N1	-5.57	119.97	128.68
2	D	705	DGT	C4-C5-C6	-5.35	115.69	120.80
2	B	702	DGT	C4-C5-C6	-5.20	115.83	120.80
2	D	704	DGT	C4-C5-C6	-4.93	116.09	120.80
3	B	704	DTP	N3-C2-N1	-4.93	120.98	128.68
2	D	704	DGT	C2-N3-C4	4.89	120.95	115.36
2	D	705	DGT	C2-N3-C4	4.67	120.69	115.36
3	B	704	DTP	PB-O3B-PG	-4.65	116.86	132.83
2	A	701	DGT	C4-C5-C6	-4.61	116.39	120.80
2	C	702	DGT	PB-O3B-PG	-4.52	117.31	132.83
2	B	703	DGT	C5-C6-N1	-4.51	117.27	123.43
2	B	703	DGT	C2-N3-C4	4.50	120.49	115.36
2	A	701	DGT	C5-C6-N1	-4.48	117.31	123.43
2	B	702	DGT	C2-N1-C6	4.46	123.01	115.93
2	B	702	DGT	C2-N3-C4	4.45	120.44	115.36
2	D	704	DGT	PB-O3B-PG	-4.32	118.02	132.83
2	C	702	DGT	C2-N3-C4	4.26	120.22	115.36
2	B	702	DGT	PA-O3A-PB	-4.25	118.24	132.83
3	A	702	DTP	C2-N1-C6	4.22	125.97	118.75
2	B	702	DGT	C5-C6-N1	-4.16	117.75	123.43
2	A	701	DGT	PA-O3A-PB	-4.15	118.60	132.83
2	C	703	DGT	PA-O3A-PB	-4.11	118.73	132.83
2	D	704	DGT	PA-O3A-PB	-4.08	118.84	132.83
2	C	702	DGT	C4-C5-C6	-4.06	116.92	120.80
2	D	702	DGT	C2-N3-C4	4.03	119.96	115.36
2	D	705	DGT	C2-N1-C6	4.01	122.30	115.93
2	B	703	DGT	C2-N1-C6	3.98	122.26	115.93
3	B	704	DTP	C4-C5-N7	-3.98	105.25	109.40
2	A	701	DGT	C2-N1-C6	3.95	122.20	115.93
2	D	702	DGT	C2-N1-C6	3.94	122.19	115.93
2	C	702	DGT	C5-C6-N1	-3.94	118.05	123.43
3	C	701	DTP	C4-C5-N7	-3.89	105.35	109.40
3	B	704	DTP	C2-N1-C6	3.87	125.38	118.75
2	D	705	DGT	PA-O3A-PB	-3.85	119.61	132.83
2	C	702	DGT	PA-O3A-PB	-3.83	119.70	132.83
2	B	703	DGT	PA-O3A-PB	-3.80	119.78	132.83
2	C	702	DGT	C2-N1-C6	3.79	121.95	115.93
2	C	703	DGT	C2-N1-C6	3.78	121.93	115.93
2	A	701	DGT	PB-O3B-PG	-3.78	119.87	132.83
2	D	705	DGT	N3-C2-N1	-3.77	122.20	127.22
3	C	701	DTP	O5'-PA-O1A	-3.74	94.45	109.07
3	D	703	DTP	N3-C2-N1	-3.68	122.93	128.68
2	C	703	DGT	C4-C5-C6	-3.68	117.29	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	702	DGT	C4-C5-C6	-3.66	117.30	120.80
3	D	703	DTP	O3B-PG-O1G	-3.56	91.42	111.19
3	B	704	DTP	C5-C6-N6	3.56	125.76	120.35
2	C	703	DGT	C5-C6-N1	-3.55	118.58	123.43
2	D	702	DGT	C5-C6-N1	-3.52	118.62	123.43
2	D	704	DGT	C2-N1-C6	3.51	121.50	115.93
2	D	702	DGT	PA-O3A-PB	-3.47	120.91	132.83
3	A	702	DTP	O5'-PA-O1A	-3.47	95.50	109.07
2	B	702	DGT	N3-C2-N1	-3.43	122.65	127.22
2	D	705	DGT	PB-O3B-PG	-3.38	121.21	132.83
2	D	704	DGT	C4-C5-N7	-3.35	105.90	109.40
2	D	702	DGT	N3-C2-N1	-3.28	122.84	127.22
2	D	704	DGT	C5-C6-N1	-3.26	118.97	123.43
2	B	703	DGT	C4-C5-N7	-3.20	106.06	109.40
2	C	703	DGT	C2-N3-C4	3.06	118.85	115.36
2	A	701	DGT	C2-N3-C4	3.05	118.84	115.36
2	D	705	DGT	C5-C6-N1	-3.05	119.26	123.43
3	C	701	DTP	N3-C2-N1	-3.04	123.92	128.68
2	C	702	DGT	C4-C5-N7	-2.97	106.30	109.40
2	C	703	DGT	N3-C2-N1	-2.97	123.26	127.22
2	D	704	DGT	N3-C2-N1	-2.92	123.33	127.22
3	D	703	DTP	C4-C5-N7	-2.92	106.36	109.40
3	B	704	DTP	PA-O3A-PB	-2.86	123.02	132.83
2	B	702	DGT	N2-C2-N1	2.83	121.65	117.25
2	B	702	DGT	PB-O3B-PG	-2.80	123.21	132.83
3	C	701	DTP	PA-O3A-PB	-2.80	123.23	132.83
3	B	704	DTP	O5'-PA-O1A	-2.78	98.22	109.07
3	D	703	DTP	C2'-C3'-C4'	2.74	108.47	102.76
2	C	703	DGT	PB-O3B-PG	-2.74	123.43	132.83
2	B	702	DGT	C4-C5-N7	-2.72	106.57	109.40
2	B	703	DGT	PB-O3B-PG	-2.68	123.62	132.83
3	A	702	DTP	O3G-PG-O3B	2.66	113.55	104.64
3	A	702	DTP	O3B-PG-O1G	-2.62	96.64	111.19
3	A	702	DTP	PB-O3B-PG	-2.62	123.83	132.83
2	C	702	DGT	N3-C2-N1	-2.56	123.81	127.22
3	A	702	DTP	C4-C5-N7	-2.54	106.75	109.40
3	C	701	DTP	PB-O3B-PG	-2.51	124.22	132.83
3	A	702	DTP	O2G-PG-O1G	2.51	120.49	110.68
2	D	702	DGT	PB-O3B-PG	-2.50	124.24	132.83
3	D	703	DTP	O3G-PG-O1G	2.50	120.47	110.68
2	B	703	DGT	C4-C5-C6	-2.48	118.43	120.80
2	A	701	DGT	N3-C2-N1	-2.48	123.92	127.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	703	DGT	N3-C2-N1	-2.45	123.95	127.22
3	A	702	DTP	PA-O3A-PB	-2.44	124.45	132.83
3	D	703	DTP	PB-O3B-PG	-2.31	124.88	132.83
3	D	703	DTP	O2B-PB-O1B	2.30	123.61	112.24
3	B	704	DTP	O2A-PA-O1A	2.29	123.56	112.24
3	C	701	DTP	O3G-PG-O1G	2.27	119.56	110.68
2	A	701	DGT	N2-C2-N1	2.23	120.72	117.25
2	A	701	DGT	O2G-PG-O1G	2.21	116.07	107.64
3	A	702	DTP	O2A-PA-O1A	2.18	123.03	112.24
2	C	703	DGT	O3B-PG-O3G	-2.18	99.11	111.19
2	D	702	DGT	O3B-PG-O3G	-2.16	99.20	111.19
3	C	701	DTP	O3'-C3'-C4'	-2.15	101.88	110.10
2	D	702	DGT	O1A-PA-O2A	2.14	122.83	112.24
2	D	702	DGT	O1G-PG-O3B	-2.12	97.52	104.64
2	D	702	DGT	O1G-PG-O3G	2.12	118.98	110.68
2	A	701	DGT	C4-C5-N7	-2.10	107.21	109.40
2	B	702	DGT	O2G-PG-O3G	2.06	118.75	110.68

There are no chirality outliers.

All (63) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	702	DGT	PB-O3B-PG-O2G
2	C	702	DGT	C5'-O5'-PA-O1A
2	C	702	DGT	C4'-C5'-O5'-PA
2	C	703	DGT	PB-O3B-PG-O2G
2	B	702	DGT	C5'-O5'-PA-O3A
2	B	702	DGT	C5'-O5'-PA-O1A
2	D	702	DGT	PB-O3B-PG-O1G
2	D	702	DGT	PB-O3B-PG-O2G
2	D	704	DGT	C5'-O5'-PA-O1A
2	D	705	DGT	C5'-O5'-PA-O2A
3	A	702	DTP	PB-O3B-PG-O3G
3	A	702	DTP	C5'-O5'-PA-O1A
3	A	702	DTP	C5'-O5'-PA-O2A
3	A	702	DTP	C5'-O5'-PA-O3A
3	A	702	DTP	O4'-C4'-C5'-O5'
3	A	702	DTP	C3'-C4'-C5'-O5'
3	C	701	DTP	PB-O3B-PG-O3G
3	C	701	DTP	C5'-O5'-PA-O1A
3	C	701	DTP	C5'-O5'-PA-O2A
3	C	701	DTP	C5'-O5'-PA-O3A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	701	DTP	O4'-C4'-C5'-O5'
3	B	704	DTP	PB-O3B-PG-O2G
3	B	704	DTP	PB-O3B-PG-O3G
3	B	704	DTP	C5'-O5'-PA-O1A
3	B	704	DTP	C5'-O5'-PA-O2A
3	B	704	DTP	C5'-O5'-PA-O3A
3	B	704	DTP	O4'-C4'-C5'-O5'
3	B	704	DTP	C3'-C4'-C5'-O5'
3	D	703	DTP	PB-O3B-PG-O3G
3	C	701	DTP	C3'-C4'-C5'-O5'
2	B	702	DGT	C3'-C4'-C5'-O5'
2	A	701	DGT	C4'-C5'-O5'-PA
2	C	703	DGT	PG-O3B-PB-O2B
2	D	702	DGT	PG-O3B-PB-O2B
2	D	705	DGT	PG-O3B-PB-O2B
2	B	703	DGT	C4'-C5'-O5'-PA
2	A	701	DGT	PB-O3A-PA-O5'
2	C	702	DGT	PB-O3A-PA-O5'
2	C	702	DGT	C5'-O5'-PA-O3A
2	D	704	DGT	C5'-O5'-PA-O3A
2	D	705	DGT	C5'-O5'-PA-O3A
2	D	705	DGT	C4'-C5'-O5'-PA
2	C	702	DGT	C5'-O5'-PA-O2A
2	D	704	DGT	C5'-O5'-PA-O2A
2	B	702	DGT	O4'-C4'-C5'-O5'
2	D	704	DGT	C3'-C4'-C5'-O5'
2	C	703	DGT	C4'-C5'-O5'-PA
2	B	703	DGT	PG-O3B-PB-O1B
2	D	702	DGT	PG-O3B-PB-O1B
2	D	702	DGT	C4'-C5'-O5'-PA
2	B	702	DGT	C4'-C5'-O5'-PA
2	D	704	DGT	O4'-C4'-C5'-O5'
2	C	703	DGT	PB-O3B-PG-O1G
3	A	702	DTP	PB-O3B-PG-O2G
3	C	701	DTP	PB-O3B-PG-O2G
3	D	703	DTP	PB-O3B-PG-O2G
2	A	701	DGT	PG-O3B-PB-O1B
2	C	703	DGT	PB-O3A-PA-O2A
2	D	705	DGT	PG-O3B-PB-O1B
3	A	702	DTP	PG-O3B-PB-O2B
3	C	701	DTP	PG-O3B-PB-O2B
2	C	703	DGT	PB-O3B-PG-O3G

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	D	702	DGT	PB-O3B-PG-O3G


There are no ring outliers.



10 monomers are involved in 22 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	701	DTP	2	0
3	A	702	DTP	2	0
2	D	702	DGT	1	0
2	D	704	DGT	4	0
2	C	702	DGT	4	0
2	B	702	DGT	1	0
2	A	701	DGT	2	0
3	B	704	DTP	2	0
3	D	703	DTP	2	0
2	D	705	DGT	3	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	481/514 (93%)	0.12	12 (2%) 57 51	35, 63, 104, 132	0
1	B	481/514 (93%)	0.37	23 (4%) 30 24	37, 75, 119, 156	0
1	C	481/514 (93%)	0.44	47 (9%) 7 5	36, 74, 121, 156	0
1	D	481/514 (93%)	0.85	64 (13%) 3 2	41, 100, 169, 208	0
All	All	1924/2056 (93%)	0.44	146 (7%) 13 10	35, 76, 139, 208	0

All (146) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	599	ASN	6.9
1	B	490	ASP	6.7
1	D	562	LEU	6.5
1	D	569	PHE	6.4
1	C	489	LEU	6.3
1	C	488	LEU	5.8
1	D	480	VAL	5.7
1	D	488	LEU	5.6
1	C	491	VAL	5.4
1	D	585	ASP	5.3
1	D	554	CYS	5.3
1	D	481	ALA	5.2
1	D	592	THR	5.2
1	D	476	LEU	5.1
1	D	487	VAL	5.1
1	C	493	LEU	5.0
1	D	570	VAL	4.7
1	C	490	ASP	4.7
1	D	493	LEU	4.7
1	D	478	LYS	4.4
1	D	573	CYS	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	572	TRP	4.3
1	D	341	CYS	4.3
1	D	586	VAL	4.3
1	D	397	ILE	4.2
1	D	347	LEU	4.2
1	D	485	PRO	4.1
1	D	587	ILE	4.1
1	B	540	LEU	4.1
1	D	276	LEU	4.0
1	D	402	ALA	4.0
1	D	563	TYR	4.0
1	B	488	LEU	4.0
1	D	345	ASN	3.9
1	C	492	LYS	3.9
1	D	590	LEU	3.9
1	B	590	LEU	3.8
1	D	593	PRO	3.7
1	D	468	ILE	3.7
1	D	489	LEU	3.6
1	A	245	ILE	3.6
1	B	397	ILE	3.6
1	C	284	LEU	3.6
1	B	491	VAL	3.5
1	D	467	LYS	3.4
1	D	469	LYS	3.4
1	D	403	GLY	3.4
1	D	531	ARG	3.4
1	D	472	ASP	3.4
1	B	492	LYS	3.3
1	C	286	PRO	3.3
1	C	568	TYR	3.3
1	A	262	GLU	3.3
1	C	468	ILE	3.3
1	D	396	TYR	3.2
1	D	273	VAL	3.2
1	A	252	PRO	3.2
1	B	489	LEU	3.2
1	D	473	TYR	3.2
1	B	328	ASN	3.1
1	C	486	LYS	3.1
1	A	255	GLU	3.1
1	C	594	GLN	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	388[A]	ASP	3.0
1	D	285	TRP	3.0
1	C	403	GLY	3.0
1	C	487	VAL	3.0
1	D	591	ILE	2.9
1	C	467	LYS	2.9
1	D	511[A]	GLU	2.9
1	C	277	GLU	2.8
1	C	562	LEU	2.8
1	B	598	TRP	2.8
1	C	498	PHE	2.8
1	D	559	ARG	2.8
1	B	230	LYS	2.7
1	D	526	PRO	2.7
1	D	230	LYS	2.7
1	C	288	LYS	2.7
1	D	266	CYS	2.7
1	B	589	PRO	2.6
1	C	575	ASP	2.6
1	C	494	LYS	2.6
1	C	484	LYS	2.6
1	D	328	ASN	2.6
1	C	473	TYR	2.6
1	D	406	LYS	2.6
1	C	345	ASN	2.6
1	C	476	LEU	2.6
1	C	569	PHE	2.6
1	D	578	PHE	2.6
1	C	262	GLU	2.5
1	B	478	LYS	2.5
1	C	245	ILE	2.5
1	D	346	GLU	2.5
1	C	121	PRO	2.5
1	C	531	ARG	2.5
1	D	576	ARG	2.5
1	A	490	ASP	2.5
1	A	276	LEU	2.5
1	B	498	PHE	2.5
1	C	326	GLN	2.4
1	C	554	CYS	2.4
1	D	596	LYS	2.4
1	C	285	TRP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	590	LEU	2.4
1	B	584	GLY	2.4
1	B	586	VAL	2.4
1	B	326	GLN	2.3
1	C	593	PRO	2.3
1	C	485	PRO	2.3
1	D	568	TYR	2.3
1	D	288	LYS	2.3
1	C	573	CYS	2.3
1	B	327	ASN	2.3
1	C	483	ALA	2.3
1	B	320	CYS	2.3
1	D	275	PRO	2.2
1	C	298	TYR	2.2
1	C	496	GLU	2.2
1	B	493	LEU	2.2
1	D	543	GLU	2.2
1	D	438	LEU	2.2
1	A	403	GLY	2.2
1	C	464	GLY	2.2
1	D	577	ASN	2.1
1	D	491	VAL	2.1
1	C	500	VAL	2.1
1	B	594	GLN	2.1
1	D	575	ASP	2.1
1	A	408	ARG	2.1
1	D	544	LYS	2.1
1	C	276	LEU	2.1
1	C	325	ILE	2.1
1	C	292	GLU	2.1
1	C	591	ILE	2.1
1	A	288	LYS	2.1
1	D	292	GLU	2.0
1	A	289	GLY	2.0
1	C	558	ASP	2.0
1	A	465	GLN	2.0
1	A	404	GLY	2.0
1	B	323	LEU	2.0
1	D	398	GLU	2.0
1	B	487	VAL	2.0
1	D	486	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	MG	A	703	1/1	0.67	0.10	28,28,28,28	0
4	MG	C	704	1/1	0.71	0.07	45,45,45,45	0
2	DGT	D	704	31/31	0.89	0.15	47,54,88,94	0
2	DGT	B	702	31/31	0.90	0.15	41,57,111,116	0
2	DGT	D	705	31/31	0.92	0.13	25,28,30,35	0
2	DGT	C	702	31/31	0.93	0.13	45,58,92,100	0
2	DGT	A	701	31/31	0.93	0.13	36,58,89,98	0
2	DGT	B	703	31/31	0.94	0.11	24,30,34,36	0
2	DGT	C	703	31/31	0.95	0.11	25,27,34,34	0
4	MG	B	701	1/1	0.95	0.05	32,32,32,32	0
3	DTP	B	704	30/30	0.96	0.10	20,24,34,37	0
3	DTP	D	703	30/30	0.97	0.12	23,29,34,36	0
2	DGT	D	702	31/31	0.97	0.10	21,27,30,35	0
4	MG	D	701	1/1	0.97	0.05	30,30,30,30	0
3	DTP	A	702	30/30	0.98	0.10	23,27,33,34	0
3	DTP	C	701	30/30	0.98	0.14	24,27,33,34	0



The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around DGT D 704:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DGT B 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DGT D 705:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DGT C 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DGT A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DGT B 703:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DGT C 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DTP B 704:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DTP D 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DGT D 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DTP A 702:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around DTP C 701:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.