



# Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 12:21 am BST

PDB ID : 4TOR  
Title : Crystal structure of Tankyrase 1 with IWR-8  
Authors : Chen, H.; Zhang, X.; Lum, L.; Chen, C.  
Deposited on : 2014-06-06  
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2936 (1.50-1.50)
Clashscore	141614	3144 (1.50-1.50)
Ramachandran outliers	138981	3066 (1.50-1.50)
Sidechain outliers	138945	3064 (1.50-1.50)
RSRZ outliers	127900	2884 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	236	<div> <div>2%</div> <div> <div></div> <div>86%</div> <div>11%</div> </div> </div>
1	B	236	<div> <div></div> <div> <div>87%</div> <div>11%</div> </div> </div>
1	C	236	<div> <div>0%</div> <div> <div></div> <div>86%</div> <div>11%</div> </div> </div>
1	D	236	<div> <div>2%</div> <div> <div></div> <div>86%</div> <div>11%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	IW8	C	1402	-	X	-	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 14272 atoms, of which 6495 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tankyrase-1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	209	Total	C	H	N	O	S	0	2	0
			3313	1066	1619	312	305	11			
1	B	209	Total	C	H	N	O	S	0	3	0
			3326	1071	1625	314	305	11			
1	C	209	Total	C	H	N	O	S	0	3	0
			3333	1072	1632	312	306	11			
1	D	209	Total	C	H	N	O	S	0	2	0
			3313	1066	1619	312	305	11			

There are 104 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1080	MET	-	initiating methionine	UNP O95271
A	1081	GLY	-	expression tag	UNP O95271
A	1082	SER	-	expression tag	UNP O95271
A	1083	SER	-	expression tag	UNP O95271
A	1084	HIS	-	expression tag	UNP O95271
A	1085	HIS	-	expression tag	UNP O95271
A	1086	HIS	-	expression tag	UNP O95271
A	1087	HIS	-	expression tag	UNP O95271
A	1088	HIS	-	expression tag	UNP O95271
A	1089	HIS	-	expression tag	UNP O95271
A	1090	SER	-	expression tag	UNP O95271
A	1091	SER	-	expression tag	UNP O95271
A	1092	GLY	-	expression tag	UNP O95271
A	1093	LEU	-	expression tag	UNP O95271
A	1094	GLU	-	expression tag	UNP O95271
A	1095	VAL	-	expression tag	UNP O95271
A	1096	LEU	-	expression tag	UNP O95271
A	1097	PHE	-	expression tag	UNP O95271
A	1098	GLN	-	expression tag	UNP O95271
A	1099	GLY	-	expression tag	UNP O95271
A	1100	PRO	-	expression tag	UNP O95271

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	1101	HIS	-	expression tag	UNP O95271
A	1102	MET	-	expression tag	UNP O95271
A	1103	ALA	-	expression tag	UNP O95271
A	1104	SER	-	expression tag	UNP O95271
A	1266	ILE	MET	engineered mutation	UNP O95271
B	1080	MET	-	initiating methionine	UNP O95271
B	1081	GLY	-	expression tag	UNP O95271
B	1082	SER	-	expression tag	UNP O95271
B	1083	SER	-	expression tag	UNP O95271
B	1084	HIS	-	expression tag	UNP O95271
B	1085	HIS	-	expression tag	UNP O95271
B	1086	HIS	-	expression tag	UNP O95271
B	1087	HIS	-	expression tag	UNP O95271
B	1088	HIS	-	expression tag	UNP O95271
B	1089	HIS	-	expression tag	UNP O95271
B	1090	SER	-	expression tag	UNP O95271
B	1091	SER	-	expression tag	UNP O95271
B	1092	GLY	-	expression tag	UNP O95271
B	1093	LEU	-	expression tag	UNP O95271
B	1094	GLU	-	expression tag	UNP O95271
B	1095	VAL	-	expression tag	UNP O95271
B	1096	LEU	-	expression tag	UNP O95271
B	1097	PHE	-	expression tag	UNP O95271
B	1098	GLN	-	expression tag	UNP O95271
B	1099	GLY	-	expression tag	UNP O95271
B	1100	PRO	-	expression tag	UNP O95271
B	1101	HIS	-	expression tag	UNP O95271
B	1102	MET	-	expression tag	UNP O95271
B	1103	ALA	-	expression tag	UNP O95271
B	1104	SER	-	expression tag	UNP O95271
B	1266	ILE	MET	engineered mutation	UNP O95271
C	1080	MET	-	initiating methionine	UNP O95271
C	1081	GLY	-	expression tag	UNP O95271
C	1082	SER	-	expression tag	UNP O95271
C	1083	SER	-	expression tag	UNP O95271
C	1084	HIS	-	expression tag	UNP O95271
C	1085	HIS	-	expression tag	UNP O95271
C	1086	HIS	-	expression tag	UNP O95271
C	1087	HIS	-	expression tag	UNP O95271
C	1088	HIS	-	expression tag	UNP O95271
C	1089	HIS	-	expression tag	UNP O95271
C	1090	SER	-	expression tag	UNP O95271

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	1091	SER	-	expression tag	UNP O95271
C	1092	GLY	-	expression tag	UNP O95271
C	1093	LEU	-	expression tag	UNP O95271
C	1094	GLU	-	expression tag	UNP O95271
C	1095	VAL	-	expression tag	UNP O95271
C	1096	LEU	-	expression tag	UNP O95271
C	1097	PHE	-	expression tag	UNP O95271
C	1098	GLN	-	expression tag	UNP O95271
C	1099	GLY	-	expression tag	UNP O95271
C	1100	PRO	-	expression tag	UNP O95271
C	1101	HIS	-	expression tag	UNP O95271
C	1102	MET	-	expression tag	UNP O95271
C	1103	ALA	-	expression tag	UNP O95271
C	1104	SER	-	expression tag	UNP O95271
C	1266	ILE	MET	engineered mutation	UNP O95271
D	1080	MET	-	initiating methionine	UNP O95271
D	1081	GLY	-	expression tag	UNP O95271
D	1082	SER	-	expression tag	UNP O95271
D	1083	SER	-	expression tag	UNP O95271
D	1084	HIS	-	expression tag	UNP O95271
D	1085	HIS	-	expression tag	UNP O95271
D	1086	HIS	-	expression tag	UNP O95271
D	1087	HIS	-	expression tag	UNP O95271
D	1088	HIS	-	expression tag	UNP O95271
D	1089	HIS	-	expression tag	UNP O95271
D	1090	SER	-	expression tag	UNP O95271
D	1091	SER	-	expression tag	UNP O95271
D	1092	GLY	-	expression tag	UNP O95271
D	1093	LEU	-	expression tag	UNP O95271
D	1094	GLU	-	expression tag	UNP O95271
D	1095	VAL	-	expression tag	UNP O95271
D	1096	LEU	-	expression tag	UNP O95271
D	1097	PHE	-	expression tag	UNP O95271
D	1098	GLN	-	expression tag	UNP O95271
D	1099	GLY	-	expression tag	UNP O95271
D	1100	PRO	-	expression tag	UNP O95271
D	1101	HIS	-	expression tag	UNP O95271
D	1102	MET	-	expression tag	UNP O95271
D	1103	ALA	-	expression tag	UNP O95271
D	1104	SER	-	expression tag	UNP O95271
D	1266	ILE	MET	engineered mutation	UNP O95271

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Zn 1 1	0	0
2	A	1	Total Zn 1 1	0	0
2	D	1	Total Zn 1 1	0	0
2	C	1	Total Zn 1 1	0	0

- Molecule 3 is 1-[(1-acetyl-5-bromo-1H-indol-6-yl)sulfonyl]-N-ethyl-N-(3-methylphenyl)piperidine-4-carboxamide (three-letter code: IW8) (formula: C<sub>25</sub>H<sub>28</sub>BrN<sub>3</sub>O<sub>4</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total 34	Br 1	C 25	N 3	O 4	S 1	0	0
3	B	1	Total 34	Br 1	C 25	N 3	O 4	S 1	0	0
3	C	1	Total 34	Br 1	C 25	N 3	O 4	S 1	0	0
3	D	1	Total 34	Br 1	C 25	N 3	O 4	S 1	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	6	Total Cl 6 6	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	5	Total 5	Cl 5	0	0
4	D	6	Total 6	Cl 6	0	0
4	C	6	Total 6	Cl 6	0	0



- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	212	Total 212	O 212	0	0
5	B	214	Total 214	O 214	0	0
5	C	200	Total 200	O 200	0	0
5	D	198	Total 198	O 198	0	0



### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



#### • Molecule 1: Tankyrase-1




#### • Molecule 1: Tankyrase-1



#### • Molecule 1: Tankyrase-1



#### • Molecule 1: Tankyrase-1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 62	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	108.38Å 108.38Å 122.22Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	37.37 – 1.50 37.37 – 1.50	Depositor EDS
% Data completeness (in resolution range)	99.0 (37.37-1.50) 99.1 (37.37-1.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.63 (at 1.50Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.4_1496)	Depositor
R, $R_{free}$	0.177 , 0.207 0.179 , 0.208	Depositor DCC
$R_{free}$ test set	6417 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	15.4	Xtriage
Anisotropy	0.672	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.42 , 39.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.479 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	14272	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 30.18 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.3656e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, CL, IW8

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.38	0/1740	0.55	0/2341
1	B	0.38	0/1751	0.53	0/2356
1	C	0.37	0/1747	0.53	0/2349
1	D	0.38	0/1740	0.54	0/2341
All	All	0.38	0/6978	0.54	0/9387

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1694	1619	1629	5	0
1	B	1701	1625	1636	2	0
1	C	1701	1632	1641	2	0
1	D	1694	1619	1629	5	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	34	0	28	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	34	0	28	1	0
3	C	34	0	28	1	0
3	D	34	0	28	3	0
4	A	5	0	0	0	0
4	B	6	0	0	0	0
4	C	6	0	0	0	0
4	D	6	0	0	0	0
5	A	212	0	0	1	2
5	B	214	0	0	0	1
5	C	200	0	0	0	2
5	D	198	0	0	0	2
All	All	7777	6495	6647	17	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (17) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1402:IW8:H25	3:A:1402:IW8:H21	1.77	0.66
3:C:1402:IW8:H25	3:C:1402:IW8:H21	1.87	0.56
1:A:1133:ARG:CD	1:A:1288:ALA:HB2	2.41	0.51
3:A:1402:IW8:H12	3:A:1402:IW8:C20	2.41	0.49
1:D:1213:TYR:HB2	3:D:1402:IW8:H17	1.96	0.47
1:A:1133:ARG:HD2	1:A:1288:ALA:HB2	1.96	0.47
3:D:1402:IW8:H12	3:D:1402:IW8:C20	2.47	0.44
1:D:1196:GLY:O	3:D:1402:IW8:BR	2.91	0.43
1:C:1260:PHE:CG	1:C:1272:PRO:HG2	2.53	0.42
1:D:1124:GLU:HG2	1:D:1251:PHE:CZ	2.54	0.42
1:A:1105:GLY:N	5:A:1506:HOH:O	2.53	0.41
1:B:1213:TYR:HB2	3:B:1402:IW8:H17	2.02	0.41
1:D:1133:ARG:HD3	1:D:1288:ALA:HB2	2.01	0.41
1:A:1133:ARG:HG2	1:D:1133:ARG:HD2	2.03	0.41
1:A:1196:GLY:O	3:A:1402:IW8:BR	2.93	0.41
1:C:1234:CYS:SG	1:C:1237:HIS:HB2	2.61	0.41
1:B:1128:THR:HB	1:B:1217:ASN:HA	2.03	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:1518:HOH:O	5:D:1529:HOH:O[5_454]	2.12	0.08
5:A:1523:HOH:O	5:A:1528:HOH:O[4_585]	2.16	0.04
5:C:1684:HOH:O	5:D:1587:HOH:O[3_364]	2.16	0.04
5:A:1511:HOH:O	5:A:1513:HOH:O[4_585]	2.19	0.01
5:C:1550:HOH:O	5:C:1559:HOH:O[4_475]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	209/236 (89%)	206 (99%)	3 (1%)	0	100	100
1	B	210/236 (89%)	208 (99%)	2 (1%)	0	100	100
1	C	210/236 (89%)	209 (100%)	1 (0%)	0	100	100
1	D	209/236 (89%)	206 (99%)	3 (1%)	0	100	100
All	All	838/944 (89%)	829 (99%)	9 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	178/199 (89%)	177 (99%)	1 (1%)	86	74
1	B	179/199 (90%)	178 (99%)	1 (1%)	86	74
1	C	179/199 (90%)	177 (99%)	2 (1%)	73	53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	178/199 (89%)	178 (100%)	0	100	100
All	All	714/796 (90%)	710 (99%)	4 (1%)	91	74

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1238	LYS
1	B	1195	LYS
1	C	1195[A]	LYS
1	C	1195[B]	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	1246	HIS
1	C	1223	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 31 ligands modelled in this entry, 27 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	IW8	B	1402	-	33,37,37	4.11	20 (60%)	44,55,55	4.53	28 (63%)
3	IW8	D	1402	-	33,37,37	4.07	19 (57%)	44,55,55	4.80	28 (63%)
3	IW8	A	1402	-	33,37,37	4.11	19 (57%)	44,55,55	4.82	29 (65%)
3	IW8	C	1402	-	33,37,37	4.11	20 (60%)	44,55,55	4.68	30 (68%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	IW8	B	1402	-	-	5/26/40/40	0/4/4/4
3	IW8	D	1402	-	-	7/26/40/40	0/4/4/4
3	IW8	A	1402	-	-	6/26/40/40	0/4/4/4
3	IW8	C	1402	-	-	6/26/40/40	0/4/4/4

All (78) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1402	IW8	C05-N01	-10.45	1.24	1.39
3	B	1402	IW8	C05-N01	-10.17	1.24	1.39
3	C	1402	IW8	C05-N01	-10.13	1.24	1.39
3	D	1402	IW8	C05-N01	-9.76	1.25	1.39
3	A	1402	IW8	C08-N01	8.04	1.46	1.38
3	C	1402	IW8	C08-N01	8.03	1.46	1.38
3	D	1402	IW8	C08-N01	7.67	1.46	1.38
3	B	1402	IW8	C08-N01	7.49	1.46	1.38
3	B	1402	IW8	O02-S	-7.46	1.35	1.43
3	D	1402	IW8	O02-S	-7.27	1.35	1.43
3	A	1402	IW8	O02-S	-7.05	1.35	1.43
3	C	1402	IW8	O02-S	-6.85	1.36	1.43
3	C	1402	IW8	C24-C17	-6.42	1.26	1.39
3	B	1402	IW8	C06-C01	-6.08	1.29	1.37
3	A	1402	IW8	C24-C17	-6.04	1.27	1.39
3	B	1402	IW8	C24-C17	-6.02	1.27	1.39
3	A	1402	IW8	C04-C05	-6.00	1.28	1.41
3	D	1402	IW8	C04-C05	-6.00	1.28	1.41
3	C	1402	IW8	C20-C21	-5.99	1.28	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1402	IW8	C06-C01	-5.88	1.30	1.37
3	C	1402	IW8	C04-C05	-5.86	1.28	1.41
3	D	1402	IW8	C24-C17	-5.84	1.27	1.39
3	B	1402	IW8	C04-C05	-5.81	1.28	1.41
3	B	1402	IW8	C20-C21	-5.79	1.29	1.39
3	B	1402	IW8	C15-N02	-5.78	1.41	1.47
3	D	1402	IW8	C15-N02	-5.76	1.41	1.47
3	A	1402	IW8	C06-C01	-5.74	1.30	1.37
3	D	1402	IW8	C20-C21	-5.64	1.29	1.39
3	A	1402	IW8	C20-C21	-5.58	1.29	1.39
3	A	1402	IW8	C03-C04	-5.42	1.29	1.42
3	C	1402	IW8	C20-C17	-5.39	1.29	1.39
3	D	1402	IW8	C20-C17	-5.36	1.30	1.39
3	A	1402	IW8	C15-N02	-5.33	1.42	1.47
3	D	1402	IW8	C06-C01	-5.26	1.30	1.37
3	B	1402	IW8	C20-C17	-5.22	1.30	1.39
3	D	1402	IW8	C03-C04	-5.20	1.30	1.42
3	A	1402	IW8	C20-C17	-5.18	1.30	1.39
3	C	1402	IW8	C03-C04	-5.17	1.30	1.42
3	C	1402	IW8	C15-N02	-5.06	1.42	1.47
3	B	1402	IW8	C03-C04	-4.97	1.30	1.42
3	B	1402	IW8	C16-N	4.57	1.41	1.36
3	D	1402	IW8	C16-N	4.50	1.41	1.36
3	A	1402	IW8	C16-N	4.31	1.40	1.36
3	D	1402	IW8	C11-N02	-4.27	1.43	1.47
3	A	1402	IW8	C11-N02	-4.23	1.43	1.47
3	C	1402	IW8	C11-N02	-4.21	1.43	1.47
3	C	1402	IW8	C16-N	4.14	1.40	1.36
3	D	1402	IW8	O01-S	-4.00	1.39	1.43
3	B	1402	IW8	O01-S	-3.94	1.39	1.43
3	B	1402	IW8	C11-N02	-3.51	1.44	1.47
3	D	1402	IW8	C03-C02	-3.43	1.30	1.36
3	C	1402	IW8	C23-C22	-3.38	1.31	1.38
3	C	1402	IW8	O01-S	-3.34	1.39	1.43
3	A	1402	IW8	C03-C02	-3.34	1.30	1.36
3	A	1402	IW8	O01-S	-3.29	1.39	1.43
3	A	1402	IW8	C23-C22	-3.15	1.32	1.38
3	D	1402	IW8	C23-C22	-3.08	1.32	1.38
3	B	1402	IW8	C23-C22	-3.05	1.32	1.38
3	C	1402	IW8	C01-S	3.05	1.82	1.78
3	B	1402	IW8	C03-C02	-2.87	1.31	1.36
3	C	1402	IW8	C03-C02	-2.83	1.31	1.36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	1402	IW8	C01-S	2.83	1.81	1.78
3	B	1402	IW8	C14-C13	2.81	1.60	1.53
3	C	1402	IW8	C13-C16	2.81	1.55	1.51
3	B	1402	IW8	C01-S	2.79	1.81	1.78
3	A	1402	IW8	C13-C16	2.79	1.55	1.51
3	B	1402	IW8	C13-C16	2.70	1.55	1.51
3	A	1402	IW8	C01-S	2.68	1.81	1.78
3	D	1402	IW8	C13-C16	2.64	1.55	1.51
3	D	1402	IW8	C14-C13	2.59	1.59	1.53
3	A	1402	IW8	C14-C13	2.52	1.59	1.53
3	C	1402	IW8	C14-C13	2.44	1.59	1.53
3	C	1402	IW8	C22-C21	-2.33	1.32	1.38
3	D	1402	IW8	C22-C21	-2.31	1.32	1.38
3	A	1402	IW8	C22-C21	-2.24	1.32	1.38
3	B	1402	IW8	C22-C21	-2.19	1.32	1.38
3	B	1402	IW8	C08-C07	2.12	1.48	1.37
3	C	1402	IW8	C08-C07	2.07	1.48	1.37

All (115) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1402	IW8	C15-N02-C11	14.86	128.61	112.17
3	D	1402	IW8	C15-N02-C11	14.38	128.08	112.17
3	C	1402	IW8	C15-N02-C11	13.96	127.61	112.17
3	B	1402	IW8	C15-N02-C11	12.70	126.22	112.17
3	A	1402	IW8	C07-C04-C05	10.61	115.27	106.20
3	D	1402	IW8	C07-C04-C05	10.22	114.93	106.20
3	D	1402	IW8	C10-C09-N01	9.95	127.58	116.31
3	A	1402	IW8	C10-C09-N01	9.92	127.55	116.31
3	C	1402	IW8	C07-C04-C05	9.71	114.50	106.20
3	B	1402	IW8	C10-C09-N01	9.28	126.82	116.31
3	B	1402	IW8	C07-C04-C05	9.26	114.11	106.20
3	A	1402	IW8	BR-C02-C03	-9.23	104.41	118.98
3	C	1402	IW8	C10-C09-N01	9.05	126.56	116.31
3	D	1402	IW8	BR-C02-C03	-8.97	104.82	118.98
3	A	1402	IW8	C06-C01-C02	-8.33	112.52	118.74
3	B	1402	IW8	C22-C21-C20	8.26	130.37	117.95
3	C	1402	IW8	BR-C02-C03	-8.22	106.01	118.98
3	C	1402	IW8	C22-C21-C20	8.19	130.26	117.95
3	D	1402	IW8	C22-C21-C20	8.19	130.26	117.95
3	C	1402	IW8	C06-C01-C02	-8.16	112.64	118.74
3	B	1402	IW8	BR-C02-C03	-8.09	106.21	118.98

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1402	IW8	C06-C01-C02	-7.98	112.78	118.74
3	B	1402	IW8	C06-C01-C02	-7.93	112.82	118.74
3	A	1402	IW8	C22-C21-C20	7.74	129.59	117.95
3	A	1402	IW8	C20-C17-N	7.61	130.74	119.85
3	D	1402	IW8	C20-C17-N	7.55	130.65	119.85
3	C	1402	IW8	C20-C17-N	7.47	130.54	119.85
3	B	1402	IW8	C20-C17-N	7.45	130.51	119.85
3	D	1402	IW8	O01-S-N02	6.60	112.70	106.69
3	C	1402	IW8	O01-S-N02	5.77	111.95	106.69
3	B	1402	IW8	C14-C13-C12	-5.69	97.96	109.97
3	D	1402	IW8	C14-C13-C12	-5.69	97.96	109.97
3	B	1402	IW8	O01-S-N02	5.63	111.82	106.69
3	A	1402	IW8	C14-C13-C12	-5.53	98.29	109.97
3	C	1402	IW8	C14-C13-C12	-5.50	98.37	109.97
3	A	1402	IW8	C13-C16-N	-5.11	112.64	118.68
3	C	1402	IW8	C13-C16-N	-5.03	112.74	118.68
3	C	1402	IW8	C24-C17-N	-4.93	112.97	120.18
3	C	1402	IW8	C14-C15-N02	-4.86	102.81	109.43
3	D	1402	IW8	C06-C01-S	4.73	123.48	117.57
3	D	1402	IW8	C24-C17-N	-4.69	113.32	120.18
3	A	1402	IW8	C06-C01-S	4.66	123.39	117.57
3	A	1402	IW8	C24-C17-N	-4.65	113.39	120.18
3	D	1402	IW8	C13-C16-N	-4.62	113.22	118.68
3	A	1402	IW8	O01-S-N02	4.58	110.86	106.69
3	B	1402	IW8	C24-C17-N	-4.50	113.59	120.18
3	D	1402	IW8	C14-C13-C16	-4.39	101.89	109.83
3	B	1402	IW8	C14-C15-N02	-4.38	103.47	109.43
3	A	1402	IW8	O01-S-C01	4.34	115.78	107.36
3	B	1402	IW8	C-C21-C20	-4.31	114.55	120.94
3	B	1402	IW8	C13-C16-N	-4.30	113.60	118.68
3	B	1402	IW8	C23-C24-C17	4.17	125.13	119.68
3	B	1402	IW8	C04-C05-N01	4.16	113.70	108.97
3	C	1402	IW8	C23-C24-C17	4.14	125.09	119.68
3	A	1402	IW8	C14-C15-N02	-4.06	103.90	109.43
3	A	1402	IW8	C23-C24-C17	4.06	124.98	119.68
3	D	1402	IW8	C-C21-C20	-4.05	114.94	120.94
3	B	1402	IW8	O01-S-C01	4.03	115.17	107.36
3	A	1402	IW8	C-C21-C20	-4.02	114.99	120.94
3	D	1402	IW8	C23-C24-C17	4.00	124.91	119.68
3	B	1402	IW8	C14-C13-C16	-3.96	102.66	109.83
3	D	1402	IW8	O01-S-C01	3.92	114.96	107.36
3	C	1402	IW8	C-C21-C20	-3.89	115.17	120.94

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1402	IW8	C04-C05-N01	3.83	113.32	108.97
3	A	1402	IW8	O02-S-N02	-3.79	103.23	106.69
3	C	1402	IW8	O01-S-C01	3.66	114.45	107.36
3	A	1402	IW8	C07-C04-C03	-3.58	123.69	136.62
3	C	1402	IW8	C06-C01-S	3.58	122.04	117.57
3	D	1402	IW8	C12-C11-N02	-3.44	104.74	109.43
3	A	1402	IW8	O02-S-C01	-3.42	100.72	107.36
3	C	1402	IW8	C01-C06-C05	3.42	124.81	120.45
3	A	1402	IW8	C14-C13-C16	-3.42	103.64	109.83
3	C	1402	IW8	C07-C04-C03	-3.40	124.34	136.62
3	D	1402	IW8	C07-C04-C03	-3.40	124.37	136.62
3	B	1402	IW8	C01-C06-C05	3.36	124.73	120.45
3	C	1402	IW8	O-C16-C13	3.36	125.92	120.81
3	D	1402	IW8	O02-S-C01	-3.36	100.85	107.36
3	B	1402	IW8	C06-C01-S	3.35	121.75	117.57
3	B	1402	IW8	C07-C04-C03	-3.31	124.66	136.62
3	C	1402	IW8	O02-S-N02	-3.30	103.68	106.69
3	A	1402	IW8	C12-C13-C16	-3.27	103.91	109.83
3	C	1402	IW8	C12-C13-C16	-3.25	103.94	109.83
3	C	1402	IW8	C14-C13-C16	-3.25	103.94	109.83
3	C	1402	IW8	C12-C11-N02	-3.24	105.02	109.43
3	B	1402	IW8	O-C16-C13	3.22	125.72	120.81
3	A	1402	IW8	O-C16-C13	3.14	125.60	120.81
3	D	1402	IW8	C01-C06-C05	3.14	124.45	120.45
3	D	1402	IW8	O-C16-C13	3.12	125.57	120.81
3	D	1402	IW8	C04-C05-N01	3.09	112.48	108.97
3	D	1402	IW8	C14-C15-N02	-3.06	105.26	109.43
3	A	1402	IW8	C04-C05-N01	2.92	112.29	108.97
3	C	1402	IW8	O02-S-C01	-2.86	101.81	107.36
3	D	1402	IW8	C06-C05-C04	-2.72	117.57	121.37
3	A	1402	IW8	C01-C06-C05	2.72	123.91	120.45
3	C	1402	IW8	C06-C05-C04	-2.70	117.61	121.37
3	B	1402	IW8	O02-S-C01	-2.68	102.16	107.36
3	A	1402	IW8	C12-C11-N02	-2.65	105.82	109.43
3	B	1402	IW8	C06-C05-C04	-2.63	117.70	121.37
3	A	1402	IW8	C08-C07-C04	-2.59	97.01	105.04
3	C	1402	IW8	C08-C07-C04	-2.54	97.17	105.04
3	B	1402	IW8	C08-C07-C04	-2.54	97.19	105.04
3	D	1402	IW8	C08-C07-C04	-2.50	97.31	105.04
3	B	1402	IW8	C23-C22-C21	-2.49	110.82	120.24
3	D	1402	IW8	C23-C22-C21	-2.40	111.14	120.24
3	C	1402	IW8	C23-C22-C21	-2.39	111.18	120.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1402	IW8	C06-C05-C04	-2.38	118.06	121.37
3	A	1402	IW8	C23-C22-C21	-2.35	111.33	120.24
3	D	1402	IW8	O02-S-N02	-2.33	104.57	106.69
3	A	1402	IW8	C15-N02-S	-2.32	112.84	117.05
3	B	1402	IW8	C12-C13-C16	-2.16	105.93	109.83
3	D	1402	IW8	C15-N02-S	-2.10	113.22	117.05
3	B	1402	IW8	O02-S-O01	-2.07	116.17	119.52
3	B	1402	IW8	O02-S-N02	-2.05	104.82	106.69
3	C	1402	IW8	C-C21-C22	-2.04	114.57	120.94
3	C	1402	IW8	C17-C20-C21	-2.04	118.04	120.93

There are no chirality outliers.

All (24) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	C	1402	IW8	C11-N02-S-C01
3	B	1402	IW8	C11-N02-S-C01
3	C	1402	IW8	C11-N02-S-O02
3	B	1402	IW8	C11-N02-S-O02
3	A	1402	IW8	C11-N02-S-C01
3	C	1402	IW8	C11-N02-S-O01
3	D	1402	IW8	C11-N02-S-C01
3	B	1402	IW8	C11-N02-S-O01
3	A	1402	IW8	C11-N02-S-O02
3	A	1402	IW8	C11-N02-S-O01
3	D	1402	IW8	C11-N02-S-O02
3	A	1402	IW8	C06-C01-S-O01
3	C	1402	IW8	C06-C01-S-O01
3	D	1402	IW8	C06-C01-S-O01
3	B	1402	IW8	C06-C01-S-O01
3	D	1402	IW8	C11-N02-S-O01
3	A	1402	IW8	C02-C01-S-O01
3	D	1402	IW8	C02-C01-S-O01
3	B	1402	IW8	C02-C01-S-O01
3	D	1402	IW8	C15-N02-S-O01
3	C	1402	IW8	C02-C01-S-O01
3	C	1402	IW8	C02-C01-S-N02
3	D	1402	IW8	C15-N02-S-O02
3	A	1402	IW8	C15-N02-S-O01


There are no ring outliers.


4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1402	IW8	1	0
3	D	1402	IW8	3	0
3	A	1402	IW8	3	0
3	C	1402	IW8	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	209/236 (88%)	-0.44	4 (1%) 66 71	13, 19, 38, 56	0
1	B	209/236 (88%)	-0.49	1 (0%) 91 93	12, 19, 34, 44	0
1	C	209/236 (88%)	-0.52	2 (0%) 82 85	13, 20, 36, 45	0
1	D	209/236 (88%)	-0.54	4 (1%) 66 71	13, 19, 38, 53	0
All	All	836/944 (88%)	-0.50	11 (1%) 77 81	12, 19, 37, 56	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	1266	ILE	3.9
1	B	1203	TYR	3.6
1	A	1204	ILE	3.2
1	D	1284	VAL	3.0
1	C	1203	TYR	2.8
1	D	1203	TYR	2.7
1	A	1284	VAL	2.6
1	A	1266	ILE	2.6
1	D	1204	ILE	2.3
1	C	1266	ILE	2.1
1	A	1285	ASN	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	CL	A	1403	1/1	0.91	0.06	60,60,60,60	0
3	IW8	C	1402	34/34	0.92	0.09	17,23,33,110	0
3	IW8	D	1402	34/34	0.92	0.10	17,21,30,127	0
3	IW8	A	1402	34/34	0.93	0.10	16,22,32,89	0
3	IW8	B	1402	34/34	0.93	0.10	17,23,33,135	0
4	CL	D	1408	1/1	0.94	0.05	29,29,29,29	0
4	CL	D	1406	1/1	0.96	0.09	25,25,25,25	0
4	CL	A	1405	1/1	0.96	0.07	26,26,26,26	0
4	CL	C	1406	1/1	0.96	0.04	27,27,27,27	0
4	CL	B	1408	1/1	0.96	0.04	27,27,27,27	0
4	CL	B	1407	1/1	0.96	0.06	30,30,30,30	0
4	CL	D	1404	1/1	0.96	0.04	31,31,31,31	0
4	CL	B	1403	1/1	0.97	0.07	23,23,23,23	0
4	CL	C	1408	1/1	0.97	0.04	27,27,27,27	0
4	CL	D	1407	1/1	0.97	0.05	31,31,31,31	0
4	CL	A	1404	1/1	0.97	0.05	28,28,28,28	0
4	CL	A	1407	1/1	0.98	0.11	15,15,15,15	0
4	CL	A	1406	1/1	0.98	0.14	20,20,20,20	0
4	CL	B	1404	1/1	0.98	0.11	18,18,18,18	0
4	CL	C	1403	1/1	0.98	0.09	19,19,19,19	0
4	CL	B	1405	1/1	0.99	0.05	24,24,24,24	0
4	CL	C	1407	1/1	0.99	0.11	19,19,19,19	0
4	CL	B	1406	1/1	0.99	0.12	15,15,15,15	0
4	CL	C	1404	1/1	0.99	0.07	25,25,25,25	0
2	ZN	B	1401	1/1	0.99	0.06	14,14,14,14	0
4	CL	D	1403	1/1	0.99	0.07	23,23,23,23	0
4	CL	C	1405	1/1	0.99	0.10	16,16,16,16	0
2	ZN	A	1401	1/1	0.99	0.04	15,15,15,15	0
4	CL	D	1405	1/1	0.99	0.12	14,14,14,14	0
2	ZN	D	1401	1/1	1.00	0.05	14,14,14,14	0
2	ZN	C	1401	1/1	1.00	0.04	16,16,16,16	0



The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around IW8 C 1402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around IW8 D 1402:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around IW8 A 1402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers ⓘ

There are no such residues in this entry.