



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 6, 2020 – 09:38 AM BST

PDB ID : 6TP3
Title : Crystal structure of the Orexin-1 receptor in complex with daridorexant
Authors : Rappas, M.; Ali, A.; Bennett, K.A.; Brown, J.D.; Bucknell, S.J.; Congreve, M.; Cooke, R.M.; Cseke, G.; de Graaf, C.; Dore, A.S.; Errey, J.C.; Jazayeri, A.; Marshall, F.H.; Mason, J.S.; Mould, R.; Patel, J.C.; Tehan, B.G.; Weir, M.; Christopher, J.A.
Deposited on : 2019-12-12
Resolution : 3.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2752 (3.08-3.00)
Clashscore	141614	3096 (3.08-3.00)
Ramachandran outliers	138981	2986 (3.08-3.00)
Sidechain outliers	138945	2988 (3.08-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	368	
1	B	368	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5445 atoms, of which 46 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Orexin receptor type 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	314	Total	C	N	O	S	0	0	0
			2515	1669	421	408	17			
1	B	307	Total	C	N	O	S	0	0	0
			2467	1640	405	405	17			

There are 52 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	25	ALA	-	expression tag	UNP O43613
A	26	ALA	-	expression tag	UNP O43613
A	27	SER	-	expression tag	UNP O43613
A	46	ALA	GLU	engineered mutation	UNP O43613
A	85	LEU	ILE	engineered mutation	UNP O43613
A	95	ALA	VAL	engineered mutation	UNP O43613
A	162	LEU	ARG	engineered mutation	UNP O43613
A	194	ALA	ASN	engineered mutation	UNP O43613
A	198	ALA	LEU	engineered mutation	UNP O43613
A	211	ALA	TYR	engineered mutation	UNP O43613
A	304	VAL	LEU	engineered mutation	UNP O43613
A	339	ALA	CYS	engineered mutation	UNP O43613
A	375	TRP	CYS	engineered mutation	UNP O43613
A	376	TRP	CYS	engineered mutation	UNP O43613
A	381	ALA	-	expression tag	UNP O43613
A	382	ALA	-	expression tag	UNP O43613
A	383	ALA	-	expression tag	UNP O43613
A	384	HIS	-	expression tag	UNP O43613
A	385	HIS	-	expression tag	UNP O43613
A	386	HIS	-	expression tag	UNP O43613
A	387	HIS	-	expression tag	UNP O43613
A	388	HIS	-	expression tag	UNP O43613
A	389	HIS	-	expression tag	UNP O43613
A	390	HIS	-	expression tag	UNP O43613
A	391	HIS	-	expression tag	UNP O43613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	392	HIS	-	expression tag	UNP O43613
B	25	ALA	-	expression tag	UNP O43613
B	26	ALA	-	expression tag	UNP O43613
B	27	SER	-	expression tag	UNP O43613
B	46	ALA	GLU	engineered mutation	UNP O43613
B	85	LEU	ILE	engineered mutation	UNP O43613
B	95	ALA	VAL	engineered mutation	UNP O43613
B	162	LEU	ARG	engineered mutation	UNP O43613
B	194	ALA	ASN	engineered mutation	UNP O43613
B	198	ALA	LEU	engineered mutation	UNP O43613
B	211	ALA	TYR	engineered mutation	UNP O43613
B	304	VAL	LEU	engineered mutation	UNP O43613
B	339	ALA	CYS	engineered mutation	UNP O43613
B	375	TRP	CYS	engineered mutation	UNP O43613
B	376	TRP	CYS	engineered mutation	UNP O43613
B	381	ALA	-	expression tag	UNP O43613
B	382	ALA	-	expression tag	UNP O43613
B	383	ALA	-	expression tag	UNP O43613
B	384	HIS	-	expression tag	UNP O43613
B	385	HIS	-	expression tag	UNP O43613
B	386	HIS	-	expression tag	UNP O43613
B	387	HIS	-	expression tag	UNP O43613
B	388	HIS	-	expression tag	UNP O43613
B	389	HIS	-	expression tag	UNP O43613
B	390	HIS	-	expression tag	UNP O43613
B	391	HIS	-	expression tag	UNP O43613
B	392	HIS	-	expression tag	UNP O43613

- Molecule 2 is [(2 {S})-2-(6-chloranyl-7-methyl-1 {H}-benzimidazol-2-yl)-2-methyl-pyrrolidin-1-yl]-[5-methoxy-2-(1,2,3-triazol-2-yl)phenyl]methanone (three-letter code: NS2) (formula: C₂₃H₂₃ClN₆O₂) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total 55	C 23	Cl 1	H 23	N 6	O 2	0	0
2	B	1	Total 55	C 23	Cl 1	H 23	N 6	O 2	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 5	O 4	S 1	0	0
3	A	1	Total 5	O 4	S 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is (1R)-2-{[(S)-{[(2S)-2,3-dihydroxypropyl]oxy}(hydroxy)phosphoryl]oxy}-1-[(hexadecanoyloxy)methyl]ethyl (9Z)-octadec-9-enoate (three-letter code: PGW) (formula: C₄₀H₇₇O₁₀P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	P	0	0
			51	40	10	1		
4	B	1	Total	C	O	P	0	0
			51	40	10	1		

- Molecule 5 is octyl 1-thio-beta-D-glucopyranoside (three-letter code: SOG) (formula: C₁₄H₂₈O₅S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	O	S	0	0
			20	14	5	1		
			Total	C	O	S		
			20	14	5	1		
			Total	C	O	S		
5	A	1	20	14	5	1	0	0
			Total	C	O	S		
			14	8	5	1		
			Total	C	O	S		
			20	14	5	1		
5	A	1	Total	C	O	S	0	0
			20	14	5	1		
			Total	C	O	S		
			20	14	5	1		
			Total	C	O	S		
5	A	1	20	14	5	1	0	0
			Total	C	O	S		
			20	14	5	1		
			Total	C	O	S		
			20	14	5	1		
5	B	1	Total	C	O	S	0	0
			20	14	5	1		
			Total	C	O	S		
			20	14	5	1		
			Total	C	O	S		
5	B	1	20	14	5	1	0	0
			Total	C	O	S		
			13	7	5	1		
			Total	C	S			
			5	4	1			
5	B	1	Total	C	O	S	0	0
			12	6	5	1		
			Total	C	O	S		
			12	6	5	1		
			Total	C	O	S		
5	B	1	12	6	5	1	0	0
			Total	C	O	S		
			20	14	5	1		
			Total	C	O	S		
			20	14	5	1		

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	61.22Å 146.42Å 73.60Å 90.00° 109.55° 90.00°	Depositor
Resolution (Å)	25.86 – 3.04 73.21 – 3.02	Depositor EDS
% Data completeness (in resolution range)	58.6 (25.86-3.04) 77.4 (73.21-3.02)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.15 (at 3.01Å)	Xtriage
Refinement program	BUSTER 2.11.7	Depositor
R, R_{free}	0.205 , 0.230 0.254 , 0.320	Depositor DCC
R_{free} test set	1173 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	84.5	Xtriage
Anisotropy	0.226	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.25 , 71.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	5445	wwPDB-VP
Average B, all atoms (Å ²)	121.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.02% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PGW, NS2, SO4, SOG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/2587	0.63	2/3529 (0.1%)
1	B	0.50	0/2538	0.60	0/3460
All	All	0.50	0/5125	0.61	2/6989 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	42	PRO	CA-N-CD	5.57	119.50	111.70
1	A	346	LEU	CB-CA-C	-5.12	100.48	110.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2515	0	2581	59	2
1	B	2467	0	2508	40	2
2	A	32	23	0	1	0
2	B	32	23	0	1	0
3	A	10	0	0	0	0
3	B	5	0	0	0	0
4	A	51	0	76	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	51	0	76	1	0
5	A	134	0	181	6	0
5	B	102	0	121	6	0
All	All	5399	46	5543	95	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:41:TYR:CD2	1:A:42:PRO:HD3	1.60	1.34
1:A:345:TRP:HE3	1:A:346:LEU:HD12	1.16	1.11
1:A:41:TYR:CG	1:A:42:PRO:HD3	1.89	1.08
1:A:345:TRP:CE3	1:A:346:LEU:HD12	1.90	1.06
1:A:41:TYR:HB3	1:A:42:PRO:CD	1.92	1.00
1:A:41:TYR:CB	1:A:42:PRO:HD3	1.94	0.96
1:A:41:TYR:CB	1:A:42:PRO:CD	2.44	0.94
1:A:41:TYR:HD2	1:A:42:PRO:HD3	1.18	0.94
1:A:234:ALA:HB2	4:A:404:PGW:H7A	1.45	0.93
1:A:41:TYR:CD2	1:A:42:PRO:CD	2.54	0.89
1:A:345:TRP:HE3	1:A:346:LEU:CD1	1.85	0.89
1:A:41:TYR:HB3	1:A:42:PRO:HD2	1.51	0.88
1:A:101:PRO:HB2	5:A:405:SOG:H8'1	1.55	0.87
1:A:41:TYR:HD2	1:A:42:PRO:CD	1.92	0.78
1:A:43:LYS:NZ	1:A:107:ASP:O	2.16	0.75
1:B:150:HIS:HE1	5:B:409:SOG:H1	1.52	0.73
1:A:345:TRP:CE3	1:A:346:LEU:CD1	2.64	0.72
1:B:184:GLU:HG3	1:B:205:ARG:HD2	1.72	0.71
1:A:41:TYR:HB3	1:A:42:PRO:HD3	1.65	0.68
1:A:145:TRP:HE1	1:A:237:GLN:HE21	1.43	0.67
1:B:150:HIS:CE1	5:B:409:SOG:H1	2.30	0.66
1:A:342:PHE:CZ	1:A:346:LEU:HD11	2.30	0.66
1:A:346:LEU:N	1:A:346:LEU:HD12	2.12	0.65
1:A:49:LEU:HD23	1:A:108:ILE:CD1	2.27	0.65
1:A:233:MET:HE3	1:B:178:PRO:HB3	1.80	0.64
1:A:346:LEU:HA	1:A:349:ALA:HB3	1.81	0.63
1:A:38:ASP:HA	5:A:411:SOG:H62	1.79	0.63
1:A:233:MET:CE	1:B:178:PRO:HB3	2.29	0.62
1:B:120:LYS:HZ2	5:B:410:SOG:H6'1	1.65	0.62
1:A:114:PHE:HB3	1:A:118:LEU:HD12	1.82	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:247:ILE:N	1:B:248:PRO:HD3	2.15	0.61
1:B:251:THR:HB	1:B:286:GLU:CB	2.31	0.61
1:A:213:LYS:HD3	5:A:410:SOG:H2	1.84	0.59
1:A:359:ASN:HD22	1:A:360:PHE:HD1	1.49	0.59
1:B:114:PHE:HB3	1:B:118:LEU:HD12	1.84	0.59
1:A:77:MET:SD	1:A:364:LYS:HB3	2.44	0.58
1:A:49:LEU:HD23	1:A:108:ILE:HD11	1.85	0.58
1:B:251:THR:HG22	1:B:252:SER:N	2.19	0.57
1:B:77:MET:SD	1:B:364:LYS:HB3	2.45	0.56
1:A:342:PHE:O	1:A:346:LEU:HD13	2.05	0.56
1:B:251:THR:HB	1:B:286:GLU:HB2	1.86	0.56
1:A:178:PRO:HB3	1:B:233:MET:HE3	1.88	0.56
1:B:247:ILE:O	1:B:247:ILE:HG23	2.06	0.55
1:A:43:LYS:H	1:A:46:ALA:HB2	1.72	0.55
1:A:346:LEU:HA	1:A:349:ALA:CB	2.37	0.54
1:B:74:ASN:HB2	1:B:368:GLN:NE2	2.23	0.54
1:B:120:LYS:NZ	5:B:410:SOG:H6'1	2.21	0.54
1:A:221:ILE:HG13	1:B:221:ILE:HD12	1.89	0.53
1:A:346:LEU:CD1	1:A:346:LEU:N	2.71	0.53
1:A:178:PRO:HB3	1:B:233:MET:CE	2.39	0.53
1:A:49:LEU:HD23	1:A:108:ILE:HD13	1.92	0.52
1:A:118:LEU:HD11	5:A:405:SOG:H1'1	1.91	0.52
1:A:342:PHE:CE2	1:A:346:LEU:HD21	2.46	0.51
1:B:105:LEU:HD21	1:B:113:LEU:HD12	1.92	0.51
1:A:346:LEU:CD1	1:A:346:LEU:H	2.24	0.50
1:A:342:PHE:CE1	1:A:346:LEU:HD11	2.47	0.49
1:B:247:ILE:N	1:B:248:PRO:CD	2.77	0.48
1:A:209:ASP:HB2	5:A:407:SOG:O6	2.13	0.48
1:B:224:TYR:OH	1:B:308:ALA:O	2.18	0.47
1:B:359:ASN:HD22	1:B:360:PHE:HD1	1.62	0.47
1:A:100:LEU:HD12	1:A:348:TYR:HB3	1.96	0.47
1:B:219:PHE:O	1:B:223:THR:HG23	2.15	0.47
1:B:209:ASP:HB2	5:B:404:SOG:H1'1	1.95	0.47
1:B:100:LEU:HD12	1:B:348:TYR:HB3	1.95	0.47
1:B:105:LEU:HD23	1:B:114:PHE:CZ	2.50	0.46
2:B:401:NS2:C09	2:B:401:NS2:N29	2.79	0.46
1:B:251:THR:HB	1:B:286:GLU:HB3	1.97	0.46
1:B:287:VAL:HG12	1:B:287:VAL:O	2.15	0.46
1:A:184:GLU:HG3	1:A:205:ARG:NE	2.31	0.45
1:A:330:ALA:HA	1:A:333:ARG:HG3	1.98	0.45
1:B:114:PHE:HA	5:B:408:SOG:H5	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:37:ARG:HA	1:A:40:LEU:HB2	1.99	0.45
2:A:401:NS2:N29	2:A:401:NS2:C09	2.80	0.45
1:A:67:VAL:HG12	1:A:86:VAL:HG12	2.00	0.44
1:A:177:VAL:N	1:A:178:PRO:HD2	2.31	0.44
1:A:247:ILE:HG23	1:A:250:THR:CG2	2.47	0.44
1:B:236:PHE:CE2	1:B:240:ARG:HD2	2.53	0.44
1:A:104:LEU:O	1:A:108:ILE:HG12	2.18	0.44
1:B:162:LEU:O	1:B:166:LEU:HD13	2.17	0.44
1:B:177:VAL:N	1:B:178:PRO:HD2	2.33	0.43
1:B:346:LEU:HA	1:B:346:LEU:HD23	1.80	0.43
1:A:342:PHE:CZ	1:A:346:LEU:HD21	2.53	0.43
1:B:176:MET:O	1:B:179:GLN:HB3	2.19	0.43
1:B:251:THR:HG22	1:B:252:SER:H	1.80	0.43
1:A:230:LEU:HD13	4:A:404:PGW:H07A	2.01	0.43
1:B:247:ILE:HD11	1:B:287:VAL:HG22	2.01	0.42
1:A:236:PHE:CE2	1:A:240:ARG:HD2	2.55	0.42
5:A:409:SOG:H7'2	1:B:236:PHE:HB2	1.99	0.42
1:A:233:MET:HE1	1:B:178:PRO:HB3	2.00	0.42
1:B:251:THR:CG2	1:B:252:SER:N	2.83	0.42
1:A:178:PRO:HD3	4:B:403:PGW:H3A	2.01	0.41
1:A:234:ALA:CB	4:A:404:PGW:H7A	2.34	0.41
1:A:41:TYR:HD2	1:A:42:PRO:CG	2.34	0.41
1:A:105:LEU:HA	1:A:105:LEU:HD12	1.91	0.41
1:B:313:PRO:HG2	1:B:346:LEU:HD12	2.03	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:41:TYR:CE1	1:B:40:LEU:CD2[2_445]	1.22	0.98
1:A:41:TYR:CD1	1:B:40:LEU:CD2[2_445]	2.06	0.14

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	312/368 (85%)	306 (98%)	4 (1%)	2 (1%)	25	60
1	B	301/368 (82%)	294 (98%)	7 (2%)	0	100	100
All	All	613/736 (83%)	600 (98%)	11 (2%)	2 (0%)	41	74

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	42	PRO
1	A	41	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	263/305 (86%)	263 (100%)	0	100	100
1	B	260/305 (85%)	260 (100%)	0	100	100
All	All	523/610 (86%)	523 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	HIS
1	B	75	HIS
1	B	150	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	SOG	B	404	-	20,20,20	1.07	1 (5%)	24,25,25	2.00	5 (20%)
5	SOG	A	405	-	20,20,20	1.12	1 (5%)	24,25,25	1.41	4 (16%)
5	SOG	A	408	-	14,14,20	0.91	0	18,19,25	1.24	2 (11%)
5	SOG	A	410	-	20,20,20	1.14	2 (10%)	24,25,25	0.98	1 (4%)
3	SO4	B	402	-	4,4,4	0.06	0	6,6,6	0.24	0
5	SOG	A	411	-	20,20,20	1.03	1 (5%)	24,25,25	1.43	5 (20%)
5	SOG	A	406	-	20,20,20	1.12	1 (5%)	24,25,25	1.56	4 (16%)
4	PGW	A	404	-	50,50,50	1.03	2 (4%)	53,56,56	1.09	4 (7%)
5	SOG	A	409	-	20,20,20	0.89	2 (10%)	24,25,25	1.49	5 (20%)
5	SOG	B	410	-	20,20,20	0.93	1 (5%)	24,25,25	1.14	2 (8%)
3	SO4	A	403	-	4,4,4	0.13	0	6,6,6	0.19	0
4	PGW	B	403	-	50,50,50	1.09	2 (4%)	53,56,56	1.03	3 (5%)
5	SOG	B	407	-	4,4,20	0.41	0	2,3,25	0.56	0
5	SOG	B	405	-	20,20,20	0.97	1 (5%)	24,25,25	1.75	4 (16%)
3	SO4	A	402	-	4,4,4	0.38	0	6,6,6	0.43	0
5	SOG	A	407	-	20,20,20	1.13	2 (10%)	24,25,25	1.66	5 (20%)
5	SOG	B	409	-	11,12,20	0.95	0	15,17,25	1.76	2 (13%)
5	SOG	B	406	-	12,13,20	0.83	0	16,18,25	0.95	1 (6%)
5	SOG	B	408	-	11,12,20	1.10	0	15,17,25	1.43	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NS2	B	401	-	32,36,36	2.09	10 (31%)	31,54,54	2.62	11 (35%)
2	NS2	A	401	-	32,36,36	2.18	11 (34%)	31,54,54	2.51	11 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	SOG	B	404	-	-	9/11/31/31	0/1/1/1
5	SOG	A	405	-	-	6/11/31/31	0/1/1/1
5	SOG	A	408	-	-	1/5/25/31	0/1/1/1
5	SOG	A	410	-	-	5/11/31/31	0/1/1/1
5	SOG	A	411	-	-	4/11/31/31	0/1/1/1
5	SOG	A	406	-	-	7/11/31/31	0/1/1/1
4	PGW	A	404	-	-	31/55/55/55	-
5	SOG	A	409	-	-	7/11/31/31	0/1/1/1
5	SOG	B	410	-	-	5/11/31/31	0/1/1/1
5	SOG	B	409	-	-	1/2/22/31	0/1/1/1
4	PGW	B	403	-	-	30/55/55/55	-
5	SOG	B	407	-	-	2/2/2/31	-
5	SOG	B	405	-	-	8/11/31/31	0/1/1/1
5	SOG	A	407	-	-	7/11/31/31	0/1/1/1
5	SOG	B	406	-	-	2/4/24/31	0/1/1/1
5	SOG	B	408	-	-	1/2/22/31	0/1/1/1
2	NS2	B	401	-	-	4/12/33/33	0/5/5/5
2	NS2	A	401	-	-	4/12/33/33	0/5/5/5

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	NS2	C12-N11	5.93	1.54	1.47
2	B	401	NS2	C09-N11	5.65	1.44	1.35
2	A	401	NS2	C09-N11	5.57	1.44	1.35
4	B	403	PGW	O01-C1	5.06	1.48	1.34
4	B	403	PGW	O03-C19	4.88	1.47	1.33
2	B	401	NS2	C12-N11	4.76	1.53	1.47
4	A	404	PGW	O03-C19	4.69	1.47	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	404	PGW	O01-C1	4.49	1.47	1.34
2	B	401	NS2	N29-N28	4.46	1.38	1.32
5	A	410	SOG	C1'-S1	-3.83	1.76	1.81
2	A	401	NS2	N29-N28	3.81	1.38	1.32
5	A	406	SOG	C1'-S1	-3.62	1.76	1.81
5	B	404	SOG	C1'-S1	-3.51	1.76	1.81
2	A	401	NS2	C16-C15	3.43	1.58	1.53
5	A	405	SOG	C1'-S1	-3.36	1.77	1.81
5	A	411	SOG	C1'-S1	-3.34	1.77	1.81
5	A	407	SOG	C1'-S1	-3.17	1.77	1.81
2	A	401	NS2	C14-C15	-3.03	1.51	1.54
2	A	401	NS2	N32-N28	2.95	1.36	1.32
5	B	410	SOG	C1'-S1	-2.86	1.77	1.81
2	B	401	NS2	N32-N28	2.83	1.36	1.32
2	B	401	NS2	C16-C15	2.81	1.57	1.53
2	A	401	NS2	C05-C06	2.76	1.44	1.39
2	B	401	NS2	C14-C15	-2.69	1.51	1.54
5	A	407	SOG	O5-C1	2.48	1.46	1.42
5	A	409	SOG	C1'-S1	-2.45	1.78	1.81
2	B	401	NS2	C22-C23	2.37	1.43	1.39
2	A	401	NS2	C20-C21	-2.28	1.31	1.36
2	B	401	NS2	C20-C21	-2.26	1.31	1.36
2	A	401	NS2	C22-C23	2.25	1.42	1.39
2	B	401	NS2	C05-C06	2.23	1.43	1.39
2	A	401	NS2	C26-C23	-2.17	1.46	1.51
5	B	405	SOG	C1'-S1	-2.13	1.78	1.81
2	B	401	NS2	C26-C23	-2.12	1.46	1.51
2	A	401	NS2	C05-C04	2.06	1.42	1.38
5	A	410	SOG	O5-C1	2.04	1.45	1.42
5	A	409	SOG	O5-C1	2.01	1.45	1.42

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	NS2	C23-C22-CL1	6.60	127.84	119.45
2	B	401	NS2	C21-C22-CL1	-6.59	105.19	118.41
2	A	401	NS2	C23-C22-CL1	6.32	127.48	119.45
2	A	401	NS2	C21-C22-CL1	-6.01	106.34	118.41
5	B	404	SOG	C1-O5-C5	5.52	122.77	112.58
5	B	405	SOG	C1-O5-C5	5.17	122.12	112.58
2	A	401	NS2	C07-C08-C03	4.77	127.31	119.34
2	B	401	NS2	C07-C08-C03	4.72	127.23	119.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	405	SOG	C1'-S1-C1	4.65	108.79	100.09
5	A	407	SOG	C1-O5-C5	4.48	120.84	112.58
5	B	409	SOG	C4-C3-C2	4.42	118.54	110.82
5	B	404	SOG	O5-C1-C2	4.26	115.67	110.31
5	A	406	SOG	C1'-S1-C1	4.24	108.02	100.09
4	A	404	PGW	O01-C1-C2	4.15	120.44	111.50
4	B	403	PGW	O01-C1-C2	4.14	120.43	111.50
5	A	409	SOG	C3-C4-C5	-3.98	103.14	110.24
2	A	401	NS2	C08-C07-C06	-3.93	113.04	117.40
2	B	401	NS2	C08-C07-C06	-3.92	113.05	117.40
5	A	407	SOG	C1'-S1-C1	3.62	106.86	100.09
2	A	401	NS2	O10-C09-N11	-3.61	115.78	122.18
2	B	401	NS2	O10-C09-N11	-3.54	115.90	122.18
5	A	405	SOG	C3-C4-C5	3.48	116.45	110.24
5	B	410	SOG	O5-C1-C2	-3.48	105.93	110.31
5	A	411	SOG	C3-C4-C5	3.48	116.44	110.24
5	B	404	SOG	C3-C4-C5	3.47	116.43	110.24
5	B	404	SOG	O5-C5-C4	3.46	115.98	109.69
2	B	401	NS2	C26-C23-C22	3.31	125.51	121.90
5	A	405	SOG	C4-C3-C2	3.29	116.57	110.82
5	A	408	SOG	C4-C3-C2	3.29	116.56	110.82
2	B	401	NS2	C13-C12-N11	3.27	106.88	103.30
5	B	405	SOG	O5-C1-S1	-3.26	102.02	109.82
5	B	409	SOG	C3-C4-C5	3.25	116.04	110.24
2	A	401	NS2	C13-C12-N11	3.24	106.85	103.30
5	A	406	SOG	C4-C3-C2	3.24	116.48	110.82
2	B	401	NS2	C21-C22-C23	3.15	126.59	122.96
5	B	408	SOG	C3-C4-C5	3.10	115.76	110.24
4	A	404	PGW	O03-C19-C20	3.10	121.63	111.91
5	A	407	SOG	O5-C1-C2	3.09	114.19	110.31
2	B	401	NS2	C05-C04-C03	-2.95	116.13	119.73
2	A	401	NS2	C05-C04-C03	-2.91	116.18	119.73
5	A	411	SOG	C1-O5-C5	2.89	117.92	112.58
5	B	408	SOG	C4-C3-C2	2.82	115.74	110.82
5	A	409	SOG	C6-C5-C4	2.75	119.44	113.00
2	A	401	NS2	C26-C23-C22	2.70	124.85	121.90
5	B	404	SOG	C1'-S1-C1	2.64	105.04	100.09
5	A	409	SOG	O5-C5-C6	2.64	113.01	106.44
5	A	405	SOG	C1'-S1-C1	2.56	104.89	100.09
4	B	403	PGW	C01-O03-C19	2.51	126.40	117.12
2	A	401	NS2	C21-C22-C23	2.50	125.84	122.96
4	B	403	PGW	O03-C19-C20	2.46	119.61	111.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	405	SOG	O5-C5-C4	2.43	114.11	109.69
5	A	410	SOG	C1-O5-C5	2.40	117.01	112.58
4	A	404	PGW	O03-C19-O04	-2.37	117.60	123.59
5	A	406	SOG	C1-O5-C5	-2.35	108.26	112.58
5	A	407	SOG	C1-C2-C3	2.32	115.17	110.59
5	A	408	SOG	C1-C2-C3	2.30	115.13	110.59
5	B	410	SOG	C4-C3-C2	2.29	114.83	110.82
5	A	406	SOG	O5-C5-C6	2.29	112.12	106.44
5	A	411	SOG	C4-C3-C2	2.28	114.81	110.82
2	A	401	NS2	C16-C15-C14	-2.24	108.51	112.63
5	A	409	SOG	C1'-S1-C1	2.18	104.17	100.09
2	A	401	NS2	C05-C06-N28	-2.17	115.39	118.33
5	B	408	SOG	O2-C2-C1	2.17	114.25	110.27
5	A	411	SOG	O5-C5-C4	2.16	113.62	109.69
5	B	406	SOG	C4-C3-C2	2.15	114.57	110.82
4	A	404	PGW	O01-C1-O02	-2.09	118.66	123.70
5	A	411	SOG	C1'-S1-C1	2.08	103.99	100.09
5	A	407	SOG	C4-C3-C2	2.07	114.43	110.82
5	A	409	SOG	O5-C1-S1	2.06	114.74	109.82
2	B	401	NS2	C16-C15-C14	-2.04	108.89	112.63
5	B	405	SOG	O5-C1-C2	2.03	112.87	110.31
2	B	401	NS2	C21-C20-C19	-2.02	118.29	120.84

There are no chirality outliers.

All (134) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	405	SOG	C2'-C1'-S1-C1
4	A	404	PGW	C04-C05-CAD-OAE
5	A	409	SOG	O5-C1-S1-C1'
5	A	409	SOG	C2'-C1'-S1-C1
4	B	403	PGW	C04-C05-CAD-OAE
5	B	405	SOG	C2-C1-S1-C1'
5	B	405	SOG	O5-C1-S1-C1'
5	B	410	SOG	C2'-C1'-S1-C1
5	A	407	SOG	O5-C1-S1-C1'
2	B	401	NS2	C07-C09-N11-C12
2	B	401	NS2	C07-C09-N11-C15
2	B	401	NS2	O10-C09-N11-C12
2	B	401	NS2	O10-C09-N11-C15
2	A	401	NS2	C07-C09-N11-C12
2	A	401	NS2	C07-C09-N11-C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	401	NS2	O10-C09-N11-C12
2	A	401	NS2	O10-C09-N11-C15
4	A	404	PGW	O04-C19-O03-C01
4	A	404	PGW	C20-C19-O03-C01
5	A	410	SOG	O5-C5-C6-O6
5	A	409	SOG	C4-C5-C6-O6
5	B	405	SOG	C4-C5-C6-O6
4	B	403	PGW	O12-C04-C05-CAD
5	A	406	SOG	C1'-C2'-C3'-C4'
5	A	407	SOG	C1'-C2'-C3'-C4'
5	A	410	SOG	C4-C5-C6-O6
4	B	403	PGW	O12-C04-C05-OAF
4	A	404	PGW	C2-C1-O01-C02
4	B	403	PGW	C1-C2-C3-C4
5	A	411	SOG	C1'-C2'-C3'-C4'
5	B	408	SOG	O5-C5-C6-O6
5	A	409	SOG	O5-C5-C6-O6
5	B	405	SOG	O5-C5-C6-O6
5	B	404	SOG	S1-C1'-C2'-C3'
5	A	409	SOG	S1-C1'-C2'-C3'
5	A	405	SOG	O5-C5-C6-O6
4	A	404	PGW	O12-C04-C05-OAF
4	A	404	PGW	O02-C1-O01-C02
5	B	406	SOG	C4-C5-C6-O6
5	A	411	SOG	O5-C5-C6-O6
5	B	404	SOG	C1'-C2'-C3'-C4'
5	B	405	SOG	C1'-C2'-C3'-C4'
4	A	404	PGW	O12-C04-C05-CAD
4	A	404	PGW	C24-C25-C26-C27
4	B	403	PGW	C17-C18-C28-C30
5	B	410	SOG	C2'-C3'-C4'-C5'
5	B	404	SOG	O5-C5-C6-O6
5	A	405	SOG	C1'-C2'-C3'-C4'
5	B	410	SOG	C1'-C2'-C3'-C4'
5	A	411	SOG	C3'-C4'-C5'-C6'
4	A	404	PGW	C09-C11-C12-C13
5	B	405	SOG	C3'-C4'-C5'-C6'
5	B	407	SOG	C2'-C1'-S1-C1
4	A	404	PGW	C15-C16-C17-C18
4	B	403	PGW	C20-C21-C22-C23
4	A	404	PGW	C2-C3-C4-C5
4	B	403	PGW	C25-C26-C27-C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	404	PGW	C21-C22-C23-C24
4	B	403	PGW	C3-C4-C5-C6
4	B	403	PGW	C06-C07-C08-C09
4	A	404	PGW	C4-C5-C6-C7
5	A	410	SOG	C2'-C3'-C4'-C5'
4	A	404	PGW	C27-C15-C16-C17
4	A	404	PGW	C23-C24-C25-C26
5	B	405	SOG	C4'-C5'-C6'-C7'
5	A	406	SOG	C3'-C4'-C5'-C6'
4	A	404	PGW	C07-C08-C09-C11
5	A	409	SOG	C3'-C4'-C5'-C6'
4	A	404	PGW	C16-C15-C27-C26
4	B	403	PGW	C22-C23-C24-C25
4	A	404	PGW	C20-C21-C22-C23
4	B	403	PGW	C08-C09-C11-C12
4	B	403	PGW	C4-C5-C6-C7
4	A	404	PGW	OAF-C05-CAD-OAE
4	B	403	PGW	OAF-C05-CAD-OAE
4	A	404	PGW	C3-C4-C5-C6
4	A	404	PGW	C22-C23-C24-C25
5	B	410	SOG	C4'-C5'-C6'-C7'
5	A	406	SOG	S1-C1'-C2'-C3'
5	A	407	SOG	C2'-C3'-C4'-C5'
4	B	403	PGW	C23-C24-C25-C26
4	A	404	PGW	C6-C7-C8-C9
5	B	404	SOG	C4'-C5'-C6'-C7'
5	A	405	SOG	C4'-C5'-C6'-C7'
4	A	404	PGW	O03-C01-C02-O01
5	A	406	SOG	O5-C5-C6-O6
4	B	403	PGW	C2-C3-C4-C5
4	B	403	PGW	C21-C22-C23-C24
5	B	406	SOG	O5-C5-C6-O6
4	B	403	PGW	C6-C7-C8-C9
5	A	407	SOG	S1-C1'-C2'-C3'
5	A	410	SOG	C5'-C6'-C7'-C8'
4	A	404	PGW	O03-C01-C02-C03
5	A	405	SOG	C5'-C6'-C7'-C8'
4	B	403	PGW	C18-C28-C30-C29
5	A	406	SOG	C5'-C6'-C7'-C8'
4	B	403	PGW	C11-C12-C13-C14
4	B	403	PGW	C16-C15-C27-C26
4	B	403	PGW	C27-C15-C16-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	B	404	SOG	C3'-C4'-C5'-C6'
5	B	404	SOG	C5'-C6'-C7'-C8'
5	B	409	SOG	O5-C5-C6-O6
4	B	403	PGW	C01-C02-C03-O11
4	A	404	PGW	C06-C07-C08-C09
5	A	406	SOG	C2'-C3'-C4'-C5'
4	B	403	PGW	O01-C02-C03-O11
4	A	404	PGW	C02-C03-O11-P
4	A	404	PGW	C16-C17-C18-C28
5	B	407	SOG	S1-C1'-C2'-C3'
5	B	404	SOG	C2'-C1'-S1-C1
5	A	409	SOG	C2'-C3'-C4'-C5'
4	B	403	PGW	C05-C04-O12-P
5	A	408	SOG	O5-C5-C6-O6
5	B	404	SOG	C2-C1-S1-C1'
5	A	407	SOG	C2-C1-S1-C1'
5	A	405	SOG	C2'-C3'-C4'-C5'
4	B	403	PGW	C07-C08-C09-C11
4	A	404	PGW	C04-O12-P-O11
5	B	405	SOG	C5'-C6'-C7'-C8'
4	B	403	PGW	C09-C11-C12-C13
5	A	411	SOG	S1-C1'-C2'-C3'
4	A	404	PGW	C5-C6-C7-C8
5	B	410	SOG	C5'-C6'-C7'-C8'
5	A	407	SOG	O5-C5-C6-O6
5	A	410	SOG	S1-C1'-C2'-C3'
5	A	407	SOG	C3'-C4'-C5'-C6'
4	B	403	PGW	C19-C20-C21-C22
5	B	404	SOG	O5-C1-S1-C1'
4	B	403	PGW	C7-C8-C9-C10
4	B	403	PGW	O03-C19-C20-C21
4	A	404	PGW	C03-O11-P-O14
4	A	404	PGW	C04-O12-P-O14
5	A	406	SOG	C4'-C5'-C6'-C7'
4	B	403	PGW	O04-C19-C20-C21

There are no ring outliers.

13 monomers are involved in 18 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	404	SOG	1	0
5	A	405	SOG	2	0



Continued on next page...




Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	410	SOG	1	0
5	A	411	SOG	1	0
4	A	404	PGW	3	0
5	A	409	SOG	1	0
5	B	410	SOG	2	0
4	B	403	PGW	1	0
5	A	407	SOG	1	0
5	B	409	SOG	2	0
5	B	408	SOG	1	0
2	B	401	NS2	1	0
2	A	401	NS2	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















Ligand SOG B 410





Ligand PGW B 403













Ligand NS2 B 401



Ligand NS2 A 401



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.


6.3 Carbohydrates ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands ⓘ




Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around SOG A 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG A 408:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG A 410:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around SOG A 411:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around SOG A 406:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PGW A 404:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG A 409:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 408:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGW B 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around SOG B 407:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around SOG B 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG B 410:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG A 407:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG B 409:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 406:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around NS2 B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NS2 A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.