



Full wwPDB EM Validation Report ⓘ

Dec 12, 2022 – 02:51 am GMT

PDB ID : 6TQM
EMDB ID : EMD-10555
Title : Escherichia coli AdhE structure in its compact conformation
Authors : Fronzes, R.; Pony, P.
Deposited on : 2019-12-16
Resolution : 3.80 Å(reported)
Based on initial model : 6TQH

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	891	
1	B	891	
1	C	891	
1	F	891	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	TXE	A	902	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	TXE	B	902	X	-	-	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 39670 atoms, of which 19858 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Aldehyde-alcohol dehydrogenase.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	F	420	Total	C	H	N	O	S	0	0
			6500	2076	3245	554	609	16		
1	C	420	Total	C	H	N	O	S	0	0
			6500	2076	3245	554	609	16		
1	B	869	Total	C	H	N	O	S	0	0
			13263	4196	6657	1126	1254	30		
1	A	869	Total	C	H	N	O	S	0	0
			13263	4196	6657	1126	1254	30		


- Molecule 2 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		AltConf
2	B	1	Total	Fe	0
			1	1	
2	A	1	Total	Fe	0
			1	1	



- Molecule 3 is [[(2R,3S,4R,5R)-5-[(3R)-3-aminocarbonyl-3,4-dihydro-2H-pyridin-1-yl]-3,4-bis(oxidanyl)oxolan-2-yl]methoxy-oxidanidyl-phosphoryl] [(2R,3S,4R,5R)-5-(6-aminopurin-9-yl)-3,4-bis(oxidanyl)oxolan-2-yl]methyl phosphate (three-letter code: TXE) (formula: C₂₁H₃₁N₇O₁₄P₂).




Mol	Chain	Residues	Atoms						AltConf
3	B	1	Total 71	C 21	H 27	N 7	O 14	P 2	0
3	A	1	Total 71	C 21	H 27	N 7	O 14	P 2	0





• Molecule 1: Aldehyde-alcohol dehydrogenase







• Molecule 1: Aldehyde-alcohol dehydrogenase



1851 S852 E853 L854 K855 Q856 I857 L858 L859 D860 T861 Y862 G864 R865 D866 Y867 V868 E869	GLY GLU GLU THR ALA ALA LYS LYS LYS GLU ALA ALA GLU LYS LYS LYS SER ALA	R790 T791 A792 A793 K794 I795 E796 Y797 L798 L799 A800 N801 L802 E803 T804 L805 K806 A807 E808 L809 G810 I811 P812 K813 S814 T815 R816 E817 A818 G819 V820 Q821 E822 A823 D824 F825 L826 A827 N828 V829 D830 K831 L832 S833 E834 D835 A836 F837 D838	R730 S731 Q732 F733 H734 I735 P736 H737 Q738 L739 A740 N741 A742 L743 L744 I745 C746 N747 V748 I749 R750 Y751 N752 A753 N754 D755 N756 P757 T758 K759 Q760 T761 A762 F763 S764 Q765 Y766 D767 R768 P769 Q770 A771 R772 R773 R774 Y775 A776 E777 I778 A779 D780 H781 L782 Q783 L784 S785 A786 P787 Q788 D789
--	--	--	--

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	226646	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TECNAI ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	5000	Depositor
Maximum defocus (nm)	25000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.047	Depositor
Minimum map value	-0.022	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.008	Depositor
Map size (Å)	293.8, 293.8, 293.8	wwPDB
Map dimensions	260, 260, 260	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.13, 1.13, 1.13	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TXE, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.58	0/6734	0.60	0/9134
1	B	0.58	0/6734	0.60	0/9134
1	C	0.46	0/3326	0.57	0/4510
1	F	0.50	0/3326	0.60	0/4510
All	All	0.55	0/20120	0.60	0/27288

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	47	ILE	Peptide
1	B	47	ILE	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6606	6657	6657	59	0
1	B	6606	6657	6657	57	0
1	C	3255	3245	3245	21	0
1	F	3255	3245	3245	25	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	44	27	27	2	0
3	B	44	27	27	2	0
All	All	19812	19858	19858	158	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:450:ASN:N	1:F:450:ASN:HD22	1.73	0.86
1:B:256:ASP:OD1	1:B:345:ARG:NH1	2.16	0.79
1:A:256:ASP:OD1	1:A:345:ARG:NH1	2.16	0.78
1:A:238:LYS:NZ	1:A:338:SER:O	2.23	0.72
1:A:108:CYS:SG	1:A:109:GLY:N	2.63	0.72
1:B:108:CYS:SG	1:B:109:GLY:N	2.63	0.71
1:B:238:LYS:NZ	1:B:338:SER:O	2.23	0.71
1:B:57:SER:OG	1:B:59:MET:SD	2.47	0.71
1:C:450:ASN:HD22	1:C:450:ASN:N	1.89	0.69
1:F:478:GLY:O	1:F:479:HIS:ND1	2.26	0.69
1:C:478:GLY:O	1:C:479:HIS:ND1	2.27	0.68
1:F:450:ASN:N	1:F:450:ASN:ND2	2.40	0.68
1:C:676:LEU:HD22	1:C:781:HIS:ND1	2.10	0.65
1:F:647:CYS:SG	1:F:700:ARG:NH1	2.70	0.65
1:A:57:SER:OG	1:A:59:MET:SD	2.47	0.64
1:C:814:SER:OG	1:C:861:THR:O	2.17	0.63
1:F:656:THR:HG23	1:F:745:ILE:HD13	1.81	0.62
1:B:817:GLU:N	1:B:817:GLU:OE1	2.34	0.61
1:F:664:SER:OG	1:F:665:VAL:N	2.34	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:478:GLY:O	1:A:479:HIS:ND1	2.34	0.60
1:A:817:GLU:N	1:A:817:GLU:OE1	2.34	0.60
1:B:478:GLY:O	1:B:479:HIS:ND1	2.34	0.60
1:F:841:CYS:SG	1:F:842:THR:HG23	2.42	0.60
1:B:464:ARG:NH2	1:B:697:PRO:O	2.35	0.59
1:A:664:SER:OG	1:A:665:VAL:N	2.35	0.59
1:A:464:ARG:NH2	1:A:697:PRO:O	2.35	0.59
1:B:293:ASN:OD1	1:B:294:ALA:N	2.36	0.59
1:B:761:THR:HG21	1:A:232:ALA:HB1	1.83	0.59
1:B:664:SER:OG	1:B:665:VAL:N	2.35	0.58
1:A:293:ASN:OD1	1:A:294:ALA:N	2.36	0.58
1:A:751:TYR:OH	1:A:853:GLU:OE1	2.17	0.58
1:F:503:LEU:HD22	1:F:508:VAL:HG21	1.85	0.58
1:A:188:ASN:O	1:A:189:LEU:HD22	2.03	0.57
1:A:335:GLU:N	1:A:335:GLU:OE1	2.37	0.57
1:F:817:GLU:N	1:F:817:GLU:OE1	2.37	0.57
1:B:188:ASN:O	1:B:189:LEU:HD22	2.04	0.57
1:B:335:GLU:N	1:B:335:GLU:OE1	2.37	0.57
1:B:509:GLU:OE1	1:B:509:GLU:N	2.38	0.57
1:C:450:ASN:N	1:C:450:ASN:ND2	2.53	0.56
1:A:509:GLU:N	1:A:509:GLU:OE1	2.38	0.56
1:B:751:TYR:OH	1:B:853:GLU:OE1	2.17	0.56
1:C:817:GLU:N	1:C:817:GLU:OE1	2.39	0.55
1:B:1:MET:SD	1:B:1:MET:N	2.74	0.55
1:B:394:ILE:HB	1:A:444:VAL:HG12	1.87	0.55
1:C:656:THR:HG23	1:C:745:ILE:HD13	1.89	0.54
1:F:763:PHE:O	1:F:764:SER:OG	2.24	0.53
1:A:841:CYS:SG	1:A:842:THR:HG23	2.49	0.53
1:C:869:GLU:N	1:C:869:GLU:OE1	2.42	0.52
1:B:841:CYS:SG	1:B:842:THR:HG23	2.49	0.52
1:B:225:ALA:HB2	1:B:373:THR:HA	1.92	0.52
1:C:575:ASP:OD2	1:C:575:ASP:N	2.42	0.52
1:A:225:ALA:HB2	1:A:373:THR:HA	1.92	0.52
1:B:262:VAL:O	1:B:262:VAL:HG12	2.10	0.52
1:C:664:SER:OG	1:C:665:VAL:N	2.42	0.52
1:A:401:SER:OG	1:A:402:GLN:N	2.43	0.52
1:B:232:ALA:HB1	1:A:761:THR:HG21	1.92	0.52
1:B:824:ASP:OD2	1:B:824:ASP:N	2.43	0.51
1:B:203:TYR:OH	1:B:421:CYS:SG	2.66	0.51
1:A:824:ASP:OD2	1:A:824:ASP:N	2.43	0.51
1:B:401:SER:OG	1:B:402:GLN:N	2.43	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:262:VAL:HG12	1:A:262:VAL:O	2.10	0.51
1:B:46:ARG:NH1	1:A:838:ASP:OD1	2.39	0.51
1:A:198:MET:SD	1:A:198:MET:N	2.84	0.51
1:B:190:ILE:HD12	1:B:202:ALA:HB1	1.92	0.50
1:B:444:VAL:HG12	1:A:394:ILE:HB	1.93	0.50
1:A:763:PHE:O	1:A:764:SER:OG	2.28	0.50
1:B:656:THR:HG23	1:B:745:ILE:HD13	1.94	0.50
1:A:860:ASP:OD1	1:A:865:ARG:NH1	2.45	0.50
1:B:763:PHE:O	1:B:764:SER:OG	2.28	0.50
1:A:656:THR:HG23	1:A:745:ILE:HD13	1.94	0.50
1:C:635:ASP:OD1	1:C:636:ALA:N	2.45	0.49
1:B:860:ASP:OD1	1:B:865:ARG:NH1	2.45	0.49
1:A:190:ILE:HD12	1:A:202:ALA:HB1	1.92	0.49
1:F:841:CYS:O	1:F:842:THR:OG1	2.22	0.49
1:B:407:ASP:C	1:B:408:LEU:HD12	2.33	0.49
1:A:203:TYR:OH	1:A:421:CYS:SG	2.66	0.49
1:C:639:VAL:O	1:C:639:VAL:HG13	2.12	0.49
1:B:198:MET:SD	1:B:198:MET:N	2.84	0.49
1:A:407:ASP:C	1:A:408:LEU:HD12	2.33	0.49
1:C:763:PHE:O	1:C:764:SER:OG	2.24	0.49
1:F:684:GLU:N	1:F:684:GLU:OE1	2.46	0.48
1:C:604:GLU:N	1:C:604:GLU:OE1	2.46	0.48
1:B:8:GLU:N	1:B:8:GLU:OE1	2.46	0.48
1:A:43:ALA:O	1:A:46:ARG:NH2	2.46	0.48
1:A:866:ASP:OD1	1:A:866:ASP:N	2.45	0.48
1:C:634:VAL:HG21	1:C:708:THR:HG21	1.95	0.48
1:A:8:GLU:N	1:A:8:GLU:OE1	2.46	0.48
1:B:43:ALA:O	1:B:46:ARG:NH2	2.46	0.48
1:F:869:GLU:OE1	1:F:869:GLU:N	2.46	0.48
1:B:866:ASP:OD1	1:B:866:ASP:N	2.45	0.48
3:A:902:TXE:H6N	3:A:902:TXE:H5'A	1.95	0.48
1:F:635:ASP:OD1	1:F:636:ALA:N	2.48	0.47
1:F:746:CYS:O	1:F:750:ARG:NH1	2.47	0.47
3:B:902:TXE:H5'A	3:B:902:TXE:H6N	1.95	0.47
1:A:10:ASN:OD1	1:A:184:HIS:NE2	2.43	0.47
1:F:604:GLU:OE1	1:F:604:GLU:N	2.47	0.47
1:B:841:CYS:O	1:B:842:THR:OG1	2.27	0.47
1:A:215:GLY:O	1:A:217:THR:HG23	2.16	0.46
1:F:726:ALA:HB1	1:F:740:ALA:HB3	1.97	0.46
1:A:74:GLU:OE1	1:A:78:ASN:ND2	2.49	0.46
1:B:215:GLY:O	1:B:217:THR:HG23	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:635:ASP:OD1	1:A:636:ALA:N	2.49	0.46
1:A:534:SER:O	1:A:534:SER:OG	2.33	0.46
1:C:689:SER:OG	1:C:700:ARG:NH1	2.48	0.45
1:B:74:GLU:OE1	1:B:78:ASN:ND2	2.49	0.45
1:B:635:ASP:OD1	1:B:636:ALA:N	2.49	0.45
1:A:726:ALA:HB1	1:A:740:ALA:HB3	1.98	0.45
1:B:73:SER:O	1:B:73:SER:OG	2.34	0.45
1:B:726:ALA:HB1	1:B:740:ALA:HB3	1.98	0.45
1:A:841:CYS:O	1:A:842:THR:OG1	2.27	0.45
1:A:296:ILE:CG2	1:A:304:ILE:HG22	2.47	0.45
1:A:1:MET:SD	1:A:1:MET:N	2.74	0.45
1:B:639:VAL:HG13	1:B:639:VAL:O	2.17	0.44
1:A:604:GLU:HG2	1:A:605:VAL:HG13	2.00	0.44
1:F:515:GLU:N	1:F:515:GLU:OE2	2.50	0.44
1:F:639:VAL:HG13	1:F:639:VAL:O	2.18	0.44
1:A:639:VAL:O	1:A:639:VAL:HG13	2.18	0.44
1:B:296:ILE:CG2	1:B:304:ILE:HG22	2.47	0.44
1:B:604:GLU:HG2	1:B:605:VAL:HG13	2.00	0.44
1:B:731:SER:O	1:B:731:SER:OG	2.32	0.44
1:C:497:ASP:OD1	1:C:497:ASP:N	2.50	0.43
1:F:850:LEU:HD23	1:F:850:LEU:H	1.82	0.43
1:F:462:PHE:O	1:F:463:ARG:HG2	2.18	0.43
1:B:10:ASN:OD1	1:B:184:HIS:NE2	2.43	0.43
1:B:515:GLU:N	1:B:515:GLU:OE1	2.52	0.43
1:A:250:GLN:OE1	1:A:336:LYS:NZ	2.38	0.43
1:B:613:ASP:OD1	1:B:614:ASP:N	2.52	0.43
1:C:487:ASP:OD1	1:C:488:ARG:N	2.47	0.43
1:F:635:ASP:O	1:F:704:HIS:NE2	2.52	0.42
1:A:613:ASP:OD1	1:A:614:ASP:N	2.52	0.42
1:F:593:ILE:HG22	1:F:594:ALA:N	2.34	0.42
1:A:5:ASN:OD1	1:A:5:ASN:N	2.52	0.42
1:B:5:ASN:N	1:B:5:ASN:OD1	2.52	0.42
1:A:104:ILE:HD13	1:A:189:LEU:HD21	2.01	0.42
1:B:281:ALA:HB1	1:B:308:ALA:HB1	2.01	0.42
1:B:490:LEU:HD11	3:B:902:TXE:H2A	2.01	0.42
1:A:281:ALA:HB1	1:A:308:ALA:HB1	2.01	0.42
1:A:296:ILE:HG22	1:A:304:ILE:HG22	2.02	0.42
1:C:866:ASP:OD1	1:C:866:ASP:N	2.46	0.41
1:A:515:GLU:N	1:A:515:GLU:OE1	2.52	0.41
1:A:490:LEU:HD11	3:A:902:TXE:H2A	2.02	0.41
1:B:278:GLU:OE1	1:B:278:GLU:N	2.52	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:104:ILE:HD13	1:B:189:LEU:HD21	2.01	0.41
1:B:838:ASP:OD1	1:A:46:ARG:NH1	2.46	0.41
1:A:193:THR:HG22	1:A:212:VAL:HB	2.03	0.41
1:A:278:GLU:OE1	1:A:278:GLU:N	2.52	0.41
1:A:662:TYR:HD2	1:A:778:ILE:HD11	1.86	0.41
1:C:509:GLU:N	1:C:509:GLU:OE1	2.54	0.41
1:B:296:ILE:HG22	1:B:304:ILE:HG22	2.02	0.41
1:B:575:ASP:N	1:B:575:ASP:OD1	2.54	0.41
1:A:497:ASP:OD1	1:A:497:ASP:N	2.38	0.41
1:F:487:ASP:OD1	1:F:488:ARG:N	2.49	0.40
1:F:656:THR:CG2	1:F:745:ILE:HD13	2.49	0.40
1:C:667:ALA:O	1:C:768:ARG:NH1	2.54	0.40
1:A:575:ASP:OD1	1:A:575:ASP:N	2.54	0.40
1:A:743:LEU:HD13	1:A:815:ILE:HD13	2.04	0.40
1:B:132:ASN:N	1:B:132:ASN:OD1	2.54	0.40
1:B:662:TYR:HD2	1:B:778:ILE:HD11	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	867/891 (97%)	730 (84%)	137 (16%)	0	100	100
1	B	867/891 (97%)	729 (84%)	138 (16%)	0	100	100
1	C	418/891 (47%)	369 (88%)	49 (12%)	0	100	100
1	F	418/891 (47%)	369 (88%)	49 (12%)	0	100	100
All	All	2570/3564 (72%)	2197 (86%)	373 (14%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	695/708 (98%)	680 (98%)	15 (2%)	52	72
1	B	695/708 (98%)	680 (98%)	15 (2%)	52	72
1	C	341/708 (48%)	340 (100%)	1 (0%)	92	96
1	F	341/708 (48%)	339 (99%)	2 (1%)	86	92
All	All	2072/2832 (73%)	2039 (98%)	33 (2%)	64	79

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	450	ASN
1	F	760	GLN
1	C	450	ASN
1	B	4	THR
1	B	69	ASN
1	B	144	ASP
1	B	176	GLU
1	B	198	MET
1	B	314	GLU
1	B	328	GLU
1	B	329	SER
1	B	407	ASP
1	B	497	ASP
1	B	530	GLU
1	B	641	ASP
1	B	755	ASP
1	B	760	GLN
1	B	789	ASP
1	A	4	THR
1	A	69	ASN
1	A	144	ASP
1	A	176	GLU
1	A	198	MET
1	A	314	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	328	GLU
1	A	329	SER
1	A	407	ASP
1	A	497	ASP
1	A	530	GLU
1	A	641	ASP
1	A	755	ASP
1	A	760	GLN
1	A	789	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	283	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	TXE	A	902	-	41,48,48	4.80	15 (36%)	44,73,73	2.26	8 (18%)
3	TXE	B	902	-	41,48,48	4.80	14 (34%)	44,73,73	2.26	8 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TXE	A	902	-	1/1/15/15	12/26/72/72	0/5/5/5
3	TXE	B	902	-	1/1/15/15	12/26/72/72	0/5/5/5

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	902	TXE	O4'-C1'	15.86	1.63	1.41
3	B	902	TXE	O4'-C1'	15.86	1.63	1.41
3	A	902	TXE	C2'-C1'	-15.61	1.30	1.53
3	B	902	TXE	C2'-C1'	-15.59	1.30	1.53
3	A	902	TXE	C6N-C5N	11.61	1.54	1.33
3	B	902	TXE	C6N-C5N	11.55	1.54	1.33
3	B	902	TXE	O4B-C1B	8.54	1.62	1.42
3	A	902	TXE	O4B-C1B	8.52	1.62	1.42
3	B	902	TXE	C2B-C1B	-6.86	1.31	1.53
3	A	902	TXE	C2B-C1B	-6.78	1.31	1.53
3	B	902	TXE	O4B-C4B	-6.75	1.29	1.45
3	A	902	TXE	O4B-C4B	-6.70	1.30	1.45
3	A	902	TXE	O4'-C4'	-5.91	1.31	1.45
3	B	902	TXE	O4'-C4'	-5.90	1.31	1.45
3	A	902	TXE	C7N-N7N	4.55	1.44	1.32
3	B	902	TXE	C7N-N7N	4.53	1.44	1.32
3	A	902	TXE	O3B-C3B	-3.69	1.34	1.43
3	B	902	TXE	O3B-C3B	-3.61	1.34	1.43
3	A	902	TXE	C5A-C4A	-3.24	1.32	1.40
3	B	902	TXE	C5A-C4A	-3.23	1.32	1.40
3	B	902	TXE	O2B-C2B	2.46	1.48	1.43
3	A	902	TXE	O2B-C2B	2.42	1.48	1.43
3	B	902	TXE	O5B-C5B	-2.24	1.36	1.44
3	B	902	TXE	O3'-C3'	-2.20	1.37	1.43
3	A	902	TXE	O5B-C5B	-2.19	1.36	1.44
3	A	902	TXE	O3'-C3'	-2.19	1.37	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	902	TXE	O7N-C7N	-2.01	1.20	1.23
3	B	902	TXE	O7N-C7N	-2.01	1.20	1.23
3	A	902	TXE	C5A-N7A	-2.00	1.32	1.39

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	902	TXE	C5A-C6A-N6A	8.45	133.19	120.35
3	A	902	TXE	C5A-C6A-N6A	8.42	133.14	120.35
3	B	902	TXE	N6A-C6A-N1A	-6.05	106.01	118.57
3	A	902	TXE	N6A-C6A-N1A	-6.04	106.03	118.57
3	A	902	TXE	C1'-N9A-C4A	5.21	135.79	126.64
3	B	902	TXE	C1'-N9A-C4A	5.17	135.72	126.64
3	B	902	TXE	N3A-C2A-N1A	-5.00	120.86	128.68
3	A	902	TXE	N3A-C2A-N1A	-5.00	120.87	128.68
3	B	902	TXE	PN-O3-PA	-4.69	116.75	132.83
3	A	902	TXE	PN-O3-PA	-4.66	116.82	132.83
3	B	902	TXE	C3'-C2'-C1'	3.18	105.77	100.98
3	A	902	TXE	C3'-C2'-C1'	3.13	105.69	100.98
3	A	902	TXE	C2N-C3N-C7N	2.99	115.69	110.07
3	B	902	TXE	C2N-C3N-C7N	2.93	115.58	110.07
3	B	902	TXE	C3B-C2B-C1B	2.52	106.22	101.43
3	A	902	TXE	C3B-C2B-C1B	2.49	106.15	101.43

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	B	902	TXE	C3N
3	A	902	TXE	C3N

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	902	TXE	C5'-O5'-PA-O2P
3	B	902	TXE	O4B-C1B-N1N-C2N
3	A	902	TXE	C5'-O5'-PA-O2P
3	A	902	TXE	O4B-C1B-N1N-C2N
3	B	902	TXE	O4'-C4'-C5'-O5'
3	A	902	TXE	O4'-C4'-C5'-O5'
3	B	902	TXE	C3'-C4'-C5'-O5'
3	A	902	TXE	C3'-C4'-C5'-O5'
3	B	902	TXE	PN-O3-PA-O2P

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	902	TXE	PN-O3-PA-O2P
3	B	902	TXE	PN-O3-PA-O5'
3	A	902	TXE	PN-O3-PA-O5'
3	B	902	TXE	C2N-C3N-C7N-O7N
3	A	902	TXE	C2N-C3N-C7N-O7N
3	B	902	TXE	C5B-O5B-PN-O1N
3	A	902	TXE	C5B-O5B-PN-O1N
3	B	902	TXE	C4B-C5B-O5B-PN
3	A	902	TXE	C4B-C5B-O5B-PN
3	B	902	TXE	C5'-O5'-PA-O3
3	B	902	TXE	C5B-O5B-PN-O3
3	A	902	TXE	C5'-O5'-PA-O3
3	A	902	TXE	C5B-O5B-PN-O3
3	B	902	TXE	C2N-C3N-C7N-N7N
3	A	902	TXE	C2N-C3N-C7N-N7N


There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	902	TXE	2	0
3	B	902	TXE	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-10555. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 130




Y Index: 130




Z Index: 130


6.2.2 Raw map



X Index: 130



Y Index: 130




Z Index: 130


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 135




Y Index: 108




Z Index: 165


6.3.2 Raw map



X Index: 135



Y Index: 108




Z Index: 165

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.008. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 220 nm³; this corresponds to an approximate mass of 199 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.263 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	3.88	4.20	3.92
Unmasked-calculated*	4.06	4.44	4.10

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-10555 and PDB model 6TQM. Per-residue inclusion information can be found in section [3](#) on page [6](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.008 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.008).

9.4 Atom inclusion [i](#)



At the recommended contour level, 27% of all backbone atoms, 27% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.008) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.2700	<div></div> -0.0230
A	<div></div> 0.2580	<div></div> -0.0170
B	<div></div> 0.2899	<div></div> -0.0190
C	<div></div> 0.2821	<div></div> -0.0390
F	<div></div> 0.2351	<div></div> -0.0280

