



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 11:57 am BST

PDB ID : 1TW2
Title : Crystal structure of Carminomycin-4-O-methyltransferase (DnrK) in complex with S-adenosyl-L-homocystein (SAH) and 4-methoxy-e-rhodomyacin T (M-ET)
Authors : Jansson, A.; Koskiniemi, H.; Mantsala, P.; Niemi, J.; Schneider, G.; Structural Proteomics in Europe (SPINE)
Deposited on : 2004-06-30
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	360	<div> <div></div> <div>71%19%•6%</div> </div>
1	B	360	<div> <div>%</div> <div>75%19%••</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5612 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carminomycin 4-O-methyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	338	Total	C	N	O	S	30	0	0
			2610	1650	467	488	5			
1	B	350	Total	C	N	O	S	3	0	0
			2699	1705	484	505	5			

There are 10 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	CLONING ARTIFACT	UNP Q06528
A	-3	SER	-	CLONING ARTIFACT	UNP Q06528
A	-2	PRO	-	CLONING ARTIFACT	UNP Q06528
A	-1	ASN	-	CLONING ARTIFACT	UNP Q06528
A	0	SER	-	CLONING ARTIFACT	UNP Q06528
B	-4	GLY	-	CLONING ARTIFACT	UNP Q06528
B	-3	SER	-	CLONING ARTIFACT	UNP Q06528
B	-2	PRO	-	CLONING ARTIFACT	UNP Q06528
B	-1	ASN	-	CLONING ARTIFACT	UNP Q06528
B	0	SER	-	CLONING ARTIFACT	UNP Q06528

- Molecule 2 is S-ADENOSYL-L-HOMOCYSTEINE (three-letter code: SAH) (formula: C₁₄H₂₀N₆O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 26	C 14	N 6	O 5	S 1	0	0
2	B	1	Total 26	C 14	N 6	O 5	S 1	0	0

- Molecule 3 is METHYL (4R)-2-ETHYL-2,5,12-TRIHYDROXY-7-METHOXY-6,11-DIOXO-4-{[2,3,6-TRIDEOXY-3-(DIMETHYLAMINO)-BETA-D-RIBO-HEXOPYRANOSYL] OXY}-1H,2H,3H,4H,6H,11H-TETRACENE-1-CARBOXYLATE (three-letter code: ERT) (formula: C₃₁H₃₇NO₁₁).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			43	31	1	11		
3	B	1	Total	C	N	O	0	0
			43	31	1	11		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	97	Total	O	0	0
			97	97		
4	B	68	Total	O	0	0
			68	68		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Carminomycin 4-O-methyltransferase



- Molecule 1: Carminomycin 4-O-methyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	60.68Å 102.58Å 124.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	54.00 – 2.50 54.53 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (54.00-2.50) 99.9 (54.53-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.26 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.203 , 0.271 0.213 , 0.272	Depositor DCC
R_{free} test set	1387 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	24.1	Xtriage
Anisotropy	0.100	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 28.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5612	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 36.37 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.0530e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ERT, SAH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.62	2/2664 (0.1%)	0.92	15/3631 (0.4%)
1	B	0.53	0/2755	0.90	13/3757 (0.3%)
All	All	0.58	2/5419 (0.0%)	0.91	28/7388 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	283	GLU	CB-CG	-14.36	1.24	1.52
1	A	284	ARG	C-N	-6.63	1.18	1.34

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	283	GLU	N-CA-CB	-9.34	93.79	110.60
1	A	284	ARG	CA-CB-CG	7.67	130.28	113.40
1	A	97	ASP	CB-CG-OD2	6.98	124.58	118.30
1	B	168	ASP	CB-CG-OD2	6.96	124.56	118.30
1	B	107	ASP	CB-CG-OD2	6.91	124.52	118.30
1	B	312	ARG	NE-CZ-NH2	-6.90	116.85	120.30
1	B	318	ASP	CB-CG-OD2	6.53	124.17	118.30
1	B	97	ASP	CB-CG-OD2	6.46	124.12	118.30
1	B	312	ARG	NE-CZ-NH1	6.14	123.37	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	223	ASP	CB-CG-OD2	6.02	123.72	118.30
1	B	156	ASP	CB-CG-OD2	6.01	123.71	118.30
1	A	283	GLU	CA-CB-CG	5.76	126.07	113.40
1	B	14	ASP	CB-CG-OD2	5.55	123.29	118.30
1	A	342	ASP	CB-CG-OD2	5.54	123.29	118.30
1	B	124	ASP	CB-CG-OD2	5.50	123.25	118.30
1	A	107	ASP	CB-CG-OD2	5.46	123.21	118.30
1	B	96	ASP	CB-CG-OD2	5.45	123.21	118.30
1	A	261	ASP	CB-CG-OD2	5.33	123.10	118.30
1	A	246	ASP	CB-CG-OD2	5.33	123.10	118.30
1	A	318	ASP	CB-CG-OD2	5.27	123.05	118.30
1	A	164	ASP	CB-CG-OD2	5.21	122.99	118.30
1	A	228	ASP	CB-CG-OD2	5.21	122.98	118.30
1	B	231	ASP	CB-CG-OD2	5.20	122.98	118.30
1	B	236	ASP	CB-CG-OD2	5.20	122.98	118.30
1	A	162	ASP	CB-CG-OD2	5.19	122.97	118.30
1	A	14	ASP	CB-CG-OD2	5.14	122.92	118.30
1	A	300	ASP	CB-CG-OD2	5.03	122.83	118.30
1	B	332	ARG	NE-CZ-NH1	5.03	122.81	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	282	HIS	Mainchain
1	A	284	ARG	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2610	0	2604	55	0
1	B	2699	0	2696	45	0
2	A	26	0	19	7	0
2	B	26	0	19	3	0
3	A	43	0	35	6	0
3	B	43	0	35	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	97	0	0	10	0
4	B	68	0	0	4	0
All	All	5612	0	5408	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:THR:HG21	4:A:725:HOH:O	1.42	1.20
4:A:704:HOH:O	1:B:122:LEU:HG	1.74	0.87
1:A:17:ARG:O	1:A:21:ARG:HG3	1.77	0.84
1:A:256:ASN:HA	1:A:303:MET:HE2	1.64	0.77
2:A:635:SAH:SD	3:A:600:ERT:C40	2.74	0.76
1:A:256:ASN:HA	1:A:303:MET:CE	2.16	0.75
1:B:118:SER:O	1:B:132:THR:HG21	1.87	0.74
1:B:29:MET:O	1:B:33:THR:HG23	1.90	0.71
1:A:184:ASP:OD2	4:A:718:HOH:O	2.09	0.71
1:A:109:THR:CG2	4:A:725:HOH:O	2.15	0.70
1:A:33:THR:HG21	1:B:122:LEU:HD12	1.74	0.69
1:A:14:ASP:OD2	1:A:17:ARG:HG3	1.93	0.68
1:A:159:LEU:HD11	3:A:600:ERT:H402	1.77	0.66
1:A:152:ARG:HH12	1:A:210:MET:CE	2.08	0.66
3:B:1600:ERT:O4'	3:B:1600:ERT:H7'3	1.96	0.65
1:A:29:MET:O	1:A:33:THR:HG23	1.96	0.65
1:A:152:ARG:HH12	1:A:210:MET:HE3	1.63	0.64
2:B:1635:SAH:SD	3:B:1600:ERT:C40	2.86	0.64
1:B:96:ASP:OD1	1:B:103:ARG:NH1	2.32	0.62
1:B:169:ALA:HB3	1:B:170:PRO:HD3	1.83	0.61
1:A:122:LEU:HB3	1:B:33:THR:HG21	1.82	0.61
1:A:118:SER:O	1:A:132:THR:HG21	2.01	0.61
1:B:330:GLU:OE2	4:B:1671:HOH:O	2.15	0.60
1:A:300:ASP:OD2	1:B:66:ARG:HD2	2.02	0.58
3:A:600:ERT:H142	3:A:600:ERT:C21	2.34	0.58
1:A:163:GLN:NE2	1:A:189:LYS:HB2	2.20	0.57
1:A:210:MET:HE3	2:A:635:SAH:O2'	2.03	0.57
1:B:127:ARG:HD2	4:B:1676:HOH:O	2.05	0.56
1:B:122:LEU:N	1:B:123:PRO:CD	2.69	0.56
1:B:142:TYR:CD2	1:B:210:MET:CE	2.90	0.55
1:A:107:ASP:OD2	1:A:109:THR:HB	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:189:LYS:NZ	4:B:1652:HOH:O	2.39	0.54
1:A:118:SER:HB3	1:A:305:VAL:HG13	1.90	0.54
1:B:303:MET:CE	1:B:307:LEU:CD1	2.85	0.54
1:A:66:ARG:HD2	1:B:300:ASP:OD2	2.08	0.54
1:A:79:GLU:HG3	1:A:85:PHE:CE1	2.43	0.53
1:A:159:LEU:CD1	3:A:600:ERT:H402	2.39	0.53
1:B:142:TYR:CD2	1:B:210:MET:HE3	2.43	0.53
1:A:15:ALA:HB3	4:A:695:HOH:O	2.08	0.53
1:A:313:THR:OG1	1:A:316:LYS:HG3	2.09	0.53
1:A:163:GLN:HG3	4:A:703:HOH:O	2.09	0.53
1:B:170:PRO:HG3	1:B:282:HIS:CE1	2.44	0.53
1:B:303:MET:CE	1:B:307:LEU:HD12	2.39	0.53
1:A:210:MET:CE	2:A:635:SAH:H2'	2.40	0.51
1:A:68:ILE:HG23	1:A:77:LEU:HD12	1.91	0.51
1:A:102:GLN:O	1:A:106:HIS:HD2	1.93	0.51
2:A:635:SAH:SD	3:A:600:ERT:H401	2.49	0.51
1:B:159:LEU:O	3:B:1600:ERT:H8'2	2.10	0.51
1:A:142:TYR:CD2	1:A:210:MET:HE1	2.47	0.50
1:A:162:ASP:OD1	1:A:338:THR:OG1	2.27	0.50
1:A:118:SER:CB	1:A:305:VAL:HG13	2.42	0.50
1:A:210:MET:HE2	2:A:635:SAH:H2'	1.93	0.50
1:A:65:LEU:HD21	1:B:288:HIS:HE1	1.77	0.49
2:B:1635:SAH:SD	3:B:1600:ERT:H403	2.53	0.49
2:A:635:SAH:SD	3:A:600:ERT:H402	2.55	0.47
1:B:152:ARG:HH12	1:B:210:MET:CE	2.28	0.47
1:A:300:ASP:OD2	1:B:66:ARG:CD	2.63	0.47
1:B:93:LEU:HD22	1:B:98:HIS:NE2	2.30	0.46
1:B:148:ARG:HG3	1:B:150:ASP:OD1	2.16	0.46
4:A:732:HOH:O	1:B:21:ARG:HD2	2.15	0.46
1:B:343:LEU:HD11	3:B:1600:ERT:H6'1	1.98	0.46
1:A:39:LEU:HD12	1:A:57:THR:HG21	1.98	0.46
1:A:66:ARG:HD3	4:B:1687:HOH:O	2.16	0.46
1:B:303:MET:HE3	1:B:307:LEU:HD12	1.98	0.46
1:B:303:MET:CE	1:B:307:LEU:HD13	2.45	0.46
1:A:98:HIS:CE1	1:A:99:PRO:HD2	2.51	0.45
1:A:283:GLU:HB3	1:A:284:ARG:H	1.51	0.45
1:B:199:ARG:HH11	1:B:199:ARG:HG2	1.81	0.45
1:A:27:THR:HA	1:A:70:HIS:HE1	1.81	0.45
1:A:148:ARG:NH1	1:A:150:ASP:OD2	2.50	0.44
1:A:210:MET:HE2	2:A:635:SAH:C8	2.48	0.44
1:B:14:ASP:O	1:B:17:ARG:HG2	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:LYS:HE2	1:A:216:THR:HG21	1.99	0.44
1:A:123:PRO:HG3	1:B:33:THR:HB	1.99	0.44
1:B:118:SER:HB3	1:B:305:VAL:HG13	2.00	0.43
1:B:26:HIS:O	1:B:30:VAL:HG23	2.18	0.43
1:B:298:GLU:O	1:B:302:ARG:HG3	2.18	0.43
1:A:33:THR:HB	1:B:123:PRO:HG3	2.01	0.42
1:A:122:LEU:HD13	1:B:33:THR:HG21	2.00	0.42
1:B:184:ASP:HA	1:B:249:ILE:HB	2.02	0.42
1:A:69:ARG:HD3	1:B:291:SER:OG	2.19	0.42
1:B:118:SER:CB	1:B:305:VAL:HG13	2.48	0.42
1:A:29:MET:O	1:A:33:THR:CG2	2.67	0.42
1:A:289:GLU:HB2	4:A:702:HOH:O	2.20	0.42
1:A:120:THR:HG21	1:B:120:THR:HG21	2.01	0.42
3:B:1600:ERT:H6'3	3:B:1600:ERT:H2'2	2.02	0.42
1:A:297:THR:HG21	1:B:70:HIS:HA	2.02	0.41
1:A:30:VAL:HG22	4:A:704:HOH:O	2.18	0.41
4:A:704:HOH:O	1:B:122:LEU:CG	2.50	0.41
1:B:210:MET:HE1	2:B:1635:SAH:C8	2.50	0.41
1:A:256:ASN:HD22	1:A:303:MET:HE2	1.86	0.41
1:B:130:ARG:CB	1:B:130:ARG:HH11	2.34	0.41
1:B:152:ARG:HH12	1:B:210:MET:HE3	1.86	0.41
1:A:52:ALA:O	1:A:56:ARG:HG3	2.21	0.41
1:A:98:HIS:ND1	1:A:99:PRO:HD2	2.37	0.40
1:A:284:ARG:HA	1:A:344:SER:OG	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	336/360 (93%)	324 (96%)	11 (3%)	1 (0%)	41 61

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	348/360 (97%)	336 (97%)	10 (3%)	2 (1%)	25	43
All	All	684/720 (95%)	660 (96%)	21 (3%)	3 (0%)	34	54

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	161	CYS
1	A	163	GLN
1	B	283	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	270/285 (95%)	240 (89%)	30 (11%)	6	11
1	B	279/285 (98%)	243 (87%)	36 (13%)	4	8
All	All	549/570 (96%)	483 (88%)	66 (12%)	5	9

All (66) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	LEU
1	A	33	THR
1	A	53	LEU
1	A	58	ASP
1	A	80	ASP
1	A	92	GLU
1	A	103	ARG
1	A	109	THR
1	A	121	ARG
1	A	122	LEU
1	A	132	THR
1	A	148	ARG
1	A	154	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	159	LEU
1	A	183	LEU
1	A	192	PHE
1	A	216	THR
1	A	229	ARG
1	A	237	PHE
1	A	243	ARG
1	A	244	LYS
1	A	274	GLU
1	A	280	LEU
1	A	305	VAL
1	A	307	LEU
1	A	327	VAL
1	A	334	LEU
1	A	339	ILE
1	A	344	SER
1	A	345	LEU
1	B	9	ARG
1	B	12	GLN
1	B	24	SER
1	B	33	THR
1	B	48	ARG
1	B	51	LYS
1	B	60	ARG
1	B	92	GLU
1	B	103	ARG
1	B	109	THR
1	B	130	ARG
1	B	132	THR
1	B	148	ARG
1	B	161	CYS
1	B	162	ASP
1	B	183	LEU
1	B	192	PHE
1	B	199	ARG
1	B	216	THR
1	B	237	PHE
1	B	239	GLU
1	B	243	ARG
1	B	268	ARG
1	B	284	ARG
1	B	286	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	302	ARG
1	B	303	MET
1	B	305	VAL
1	B	314	ARG
1	B	315	GLU
1	B	316	LYS
1	B	334	LEU
1	B	336	SER
1	B	339	ILE
1	B	344	SER
1	B	345	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	HIS
1	A	70	HIS
1	A	102	GLN
1	A	106	HIS
1	A	163	GLN
1	A	181	HIS
1	A	256	ASN
1	A	282	HIS
1	B	12	GLN
1	B	70	HIS
1	B	102	GLN
1	B	106	HIS
1	B	282	HIS
1	B	288	HIS
1	B	290	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SAH	B	1635	-	21,28,28	2.93	4 (19%)	20,40,40	3.17	11 (55%)
3	ERT	B	1600	-	46,47,47	2.29	9 (19%)	64,73,73	2.10	16 (25%)
3	ERT	A	600	-	46,47,47	2.30	11 (23%)	64,73,73	2.14	16 (25%)
2	SAH	A	635	-	21,28,28	2.88	4 (19%)	20,40,40	3.25	10 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SAH	B	1635	-	-	3/7/31/31	0/3/3/3
3	ERT	B	1600	-	-	13/19/70/70	0/5/5/5
3	ERT	A	600	-	-	6/19/70/70	0/5/5/5
2	SAH	A	635	-	-	3/7/31/31	0/3/3/3

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	635	SAH	C2-N3	9.11	1.46	1.32
2	B	1635	SAH	C2-N3	8.85	1.46	1.32
3	A	600	ERT	O13-C21	8.71	1.43	1.21
3	B	1600	ERT	O13-C21	8.67	1.43	1.21
2	B	1635	SAH	C2-N1	7.63	1.48	1.33
2	A	635	SAH	C2-N1	7.10	1.47	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1600	ERT	C8'-N3'	-5.46	1.26	1.46
3	B	1600	ERT	C7'-N3'	-5.29	1.27	1.46
3	A	600	ERT	C8'-N3'	-5.25	1.27	1.46
3	A	600	ERT	C7'-N3'	-5.14	1.27	1.46
3	A	600	ERT	O11-C11	-5.12	1.25	1.37
3	B	1600	ERT	O11-C11	-4.75	1.25	1.37
3	B	1600	ERT	O10-C21	4.71	1.44	1.33
3	B	1600	ERT	C15-C12	-4.46	1.39	1.48
3	A	600	ERT	C15-C12	-4.21	1.39	1.48
3	A	600	ERT	O10-C21	4.15	1.43	1.33
2	A	635	SAH	CG-SD	-3.97	1.66	1.81
2	B	1635	SAH	CG-SD	-3.80	1.67	1.81
2	A	635	SAH	C5'-SD	-3.19	1.68	1.80
3	B	1600	ERT	C18-C12	-3.04	1.40	1.47
2	B	1635	SAH	C5'-SD	-2.99	1.68	1.80
3	A	600	ERT	C18-C12	-2.99	1.40	1.47
3	B	1600	ERT	C17-C18	2.75	1.47	1.41
3	A	600	ERT	C17-C18	2.74	1.47	1.41
3	A	600	ERT	O4-C4	-2.43	1.33	1.37
3	B	1600	ERT	C10-C21	2.34	1.55	1.52
3	A	600	ERT	O12-C12	2.07	1.26	1.22
3	A	600	ERT	C10-C21	2.02	1.54	1.52

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	635	SAH	N3-C2-N1	-10.34	112.51	128.68
2	B	1635	SAH	N3-C2-N1	-10.03	112.99	128.68
3	B	1600	ERT	C20-C19-C10	9.64	123.18	113.36
3	A	600	ERT	O10-C21-C10	7.12	126.91	110.86
3	A	600	ERT	C40-O4-C4	6.83	127.84	117.53
3	A	600	ERT	C20-C19-C10	5.66	119.12	113.36
3	A	600	ERT	O13-C21-C10	-5.27	115.15	125.06
2	A	635	SAH	C2-N1-C6	4.99	127.29	118.75
2	B	1635	SAH	C5'-SD-CG	4.69	116.33	102.27
2	A	635	SAH	C5'-SD-CG	4.41	115.48	102.27
3	B	1600	ERT	O4-C4-C16	4.35	121.91	115.85
3	B	1600	ERT	C40-O4-C4	4.32	124.04	117.53
3	A	600	ERT	C2'-C3'-N3'	-4.28	103.56	115.67
2	B	1635	SAH	C2-N1-C6	4.03	125.64	118.75
3	B	1600	ERT	O10-C21-C10	4.00	119.88	110.86
3	A	600	ERT	C8'-N3'-C3'	3.66	124.12	113.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	635	SAH	C4-C5-N7	-3.59	105.66	109.40
3	B	1600	ERT	O4-C4-C3	-3.45	118.47	124.37
3	A	600	ERT	O12-C12-C15	-3.40	115.92	120.91
3	B	1600	ERT	C8'-N3'-C7'	3.40	120.42	110.38
3	B	1600	ERT	C15-C12-C18	3.40	123.36	118.00
2	B	1635	SAH	CB-CG-SD	-3.26	105.99	113.31
2	A	635	SAH	CB-CG-SD	-3.18	106.19	113.31
3	B	1600	ERT	O12-C12-C15	-3.18	116.25	120.91
3	A	600	ERT	C13-C9-C8	-3.15	104.59	111.04
3	B	1600	ERT	C7'-N3'-C3'	3.06	122.31	113.11
2	B	1635	SAH	O4'-C4'-C5'	3.05	116.70	108.83
3	A	600	ERT	O10-C21-O13	-3.02	117.93	123.84
3	A	600	ERT	O4-C4-C16	3.01	120.04	115.85
2	A	635	SAH	C3'-C2'-C1'	2.95	105.42	100.98
3	A	600	ERT	C8'-N3'-C7'	2.91	118.97	110.38
3	A	600	ERT	O4-C4-C3	-2.88	119.44	124.37
3	B	1600	ERT	C2'-C3'-N3'	-2.79	107.78	115.67
2	A	635	SAH	O4'-C4'-C5'	2.78	116.00	108.83
2	B	1635	SAH	C4-C5-N7	-2.78	106.50	109.40
2	B	1635	SAH	C2'-C3'-C4'	2.75	108.00	102.64
3	B	1600	ERT	O13-C21-C10	-2.73	119.92	125.06
3	B	1600	ERT	C9-C10-C21	2.65	116.44	112.45
3	A	600	ERT	C15-C12-C18	2.60	122.09	118.00
2	B	1635	SAH	C3'-C2'-C1'	2.59	104.87	100.98
3	B	1600	ERT	C19-C20-C7	2.40	123.56	121.00
3	A	600	ERT	O4'-C4'-C3'	2.37	113.99	109.77
3	A	600	ERT	C4'-C3'-N3'	2.36	117.66	110.83
2	A	635	SAH	N6-C6-N1	2.36	123.46	118.57
3	B	1600	ERT	C1'-O5'-C5'	2.36	120.19	113.84
2	B	1635	SAH	N6-C6-N1	2.31	123.38	118.57
3	A	600	ERT	C19-C10-C21	2.31	115.92	110.38
2	A	635	SAH	C2'-C3'-C4'	2.28	107.07	102.64
3	B	1600	ERT	O5'-C5'-C4'	2.19	113.45	109.52
2	B	1635	SAH	O3'-C3'-C4'	-2.10	104.99	111.05
2	B	1635	SAH	O3'-C3'-C2'	-2.03	105.26	111.82
3	B	1600	ERT	O4'-C4'-C3'	2.03	113.38	109.77
2	A	635	SAH	C5-C6-N1	-2.01	115.79	120.35

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1635	SAH	C-CA-CB-CG
3	B	1600	ERT	C14-C13-C9-C8
3	B	1600	ERT	C2'-C1'-O7-C7
3	B	1600	ERT	C2'-C3'-N3'-C8'
3	B	1600	ERT	C4'-C3'-N3'-C8'
3	A	600	ERT	C2'-C1'-O7-C7
3	A	600	ERT	O5'-C1'-O7-C7
2	A	635	SAH	N-CA-CB-CG
2	A	635	SAH	C-CA-CB-CG
3	B	1600	ERT	C10-C21-O10-C22
3	B	1600	ERT	C16-C4-O4-C40
3	A	600	ERT	C3-C4-O4-C40
3	B	1600	ERT	C3-C4-O4-C40
3	B	1600	ERT	O13-C21-O10-C22
3	A	600	ERT	C16-C4-O4-C40
3	B	1600	ERT	O5'-C1'-O7-C7
3	A	600	ERT	C2'-C3'-N3'-C7'
3	B	1600	ERT	C14-C13-C9-O9
3	B	1600	ERT	C14-C13-C9-C10
2	B	1635	SAH	N-CA-CB-CG
3	A	600	ERT	C4'-C3'-N3'-C7'
3	B	1600	ERT	C19-C10-C21-O13
2	B	1635	SAH	C4'-C5'-SD-CG
2	A	635	SAH	C4'-C5'-SD-CG
3	B	1600	ERT	C19-C10-C21-O10


There are no ring outliers.


4 monomers are involved in 17 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1635	SAH	3	0
3	B	1600	ERT	6	0
3	A	600	ERT	6	0
2	A	635	SAH	7	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	284:ARG	C	285:ASP	N	1.18

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	338/360 (93%)	-0.32	1 (0%) 94 94	18, 26, 37, 49	7 (2%)
1	B	350/360 (97%)	-0.27	2 (0%) 89 90	16, 27, 40, 52	1 (0%)
All	All	688/720 (95%)	-0.29	3 (0%) 92 93	16, 26, 38, 52	8 (1%)

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	17	ARG	2.5
1	B	352	ALA	2.3
1	A	14	ASP	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ERT	B	1600	43/43	0.79	0.32	61,74,79,79	0
3	ERT	A	600	43/43	0.94	0.14	20,24,31,36	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	SAH	B	1635	26/26	0.97	0.11	14,17,19,20	0
2	SAH	A	635	26/26	0.97	0.12	15,20,21,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ERT B 1600:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ERT A 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SAH B 1635:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around SAH A 635:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.