



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 16, 2021 – 09:42 PM EDT

PDB ID : 1TWX  
Title : Crystal structure of the thrombin mutant D221A/D222K  
Authors : Pineda, A.O.; Zhang, E.; Guinto, E.R.; Savvides, S.N.; Tulinsky, A.; Di Cera, E.  
Deposited on : 2004-07-01  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.23.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	28	<div> <div>7%</div> <div>29%</div> <div>61%</div> <div>11%</div> </div>
2	B	259	<div> <div>2%</div> <div>48%</div> <div>47%</div> <div>..</div> </div>
3	C	10	<div> <div>10%</div> <div>30%</div> <div>40%</div> <div>20%</div> </div>

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 2501 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prothrombin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	28	Total	C	N	O	S	0	0	0
			231	144	37	49	1			

- Molecule 2 is a protein called Prothrombin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	252	Total	C	N	O	S	0	0	0
			2025	1294	355	362	14			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	183	ALA	ASP	engineered mutation	UNP P00734
B	185	LYS	ASP	engineered mutation	UNP P00734

- Molecule 3 is a protein called Hirudin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	10	Total	C	N	O	S	0	0	0
			90	56	10	23	1			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	13	Total	O	0	0
			13	13		
5	B	126	Total	O	0	0
			126	126		
5	C	2	Total	O	0	0
			2	2		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Prothrombin



#### • Molecule 2: Prothrombin



#### • Molecule 3: Hirudin



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	92.15Å 80.01Å 100.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.40 31.31 – 2.20	Depositor EDS
% Data completeness (in resolution range)	77.4 (30.00-2.40) 70.0 (31.31-2.20)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	20.34 (at 2.20Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.205 , 0.268 0.207 , 0.269	Depositor DCC
$R_{free}$ test set	839 reflections (6.23%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	27.5	Xtriage
Anisotropy	0.503	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 63.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.41$ , $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	2501	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.85% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, TYS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.53	0/233	0.75	0/309
2	B	0.37	0/2077	0.63	0/2805
3	C	7.24	17/74 (23.0%)	2.60	8/96 (8.3%)
All	All	1.33	17/2384 (0.7%)	0.78	8/3210 (0.2%)

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	307	GLU	CD-OE1	30.61	1.59	1.25
3	C	300	ASP	CG-OD2	22.83	1.77	1.25
3	C	307	GLU	CD-OE2	19.42	1.47	1.25
3	C	306	GLY	C-O	18.48	1.53	1.23
3	C	300	ASP	CG-OD1	17.80	1.66	1.25
3	C	305	PRO	N-CD	15.26	1.69	1.47
3	C	306	GLY	CA-C	14.49	1.75	1.51
3	C	300	ASP	N-CA	13.75	1.73	1.46
3	C	300	ASP	CA-C	13.38	1.87	1.52
3	C	305	PRO	N-CA	11.19	1.66	1.47
3	C	307	GLU	C-O	9.09	1.40	1.23
3	C	300	ASP	C-O	7.12	1.36	1.23
3	C	307	GLU	CG-CD	6.99	1.62	1.51
3	C	305	PRO	C-N	6.96	1.45	1.33
3	C	305	PRO	CG-CD	6.37	1.71	1.50
3	C	307	GLU	N-CA	-5.18	1.35	1.46
3	C	305	PRO	CB-CG	5.04	1.75	1.50

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	305	PRO	N-CA-CB	8.32	113.29	103.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	307	GLU	N-CA-CB	-7.61	96.90	110.60
3	C	303	GLU	O-C-N	6.60	133.26	122.70
3	C	303	GLU	C-N-CA	-6.40	105.71	121.70
3	C	300	ASP	N-CA-CB	-6.27	99.31	110.60
3	C	300	ASP	CB-CA-C	-6.07	98.27	110.40
3	C	300	ASP	C-N-CA	-6.06	106.55	121.70
3	C	303	GLU	CA-C-N	-5.28	105.59	117.20

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	231	0	229	33	1
2	B	2025	0	1997	132	0
3	C	90	0	70	29	0
4	B	14	0	12	2	0
5	A	13	0	0	1	2
5	B	126	0	0	14	7
5	C	2	0	0	0	0
All	All	2501	0	2308	182	8

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 39.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:305:PRO:CB	3:C:305:PRO:CG	1.75	1.54
3:C:306:GLY:CA	3:C:306:GLY:C	1.75	1.54
3:C:300:ASP:CA	3:C:300:ASP:N	1.73	1.51
3:C:305:PRO:CD	3:C:305:PRO:N	1.69	1.50
3:C:300:ASP:CA	3:C:300:ASP:C	1.87	1.42
3:C:300:ASP:OD1	3:C:300:ASP:CG	1.66	1.29

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:300:ASP:CG	3:C:300:ASP:OD2	1.77	1.23
2:B:158:VAL:HG23	5:B:594:HOH:O	0.99	1.15
2:B:95:ASN:HD21	2:B:97(A):GLU:HB3	1.04	1.12
2:B:172:THR:HG22	2:B:174:ILE:H	1.20	1.06
2:B:110:LYS:HE3	5:B:662:HOH:O	1.60	1.01
1:A:1:CYS:O	1:A:3:LEU:N	1.96	0.99
3:C:305:PRO:CG	3:C:305:PRO:CA	2.41	0.99
1:A:6:LEU:HD11	2:B:116:ASP:HB3	1.48	0.95
3:C:308:TYS:O2	3:C:308:TYS:HE2	1.70	0.90
2:B:95:ASN:ND2	2:B:97(A):GLU:HB3	1.90	0.86
2:B:77(A):ARG:HD2	5:B:638:HOH:O	1.76	0.85
2:B:165:ARG:NH1	2:B:178:ASP:HA	1.91	0.84
2:B:158:VAL:CG2	5:B:594:HOH:O	1.71	0.83
2:B:200:VAL:HG12	2:B:209:GLN:HA	1.64	0.79
2:B:186(A):ASP:C	2:B:186(C):GLY:H	1.85	0.79
2:B:211:GLY:HA2	2:B:231:VAL:HG23	1.65	0.78
2:B:172:THR:HG22	2:B:174:ILE:N	1.98	0.78
2:B:81:LYS:HD2	3:C:308:TYS:O3	1.84	0.77
1:A:6:LEU:CD1	2:B:116:ASP:HB3	2.15	0.76
2:B:50:ARG:HD3	2:B:111:PRO:HG3	1.68	0.74
3:C:300:ASP:N	3:C:300:ASP:CB	2.50	0.74
1:A:14(C):GLU:O	1:A:14(G):LEU:HD23	1.87	0.73
2:B:143:ASN:ND2	2:B:192:GLU:HB2	2.02	0.73
2:B:186(A):ASP:C	2:B:186(C):GLY:N	2.40	0.73
3:C:305:PRO:CD	3:C:305:PRO:CA	2.68	0.72
2:B:50:ARG:HH21	2:B:111:PRO:HD3	1.56	0.71
1:A:14(L):ASP:O	5:A:604:HOH:O	2.10	0.70
2:B:92:PRO:HD3	5:B:429:HOH:O	1.91	0.69
3:C:300:ASP:C	3:C:300:ASP:CB	2.60	0.69
2:B:127:GLU:HG2	5:B:431:HOH:O	1.92	0.69
2:B:165:ARG:HB3	2:B:166:PRO:HD3	1.73	0.68
2:B:235:LYS:HE2	2:B:239:GLN:OE1	1.93	0.68
2:B:185:LYS:HB2	2:B:186(B):GLU:HG3	1.74	0.68
1:A:14(A):LYS:O	1:A:14(A):LYS:HD3	1.93	0.67
1:A:1:CYS:C	1:A:3:LEU:N	2.48	0.67
2:B:50:ARG:NH2	2:B:110:LYS:HA	2.10	0.67
2:B:78:ASN:N	5:B:496:HOH:O	2.29	0.66
2:B:172:THR:HG22	2:B:173:ARG:N	2.10	0.66
1:A:1:CYS:C	1:A:3:LEU:H	2.00	0.65
1:A:14(D):ARG:HH11	1:A:14(D):ARG:CG	2.10	0.64
2:B:50:ARG:HH11	2:B:107:LYS:HE2	1.62	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:25:GLY:O	2:B:28:PRO:HD3	1.98	0.63
2:B:35:ARG:HB2	2:B:41:LEU:HD13	1.79	0.63
2:B:143:ASN:HD22	2:B:192:GLU:HB2	1.63	0.62
2:B:96:TRP:HA	2:B:99:LEU:HD23	1.82	0.62
2:B:77(A):ARG:CD	5:B:638:HOH:O	2.41	0.62
2:B:165:ARG:HH12	2:B:178:ASP:HA	1.65	0.62
2:B:35:ARG:HD2	2:B:41:LEU:HD11	1.81	0.61
3:C:303:GLU:H	3:C:303:GLU:CD	2.03	0.61
1:A:13:GLU:HB2	1:A:14(C):GLU:CD	2.21	0.61
1:A:1(A):ASP:O	1:A:1:CYS:O	2.18	0.61
2:B:17:VAL:O	2:B:18:GLU:HB2	2.00	0.61
2:B:136:GLY:HA3	2:B:199:PHE:CZ	2.36	0.60
3:C:306:GLY:C	3:C:306:GLY:N	2.51	0.60
2:B:32:MET:HG3	2:B:40:LEU:HD13	1.83	0.60
2:B:186:PRO:HB3	2:B:222:LYS:HE3	1.85	0.59
1:A:14(D):ARG:HH11	1:A:14(D):ARG:HG2	1.67	0.58
2:B:17:VAL:HG22	2:B:144:LEU:O	2.03	0.58
2:B:22:ALA:O	2:B:71:HIS:HE1	1.86	0.58
1:A:14(K):ILE:O	1:A:14(L):ASP:HB2	2.04	0.57
2:B:47:ILE:O	2:B:48:SER:HB3	2.02	0.57
3:C:304:ILE:C	3:C:305:PRO:CD	2.63	0.57
1:A:14(F):LEU:HD11	2:B:159:ASN:CG	2.25	0.57
2:B:33:LEU:HD21	2:B:64:LEU:HD22	1.87	0.57
1:A:14(G):LEU:HD21	2:B:202:LYS:HD3	1.86	0.56
2:B:172:THR:HG21	2:B:174:ILE:HB	1.87	0.56
1:A:14(D):ARG:O	1:A:14(H):GLU:HG3	2.05	0.56
2:B:35:ARG:HB2	2:B:41:LEU:CD1	2.35	0.56
2:B:32:MET:HG3	2:B:40:LEU:CD1	2.36	0.56
2:B:228:TYR:CD1	2:B:228:TYR:N	2.73	0.56
2:B:64:LEU:H	2:B:64:LEU:HD12	1.72	0.55
2:B:86:GLU:HB3	2:B:107:LYS:O	2.07	0.55
2:B:65:LEU:HD23	2:B:82:ILE:HG21	1.89	0.55
2:B:152:PRO:HG3	5:B:517:HOH:O	2.06	0.54
2:B:142:GLY:O	5:B:517:HOH:O	2.18	0.54
3:C:306:GLY:O	3:C:307:GLU:C	2.45	0.54
2:B:54:THR:HG23	2:B:55:ALA:O	2.07	0.54
1:A:1(A):ASP:O	1:A:3:LEU:HB2	2.07	0.54
1:A:1:CYS:O	1:A:2:GLY:C	2.46	0.54
2:B:172:THR:HG23	2:B:217:GLU:OE2	2.08	0.53
2:B:246:GLY:HA2	5:B:462:HOH:O	2.07	0.53
2:B:176:ILE:HD12	2:B:176:ILE:N	2.23	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:14(E):GLU:HG2	2:B:135:LYS:HD2	1.91	0.53
2:B:32:MET:HB2	2:B:141:TRP:CZ3	2.44	0.52
2:B:179:ASN:OD1	2:B:233:ARG:NH1	2.42	0.52
3:C:304:ILE:C	3:C:304:ILE:HD12	2.30	0.52
1:A:14(F):LEU:HD11	2:B:159:ASN:OD1	2.11	0.51
3:C:304:ILE:CA	3:C:305:PRO:CD	2.88	0.51
2:B:64:LEU:HD12	2:B:64:LEU:N	2.25	0.51
2:B:211:GLY:CA	2:B:231:VAL:HG23	2.39	0.51
1:A:14(G):LEU:HD13	1:A:14(J):TYR:HE2	1.76	0.51
2:B:236:LYS:NZ	2:B:236:LYS:HB3	2.26	0.50
2:B:78:ASN:CA	5:B:496:HOH:O	2.59	0.50
2:B:217:GLU:OE1	5:B:585:HOH:O	2.20	0.50
3:C:308:TYS:C	3:C:309:LEU:HG	2.41	0.50
2:B:33:LEU:HD11	2:B:59:LEU:HD21	1.94	0.50
2:B:41:LEU:CD2	2:B:64:LEU:HD23	2.42	0.49
2:B:195:SER:C	2:B:197:GLY:H	2.15	0.49
2:B:67:ARG:HB3	2:B:70:LYS:HD2	1.95	0.49
2:B:176:ILE:N	2:B:176:ILE:CD1	2.76	0.49
2:B:77(A):ARG:HG2	2:B:78:ASN:ND2	2.28	0.48
2:B:60(B):PRO:HG2	2:B:96:TRP:CZ2	2.48	0.48
1:A:14(D):ARG:CG	1:A:14(D):ARG:NH1	2.72	0.48
2:B:172:THR:CG2	2:B:173:ARG:N	2.75	0.48
2:B:51:TRP:CE2	2:B:107:LYS:HD3	2.48	0.48
2:B:51:TRP:CZ2	2:B:107:LYS:HD3	2.49	0.48
3:C:304:ILE:HA	3:C:305:PRO:CD	2.44	0.48
2:B:184(A):TYR:CG	2:B:186(D):LYS:HB3	2.49	0.48
2:B:60(B):PRO:HG2	2:B:96:TRP:CE2	2.48	0.48
2:B:212:ILE:HB	2:B:229:THR:HB	1.96	0.48
2:B:50:ARG:HH21	2:B:110:LYS:HA	1.76	0.47
2:B:50:ARG:HE	2:B:107:LYS:HE2	1.80	0.47
2:B:60(I):THR:HG22	2:B:62:ASN:H	1.80	0.47
3:C:306:GLY:CA	3:C:307:GLU:N	2.65	0.47
1:A:13:GLU:HB2	1:A:14(C):GLU:OE1	2.14	0.47
2:B:35:ARG:HD3	2:B:39:GLU:OE1	2.15	0.46
2:B:45:SER:O	2:B:52:VAL:HG13	2.15	0.46
3:C:305:PRO:HB2	3:C:307:GLU:HG3	1.97	0.46
2:B:172:THR:HG22	2:B:173:ARG:H	1.78	0.46
2:B:41:LEU:HD23	2:B:64:LEU:HD23	1.97	0.46
2:B:46:LEU:HD23	2:B:52:VAL:HG22	1.96	0.46
2:B:189:ASP:OD2	2:B:190:ALA:N	2.47	0.46
2:B:60:LEU:HD11	4:B:400:NAG:H81	1.98	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:186(A):ASP:O	2:B:186(C):GLY:N	2.49	0.45
2:B:66:VAL:HG21	2:B:108:LEU:HD21	1.99	0.45
2:B:186:PRO:HB3	2:B:222:LYS:CE	2.47	0.45
1:A:14(K):ILE:H	1:A:14(K):ILE:HG13	1.60	0.45
2:B:91:HIS:CE1	2:B:93:ARG:HB2	2.52	0.45
2:B:165:ARG:CB	2:B:166:PRO:HD3	2.45	0.45
2:B:75:ARG:NH1	5:B:551:HOH:O	2.50	0.45
2:B:57:HIS:HA	2:B:60:LEU:O	2.17	0.45
2:B:94:TYR:CZ	2:B:96:TRP:HB3	2.52	0.44
2:B:78:ASN:N	2:B:78:ASN:HD22	2.15	0.44
1:A:14(F):LEU:N	1:A:14(F):LEU:HD12	2.32	0.44
2:B:50:ARG:NH1	2:B:107:LYS:HE2	2.30	0.44
2:B:60(B):PRO:HB2	2:B:60(C):PRO:HD3	1.99	0.44
2:B:172:THR:CG2	2:B:217:GLU:OE2	2.65	0.43
2:B:186:PRO:HG3	2:B:223:GLY:H	1.83	0.43
1:A:14:ASP:HB2	2:B:26:MET:CE	2.49	0.43
2:B:17:VAL:O	2:B:188:GLY:HA2	2.19	0.43
1:A:4:ARG:HA	1:A:5:PRO:HD3	1.86	0.43
1:A:14:ASP:HB2	2:B:26:MET:HE3	2.01	0.43
1:A:14(E):GLU:HG2	2:B:135:LYS:CD	2.48	0.43
2:B:44:ALA:HB1	2:B:53:LEU:O	2.18	0.43
2:B:79:ILE:HG23	2:B:117:TYR:CD1	2.54	0.43
2:B:64:LEU:HD13	2:B:85:LEU:CD1	2.49	0.42
1:A:14(F):LEU:N	1:A:14(F):LEU:CD1	2.83	0.42
2:B:119:HIS:HA	2:B:120:PRO:HD3	1.78	0.42
2:B:245:PHE:N	2:B:245:PHE:CD1	2.86	0.42
2:B:163:VAL:HG21	2:B:225:TYR:CD2	2.54	0.42
3:C:305:PRO:CB	3:C:307:GLU:HG3	2.50	0.42
4:B:400:NAG:H82	4:B:400:NAG:H2	1.73	0.42
2:B:53:LEU:HD11	2:B:103:ILE:HD11	2.02	0.42
2:B:91:HIS:CE1	2:B:101:ARG:HD3	2.54	0.42
2:B:127:GLU:O	2:B:129(A):ALA:HB3	2.20	0.42
2:B:58:CYS:SG	2:B:195:SER:HB3	2.60	0.42
2:B:91:HIS:HE1	2:B:93:ARG:HB2	1.85	0.42
2:B:163:VAL:HB	2:B:182:CYS:SG	2.60	0.41
2:B:241:VAL:O	2:B:245:PHE:HD1	2.03	0.41
2:B:61:GLU:H	2:B:61:GLU:CD	2.24	0.41
2:B:100:ASP:OD2	2:B:179:ASN:ND2	2.52	0.41
3:C:300:ASP:CA	3:C:301:PHE:N	2.74	0.41
2:B:38:GLN:NE2	3:C:304:ILE:HG13	2.36	0.41
2:B:205:ASN:HD22	2:B:205:ASN:HA	1.61	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:CYS:HB2	1:A:2:GLY:H	1.73	0.41
1:A:5:PRO:HB2	2:B:116:ASP:HA	2.03	0.41
2:B:67:ARG:HH22	2:B:76:TYR:HA	1.86	0.41
2:B:100:ASP:OD2	2:B:179:ASN:HB2	2.21	0.41
3:C:308:TYS:O2	3:C:308:TYS:CE2	2.51	0.41
1:A:4:ARG:HB2	1:A:8:GLU:OE2	2.21	0.40
2:B:76:TYR:CE1	3:C:305:PRO:HD2	2.56	0.40
2:B:141:TRP:CE2	2:B:155:LEU:HD13	2.55	0.40
2:B:172:THR:CG2	2:B:173:ARG:H	2.34	0.40
2:B:105:LEU:HD11	2:B:238:ILE:HG23	2.04	0.40
3:C:308:TYS:O	3:C:309:LEU:HG	2.22	0.40
2:B:94:TYR:HE1	2:B:99:LEU:HD22	1.86	0.40

All (8) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:646:HOH:O	5:B:661:HOH:O[4_556]	0.59	1.61
5:B:628:HOH:O	5:B:641:HOH:O[7_545]	0.67	1.53
5:B:650:HOH:O	5:B:651:HOH:O[3_655]	0.73	1.47
5:B:592:HOH:O	5:B:617:HOH:O[7_555]	0.78	1.42
5:A:627:HOH:O	5:B:663:HOH:O[7_545]	1.02	1.18
1:A:14(D):ARG:NH1	1:A:14(D):ARG:NH1[4_556]	1.63	0.57
5:B:585:HOH:O	5:B:615:HOH:O[7_555]	1.67	0.53
5:B:601:HOH:O	5:B:601:HOH:O[3_655]	1.73	0.47

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	26/28 (93%)	21 (81%)	3 (12%)	2 (8%)	<b>1</b> <b>0</b>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	248/259 (96%)	223 (90%)	24 (10%)	1 (0%)	34	48
3	C	7/10 (70%)	6 (86%)	1 (14%)	0	100	100
All	All	281/297 (95%)	250 (89%)	28 (10%)	3 (1%)	14	20

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1	CYS
1	A	2	GLY
2	B	48	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	26/26 (100%)	25 (96%)	1 (4%)	33	51
2	B	217/224 (97%)	208 (96%)	9 (4%)	30	48
3	C	8/8 (100%)	6 (75%)	2 (25%)	0	0
All	All	251/258 (97%)	239 (95%)	12 (5%)	25	41

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14(D)	ARG
2	B	33	LEU
2	B	46	LEU
2	B	60(E)	ASP
2	B	64	LEU
2	B	106	MET
2	B	125	ASP
2	B	182	CYS
2	B	205	ASN
2	B	236	LYS
3	C	305	PRO

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	C	307	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	71	HIS
2	B	78	ASN
2	B	95	ASN
2	B	131	GLN
2	B	143	ASN
2	B	156	GLN
2	B	205	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	TYS	C	308	3	15,16,17	2.84	4 (26%)	18,22,24	4.23	6 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TYS	C	308	3	-	2/10/11/13	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	308	TYS	OH-S	8.76	1.71	1.58
3	C	308	TYS	OH-CZ	-5.24	1.34	1.42
3	C	308	TYS	CE2-CZ	2.47	1.43	1.38
3	C	308	TYS	CE1-CZ	2.35	1.43	1.38

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	308	TYS	CE2-CZ-CE1	-16.13	95.34	120.18
3	C	308	TYS	CD1-CE1-CZ	4.02	124.65	119.73
3	C	308	TYS	CD2-CE2-CZ	4.01	124.64	119.73
3	C	308	TYS	CD2-CG-CD1	-2.78	113.80	118.17
3	C	308	TYS	CB-CA-C	-2.29	107.18	111.47
3	C	308	TYS	OH-CZ-CE1	2.20	122.97	118.64

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	308	TYS	CE2-CZ-OH-S
3	C	308	TYS	CA-CB-CG-CD1

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	308	TYS	5	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The



Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	B	400	2	14,14,15	0.82	0	17,19,21	2.15	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	B	400	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	400	NAG	O3-C3-C4	-5.53	97.57	110.35
4	B	400	NAG	C2-N2-C7	-5.14	115.59	122.90
4	B	400	NAG	O7-C7-C8	2.13	126.02	122.06

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	400	NAG	C8-C7-N2-C2
4	B	400	NAG	O7-C7-N2-C2

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	400	NAG	2	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
3	C	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	C	307:GLU	C	308:TYS	N	1.62

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	28/28 (100%)	-0.07	2 (7%) 16 14	30, 42, 56, 80	0
2	B	252/259 (97%)	-0.36	4 (1%) 72 70	17, 36, 56, 85	0
3	C	9/10 (90%)	-0.07	0 100 100	44, 50, 58, 59	0
All	All	289/297 (97%)	-0.32	6 (2%) 63 61	17, 37, 58, 85	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	246	GLY	4.0
2	B	247	GLU	3.7
1	A	14(L)	ASP	3.3
2	B	173	ARG	2.3
1	A	14(K)	ILE	2.3
2	B	150	GLY	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	TYS	C	308	16/17	0.93	0.15	28,31,43,44	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	NAG	B	400	14/15	0.84	0.19	64,68,69,69	0

## 6.5 Other polymers

There are no such residues in this entry.