



Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 02:14 pm BST

PDB ID : 1U0Z
Title : N-Domain Of Grp94 Lacking The Charged Domain In Complex With Radicicol
Authors : Gewirth, D.T.; Immormino, R.M.
Deposited on : 2004-07-14
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	236	
1	B	236	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PG4	A	402	-	-	X	-
4	1PE	A	409	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3851 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Endoplasmin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	211	Total	C	N	O	S	0	4	0
			1651	1059	274	312	6			
1	B	226	Total	C	N	O	S	0	5	0
			1757	1122	298	329	8			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	65	GLY	-	cloning artifact	UNP P41148
A	66	SER	-	CLONING ARTIFACT	UNP P41148
A	67	HIS	-	cloning artifact	UNP P41148
A	68	MET	-	cloning artifact	UNP P41148
B	65	GLY	-	cloning artifact	UNP P41148
B	66	SER	-	cloning artifact	UNP P41148
B	67	HIS	-	cloning artifact	UNP P41148
B	68	MET	-	cloning artifact	UNP P41148

- Molecule 2 is RADICICOL (three-letter code: RDC) (formula: C₁₈H₁₇ClO₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	Cl	O	0
			25	18	1	6	
2	B	1	Total	C	Cl	O	0
			25	18	1	6	

- Molecule 3 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			10	6	4		
3	A	1	Total	C	O	0	0
			13	8	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			10	6	4		
3	A	1	Total	C	O	0	0
			13	8	5		
3	B	1	Total	C	O	0	0
			10	6	4		
3	B	1	Total	C	O	0	0
			13	8	5		
3	B	1	Total	C	O	0	0
			7	4	3		
3	B	1	Total	C	O	0	0
			13	8	5		
3	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 4 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			16	10	6		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	132	Total	O	0	0
			132	132		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	149	Total	O	0	0
			149	149		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Endoplasmic



• Molecule 1: Endoplasmic



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	65.51Å 84.44Å 95.01Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.90 42.22 – 1.90	Depositor EDS
% Data completeness (in resolution range)	94.9 (50.00-1.90) 94.9 (42.22-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.05 (at 1.89Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.222 , 0.253 0.217 , 0.247	Depositor DCC
R_{free} test set	4062 reflections (9.68%)	wwPDB-VP
Wilson B-factor (Å ²)	29.1	Xtriage
Anisotropy	0.174	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 68.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3851	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.69 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.0586e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PG4, RDC, 1PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/1675	0.60	0/2267
1	B	0.36	1/1783 (0.1%)	0.60	0/2412
All	All	0.34	1/3458 (0.0%)	0.60	0/4679

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	131	GLU	CD-OE2	6.81	1.33	1.25

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1651	0	1607	45	0
1	B	1757	0	1711	36	0
2	A	25	0	14	1	0
2	B	25	0	14	1	0
3	A	46	0	62	20	0
3	B	50	0	67	11	0
4	A	16	0	22	8	0
5	A	132	0	0	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	149	0	0	3	0
All	All	3851	0	3497	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:237:ARG:HH12	3:A:401:PG4:H32	1.33	0.94
1:A:77:ALA:H	3:A:404:PG4:H52	1.34	0.92
1:B:137:LYS:HZ2	3:B:406:PG4:H42	1.44	0.83
4:A:409:1PE:H131	1:B:87:LYS:HZ1	1.46	0.80
1:A:137:LYS:HE3	3:A:402:PG4:H62	1.64	0.79
3:A:404:PG4:H61	5:A:455:HOH:O	1.86	0.75
1:A:237:ARG:HH22	3:A:401:PG4:H31	1.55	0.71
1:A:114:LYS:HE3	5:A:532:HOH:O	1.90	0.71
1:A:87:LYS:HE3	4:A:409:1PE:H141	1.73	0.71
1:A:114:LYS:HE2	3:A:403:PG4:H52	1.74	0.70
4:A:409:1PE:H252	1:B:87:LYS:HE3	1.75	0.68
1:A:137:LYS:CE	3:A:402:PG4:H62	2.24	0.68
1:A:190:GLU:O	1:A:194:GLN:HG3	1.96	0.65
1:A:87:LYS:NZ	4:A:409:1PE:H161	2.13	0.64
1:A:77:ALA:N	3:A:404:PG4:H52	2.09	0.63
4:A:409:1PE:H131	1:B:87:LYS:NZ	2.14	0.63
1:A:137:LYS:HZ1	3:A:402:PG4:H62	1.63	0.63
3:A:403:PG4:O2	3:A:403:PG4:H52	2.00	0.61
1:A:228:ASN:ND2	1:B:84:ARG:HG2	2.17	0.60
1:A:137:LYS:HE3	3:A:402:PG4:C6	2.32	0.60
1:B:137:LYS:HZ1	3:B:406:PG4:H21	1.68	0.59
1:B:90:ILE:HA	1:B:204:LEU:HD21	1.85	0.58
1:B:93:LEU:HD23	1:B:99:ILE:HG21	1.84	0.58
3:A:404:PG4:H42	5:A:455:HOH:O	2.02	0.58
1:B:137:LYS:HZ2	3:B:406:PG4:C4	2.13	0.57
1:B:137:LYS:NZ	3:B:406:PG4:H21	2.19	0.56
1:A:114:LYS:HE2	3:A:403:PG4:C5	2.35	0.56
3:B:408:PG4:H81	5:B:545:HOH:O	2.06	0.55
1:A:137:LYS:NZ	3:A:402:PG4:H62	2.22	0.55
1:A:137:LYS:CE	3:A:402:PG4:H72	2.38	0.53
1:A:110:ASP:CG	3:A:403:PG4:H32	2.29	0.53
1:B:174:PHE:HE1	1:B:191:LEU:HB3	1.74	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:67:HIS:N	1:B:70:ARG:HH21	2.06	0.52
1:B:129:ASN:OD1	1:B:131:GLU:HG2	2.09	0.52
1:A:84:ARG:HG2	1:B:228:ASN:ND2	2.25	0.52
1:B:85[A]:MET:SD	1:B:174:PHE:HE2	2.34	0.51
3:B:405:PG4:H51	5:B:456:HOH:O	2.08	0.51
1:A:275:ILE:HG22	1:A:277:PHE:H	1.76	0.51
1:B:272:SER:HB2	1:B:279:ILE:HD12	1.93	0.50
1:A:334:GLU:O	1:A:336:MET:HE2	2.12	0.50
3:B:410:PG4:H11	5:B:548:HOH:O	2.12	0.49
1:B:99:ILE:HD11	1:B:102:ARG:NH2	2.28	0.49
1:A:137:LYS:HE2	3:A:402:PG4:H72	1.93	0.49
1:B:66:SER:C	1:B:70:ARG:HE	2.16	0.49
1:B:137:LYS:NZ	3:B:406:PG4:H42	2.21	0.48
1:B:263:THR:HA	3:B:408:PG4:H12	1.96	0.48
1:A:237:ARG:HH12	3:A:401:PG4:C3	2.15	0.48
1:A:178:MET:CE	1:A:192:ILE:HD11	2.43	0.48
1:A:87:LYS:HZ1	4:A:409:1PE:H161	1.78	0.47
1:A:93:LEU:HD13	1:A:99[A]:ILE:HG21	1.96	0.47
1:B:263:THR:HA	3:B:408:PG4:C1	2.44	0.47
1:B:211:VAL:HB	1:B:223:TRP:HB3	1.97	0.46
1:A:188:THR:O	1:A:192:ILE:HG12	2.16	0.46
1:A:93:LEU:HB2	1:A:204:LEU:HD11	1.97	0.46
1:B:92:SER:HB3	1:B:182:GLN:OE1	2.16	0.46
1:A:110:ASP:O	1:A:114:LYS:HG2	2.16	0.46
1:B:281:VAL:HG23	1:B:336:MET:HG3	1.98	0.46
1:A:135:LYS:HB3	1:A:333:TRP:CH2	2.51	0.46
1:A:237:ARG:NH1	3:A:401:PG4:H11	2.31	0.45
1:B:264:ILE:O	1:B:268:VAL:HG23	2.16	0.45
1:A:280:TYR:CE1	1:A:335:LEU:HD13	2.52	0.45
1:B:74:GLU:O	1:B:231:SER:HA	2.17	0.45
1:B:93:LEU:HD21	1:B:192:ILE:HD12	1.99	0.45
4:A:409:1PE:H131	1:B:87:LYS:CE	2.47	0.45
1:A:98[A]:GLU:H	1:A:98[A]:GLU:CD	2.21	0.45
1:A:114:LYS:CE	3:A:403:PG4:H52	2.46	0.44
1:A:272:SER:HB2	1:A:279:ILE:HD12	1.99	0.43
1:A:91:ASN:O	1:A:94:TYR:HD2	2.00	0.43
1:A:129:ASN:OD1	1:A:131:GLU:HG2	2.18	0.43
1:A:87:LYS:HZ3	4:A:409:1PE:H161	1.83	0.43
1:B:226:ASP:O	1:B:227:SER:OG	2.36	0.43
1:B:135:LYS:HB3	1:B:333:TRP:CH2	2.53	0.43
1:B:99:ILE:CD1	1:B:189:SER:HB2	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:210[A]:ILE:HB	1:B:248:THR:HB	2.01	0.42
1:A:264:ILE:O	1:A:268:VAL:HG23	2.20	0.42
1:A:276:ASN:HA	5:A:537:HOH:O	2.20	0.42
1:A:90:ILE:HA	1:A:204:LEU:HD21	2.01	0.41
1:A:221:HIS:HB2	5:A:526:HOH:O	2.19	0.41
1:A:272:SER:CB	1:A:279:ILE:HD12	2.51	0.41
1:B:242:GLY:HA2	3:B:407:PG4:H12	2.01	0.41
1:B:133:THR:HG22	1:B:278:PRO:HG2	2.03	0.41
1:B:85[A]:MET:SD	1:B:174:PHE:CE2	3.13	0.41
1:A:199:PHE:CD1	2:A:301:RDC:CL1	3.11	0.40
1:A:156:ARG:HB3	5:A:533:HOH:O	2.21	0.40
1:B:199:PHE:CD1	2:B:302:RDC:CL1	3.12	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	207/236 (88%)	201 (97%)	6 (3%)	0	100	100
1	B	225/236 (95%)	210 (93%)	15 (7%)	0	100	100
All	All	432/472 (92%)	411 (95%)	21 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	173/207 (84%)	173 (100%)	0	100	100
1	B	182/207 (88%)	182 (100%)	0	100	100
All	All	355/414 (86%)	355 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	176	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PG4	B	408	-	12,12,12	0.53	0	11,11,11	0.50	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PG4	B	410	-	6,6,12	0.51	0	5,5,11	0.47	0
3	PG4	A	404	-	12,12,12	0.54	0	11,11,11	0.32	0
3	PG4	A	401	-	9,9,12	0.51	0	8,8,11	0.43	0
2	RDC	B	302	-	26,27,27	2.00	6 (23%)	30,39,39	2.21	5 (16%)
3	PG4	B	405	-	9,9,12	0.51	0	8,8,11	0.50	0
3	PG4	A	403	-	9,9,12	0.52	0	8,8,11	0.43	0
2	RDC	A	301	-	26,27,27	2.00	7 (26%)	30,39,39	2.21	5 (16%)
4	1PE	A	409	-	15,15,15	0.53	0	14,14,14	0.38	0
3	PG4	B	406	-	12,12,12	0.53	0	11,11,11	0.45	0
3	PG4	A	402	-	12,12,12	0.52	0	11,11,11	0.51	0
3	PG4	B	407	-	6,6,12	0.50	0	5,5,11	0.38	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PG4	B	408	-	-	0/10/10/10	-
3	PG4	B	410	-	-	0/4/4/10	-
3	PG4	A	404	-	-	2/10/10/10	-
3	PG4	A	401	-	-	1/7/7/10	-
2	RDC	B	302	-	-	9/23/28/28	0/2/3/3
3	PG4	B	405	-	-	0/7/7/10	-
3	PG4	A	403	-	-	0/7/7/10	-
2	RDC	A	301	-	-	10/23/28/28	0/2/3/3
4	1PE	A	409	-	-	5/13/13/13	-
3	PG4	B	406	-	-	2/10/10/10	-
3	PG4	A	402	-	-	3/10/10/10	-
3	PG4	B	407	-	-	0/4/4/10	-

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	RDC	C5-C6	5.27	1.46	1.40
2	B	302	RDC	C5-C6	5.21	1.46	1.40
2	B	302	RDC	C2-C7	4.68	1.49	1.40
2	A	301	RDC	C2-C7	4.64	1.49	1.40
2	B	302	RDC	C2-C3	4.32	1.48	1.41
2	A	301	RDC	C2-C3	3.84	1.47	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	302	RDC	O6-C14	-2.80	1.38	1.45
2	B	302	RDC	C8-C7	2.74	1.57	1.51
2	A	301	RDC	O6-C14	-2.64	1.38	1.45
2	A	301	RDC	C8-C7	2.61	1.57	1.51
2	A	301	RDC	C4-C3	2.48	1.42	1.38
2	A	301	RDC	C4-C5	2.45	1.42	1.38
2	B	302	RDC	C4-C5	2.01	1.41	1.38

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	RDC	O6-C14-C13	6.41	131.27	115.37
2	A	301	RDC	O6-C15-C16	6.32	129.69	116.33
2	B	302	RDC	O6-C14-C13	6.20	130.74	115.37
2	B	302	RDC	O6-C15-C16	6.08	129.18	116.33
2	B	302	RDC	C14-C13-C12	5.84	137.05	125.61
2	A	301	RDC	C14-C13-C12	5.64	136.66	125.61
2	B	302	RDC	C17-O1-C1	3.65	123.95	117.61
2	A	301	RDC	C17-O1-C1	3.33	123.39	117.61
2	B	302	RDC	C18-C17-C16	2.55	118.61	112.75
2	A	301	RDC	C18-C17-C16	2.47	118.42	112.75

There are no chirality outliers.

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	302	RDC	C11-C10-C9-C8
2	B	302	RDC	C11-C10-C9-O5
2	B	302	RDC	C12-C13-C14-C15
2	A	301	RDC	C11-C10-C9-C8
2	A	301	RDC	C11-C10-C9-O5
2	A	301	RDC	C12-C13-C14-C15
2	A	301	RDC	C12-C13-C14-O6
2	B	302	RDC	C6-C7-C8-C9
3	A	402	PG4	C3-C4-O3-C5
2	B	302	RDC	C7-C8-C9-C10
2	A	301	RDC	C7-C8-C9-C10
2	B	302	RDC	C7-C8-C9-O5
2	A	301	RDC	C7-C8-C9-O5
2	A	301	RDC	C15-C16-C17-C18
2	B	302	RDC	C12-C13-C14-O6
2	B	302	RDC	O2-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	301	RDC	O2-C1-C2-C3
2	B	302	RDC	O1-C1-C2-C3
3	B	406	PG4	C6-C5-O3-C4
3	A	402	PG4	O3-C5-C6-O4
2	A	301	RDC	O1-C1-C2-C3
4	A	409	1PE	C15-C25-OH5-C14
2	A	301	RDC	C6-C7-C8-C9
4	A	409	1PE	C24-C14-OH5-C25
4	A	409	1PE	OH5-C14-C24-OH4
3	A	404	PG4	O3-C5-C6-O4
3	B	406	PG4	O2-C3-C4-O3
3	A	401	PG4	O2-C3-C4-O3
3	A	404	PG4	O2-C3-C4-O3
4	A	409	1PE	OH4-C13-C23-OH3
3	A	402	PG4	O2-C3-C4-O3
4	A	409	1PE	C13-C23-OH3-C22


There are no ring outliers.


12 monomers are involved in 41 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	408	PG4	3	0
3	B	410	PG4	1	0
3	A	404	PG4	4	0
3	A	401	PG4	4	0
2	B	302	RDC	1	0
3	B	405	PG4	1	0
3	A	403	PG4	5	0
2	A	301	RDC	1	0
4	A	409	1PE	8	0
3	B	406	PG4	5	0
3	A	402	PG4	7	0
3	B	407	PG4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	211/236 (89%)	0.62	22 (10%) 6 7	20, 32, 64, 70	0
1	B	226/236 (95%)	1.02	34 (15%) 2 2	20, 33, 73, 94	0
All	All	437/472 (92%)	0.83	56 (12%) 3 4	20, 32, 67, 94	0

All (56) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	170	GLY	10.9
1	B	65	GLY	8.6
1	B	286	THR	8.4
1	B	167	ALA	7.9
1	B	181	ALA	7.8
1	B	169	SER	7.7
1	A	330	VAL	7.5
1	B	67	HIS	6.8
1	B	66	SER	6.4
1	B	69	LEU	5.4
1	A	191	LEU	5.2
1	B	168	LYS	5.2
1	B	330	VAL	4.8
1	B	174	PHE	4.7
1	B	171	THR	4.3
1	A	284	SER	4.2
1	A	94	TYR	4.2
1	A	171	THR	4.1
1	B	70	ARG	4.0
1	B	182	GLN	4.0
1	B	177	LYS	3.7
1	A	174	PHE	3.7
1	B	191	LEU	3.6
1	B	331	TRP	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	329	THR	3.5
1	A	188	THR	3.5
1	A	274	PHE	3.3
1	B	329	THR	3.3
1	B	73	SER	3.2
1	A	170	GLY	3.1
1	B	179	THR	3.1
1	A	99[A]	ILE	3.1
1	B	180	GLU	3.0
1	B	166	ILE	3.0
1	B	71	GLU	2.9
1	B	72	LYS	2.8
1	B	127	ALA	2.7
1	A	175	LEU	2.7
1	A	91	ASN	2.7
1	A	179	THR	2.7
1	A	331	TRP	2.7
1	A	195	PHE	2.6
1	B	94	TYR	2.5
1	A	172	SER	2.5
1	B	172	SER	2.5
1	B	178	MET	2.5
1	A	282	TRP	2.5
1	B	195	PHE	2.5
1	B	68	MET	2.4
1	B	332	ASP	2.4
1	B	274	PHE	2.3
1	A	85	MET	2.3
1	A	261	LEU	2.2
1	B	175	LEU	2.2
1	A	176	ASN	2.1
1	A	266	ASN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PG4	B	408	13/13	0.58	0.30	54,64,71,71	0
3	PG4	A	404	13/13	0.70	0.20	55,57,58,58	0
3	PG4	B	406	13/13	0.71	0.20	59,62,66,68	0
3	PG4	A	402	13/13	0.71	0.22	61,64,68,68	0
3	PG4	B	410	7/13	0.74	0.21	57,61,63,64	0
3	PG4	A	403	10/13	0.80	0.22	62,63,64,65	0
3	PG4	B	407	7/13	0.82	0.30	65,65,65,66	0
2	RDC	A	301	25/25	0.84	0.19	29,36,45,47	0
4	1PE	A	409	16/16	0.87	0.27	42,47,57,60	0
3	PG4	A	401	10/13	0.87	0.20	41,43,49,49	0
2	RDC	B	302	25/25	0.88	0.17	29,35,44,48	0
3	PG4	B	405	10/13	0.90	0.21	41,45,49,52	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around RDC A 301:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around RDC B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.