



Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2020 – 10:58 pm BST

PDB ID : 3U1Q
Title : Crystal Structure of M. tuberculosis LD-transpeptidase type 2 with 2-Mercaptoethanol
Authors : Erdemli, S.; Bianchet, M.A.; Gupta, R.; Lamichhane, G.; Amzel, L.M.
Deposited on : 2011-09-30
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 18%, green 71%, grey 9%);"></div> <div style="display: flex; justify-content: space-between; font-size: 0.8em;"> % 71% 18% • 9% </div> </div>
1	B	287	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, green 72%, yellow 17%, orange 1%, red 1%, grey 10%);"></div> <div style="display: flex; justify-content: space-between; font-size: 0.8em;"> 72% 17% • 10% </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	BME	A	501	-	-	X	-
2	BME	B	501	-	-	X	-
3	PEG	A	503	-	-	X	X
3	PEG	B	503	-	-	X	-
3	PEG	B	504	-	-	X	-
3	PEG	B	506	-	-	X	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 4327 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Mycobacteria Tuberculosis LD-transpeptidase type 2.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	262	Total	C	N	O	S	0	4	0
			2044	1287	358	392	7			
1	B	258	Total	C	N	O	S	0	3	0
			2002	1263	346	385	8			

- Molecule 2 is BETA-MERCAPTOETHANOL (three-letter code: BME) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	S	0	0
			4	2	1	1		
2	A	1	Total	C	O	S	0	0
			4	2	1	1		
2	B	1	Total	C	O	S	0	0
			4	2	1	1		
2	B	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 3 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			7	4	3		
3	A	1	Total	C	O	0	0
			7	4	3		
3	B	1	Total	C	O	0	0
			7	4	3		
3	B	1	Total	C	O	0	0
			7	4	3		
3	B	1	Total	C	O	0	0
			7	4	3		
3	B	1	Total	C	O	0	0
			7	4	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	109	Total	O	0	0
			109	109		
4	B	114	Total	O	0	0
			114	114		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Mycobacteria Tuberculosis LD-transpeptidase type 2



- Molecule 1: Mycobacteria Tuberculosis LD-transpeptidase type 2



4 Data and refinement statistics

Property	Value	Source
Space group	I 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	117.69Å 121.01Å 122.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.52 – 2.40 15.49 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.8 (15.52-2.40) 99.8 (15.49-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.69 (at 2.40Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, R_{free}	0.185 , 0.244 0.180 , 0.234	Depositor DCC
R_{free} test set	1743 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	40.2	Xtriage
Anisotropy	0.026	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 34.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.066 for -h,-l,-k 0.000 for l,-k,h 0.006 for -k,-h,-l 0.000 for k,-l,-h 0.000 for -l,h,-k	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4327	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, BME

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.09	2/2105 (0.1%)	0.90	1/2877 (0.0%)
1	B	1.09	2/2064 (0.1%)	1.12	5/2822 (0.2%)
All	All	1.09	4/4169 (0.1%)	1.02	6/5699 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	213	GLU	CG-CD	5.73	1.60	1.51
1	A	213	GLU	CG-CD	5.64	1.60	1.51
1	A	271	GLU	CG-CD	5.52	1.60	1.51
1	B	261	THR	CB-CG2	5.11	1.69	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	153[A]	MET	CG-SD-CE	-24.36	61.23	100.20
1	B	153[B]	MET	CG-SD-CE	-24.36	61.23	100.20
1	B	301	ILE	CB-CA-C	-7.11	97.37	111.60
1	B	152	THR	CB-CA-C	-6.26	94.69	111.60
1	B	321	ASP	CB-CG-OD1	-5.31	113.52	118.30
1	A	152	THR	CB-CA-C	-5.06	97.94	111.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2044	0	1947	57	0
1	B	2002	0	1907	63	0
2	A	8	0	12	7	0
2	B	8	0	12	6	0
3	A	14	0	20	12	0
3	B	28	0	40	32	0
4	A	109	0	0	5	2
4	B	114	0	0	3	0
All	All	4327	0	3938	123	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:297[A]:ARG:NH1	1:A:371[A]:ARG:HG3	1.58	1.16
1:A:297[A]:ARG:HH11	1:A:371[A]:ARG:HG3	1.25	0.99
1:A:223:ASP:OD1	4:A:681:HOH:O	1.82	0.97
2:B:501:BME:H12	4:B:689:HOH:O	1.64	0.95
1:B:204:ASN:HD22	1:B:206:ARG:H	1.09	0.92
1:B:289:ASN:HD21	1:B:380:THR:H	1.11	0.92
1:B:265:THR:HB	3:B:504:PEG:H42	1.52	0.92
1:B:316:ASN:HD22	3:B:503:PEG:H22	1.33	0.92
1:A:352:HIS:H	2:A:501:BME:H22	1.35	0.91
1:B:214:HIS:H	3:B:506:PEG:C1	1.85	0.90
2:A:501:BME:H12	4:A:674:HOH:O	1.73	0.88
1:B:291:ILE:H	1:B:395:ASN:HD21	1.22	0.88
1:A:289:ASN:HD21	1:A:380:THR:H	1.24	0.86
1:A:181:ARG:HH21	1:A:205:ASN:HD22	1.21	0.86
1:B:196:VAL:HG21	3:B:506:PEG:H42	1.58	0.85
1:B:204:ASN:ND2	1:B:206:ARG:H	1.74	0.83
1:A:213:GLU:HG3	1:A:398:TRP:CG	2.16	0.80
1:B:224:VAL:HB	1:B:245:THR:HG22	1.64	0.79
1:B:214:HIS:H	3:B:506:PEG:H11	1.46	0.79
1:A:291:ILE:H	1:A:395:ASN:HD21	1.30	0.78
1:A:297[A]:ARG:HH12	1:A:371[A]:ARG:HG3	1.49	0.75
1:B:214:HIS:H	3:B:506:PEG:H12	1.52	0.75
1:A:371[B]:ARG:HG3	1:A:371[B]:ARG:HH11	1.53	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:181:ARG:HH21	1:A:205:ASN:ND2	1.86	0.72
1:B:316:ASN:HB2	3:B:503:PEG:H41	1.71	0.72
1:B:152:THR:HG22	1:B:175:ASP:OD1	1.90	0.72
3:B:506:PEG:O1	4:B:686:HOH:O	1.99	0.72
1:A:306:SER:CB	3:A:503:PEG:H22	2.21	0.71
1:B:265:THR:HB	3:B:504:PEG:C4	2.21	0.69
1:A:181:ARG:O	1:A:185:GLU:HG3	1.92	0.69
1:A:312:VAL:N	3:A:503:PEG:H41	2.08	0.68
1:B:265:THR:CB	3:B:504:PEG:H42	2.23	0.67
1:A:153:MET:CE	1:A:154:PRO:HD2	2.24	0.67
1:A:352:HIS:H	2:A:501:BME:C2	2.06	0.66
1:B:316:ASN:HB2	3:B:503:PEG:C4	2.26	0.66
1:B:265:THR:CB	3:B:504:PEG:C4	2.74	0.65
1:B:212:PRO:HB2	3:B:506:PEG:H12	1.80	0.64
1:A:352:HIS:ND1	2:A:501:BME:H21	2.13	0.64
1:A:311:PRO:HB3	3:A:503:PEG:H42	1.81	0.63
1:A:406:ALA:O	1:A:407:LYS:HB2	2.00	0.62
1:B:265:THR:OG1	3:B:504:PEG:H41	1.98	0.62
1:B:214:HIS:HB2	3:B:506:PEG:H22	1.83	0.60
1:A:153:MET:HE3	1:A:154:PRO:HD2	1.82	0.60
1:B:196:VAL:HG21	3:B:506:PEG:C4	2.30	0.60
1:B:351:SER:HB2	2:B:501:BME:H21	1.84	0.60
1:B:181:ARG:O	1:B:185:GLU:HG3	2.03	0.59
1:A:306:SER:HB3	3:A:503:PEG:H22	1.84	0.59
1:A:371[B]:ARG:NH1	1:A:371[B]:ARG:HG3	2.17	0.59
1:A:152:THR:HG21	1:A:174:PHE:HB3	1.84	0.58
1:B:265:THR:OG1	3:B:504:PEG:C4	2.52	0.58
1:A:228:THR:O	1:A:239:GLY:HA3	2.04	0.57
1:B:289:ASN:HD21	1:B:380:THR:N	1.93	0.57
1:B:400:GLN:HE22	3:B:505:PEG:H12	1.69	0.57
1:A:313[A]:ASN:H	3:A:503:PEG:H41	1.70	0.57
1:B:316:ASN:HD22	3:B:503:PEG:C2	2.12	0.57
1:A:370:LYS:HE3	4:A:653:HOH:O	2.05	0.57
1:B:310:VAL:HG13	3:B:503:PEG:H41	1.86	0.57
1:A:152:THR:HG23	1:A:176:GLU:HB2	1.87	0.56
1:A:313[B]:ASN:H	3:A:503:PEG:H41	1.71	0.56
1:A:167:GLY:HA3	1:A:374:ILE:HD11	1.86	0.56
1:B:156:VAL:CG2	1:B:245:THR:HG21	2.36	0.55
1:B:150:HIS:HB3	4:B:680:HOH:O	2.07	0.54
1:A:297[A]:ARG:HH11	1:A:371[A]:ARG:CG	2.09	0.53
1:A:246:HIS:HB2	4:A:681:HOH:O	2.07	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:316:ASN:ND2	3:B:503:PEG:H22	2.14	0.53
1:A:306:SER:HB3	3:A:503:PEG:C2	2.40	0.52
1:B:305:SER:HB2	1:B:310:VAL:HB	1.92	0.52
1:B:261:THR:OG1	3:B:504:PEG:C2	2.58	0.52
1:A:295:GLY:O	1:A:297[A]:ARG:NH1	2.43	0.52
1:B:255:ALA:HB1	1:B:264:LEU:HD11	1.91	0.52
1:A:181:ARG:NH2	1:A:205:ASN:ND2	2.58	0.51
1:B:152:THR:HG21	1:B:174:PHE:HB3	1.93	0.51
1:A:156:VAL:HG12	1:A:243:VAL:HG11	1.93	0.51
1:B:265:THR:CB	3:B:504:PEG:H41	2.41	0.50
1:A:354:CYS:SG	2:A:501:BME:S2	3.10	0.49
1:B:261:THR:OG1	3:B:504:PEG:H21	2.12	0.49
1:A:378:VAL:O	1:A:379:ASN:HB2	2.13	0.49
1:A:296:SER:HB3	1:A:371[B]:ARG:NH2	2.27	0.49
1:A:354:CYS:HB2	2:A:501:BME:S2	2.52	0.48
1:B:196:VAL:CG2	3:B:506:PEG:H42	2.37	0.48
1:A:306:SER:HB2	3:A:503:PEG:H22	1.93	0.48
1:A:213:GLU:HG3	1:A:398:TRP:CD1	2.48	0.47
1:B:310:VAL:HG13	3:B:503:PEG:H32	1.95	0.47
1:B:310:VAL:CG1	3:B:503:PEG:H41	2.44	0.47
1:B:204:ASN:HD22	1:B:206:ARG:N	1.94	0.47
1:B:354:CYS:HB2	2:B:501:BME:S2	2.55	0.47
1:B:156:VAL:HG22	1:B:245:THR:HG21	1.96	0.47
1:B:261:THR:HG21	3:B:504:PEG:H12	1.97	0.47
1:B:352:HIS:ND1	2:B:501:BME:H11	2.29	0.47
1:A:327:GLN:HB2	1:A:334:PHE:CE2	2.51	0.45
1:A:153:MET:HE2	1:A:154:PRO:HD2	1.97	0.45
1:A:158:PRO:HG2	1:A:247:PHE:CG	2.52	0.45
1:A:352:HIS:N	2:A:501:BME:H22	2.16	0.45
1:B:310:VAL:HG13	3:B:503:PEG:C4	2.45	0.44
1:B:261:THR:OG1	3:B:504:PEG:H22	2.17	0.44
1:B:224:VAL:HB	1:B:245:THR:CG2	2.43	0.44
1:A:237:MET:HE2	1:A:237:MET:HB3	1.79	0.44
1:A:387:GLY:HA3	1:A:396:ILE:HG13	1.99	0.44
1:B:158:PRO:HD2	1:B:247:PHE:CE2	2.53	0.44
1:A:267:ARG:HB3	4:A:682:HOH:O	2.17	0.43
1:A:158:PRO:HG2	1:A:247:PHE:CD2	2.53	0.43
1:A:214:HIS:HA	3:A:504:PEG:H22	2.01	0.43
1:A:215:PHE:CD2	3:A:504:PEG:H31	2.54	0.43
1:B:354:CYS:CB	2:B:501:BME:HS2	2.31	0.43
1:B:387:GLY:HA3	1:B:396:ILE:HG13	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:316:ASN:HB2	3:B:503:PEG:H42	2.01	0.42
1:B:293:ILE:HD11	1:B:394:TRP:CD1	2.54	0.42
1:B:267:ARG:HA	1:B:271:GLU:O	2.18	0.42
1:B:255:ALA:O	1:B:375:VAL:HA	2.20	0.42
1:A:305:SER:HB2	1:A:310:VAL:HB	2.01	0.42
1:A:313[A]:ASN:H	3:A:503:PEG:C4	2.31	0.41
1:A:313[B]:ASN:H	3:A:503:PEG:C4	2.32	0.41
1:A:371[B]:ARG:CG	1:A:371[B]:ARG:NH1	2.80	0.41
1:B:204:ASN:HD22	1:B:204:ASN:C	2.23	0.41
1:A:274:LYS:HE3	1:A:364:TRP:CD1	2.56	0.41
1:B:198:GLY:HA3	1:B:210:TRP:CZ2	2.56	0.41
1:A:365:PHE:O	1:A:369:VAL:HB	2.20	0.41
1:B:327:GLN:HB2	1:B:334:PHE:CE2	2.56	0.40
1:B:352:HIS:H	2:B:501:BME:H11	1.86	0.40
1:B:255:ALA:HA	1:B:265:THR:O	2.21	0.40
1:B:387:GLY:HA3	1:B:396:ILE:CG1	2.52	0.40
1:B:167:GLY:HA3	1:B:374:ILE:HD11	2.04	0.40
1:B:214:HIS:N	3:B:506:PEG:H11	2.25	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:657:HOH:O	4:A:679:HOH:O[7_455]	0.16	2.04
4:A:672:HOH:O	4:A:677:HOH:O[7_455]	0.48	1.72

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	262/287 (91%)	250 (95%)	12 (5%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	259/287 (90%)	249 (96%)	10 (4%)	0	100	100
All	All	521/574 (91%)	499 (96%)	22 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	219/232 (94%)	206 (94%)	13 (6%)	19	32
1	B	215/232 (93%)	207 (96%)	8 (4%)	34	53
All	All	434/464 (94%)	413 (95%)	21 (5%)	30	41

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	125	THR
1	A	126	LEU
1	A	152	THR
1	A	157	MET
1	A	297[A]	ARG
1	A	297[B]	ARG
1	A	339	PRO
1	A	369	VAL
1	A	370	LYS
1	A	371[A]	ARG
1	A	371[B]	ARG
1	A	393	ASP
1	A	407	LYS
1	B	152	THR
1	B	156	VAL
1	B	189	LYS
1	B	204	ASN
1	B	237	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	360[A]	SER
1	B	360[B]	SER
1	B	393	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	205	ASN
1	A	244	GLN
1	A	289	ASN
1	A	361	ASN
1	A	379	ASN
1	A	395	ASN
1	B	204	ASN
1	B	289	ASN
1	B	316	ASN
1	B	361	ASN
1	B	379	ASN
1	B	395	ASN
1	B	400	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	BME	A	501	-	3,3,3	0.52	0	1,2,2	0.57	0
2	BME	A	502	-	3,3,3	0.79	0	1,2,2	1.08	0
2	BME	B	502	-	3,3,3	0.62	0	1,2,2	0.88	0
3	PEG	A	503	-	6,6,6	0.76	0	5,5,5	1.06	1 (20%)
2	BME	B	501	-	3,3,3	0.68	0	1,2,2	0.53	0
3	PEG	B	505	-	6,6,6	0.66	0	5,5,5	0.43	0
3	PEG	B	506	-	6,6,6	0.58	0	5,5,5	0.74	0
3	PEG	B	503	-	6,6,6	1.10	0	5,5,5	1.31	1 (20%)
3	PEG	B	504	-	6,6,6	1.12	0	5,5,5	1.98	1 (20%)
3	PEG	A	504	-	6,6,6	0.85	0	5,5,5	1.05	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BME	A	501	-	-	1/1/1/1	-
2	BME	A	502	-	-	0/1/1/1	-
2	BME	B	502	-	-	1/1/1/1	-
3	PEG	A	503	-	-	3/4/4/4	-
2	BME	B	501	-	-	0/1/1/1	-
3	PEG	B	505	-	-	3/4/4/4	-
3	PEG	B	506	-	-	3/4/4/4	-
3	PEG	B	503	-	-	3/4/4/4	-
3	PEG	B	504	-	-	3/4/4/4	-
3	PEG	A	504	-	-	3/4/4/4	-

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	504	PEG	C3-O2-C2	3.40	128.00	113.29
3	B	503	PEG	C3-O2-C2	2.28	123.15	113.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	503	PEG	O2-C2-C1	2.09	119.26	110.07

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	502	BME	O1-C1-C2-S2
3	B	506	PEG	O1-C1-C2-O2
3	B	503	PEG	C4-C3-O2-C2
3	A	503	PEG	O1-C1-C2-O2
3	B	504	PEG	O1-C1-C2-O2
3	B	503	PEG	O2-C3-C4-O4
3	B	506	PEG	O2-C3-C4-O4
3	A	504	PEG	O1-C1-C2-O2
3	B	505	PEG	O2-C3-C4-O4
2	A	501	BME	O1-C1-C2-S2
3	B	505	PEG	C1-C2-O2-C3
3	B	504	PEG	C4-C3-O2-C2
3	A	503	PEG	C4-C3-O2-C2
3	B	506	PEG	C4-C3-O2-C2
3	B	505	PEG	O1-C1-C2-O2
3	A	504	PEG	C1-C2-O2-C3
3	B	504	PEG	O2-C3-C4-O4
3	A	503	PEG	C1-C2-O2-C3
3	B	503	PEG	O1-C1-C2-O2
3	A	504	PEG	C4-C3-O2-C2

There are no ring outliers.

8 monomers are involved in 57 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	BME	7	0
3	A	503	PEG	10	0
2	B	501	BME	6	0
3	B	505	PEG	1	0
3	B	506	PEG	10	0
3	B	503	PEG	10	0
3	B	504	PEG	11	0
3	A	504	PEG	2	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	262/287 (91%)	-0.63	2 (0%) 86 84	22, 32, 55, 79	0
1	B	258/287 (89%)	-0.65	0 100 100	22, 32, 54, 66	0
All	All	520/574 (90%)	-0.64	2 (0%) 92 91	22, 32, 55, 79	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	125	THR	2.1
1	A	150	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	BME	B	501	4/4	0.62	0.29	74,74,75,79	0
3	PEG	A	504	7/7	0.64	0.32	63,66,75,76	0
3	PEG	B	505	7/7	0.67	0.33	82,85,86,87	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	BME	B	502	4/4	0.69	0.26	67,68,69,71	0
3	PEG	B	503	7/7	0.77	0.34	29,41,50,53	0
2	BME	A	502	4/4	0.78	0.26	72,74,74,75	0
3	PEG	A	503	7/7	0.79	0.49	44,50,59,59	0
3	PEG	B	504	7/7	0.81	0.37	32,41,50,51	0
3	PEG	B	506	7/7	0.88	0.57	46,54,58,59	0
2	BME	A	501	4/4	0.91	0.17	57,60,61,63	0

6.5 Other polymers [i](#)

There are no such residues in this entry.