



wwPDB X-ray Structure Validation Summary Report ⓘ

May 16, 2020 – 12:57 am BST

PDB ID : 4U24
Title : Crystal structure of the E. coli ribosome bound to dalbavancin.
Authors : Noeske, J.; Huang, J.; Olivier, N.B.; Giacobbe, R.A.; Zambrowski, M.; Cate, J.H.D.
Deposited on : 2014-07-16
Resolution : 2.90 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)
RNA backbone	3102	1007 (3.16-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1539	<div> <div>2%</div> <div> <div></div> <div>30%</div> <div>54%</div> <div>16%</div> </div> </div>
1	CA	1539	<div> <div>8%</div> <div> <div></div> <div>30%</div> <div>55%</div> <div>15%</div> </div> </div>
2	AB	218	<div> <div>17%</div> <div> <div></div> <div>23%</div> <div>51%</div> <div>21%</div> <div>5%</div> </div> </div>
2	CB	218	<div> <div>22%</div> <div> <div></div> <div>31%</div> <div>49%</div> <div>18%</div> <div>•</div> </div> </div>


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	AC	206	
3	CC	206	
4	AD	205	
4	CD	205	
5	AE	150	
5	CE	150	
6	AF	100	
6	CF	100	
7	AG	151	
7	CG	151	
8	AH	129	
8	CH	129	
9	AI	127	
9	CI	127	
10	AJ	98	
10	CJ	98	
11	AK	117	
11	CK	117	
12	AL	123	
12	CL	123	
13	AM	114	
13	CM	114	
14	AN	100	
14	CN	100	
15	AO	88	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	CO	88	
16	AP	82	
16	CP	82	
17	AQ	80	
17	CQ	80	
18	AR	55	
18	CR	55	
19	AS	79	
19	CS	79	
20	AT	85	
20	CT	85	
21	AU	51	
21	CU	51	
22	BA	2903	
22	DA	2903	
23	BB	119	
23	DB	119	
24	BC	271	
24	DC	271	
25	BD	209	
25	DD	209	
26	BE	201	
26	DE	201	
27	BF	177	
27	DF	177	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	BG	176	
28	DG	176	
29	BH	149	
29	DH	149	
30	BI	141	
30	DI	141	
31	BJ	142	
31	DJ	142	
32	BK	122	
32	DK	122	
33	BL	143	
33	DL	143	
34	BM	136	
34	DM	136	
35	BN	120	
35	DN	120	
36	BO	116	
36	DO	116	
37	BP	114	
37	DP	114	
38	BQ	117	
38	DQ	117	
39	BR	103	
39	DR	103	
40	BS	110	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
40	DS	110	
41	BT	93	
41	DT	93	
42	BU	102	
42	DU	102	
43	BV	94	
43	DV	94	
44	BW	76	
44	DW	76	
45	BX	77	
45	DX	77	
46	BY	63	
46	DY	63	
47	BZ	58	
47	DZ	58	
48	B0	56	
48	D0	56	
49	B1	50	
49	D1	50	
50	B2	46	
50	D2	46	
51	B3	64	
51	D3	64	
52	B4	38	
52	D4	38	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	B5	228	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
54	MG	AA	1656	-	-	-	X
54	MG	AA	1658	-	-	-	X
54	MG	AA	1662	-	-	-	X
54	MG	AA	1664	-	-	-	X
54	MG	AA	1668	-	-	-	X
54	MG	DA	3003	-	-	-	X
54	MG	DA	3005	-	-	-	X
54	MG	DA	3026	-	-	-	X
54	MG	DA	3028	-	-	-	X
54	MG	DA	3041	-	-	-	X
54	MG	DA	3044	-	-	-	X
54	MG	DA	3061	-	-	-	X
54	MG	DA	3062	-	-	-	X
54	MG	DA	3092	-	-	-	X
54	MG	DA	3100	-	-	-	X
54	MG	DA	3113	-	-	-	X
54	MG	DA	3119	-	-	-	X
54	MG	DA	3133	-	-	-	X
54	MG	DA	3135	-	-	-	X
54	MG	DA	3137	-	-	-	X
54	MG	DA	3151	-	-	-	X
54	MG	DA	3162	-	-	-	X
54	MG	DL	201	-	-	-	X
55	DOL	DA	3001	-	-	X	-

2 Entry composition [i](#)

There are 57 unique types of molecules in this entry. The entry contains 288276 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AA	1538	Total	C	N	O	P	0	0	0
			32995	14716	6050	10691	1538			
1	CA	1539	Total	C	N	O	P	0	0	0
			33015	14725	6052	10699	1539			

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	AB	218	Total	C	N	O	S	0	0	0
			1705	1081	305	312	7			
2	CB	218	Total	C	N	O	S	0	0	0
			1705	1081	305	312	7			

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	AC	206	Total	C	N	O	S	0	0	0
			1625	1028	305	289	3			
3	CC	206	Total	C	N	O	S	0	0	0
			1625	1028	305	289	3			

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	AD	205	Total	C	N	O	S	0	0	0
			1643	1026	315	298	4			
4	CD	205	Total	C	N	O	S	0	0	0
			1643	1026	315	298	4			

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	AE	150	Total	C	N	O	S	0	0	0
			1106	687	211	202	6			
5	CE	150	Total	C	N	O	S	0	0	0
			1106	687	211	202	6			

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	AF	100	Total	C	N	O	S	0	0	0
			818	515	148	149	6			
6	CF	100	Total	C	N	O	S	0	0	0
			818	515	148	149	6			

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	AG	151	Total	C	N	O	S	0	0	0
			1182	735	227	216	4			
7	CG	151	Total	C	N	O	S	0	0	0
			1182	735	227	216	4			

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	AH	129	Total	C	N	O	S	0	0	0
			979	616	173	184	6			
8	CH	129	Total	C	N	O	S	0	0	0
			979	616	173	184	6			

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	AI	127	Total	C	N	O	S	0	0	0
			1022	634	206	179	3			
9	CI	127	Total	C	N	O	S	0	0	0
			1022	634	206	179	3			

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	AJ	98	Total	C	N	O	S	0	0	0
			787	493	150	143	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	CJ	98	Total	C	N	O	S	0	0	0
			787	493	150	143	1			

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	AK	117	Total	C	N	O	S	0	0	0
			877	540	174	160	3			
11	CK	117	Total	C	N	O	S	0	0	0
			877	540	174	160	3			

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	AL	123	Total	C	N	O	S	0	0	0
			955	590	196	165	4			
12	CL	123	Total	C	N	O	S	0	0	0
			955	590	196	165	4			

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	AM	114	Total	C	N	O	S	0	0	0
			884	546	178	157	3			
13	CM	114	Total	C	N	O	S	0	0	0
			884	546	178	157	3			

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	AN	96	Total	C	N	O	S	0	0	0
			774	483	160	128	3			
14	CN	96	Total	C	N	O	S	0	0	0
			774	483	160	128	3			

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	AO	88	Total	C	N	O	S	0	0	0
			710	437	143	129	1			
15	CO	88	Total	C	N	O	S	0	0	0
			710	437	143	129	1			

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	AP	82	Total	C	N	O	S	0	0	0
			649	406	128	114	1			
16	CP	82	Total	C	N	O	S	0	0	0
			649	406	128	114	1			

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	AQ	80	Total	C	N	O	S	0	0	0
			649	411	121	114	3			
17	CQ	80	Total	C	N	O	S	0	0	0
			649	411	121	114	3			

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	AR	55	Total	C	N	O	0	0	0
			456	288	86	82			
18	CR	55	Total	C	N	O	0	0	0
			456	288	86	82			

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	AS	79	Total	C	N	O	S	0	0	0
			638	408	120	108	2			
19	CS	79	Total	C	N	O	S	0	0	0
			638	408	120	108	2			

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	AT	85	Total	C	N	O	S	0	0	0
			665	411	137	114	3			
20	CT	85	Total	C	N	O	S	0	0	0
			665	411	137	114	3			

- Molecule 21 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	AU	51	Total	C	N	O	S	0	0	0
			426	265	86	74	1			
21	CU	51	Total	C	N	O	S	0	0	0
			426	265	86	74	1			

- Molecule 22 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	BA	2897	Total	C	N	O	P	0	0	0
			62195	27745	11446	20107	2897			
22	DA	2897	Total	C	N	O	P	0	0	0
			62195	27745	11446	20107	2897			

- Molecule 23 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	BB	119	Total	C	N	O	P	0	0	0
			2549	1135	466	829	119			
23	DB	118	Total	C	N	O	P	0	0	0
			2529	1126	464	821	118			

- Molecule 24 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	BC	271	Total	C	N	O	S	0	0	0
			2083	1288	423	365	7			
24	DC	271	Total	C	N	O	S	0	0	0
			2083	1288	423	365	7			

- Molecule 25 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	BD	209	Total	C	N	O	S	0	0	0
			1565	979	288	294	4			
25	DD	209	Total	C	N	O	S	0	0	0
			1565	979	288	294	4			

- Molecule 26 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	BE	201	Total	C	N	O	S	0	0	0
			1552	974	283	290	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	DE	201	Total	C	N	O	S	0	0	0
			1552	974	283	290	5			

- Molecule 27 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	BF	177	Total	C	N	O	S	0	0	0
			1411	899	249	257	6			
27	DF	177	Total	C	N	O	S	0	0	0
			1411	899	249	257	6			

- Molecule 28 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	BG	176	Total	C	N	O	S	0	0	0
			1323	832	243	246	2			
28	DG	176	Total	C	N	O	S	0	0	0
			1323	832	243	246	2			

- Molecule 29 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	BH	149	Total	C	N	O	S	0	0	0
			1110	699	197	213	1			
29	DH	149	Total	C	N	O	S	0	0	0
			1110	699	197	213	1			

- Molecule 30 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	BI	141	Total	C	N	O	S	0	0	0
			1032	651	179	196	6			
30	DI	141	Total	C	N	O	S	0	0	0
			1032	651	179	196	6			

- Molecule 31 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	BJ	142	Total	C	N	O	S	0	0	0
			1129	714	212	199	4			
31	DJ	142	Total	C	N	O	S	0	0	0
			1129	714	212	199	4			

- Molecule 32 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	BK	122	Total	C	N	O	S	0	0	0
			939	587	180	166	6			
32	DK	122	Total	C	N	O	S	0	0	0
			939	587	180	166	6			

- Molecule 33 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	BL	143	Total	C	N	O	S	0	0	0
			1045	649	206	189	1			
33	DL	143	Total	C	N	O	S	0	0	0
			1045	649	206	189	1			

- Molecule 34 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	BM	136	Total	C	N	O	S	0	0	0
			1074	686	205	177	6			
34	DM	136	Total	C	N	O	S	0	0	0
			1074	686	205	177	6			

- Molecule 35 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	BN	120	Total	C	N	O	S	0	0	0
			961	593	196	167	5			
35	DN	120	Total	C	N	O	S	0	0	0
			961	593	196	167	5			

- Molecule 36 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
36	BO	116	Total	C	N	O	0	0	0
			892	552	178	162			
36	DO	116	Total	C	N	O	0	0	0
			892	552	178	162			

- Molecule 37 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	BP	114	Total	C	N	O	S	0	0	0
			917	574	179	163	1			
37	DP	114	Total	C	N	O	S	0	0	0
			917	574	179	163	1			

- Molecule 38 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	BQ	117	Total	C	N	O	S	0	0	0
			947	604	192	151				
38	DQ	117	Total	C	N	O	S	0	0	0
			947	604	192	151				

- Molecule 39 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	BR	103	Total	C	N	O	S	0	0	0
			816	516	153	145	2			
39	DR	103	Total	C	N	O	S	0	0	0
			816	516	153	145	2			

- Molecule 40 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
40	BS	110	Total	C	N	O	S	0	0	0
			857	532	166	156	3			
40	DS	110	Total	C	N	O	S	0	0	0
			857	532	166	156	3			

- Molecule 41 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	BT	93	Total	C	N	O	S	0	0	0
			739	466	139	132	2			
41	DT	93	Total	C	N	O	S	0	0	0
			739	466	139	132	2			

- Molecule 42 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	BU	102	Total	C	N	O	S	0	0	0
			780	492	146	142				

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
42	DU	102	Total	C	N	O	0	0	0
			780	492	146	142			

- Molecule 43 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	BV	94	Total	C	N	O	S	0	0	0
			753	479	137	134	3			
43	DV	94	Total	C	N	O	S	0	0	0
			753	479	137	134	3			

- Molecule 44 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	BW	76	Total	C	N	O	S	0	0	0
			580	359	117	103	1			
44	DW	75	Total	C	N	O	S	0	0	0
			569	353	113	102	1			

- Molecule 45 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	BX	77	Total	C	N	O	S	0	0	0
			625	388	129	106	2			
45	DX	77	Total	C	N	O	S	0	0	0
			625	388	129	106	2			

- Molecule 46 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	BY	63	Total 509	C 313	N 99	O 95	S 2	0	0	0
46	DY	63	Total 509	C 313	N 99	O 95	S 2	0	0	0

- Molecule 47 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	BZ	58	Total 449	C 281	N 87	O 79	S 2	0	0	0
47	DZ	58	Total 449	C 281	N 87	O 79	S 2	0	0	0

- Molecule 48 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	B0	56	Total	C	N	O	S	0	0	0
			444	269	94	80	1			
48	D0	56	Total	C	N	O	S	0	0	0
			444	269	94	80	1			

- Molecule 49 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
49	B1	50	Total	C	N	O	0	0	0
			410	263	75	72			
49	D1	50	Total	C	N	O	0	0	0
			410	263	75	72			

- Molecule 50 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	B2	46	Total	C	N	O	S	0	0	0
			377	228	90	57	2			
50	D2	46	Total	C	N	O	S	0	0	0
			377	228	90	57	2			

- Molecule 51 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	B3	64	Total	C	N	O	S	0	0	0
			504	323	105	74	2			
51	D3	64	Total	C	N	O	S	0	0	0
			504	323	105	74	2			

- Molecule 52 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	B4	38	Total	C	N	O	S	0	0	0
			302	185	65	48	4			
52	D4	38	Total	C	N	O	S	0	0	0
			302	185	65	48	4			


- Molecule 53 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
53	B5	191	Total	C	N	O	0	0	1
			1142	691	221	230			

- Molecule 54 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
54	BB	4	Total	Mg	0	0
			4	4		
54	BA	194	Total	Mg	0	0
			194	194		
54	CA	56	Total	Mg	0	0
			56	56		
54	DQ	1	Total	Mg	0	0
			1	1		
54	DL	1	Total	Mg	0	0
			1	1		
54	D2	1	Total	Mg	0	0
			1	1		
54	DA	164	Total	Mg	0	0
			164	164		
54	AA	70	Total	Mg	0	0
			70	70		
54	BQ	1	Total	Mg	0	0
			1	1		
54	AN	1	Total	Mg	0	0
			1	1		
54	DB	3	Total	Mg	0	0
			3	3		
54	AM	1	Total	Mg	0	0
			1	1		

- Molecule 55 is 5-(2-DIETHYLAMINO-ETHANESULFONYL)-21-HYDROXY-10-ISOPROPYL-11,19-DIMETHYL-9,26-DIOXA-3,15,28-TRIAZA-TRICYCLO[23.2.1.00,255]OCTACOSA-1(27),12,17,19,25(28)-PENTAENE-2,8,14,23-TETRAONE (three-letter code: DOL) (formula: C₃₄H₅₀N₄O₉S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
55	BA	1	Total	C	N	O	S	0	0
			48	34	4	9	1		
55	DA	1	Total	C	N	O	S	0	0
			48	34	4	9	1		

- Molecule 56 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	B4	1	Total	Zn	0	0
			1	1		
56	D4	1	Total	Zn	0	0
			1	1		

- Molecule 57 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	AA	195	Total	O	0	0
			195	195		
57	AE	1	Total	O	0	0
			1	1		
57	AL	1	Total	O	0	0
			1	1		
57	AN	3	Total	O	0	0
			3	3		
57	AT	2	Total	O	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	AU	1	Total 1	O 1	0	0
57	BA	615	Total 615	O 615	0	0
57	BB	13	Total 13	O 13	0	0
57	BC	8	Total 8	O 8	0	0
57	BD	3	Total 3	O 3	0	0
57	BE	2	Total 2	O 2	0	0
57	BF	1	Total 1	O 1	0	0
57	BL	7	Total 7	O 7	0	0
57	BN	5	Total 5	O 5	0	0
57	BQ	1	Total 1	O 1	0	0
57	BS	1	Total 1	O 1	0	0
57	BT	1	Total 1	O 1	0	0
57	BU	1	Total 1	O 1	0	0
57	BV	1	Total 1	O 1	0	0
57	B2	1	Total 1	O 1	0	0
57	B3	3	Total 3	O 3	0	0
57	B4	2	Total 2	O 2	0	0
57	CA	193	Total 193	O 193	0	0
57	CL	1	Total 1	O 1	0	0
57	CN	1	Total 1	O 1	0	0
57	CT	2	Total 2	O 2	0	0

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	CU	1	Total 1	O 1	0	0
57	DA	608	Total 608	O 608	0	0
57	DB	13	Total 13	O 13	0	0
57	DC	10	Total 10	O 10	0	0
57	DD	4	Total 4	O 4	0	0
57	DE	4	Total 4	O 4	0	0
57	DJ	1	Total 1	O 1	0	0
57	DL	4	Total 4	O 4	0	0
57	DN	2	Total 2	O 2	0	0
57	DS	2	Total 2	O 2	0	0
57	DT	3	Total 3	O 3	0	0
57	DU	1	Total 1	O 1	0	0
57	DV	1	Total 1	O 1	0	0
57	D2	1	Total 1	O 1	0	0
57	D3	1	Total 1	O 1	0	0
57	D4	1	Total 1	O 1	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S rRNA







• Molecule 1: 16S rRNA








• Molecule 2: 30S ribosomal protein S2




• Molecule 2: 30S ribosomal protein S2







• Molecule 3: 30S ribosomal protein S3




• Molecule 3: 30S ribosomal protein S3





• Molecule 4: 30S ribosomal protein S4






• Molecule 4: 30S ribosomal protein S4




• Molecule 5: 30S ribosomal protein S5




• Molecule 5: 30S ribosomal protein S5




• Molecule 6: 30S ribosomal protein S6




- Molecule 6: 30S ribosomal protein S6




- Molecule 7: 30S ribosomal protein S7




- Molecule 7: 30S ribosomal protein S7




- Molecule 8: 30S ribosomal protein S8




• Molecule 8: 30S ribosomal protein S8




• Molecule 9: 30S ribosomal protein S9




• Molecule 9: 30S ribosomal protein S9




• Molecule 10: 30S ribosomal protein S10








- Molecule 10: 30S ribosomal protein S10




- Molecule 11: 30S ribosomal protein S11




- Molecule 11: 30S ribosomal protein S11




- Molecule 12: 30S ribosomal protein S12




- Molecule 12: 30S ribosomal protein S12








• Molecule 13: 30S ribosomal protein S13




• Molecule 13: 30S ribosomal protein S13




• Molecule 14: 30S ribosomal protein S14




• Molecule 14: 30S ribosomal protein S14




- Molecule 15: 30S ribosomal protein S15




- Molecule 15: 30S ribosomal protein S15




- Molecule 16: 30S ribosomal protein S16



- Molecule 16: 30S ribosomal protein S16






- Molecule 17: 30S ribosomal protein S17






- Molecule 17: 30S ribosomal protein S17





- Molecule 18: 30S ribosomal protein S18





- Molecule 18: 30S ribosomal protein S18




- Molecule 19: 30S ribosomal protein S19




- Molecule 19: 30S ribosomal protein S19




- Molecule 20: 30S ribosomal protein S20




- Molecule 20: 30S ribosomal protein S20




- Molecule 21: 30S ribosomal protein S21



- Molecule 21: 30S ribosomal protein S21




- Molecule 22: 23S rRNA




G1256	G1182	G1110	G1047	A972	A892	U826	G760	U615	A547	A472	U387	U806	C228
U1183	U1183	A1111	A1048	A973	C893	U827	A761	A616	G543		G388	G307	C229
U1194	G1049	G1112	G1049	G974	U894	A829	A764	G617	G549	C475	G389	G308	C230
G1185	G1050	G1185	U895	A975	U895	A828		G618		C476	U390	A309	A231
G1186	G1051	G1115	A896	G976	A896	G830	G765	G619	U554	A477		A310	G232
G1187	G1051	G1116	C897	G977	C897	G831	U766	G620	G555	A478		A311	
U1188	G1056		C898	G978	C898	U832	U767	G621	A556	A479			C236
A1189	A1057		A899	A979	A899	A833	G768	G622	C557	A480		G315	C237
A1268	U1058		A900	A980	A900	G834	U769	G623	U558	C481		G316	U243
A1269	G1059		C901	A981	C901	G835	G770	G624	G559	A482		G317	A244
G1192	U1060		C982	C982	C901	G836	G771	G625	C560	A483		G318	A245
G1193	U1061		A983	A983	A909	C837	G772	G626	G561			G319	G246
A1272	G1062		A984	A984	A910	C838	U773	A627	U562			G320	G247
U1273	G1063		C985	C985	A911	U839	G774	G628	A563			U321	G248
A1274	C1064				C912	C840	G775	G629	C564			A322	G249
A1275	U1065		A988	A988	U913	G841	G776	G630	C565			C323	G250
A1276	U1066		G989	G989	U914	G841	G777	A631	C566			A412	A251
G1277	A1067		A990	A990	C915	U842	G778	A632	U566			G325	
	C991		C991	C991	C915	U842	G778	A632	U566				
	U1068		A916	A916	A916	A845	U779	A633	U569			U328	C252
	A1069		A917	A917	A917	U846	G780	C634	G570			G329	C253
	A1070		A918	A918	A918	U847		C635	U571			G330	G254
	C1071		U919	U919	U919		G711	G636	A572			A255	A256
	C1072					U850	A782	G637	U573			A501	A257
	A1073		A928	A928	A928	U851	A783	A637	U574			A502	C257
	C1074		U929	U929	U929	U852	G784	G638	A574			C421	G258
	C1075		U930	U930	U930	U853	G785	U639	A575			A422	G259
	U1076		G931	G931	G931		G786					C335	G260
	A1077		U931	U931	U931		G787	A644	G578			C336	
	C1078		U932	U932	U932		A788	G645	G579			C337	
	U1079		A933	A933	A933		A789	U646	U580			G338	G263
	C1080		U934	U934	U934		G790	G647	C581			U339	C264
	A1081		G935	G935	G935		C791	G648	A582			A340	A265
	U1082		A936	A936	A936		A792					C341	G266
	A1083		C937	C937	C937		G793	G651	G585			A342	
	U1084		G938	G938	G938		A794	U652	A586			C343	G271
	A1085						G797	G653	C587			A348	A272
	U1086		A941	A941	A941			A654	U588			U349	G273
	G1087		G942	G942	G942		G801	G655	U589			C350	C274
	A1088		A943	A943	A943		A802	G656	A590			A351	C275
	U1089		C944	C944	C944		U803	U657	U591			A352	U276
	A1090		A945	A945	A945		A804	G658	A592			C353	G277
	G1091		U946	U946	U946		G805	C660	U593			A354	A278
	U1092		A947	A947	A947		C806	A661	U594				A279
	G1093		C948	C948	C948			G662				C357	U280
	U1094						G809	G663	G597			U358	C281
	A1095		G953	G953	G953		U810	G664	U598			G359	A282
	U1096		G954	G954	G954		U811		A599			U360	G283
	A1097		U955	U955	U955		C812	A668	G601			A453	U284
	U1098		G956	G956	G956		U813	G669	C601			A454	
	G1099		C957	C957	C957		C814	A670	A602			G361	G287
	C1100		U958	U958	U958			C671	A603			A456	U288
	U1101		A959	A959	A959		C817	G672	G604			U365	
	C1102		A960	A960	A960		G818	C673				C366	G287
	A1103		C895	C895	C895		A819	G674	A608			G367	G298
	U1104		G962	G962	G962		A820	A675	G537			A368	A299
	G1105						A821		A609			U369	A300
	U1106		U967	U967	U967		G822	G610	C610			G370	G301
	C1107		C968	C968	C968		C823	U656	C611			A466	C302
	U1108						U824	U657	G612			A371	C303
	C1109		G971	G971	G971		A825	U658	A613			G372	U304
								G759	U546			G386	C305





• Molecule 22: 23S rRNA




G1182	U1183	U1184	G1185	G1186	G1187	U1188	U1189	G1190	G1193	A1194	U1195	G1196	G1197	U1198	U1199	G1200	U1203	A1204	A1205	G1206	G1207	C1208	U1209	G1210	G1211	G1212	A1213	A1214	G1215	G1216	U1217	G1218	U1219	G1220	C1221	U1222	G1223	U1224	G1225	A1226	G1227	G1228	G1229	A1230	U1231	G1232	G1233	U1234	G1235	G1236	A1237	G1238	G1239	U1240	A1241	U1242	G1243	
A1103	G1041	G1042	U1105	C1043	G1044	U1106	U1107	U1108	C1109	G1110	G1111	G1112	G1115	G1116	U1119	G1120	G1121	G1122	G1123	G1124	U1061	A1126	A1127	G1128	G1131	U1132	A1133	G1134	C1135	G1136	G1137	G1138	G1139	C1140	U1141	A1142	A1143	A1147	G1153	G1154	A1155	G1167	A1168	A1169	G1170	G1171	G1172	U1173	U1174	A1175	U1176	U1177	G1178	U1179	G1180	U1181		
G1041	G1042	C1043	G1044	G1045	A1046	G1047	A1048	C1049	A1050	G1051	G1052	G1053	A1054	G1055	A1057	U1058	G1059	U1060	U1061	G1062	G1063	G1064	U1065	U1066	A1067	G1068	A1069	A1070	G1071	C1072	A1073	G1074	C1075	C1076	A1077	U1078	U1082	U1083	A1084	A1085	A1086	G1087	A1088	A1089	A1090	G1091	C1092	G1093	U1094	A1095	A1096	U1097	A1098	G1099	C1100	U1101	C1102	
C961	G962	U963	C964	C965	G966	G969	U970	G971	A972	A973	G974	A979	A980	A981	C982	A983	A984	A990	C995	A996	G997	C998	A999	G1002	G1003	C1006	U1009	U1010	A1013	A1014	U1015	G1016	A1020	A1021	G1022	U1023	G1024	G1025	G1026	A1027	A1028	A1029	C1030	U1033	U1035	G1036	A1039	G1100	U1101	C1102								
C	C	G	A892	C893	U894	U895	A896	C897	C898	A899	A900	C901	C902	C903	G904	G907	C908	A909	A910	A911	C912	A913	C915	G916	U919	A920	C921	C922	G923	A927	A928	U931	U932	A933	U934	C935	A936	C937	A941	G942	A943	C944	A945	C946	A947	C948	U952	G953	U958	A959	A960							
G761	U762	G763	A764	U767	G768	U769	G770	G771	G772	U773	G774	G775	U776	U777	G778	U779	G780	A781	A782	A783	G784	G785	A788	G789	U790	C791	G792	A793	G794	G795	A799	U799	C799	G799	A800	G801	A802	U803	A804	G805	C806	U807	G808	G809	U810	U811	C812	U813	C814	G815	C816	U817	U818	A819	A820	U821	G822	
C692	G629	G630	A631	A632	G633	C634	G635	G636	A637	G638	U639	C640	U642	G645	U646	G647	G648	G649	C650	U653	A654	A655	G656	U657	U658	G659	G660	A661	G662	G663	G664	U667	A668	G669	A670	C671	C672	C673	G674	A675	A676	A677	G678	C679	G680	G681	G682	U683	G684	A685	U686	G687	U688	A689	G690	C691		
U569	G570	A571	U572	U573	A574	A575	U576	G577	G578	G579	U580	C581	A582	G583	C584	G585	A586	C587	U588	U589	A590	U591	U593	U594	C595	U596	G597	U598	A599	G600	C601	A602	A603	G604	G605	U606	U607	A608	A609	C610	C611	G612	A613	A614	U615	A616	G617	G618	G619	G620	A621	G622	C623	G624	G625	A626	A627	G628
A504	A505	A507	A508	C509	C510	U511	G512	A513	A514	A515	C516	G520	U521	A522	C523	G524	U525	C527	A528	A529	G530	C531	A532	U533	U534	G535	G536	G537	A538	G539	C540	A541	C542	G543	C544	U545	U546	A547	C548	G549	C550	G553	U554	G555	G559	C560	G561	U562	A563	C564	C565	U566	U567	U568				
C444	C445	G446	A447	U448	C450	U451	U452	A453	A454	C455	C456	A457	G458	U459	A460	C461	G462	U464	A465	A466	G467	G468	G469	A470	A471	A472	G473	A474	C475	G476	A477	A478	A479	A480	G481	A482	A483	C484	C485	C486	C487	G488	G489	C490	A492	G493	G494	G495	G496	A497	G498	U499	G500	A501	A502	A503		
A382	C383	A384	C385	G386	U387	C388	G389	U390	A391	U392	C393	C394	U395	G396	U397	C398	U399	G400	A401	A402	U403	A404	U405	A406	G407	A408	G409	G410	G411	A412	C413	C414	U415	C416	C417	C418	U419	C420	C421	A422	A423	G424	C425	C426	U427	A430	U431	A432	C433	U434	C435	U436	U437	A438	U441	G442	A443	
G317	C318	G319	A320	U321	A322	C323	A324	G325	G329	A330	C331	A332	G333	C334	C335	G336	C337	U338	U339	A340	C341	A342	C343	A344	A345	A346	A347	A348	U349	C350	C351	A352	C353	A354	U355	C356	G359	U360	G361	A362	C363	C364	G367	U368	G369	G370	A371	G372	U373	A374	G377	C378	G379	G380	G381			


G2184	G2056	G1992	A1853	C1790	G1724	G1649	C1575	G1510	A1439	G1371	G1311	A1244
G2125	G2057	U1993	A1854	A1791	U1725	A1650	U1576	G1511	U1440	U1372	U1312	G1245
A2058	A2058	G1994	U1855	G1792	C1726	G1651	G1578	U1512	G1441	A1373	U1313	A1246
G2127	A2059	U1995	U1856	C1793	C1727	A1652	U1577	U1513	U1442	G1374	G1314	A1247
A2060	C1997	C1997	G1857	A1794	U1728	G1653	G1581	G1514	U1443	U1375	G1315	U1248
G2061	A1928	A1928	A1858	G1797	C1729	A1654	G1582	A1515	G1444	C1376	U1316	U1249
A2062	C2063	G1998	U1859	U1798	C1730	A1655	A1582	G1519	G1445	G1377	G1317	G1250
C2063	C2064	U1930	G1860	U1799	G1731	C1656	A1583	U1520	G1446	A1378	U1318	C1251
C2064	C2065	U1931	G1861	G1799	C1732	U1657	U1584	G1521	C1447	U1379	G1319	G1252
C2065	C2066	G1932	G1862	A1800	G1733	C1658	C1585	G1522	G1448	G1380	C1320	A1253
C2066	C1997	G1933	G1863	A1801	G1734	G1659	A1586	U1523	G1449	G1381	A1321	A1254
G2067	G1934	A1802	U1864	A1802	A1735	G1660	G1587	G1524	G1452	G1382	A1322	U1255
G2068	G1935	A1803	U1865	A1803	U1736	G1661	G1588	A1525	G1453	A1383	G1323	U1256
G2069	A1936	C1804	A1866	U1862	G1737	U1662	U1589	C1526	A1454	G1384	G1324	C1257
A2070	A1937	G1867	G1867	G1663	G1738	G1663	A1590	G1527	C1454	U1325	U1325	U1258
A2071	A1938	A1805	G1868	A1805	G1739	A1664	A1591	A1528	G1455	U1390	U1326	G1259
C2072	U1943	C1806	G1869	G1807	C1740	A1665	C1592	G1529	G1456	A1327	A1327	C1260
A2141	G2010	G1808	G1870	A1808	G1741	G1666	A1593	G1530	U1457	A1392	A1328	C1261
C2143	U2011	A1809	A1871	A1809	U1742	G1667	U1594	C1531	U1458	A1393	U1329	A1262
G2144	G2012	G1810	A1872	A1810	G1743	A1668	C1595	A1532	U1459	U1394	G1330	U1263
C2145	A1946	G1811	G1873	A1811	A1744	A1669	A1596	C1533	U1460	A1395	G1331	A1264
C2146	C1947	G1812	C1874	A1812	A1745	A1670	A1597	U1534	U1396	U1396	G1332	A1265
A2147	G1948	G1813	G1875	G1813	U1745	U1671	A1598	A1535	U1397	U1397	G1333	G1266
G2148	G1949	A1814	A1876	G1814	G1750	G1672	U1599	C1536	C1463	C1398	G1334	U1267
U2017	G1950	A1815	A1877	A1815	U1751	G1673	C1600	G1537	G1464	C1399	G1335	A1268
G2083	U1951	C1816	G1878	C1816	C1752	G1674	G1601	G1538	G1465	U1400	A1336	A1269
C2084	G1952	G1817	C1879	G1817	C1753	C1675	U1602	U1539	U1466	G1401	G1337	G1270
U2151	A1953	A1818	G1880	U1818	A1754	A1676	A1603	G1540	U1467	U1402	G1338	G1271
G2152	C2020	G1819	C1881	A1819	A1755	A1677	C1604	C1541	U1468	A1403	G1339	A1272
G2156	U2022	U1955	U1882	A1820	G1756	A1678	G1605	U1542	U1469	C1404	U1340	U1273
G2157	C2023	G1956	G1883	A1821	A1757	A1679	C1606	G1543	A1470	U1405	G1341	A1274
A2158	G2024	C1957	G1884	C1822	U1758	U1680	C1607	A1544	G1471	U1406	A1342	A1275
G2159	C2025	U1958	G1885	G1823	A1759	G1681	A1608	U1545	U1407	G1407	G1343	A1276
C2160	G1959	C1824	A1885	U1825	C1760	G1682	A1609	G1546	U1408	U1409	U1344	G1277
G2161	G2027	G1826	A1889	U1825	C1761	U1683	A1610	C1547	A1477	G1410	G1345	G1277
G2162	G1964	U1827	G1890	G1826	C1764	U1688	G1613	A1548	U1480	U1411	G1346	G1280
A2163	C1965	G1827	G1891	U1827	U1765	U1692	A1616	A1551	U1481	U1412	G1348	G1281
C2164	A1966	G1828	C1892	G1828	U1766	U1692	A1616	A1552	G1482	U1413	C1349	U1282
U2165	C1967	A1829	G1896	A1829	G1767	U1693	C1617	A1553	G1483	G1416	C1350	A1286
U2166	G1970	G1830	G1897	G1830	C1768	C1694	A1618	U1554	U1484	C1417	G1351	A1287
G2168	U1971	G1831	U1898	G1831	U1769	G1695	G1555	G1555	U1485	G1418	U1352	G1288
A2169	G1972	C1832	A1899	C1832	U1773	U1698	U1621	C1556	U1486	A1419	A1353	C1289
C2170	C1973	U1834	G1903	U1834	C1774	A1698	G1622	C1557	U1487	A1420	A1354	C1293
A2171	G1974	G1835	G1904	G1835	C1775	G1707	G1623	G1558	G1425	G1425	G1355	U1294
U2172	C1975	C1836	G1905	C1836	U1776	U1708	C1625	U1559	G1426	G1426	C1357	G1297
A2173	G1976	G1837	G1906	G1837	G1776	G1709	A1626	G1560	A1427	A1427	G1358	C1298
C2174	U1978	C1838	G1907	G1838	U1777	G1710	G1627	C1561	C1428	C1428	G1359	G1299
C2175	U1979	G1839	G1907	G1839	U1778	A1711	G1628	U1562	G1429	G1429	G1360	G1300
G2176	G1980	U1840	G1907	G1839	U1779	A1711	G1628	U1563	G1500	G1430	G1361	A1301
C2177	A1981	C1843	U1911	C1843	U1780	U1712	C1638	C1564	G1501	G1430	G1362	G1304
G2178	U1982	G1844	A1912	G1844	U1781	A1713	C1639	C1565	A1502	A1431	C1363	A1304
C2179	G1983	G1845	A1913	G1845	U1782	U1714	A1640	G1567	A1503	G1432	G1364	C1305
U2180	G1984	G1846	C1914	G1846	A1783	G1715	A1641	U1568	A1504	A1433	A1365	C1306
U2181	C1985	U1915	U1915	A1847	A1784	U1716	A1641	A1569	A1505	A1434	A1366	C1307
A2182	G1986	A1916	A1916	A1848	A1785	A1717	G1645	A1570	U1506	G1435	A1367	A1308
A2183	G1987	G1849	U1917	G1849	A1786	G1718	U1646	A1571	U1507	G1436	G1368	G1309
A2184	C1988	U1850	A1918	G1850	A1787	A1722	U1647	A1571	A1508	A1437	G1369	G1310
U2185	G1989	U1851	A1919	U1851	A1788	A1722	U1648	A1574	A1509	U1438	G1370	
U2186	U1991	C1920	C1920	U1852	A1789	G1723						
G2186												




- Molecule 23: 5S rRNA



- Molecule 24: 50S ribosomal protein L2




- Molecule 24: 50S ribosomal protein L2




- Molecule 25: 50S ribosomal protein L3







- Molecule 25: 50S ribosomal protein L3




- Molecule 26: 50S ribosomal protein L4




- Molecule 26: 50S ribosomal protein L4







• Molecule 27: 50S ribosomal protein L5




• Molecule 27: 50S ribosomal protein L5




• Molecule 28: 50S ribosomal protein L6




• Molecule 28: 50S ribosomal protein L6




- Molecule 30: 50S ribosomal protein L11




- Molecule 31: 50S ribosomal protein L13



- Molecule 31: 50S ribosomal protein L13




- Molecule 32: 50S ribosomal protein L14




- Molecule 32: 50S ribosomal protein L14






• Molecule 33: 50S ribosomal protein L15

Chain BL: 57% 38%




• Molecule 33: 50S ribosomal protein L15

Chain DL: 37% 49% 41% 8%



• Molecule 34: 50S ribosomal protein L16


Chain BM: 71% 23% 5%




• Molecule 34: 50S ribosomal protein L16

Chain DM: 11% 58% 33% 9%






- Molecule 35: 50S ribosomal protein L17




- Molecule 35: 50S ribosomal protein L17



- Molecule 36: 50S ribosomal protein L18




- Molecule 36: 50S ribosomal protein L18




- Molecule 37: 50S ribosomal protein L19







• Molecule 37: 50S ribosomal protein L19




• Molecule 38: 50S ribosomal protein L20




• Molecule 38: 50S ribosomal protein L20




• Molecule 39: 50S ribosomal protein L21




- Molecule 39: 50S ribosomal protein L21




- Molecule 40: 50S ribosomal protein L22




- Molecule 40: 50S ribosomal protein L22




- Molecule 41: 50S ribosomal protein L23




- Molecule 41: 50S ribosomal protein L23







- Molecule 42: 50S ribosomal protein L24




- Molecule 42: 50S ribosomal protein L24



- Molecule 43: 50S ribosomal protein L25




- Molecule 43: 50S ribosomal protein L25




- Molecule 44: 50S ribosomal protein L27






- Molecule 44: 50S ribosomal protein L27





- Molecule 45: 50S ribosomal protein L28




- Molecule 45: 50S ribosomal protein L28



- Molecule 46: 50S ribosomal protein L29



- Molecule 46: 50S ribosomal protein L29




- Molecule 47: 50S ribosomal protein L30







- Molecule 47: 50S ribosomal protein L30




- Molecule 48: 50S ribosomal protein L32




- Molecule 48: 50S ribosomal protein L32



- Molecule 49: 50S ribosomal protein L33



- Molecule 49: 50S ribosomal protein L33




- Molecule 50: 50S ribosomal protein L34



- Molecule 50: 50S ribosomal protein L34





- Molecule 51: 50S ribosomal protein L35





- Molecule 51: 50S ribosomal protein L35








- Molecule 52: 50S ribosomal protein L36



- Molecule 52: 50S ribosomal protein L36



- Molecule 53: 50S ribosomal protein L1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	210.21Å 433.03Å 619.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.97 – 2.90 39.97 – 2.90	Depositor EDS
% Data completeness (in resolution range)	94.9 (39.97-2.90) 94.9 (39.97-2.90)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.40 (at 2.90Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.1_1168)	Depositor
R, R_{free}	0.220 , 0.264 0.225 , 0.269	Depositor DCC
R_{free} test set	4701 reflections (0.40%)	wwPDB-VP
Wilson B-factor (Å ²)	44.0	Xtriage
Anisotropy	0.529	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 51.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	288276	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN, DOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	AA	0.46	0/36944	0.92	22/57632 (0.0%)
1	CA	0.39	0/36966	0.86	4/57666 (0.0%)
2	AB	0.36	0/1736	0.58	0/2338
2	CB	0.32	0/1736	0.53	0/2338
3	AC	0.35	0/1652	0.57	0/2225
3	CC	0.31	0/1652	0.51	0/2225
4	AD	0.36	0/1665	0.61	0/2227
4	CD	0.39	0/1665	0.61	0/2227
5	AE	0.38	0/1119	0.66	0/1504
5	CE	0.37	0/1119	0.65	0/1504
6	AF	0.39	0/836	0.60	0/1128
6	CF	0.33	0/836	0.58	0/1128
7	AG	0.34	0/1196	0.52	0/1602
7	CG	0.31	0/1196	0.51	0/1602
8	AH	0.38	0/989	0.57	0/1326
8	CH	0.31	0/989	0.52	0/1326
9	AI	0.33	0/1034	0.58	0/1375
9	CI	0.31	0/1034	0.55	0/1375
10	AJ	0.36	0/797	0.59	0/1077
10	CJ	0.31	0/797	0.52	0/1077
11	AK	0.36	0/893	0.67	1/1205 (0.1%)
11	CK	0.32	0/893	0.55	0/1205
12	AL	0.41	0/969	0.65	0/1300
12	CL	0.37	0/969	0.63	0/1300
13	AM	0.36	0/893	0.59	0/1193
13	CM	0.32	0/893	0.52	0/1193
14	AN	0.36	0/785	0.58	0/1043
14	CN	0.30	0/785	0.50	0/1043
15	AO	0.36	0/718	0.58	0/959
15	CO	0.32	0/718	0.50	0/959
16	AP	0.38	0/659	0.69	1/884 (0.1%)
16	CP	0.32	0/659	0.55	0/884

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
17	AQ	0.41	0/658	0.63	0/881
17	CQ	0.33	0/658	0.54	0/881
18	AR	0.35	0/463	0.57	0/621
18	CR	0.33	0/463	0.52	0/621
19	AS	0.36	0/653	0.53	0/877
19	CS	0.32	0/653	0.56	0/877
20	AT	0.36	0/671	0.58	0/888
20	CT	0.30	0/671	0.54	0/888
21	AU	0.45	0/431	0.63	0/570
21	CU	0.42	0/431	0.62	0/570
22	BA	0.84	18/69659 (0.0%)	1.25	413/108672 (0.4%)
22	DA	0.37	0/69659	0.85	11/108672 (0.0%)
23	BB	0.73	0/2850	1.17	11/4444 (0.2%)
23	DB	0.32	0/2828	0.80	0/4410
24	BC	0.50	0/2122	0.70	0/2852
24	DC	0.33	0/2122	0.56	0/2852
25	BD	0.58	0/1586	0.75	1/2134 (0.0%)
25	DD	0.31	0/1586	0.55	0/2134
26	BE	0.50	0/1571	0.67	0/2113
26	DE	0.31	0/1571	0.53	0/2113
27	BF	0.40	0/1435	0.61	0/1926
27	DF	0.29	0/1435	0.48	0/1926
28	BG	0.40	0/1343	0.60	0/1816
28	DG	0.30	0/1343	0.48	0/1816
29	BH	0.36	0/1121	0.66	1/1515 (0.1%)
29	DH	0.35	0/1121	0.56	0/1515
30	BI	0.35	0/1046	0.55	0/1410
30	DI	0.35	0/1046	0.53	0/1410
31	BJ	0.61	0/1152	0.73	0/1551
31	DJ	0.31	0/1152	0.54	0/1551
32	BK	0.61	0/948	0.75	0/1268
32	DK	0.34	0/948	0.55	0/1268
33	BL	0.55	0/1054	0.74	0/1403
33	DL	0.31	0/1054	0.53	0/1403
34	BM	0.58	0/1093	0.73	0/1460
34	DM	0.30	0/1093	0.50	0/1460
35	BN	0.62	0/974	0.79	0/1301
35	DN	0.33	0/974	0.58	1/1301 (0.1%)
36	BO	0.48	0/902	0.64	0/1209
36	DO	0.29	0/902	0.47	0/1209
37	BP	0.55	0/929	0.75	3/1242 (0.2%)
37	DP	0.32	0/929	0.51	0/1242
38	BQ	0.67	0/960	0.78	0/1278

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	DQ	0.33	0/960	0.50	0/1278
39	BR	0.64	0/829	0.84	0/1107
39	DR	0.30	0/829	0.53	0/1107
40	BS	0.69	0/864	0.81	0/1156
40	DS	0.32	0/864	0.54	0/1156
41	BT	0.46	0/745	0.69	0/994
41	DT	0.31	0/745	0.51	0/994
42	BU	0.47	0/788	0.66	0/1051
42	DU	0.34	0/788	0.56	0/1051
43	BV	0.51	0/766	0.68	0/1025
43	DV	0.28	0/766	0.44	0/1025
44	BW	0.60	0/587	0.74	0/776
44	DW	0.30	0/576	0.50	0/762
45	BX	0.44	0/635	0.66	0/848
45	DX	0.33	0/635	0.55	0/848
46	BY	0.44	0/510	0.71	0/677
46	DY	0.29	0/510	0.53	0/677
47	BZ	0.55	0/453	0.69	0/605
47	DZ	0.31	0/453	0.51	0/605
48	B0	0.61	0/450	0.77	0/599
48	D0	0.33	0/450	0.54	0/599
49	B1	0.48	0/417	0.62	0/554
49	D1	0.31	0/417	0.50	0/554
50	B2	0.62	0/380	0.81	0/498
50	D2	0.34	0/380	0.55	0/498
51	B3	0.57	0/513	0.69	0/676
51	D3	0.29	0/513	0.49	0/676
52	B4	0.57	0/303	0.70	0/397
52	D4	0.30	0/303	0.54	0/397
53	B5	0.32	0/1145	0.50	0/1556
All	All	0.54	18/310626 (0.0%)	0.92	469/464366 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	CD	0	1
5	AE	0	1
5	CE	0	1
6	CF	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
11	AK	0	1
12	CL	0	1
25	BD	0	1
25	DD	0	1
All	All	0	8

The worst 5 of 18 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
22	BA	1142	A	N9-C4	-11.42	1.31	1.37
22	BA	984	A	N9-C4	-10.72	1.31	1.37
22	BA	1936	A	N9-C4	-9.94	1.31	1.37
22	BA	528	A	N9-C4	-8.18	1.32	1.37
22	BA	783	A	N9-C4	-6.66	1.33	1.37

The worst 5 of 469 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	BA	984	A	C2-N3-C4	-12.81	104.20	110.60
22	BA	974	G	C4-C5-N7	12.41	115.76	110.80
22	BA	1142	A	C2-N3-C4	-11.77	104.72	110.60
22	BA	1936	A	C2-N3-C4	-11.57	104.81	110.60
22	BA	974	G	C5-C6-O6	-11.27	121.84	128.60

There are no chirality outliers.

5 of 8 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
5	AE	152	MET	Peptide
11	AK	126	LYS	Peptide
25	BD	151	THR	Peptide
4	CD	152	GLN	Peptide
5	CE	102	GLY	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	32995	0	16607	1101	3
1	CA	33015	0	16617	1197	0
2	AB	1705	0	1732	163	0
2	CB	1705	0	1732	125	0
3	AC	1625	0	1696	81	0
3	CC	1625	0	1696	76	0
4	AD	1643	0	1707	138	0
4	CD	1643	0	1707	144	0
5	AE	1106	0	1148	98	0
5	CE	1106	0	1148	111	0
6	AF	818	0	808	52	0
6	CF	818	0	808	62	0
7	AG	1182	0	1238	56	0
7	CG	1182	0	1238	70	0
8	AH	979	0	1031	74	0
8	CH	979	0	1031	49	0
9	AI	1022	0	1070	96	0
9	CI	1022	0	1070	76	0
10	AJ	787	0	828	97	0
10	CJ	787	0	828	49	0
11	AK	877	0	887	70	0
11	CK	877	0	887	62	0
12	AL	955	0	1016	57	0
12	CL	955	0	1016	70	0
13	AM	884	0	941	63	0
13	CM	884	0	941	56	0
14	AN	774	0	824	72	0
14	CN	774	0	824	53	0
15	AO	710	0	728	38	0
15	CO	710	0	728	31	0
16	AP	649	0	666	61	0
16	CP	649	0	666	33	0
17	AQ	649	0	691	71	0
17	CQ	649	0	691	50	0
18	AR	456	0	478	19	0
18	CR	456	0	478	23	0
19	AS	638	0	665	50	0
19	CS	638	0	665	37	0
20	AT	665	0	714	60	0
20	CT	665	0	714	49	0
21	AU	426	0	449	51	0
21	CU	426	0	449	50	0
22	BA	62195	0	31280	1688	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
22	DA	62195	0	31280	2474	0
23	BB	2549	0	1291	64	0
23	DB	2529	0	1281	68	0
24	BC	2083	0	2154	110	0
24	DC	2083	0	2154	136	0
25	BD	1565	0	1616	73	0
25	DD	1565	0	1616	95	0
26	BE	1552	0	1619	73	0
26	DE	1552	0	1619	105	0
27	BF	1411	0	1444	106	0
27	DF	1411	0	1444	58	0
28	BG	1323	0	1371	43	0
28	DG	1323	0	1371	55	0
29	BH	1110	0	1147	145	0
29	DH	1110	0	1148	89	3
30	BI	1032	0	1085	75	0
30	DI	1032	0	1085	85	0
31	BJ	1129	0	1162	44	0
31	DJ	1129	0	1162	54	0
32	BK	939	0	1012	43	0
32	DK	939	0	1012	45	0
33	BL	1045	0	1117	65	0
33	DL	1045	0	1117	79	0
34	BM	1074	0	1157	38	0
34	DM	1074	0	1157	39	0
35	BN	961	0	1000	55	0
35	DN	961	0	1000	77	0
36	BO	892	0	923	51	0
36	DO	892	0	923	44	0
37	BP	917	0	962	42	0
37	DP	917	0	962	60	0
38	BQ	947	0	1019	50	0
38	DQ	947	0	1019	50	0
39	BR	816	0	839	68	0
39	DR	816	0	839	42	0
40	BS	857	0	922	43	0
40	DS	857	0	922	42	0
41	BT	739	0	807	52	0
41	DT	739	0	807	60	0
42	BU	780	0	831	40	0
42	DU	780	0	831	69	0
43	BV	753	0	780	33	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
43	DV	753	0	780	24	0
44	BW	580	0	594	15	0
44	DW	569	0	581	24	0
45	BX	625	0	652	19	0
45	DX	625	0	652	44	0
46	BY	509	0	543	34	0
46	DY	509	0	543	29	0
47	BZ	449	0	488	13	0
47	DZ	449	0	488	22	0
48	B0	444	0	458	24	0
48	D0	444	0	458	26	0
49	B1	410	0	440	30	0
49	D1	410	0	440	21	0
50	B2	377	0	418	13	0
50	D2	377	0	418	33	0
51	B3	504	0	572	25	0
51	D3	504	0	572	24	0
52	B4	302	0	340	12	0
52	D4	302	0	340	15	0
53	B5	1142	0	865	66	0
54	AA	70	0	0	0	0
54	AM	1	0	0	0	0
54	AN	1	0	0	0	0
54	BA	194	0	0	0	0
54	BB	4	0	0	0	0
54	BQ	1	0	0	0	0
54	CA	56	0	0	0	0
54	D2	1	0	0	0	0
54	DA	164	0	0	0	0
54	DB	3	0	0	0	0
54	DL	1	0	0	0	0
54	DQ	1	0	0	0	0
55	BA	48	0	50	11	0
55	DA	48	0	50	27	0
56	B4	1	0	0	0	0
56	D4	1	0	0	0	0
57	AA	195	0	0	19	0
57	AE	1	0	0	0	0
57	AL	1	0	0	0	0
57	AN	3	0	0	0	0
57	AT	2	0	0	0	0
57	AU	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	B2	1	0	0	0	0
57	B3	3	0	0	0	0
57	B4	2	0	0	0	0
57	BA	615	0	0	86	0
57	BB	13	0	0	1	0
57	BC	8	0	0	4	0
57	BD	3	0	0	2	0
57	BE	2	0	0	0	0
57	BF	1	0	0	1	0
57	BL	7	0	0	0	0
57	BN	5	0	0	0	0
57	BQ	1	0	0	0	0
57	BS	1	0	0	0	0
57	BT	1	0	0	0	0
57	BU	1	0	0	0	0
57	BV	1	0	0	0	0
57	CA	193	0	0	17	0
57	CL	1	0	0	0	0
57	CN	1	0	0	0	0
57	CT	2	0	0	0	0
57	CU	1	0	0	1	0
57	D2	1	0	0	1	0
57	D3	1	0	0	0	0
57	D4	1	0	0	1	0
57	DA	608	0	0	96	0
57	DB	13	0	0	4	0
57	DC	10	0	0	1	0
57	DD	4	0	0	2	0
57	DE	4	0	0	0	0
57	DJ	1	0	0	0	0
57	DL	4	0	0	1	0
57	DN	2	0	0	0	0
57	DS	2	0	0	0	0
57	DT	3	0	0	1	0
57	DU	1	0	0	0	0
57	DV	1	0	0	0	0
All	All	288276	0	192887	11371	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

The worst 5 of 11371 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
29:BH:117:LEU:O	29:BH:121:VAL:HG23	1.34	1.22
22:DA:2711:A:OP2	57:DA:3546:HOH:O	1.61	1.18
1:AA:111:G:O6	1:AA:330:C:N4	1.78	1.16
22:BA:627:A:OP1	33:BL:78:ARG:NH1	1.79	1.16
22:BA:730:A:OP2	57:BA:3695:HOH:O	1.61	1.16

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AA:357:G:O2'	29:DH:91:PHE:O[4_455]	2.12	0.08
1:AA:368:U:OP1	29:DH:93:SER:OG[4_455]	2.16	0.04
1:AA:359:G:OP1	29:DH:89:LYS:NZ[4_455]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	AB	216/218 (99%)	132 (61%)	40 (18%)	44 (20%)	0	0
2	CB	216/218 (99%)	142 (66%)	48 (22%)	26 (12%)	0	1
3	AC	204/206 (99%)	149 (73%)	31 (15%)	24 (12%)	0	1
3	CC	204/206 (99%)	154 (76%)	39 (19%)	11 (5%)	2	6
4	AD	203/205 (99%)	133 (66%)	45 (22%)	25 (12%)	0	1
4	CD	203/205 (99%)	147 (72%)	33 (16%)	23 (11%)	0	1
5	AE	148/150 (99%)	102 (69%)	23 (16%)	23 (16%)	0	0
5	CE	148/150 (99%)	98 (66%)	34 (23%)	16 (11%)	0	1
6	AF	98/100 (98%)	67 (68%)	22 (22%)	9 (9%)	1	1
6	CF	98/100 (98%)	66 (67%)	18 (18%)	14 (14%)	0	0
7	AG	149/151 (99%)	110 (74%)	26 (17%)	13 (9%)	1	2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	CG	149/151 (99%)	120 (80%)	20 (13%)	9 (6%)	1	4
8	AH	127/129 (98%)	87 (68%)	31 (24%)	9 (7%)	1	3
8	CH	127/129 (98%)	102 (80%)	17 (13%)	8 (6%)	1	4
9	AI	125/127 (98%)	88 (70%)	23 (18%)	14 (11%)	0	1
9	CI	125/127 (98%)	89 (71%)	21 (17%)	15 (12%)	0	1
10	AJ	96/98 (98%)	62 (65%)	14 (15%)	20 (21%)	0	0
10	CJ	96/98 (98%)	74 (77%)	10 (10%)	12 (12%)	0	0
11	AK	115/117 (98%)	81 (70%)	15 (13%)	19 (16%)	0	0
11	CK	115/117 (98%)	80 (70%)	26 (23%)	9 (8%)	1	2
12	AL	121/123 (98%)	91 (75%)	20 (16%)	10 (8%)	1	2
12	CL	121/123 (98%)	89 (74%)	20 (16%)	12 (10%)	0	1
13	AM	112/114 (98%)	80 (71%)	21 (19%)	11 (10%)	0	1
13	CM	112/114 (98%)	82 (73%)	17 (15%)	13 (12%)	0	1
14	AN	92/100 (92%)	54 (59%)	29 (32%)	9 (10%)	0	1
14	CN	92/100 (92%)	56 (61%)	22 (24%)	14 (15%)	0	0
15	AO	86/88 (98%)	61 (71%)	19 (22%)	6 (7%)	1	3
15	CO	86/88 (98%)	66 (77%)	16 (19%)	4 (5%)	2	8
16	AP	80/82 (98%)	57 (71%)	11 (14%)	12 (15%)	0	0
16	CP	80/82 (98%)	59 (74%)	16 (20%)	5 (6%)	1	4
17	AQ	78/80 (98%)	55 (70%)	15 (19%)	8 (10%)	0	1
17	CQ	78/80 (98%)	58 (74%)	11 (14%)	9 (12%)	0	1
18	AR	53/55 (96%)	41 (77%)	10 (19%)	2 (4%)	3	13
18	CR	53/55 (96%)	34 (64%)	16 (30%)	3 (6%)	1	5
19	AS	77/79 (98%)	55 (71%)	13 (17%)	9 (12%)	0	1
19	CS	77/79 (98%)	56 (73%)	12 (16%)	9 (12%)	0	1
20	AT	83/85 (98%)	57 (69%)	20 (24%)	6 (7%)	1	3
20	CT	83/85 (98%)	64 (77%)	10 (12%)	9 (11%)	0	1
21	AU	49/51 (96%)	28 (57%)	8 (16%)	13 (26%)	0	0
21	CU	49/51 (96%)	26 (53%)	10 (20%)	13 (26%)	0	0
24	BC	269/271 (99%)	219 (81%)	38 (14%)	12 (4%)	2	9
24	DC	269/271 (99%)	195 (72%)	50 (19%)	24 (9%)	1	1

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
25	BD	207/209 (99%)	178 (86%)	22 (11%)	7 (3%)	3	15
25	DD	207/209 (99%)	153 (74%)	45 (22%)	9 (4%)	2	10
26	BE	199/201 (99%)	162 (81%)	34 (17%)	3 (2%)	10	34
26	DE	199/201 (99%)	153 (77%)	29 (15%)	17 (8%)	1	2
27	BF	175/177 (99%)	139 (79%)	28 (16%)	8 (5%)	2	9
27	DF	175/177 (99%)	140 (80%)	23 (13%)	12 (7%)	1	3
28	BG	174/176 (99%)	147 (84%)	18 (10%)	9 (5%)	2	6
28	DG	174/176 (99%)	130 (75%)	29 (17%)	15 (9%)	1	2
29	BH	147/149 (99%)	89 (60%)	37 (25%)	21 (14%)	0	0
29	DH	147/149 (99%)	100 (68%)	32 (22%)	15 (10%)	0	1
30	BI	139/141 (99%)	81 (58%)	34 (24%)	24 (17%)	0	0
30	DI	139/141 (99%)	81 (58%)	38 (27%)	20 (14%)	0	0
31	BJ	140/142 (99%)	130 (93%)	7 (5%)	3 (2%)	7	26
31	DJ	140/142 (99%)	112 (80%)	14 (10%)	14 (10%)	0	1
32	BK	120/122 (98%)	97 (81%)	16 (13%)	7 (6%)	1	5
32	DK	120/122 (98%)	97 (81%)	13 (11%)	10 (8%)	1	2
33	BL	141/143 (99%)	118 (84%)	18 (13%)	5 (4%)	3	14
33	DL	141/143 (99%)	101 (72%)	25 (18%)	15 (11%)	0	1
34	BM	134/136 (98%)	118 (88%)	14 (10%)	2 (2%)	10	34
34	DM	134/136 (98%)	108 (81%)	19 (14%)	7 (5%)	2	6
35	BN	118/120 (98%)	99 (84%)	16 (14%)	3 (2%)	5	21
35	DN	118/120 (98%)	92 (78%)	16 (14%)	10 (8%)	1	2
36	BO	114/116 (98%)	94 (82%)	17 (15%)	3 (3%)	5	20
36	DO	114/116 (98%)	84 (74%)	23 (20%)	7 (6%)	1	4
37	BP	112/114 (98%)	96 (86%)	10 (9%)	6 (5%)	2	6
37	DP	112/114 (98%)	86 (77%)	19 (17%)	7 (6%)	1	4
38	BQ	115/117 (98%)	109 (95%)	4 (4%)	2 (2%)	9	31
38	DQ	115/117 (98%)	93 (81%)	20 (17%)	2 (2%)	9	31
39	BR	101/103 (98%)	81 (80%)	10 (10%)	10 (10%)	0	1
39	DR	101/103 (98%)	73 (72%)	22 (22%)	6 (6%)	1	5
40	BS	108/110 (98%)	92 (85%)	13 (12%)	3 (3%)	5	19

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
40	DS	108/110 (98%)	83 (77%)	17 (16%)	8 (7%)	1	2
41	BT	91/93 (98%)	74 (81%)	8 (9%)	9 (10%)	0	1
41	DT	91/93 (98%)	53 (58%)	26 (29%)	12 (13%)	0	0
42	BU	100/102 (98%)	77 (77%)	17 (17%)	6 (6%)	1	4
42	DU	100/102 (98%)	69 (69%)	17 (17%)	14 (14%)	0	0
43	BV	92/94 (98%)	84 (91%)	6 (6%)	2 (2%)	6	24
43	DV	92/94 (98%)	77 (84%)	12 (13%)	3 (3%)	4	15
44	BW	74/76 (97%)	68 (92%)	6 (8%)	0	100	100
44	DW	73/76 (96%)	60 (82%)	13 (18%)	0	100	100
45	BX	75/77 (97%)	66 (88%)	8 (11%)	1 (1%)	12	37
45	DX	75/77 (97%)	57 (76%)	11 (15%)	7 (9%)	0	1
46	BY	61/63 (97%)	42 (69%)	11 (18%)	8 (13%)	0	0
46	DY	61/63 (97%)	46 (75%)	12 (20%)	3 (5%)	2	8
47	BZ	56/58 (97%)	51 (91%)	3 (5%)	2 (4%)	3	14
47	DZ	56/58 (97%)	45 (80%)	7 (12%)	4 (7%)	1	3
48	B0	54/56 (96%)	47 (87%)	4 (7%)	3 (6%)	2	5
48	D0	54/56 (96%)	38 (70%)	12 (22%)	4 (7%)	1	2
49	B1	48/50 (96%)	38 (79%)	7 (15%)	3 (6%)	1	4
49	D1	48/50 (96%)	39 (81%)	4 (8%)	5 (10%)	0	1
50	B2	44/46 (96%)	38 (86%)	4 (9%)	2 (4%)	2	9
50	D2	44/46 (96%)	32 (73%)	8 (18%)	4 (9%)	1	1
51	B3	62/64 (97%)	56 (90%)	5 (8%)	1 (2%)	9	32
51	D3	62/64 (97%)	49 (79%)	11 (18%)	2 (3%)	4	16
52	B4	36/38 (95%)	31 (86%)	4 (11%)	1 (3%)	5	19
52	D4	36/38 (95%)	31 (86%)	3 (8%)	2 (6%)	2	5
53	B5	183/228 (80%)	85 (46%)	59 (32%)	39 (21%)	0	0
All	All	11418/11672 (98%)	8535 (75%)	1900 (17%)	983 (9%)	1	2

5 of 983 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	AB	16	PHE
2	AB	22	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	AB	25	PRO
2	AB	34	ALA
2	AB	64	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	AB	180/180 (100%)	132 (73%)	48 (27%)	0	1
2	CB	180/180 (100%)	132 (73%)	48 (27%)	0	1
3	AC	170/170 (100%)	136 (80%)	34 (20%)	1	4
3	CC	170/170 (100%)	146 (86%)	24 (14%)	3	10
4	AD	172/172 (100%)	138 (80%)	34 (20%)	1	4
4	CD	172/172 (100%)	145 (84%)	27 (16%)	2	8
5	AE	113/113 (100%)	86 (76%)	27 (24%)	0	2
5	CE	113/113 (100%)	84 (74%)	29 (26%)	0	1
6	AF	87/87 (100%)	71 (82%)	16 (18%)	1	5
6	CF	87/87 (100%)	60 (69%)	27 (31%)	0	1
7	AG	124/124 (100%)	105 (85%)	19 (15%)	2	8
7	CG	124/124 (100%)	100 (81%)	24 (19%)	1	4
8	AH	104/104 (100%)	84 (81%)	20 (19%)	1	4
8	CH	104/104 (100%)	84 (81%)	20 (19%)	1	4
9	AI	105/105 (100%)	76 (72%)	29 (28%)	0	1
9	CI	105/105 (100%)	90 (86%)	15 (14%)	3	10
10	AJ	86/86 (100%)	69 (80%)	17 (20%)	1	4
10	CJ	86/86 (100%)	65 (76%)	21 (24%)	0	2
11	AK	90/90 (100%)	75 (83%)	15 (17%)	2	6
11	CK	90/90 (100%)	73 (81%)	17 (19%)	1	4
12	AL	103/103 (100%)	86 (84%)	17 (16%)	2	7

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
12	CL	103/103 (100%)	83 (81%)	20 (19%)	1	4
13	AM	92/92 (100%)	76 (83%)	16 (17%)	2	6
13	CM	92/92 (100%)	75 (82%)	17 (18%)	1	5
14	AN	79/83 (95%)	65 (82%)	14 (18%)	2	5
14	CN	79/83 (95%)	71 (90%)	8 (10%)	7	23
15	AO	75/76 (99%)	63 (84%)	12 (16%)	2	7
15	CO	75/76 (99%)	64 (85%)	11 (15%)	3	9
16	AP	65/65 (100%)	49 (75%)	16 (25%)	0	2
16	CP	65/65 (100%)	55 (85%)	10 (15%)	2	8
17	AQ	74/74 (100%)	50 (68%)	24 (32%)	0	0
17	CQ	74/74 (100%)	52 (70%)	22 (30%)	0	1
18	AR	48/48 (100%)	37 (77%)	11 (23%)	1	2
18	CR	48/48 (100%)	39 (81%)	9 (19%)	1	4
19	AS	70/70 (100%)	54 (77%)	16 (23%)	1	2
19	CS	70/70 (100%)	57 (81%)	13 (19%)	1	5
20	AT	65/65 (100%)	51 (78%)	14 (22%)	1	3
20	CT	65/65 (100%)	57 (88%)	8 (12%)	4	14
21	AU	44/44 (100%)	29 (66%)	15 (34%)	0	0
21	CU	44/44 (100%)	27 (61%)	17 (39%)	0	0
24	BC	216/216 (100%)	189 (88%)	27 (12%)	4	14
24	DC	216/216 (100%)	194 (90%)	22 (10%)	7	22
25	BD	164/164 (100%)	147 (90%)	17 (10%)	7	21
25	DD	164/164 (100%)	147 (90%)	17 (10%)	7	21
26	BE	165/165 (100%)	138 (84%)	27 (16%)	2	7
26	DE	165/165 (100%)	139 (84%)	26 (16%)	2	8
27	BF	148/148 (100%)	115 (78%)	33 (22%)	1	3
27	DF	148/148 (100%)	121 (82%)	27 (18%)	1	5
28	BG	137/137 (100%)	120 (88%)	17 (12%)	4	14
28	DG	137/137 (100%)	114 (83%)	23 (17%)	2	6
29	BH	114/114 (100%)	88 (77%)	26 (23%)	1	2
29	DH	114/114 (100%)	88 (77%)	26 (23%)	1	2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
30	BI	109/109 (100%)	83 (76%)	26 (24%)	0	2
30	DI	109/109 (100%)	83 (76%)	26 (24%)	0	2
31	BJ	116/116 (100%)	104 (90%)	12 (10%)	7	22
31	DJ	116/116 (100%)	97 (84%)	19 (16%)	2	7
32	BK	103/103 (100%)	90 (87%)	13 (13%)	4	13
32	DK	103/103 (100%)	92 (89%)	11 (11%)	6	20
33	BL	102/102 (100%)	92 (90%)	10 (10%)	8	24
33	DL	102/102 (100%)	89 (87%)	13 (13%)	4	13
34	BM	109/109 (100%)	100 (92%)	9 (8%)	11	32
34	DM	109/109 (100%)	97 (89%)	12 (11%)	6	19
35	BN	100/100 (100%)	93 (93%)	7 (7%)	15	41
35	DN	100/100 (100%)	77 (77%)	23 (23%)	1	2
36	BO	86/86 (100%)	66 (77%)	20 (23%)	1	2
36	DO	86/86 (100%)	69 (80%)	17 (20%)	1	4
37	BP	99/99 (100%)	84 (85%)	15 (15%)	3	8
37	DP	99/99 (100%)	90 (91%)	9 (9%)	9	28
38	BQ	89/89 (100%)	78 (88%)	11 (12%)	4	14
38	DQ	89/89 (100%)	78 (88%)	11 (12%)	4	14
39	BR	84/84 (100%)	74 (88%)	10 (12%)	5	15
39	DR	84/84 (100%)	79 (94%)	5 (6%)	19	49
40	BS	93/93 (100%)	77 (83%)	16 (17%)	2	6
40	DS	93/93 (100%)	82 (88%)	11 (12%)	5	16
41	BT	80/80 (100%)	70 (88%)	10 (12%)	4	14
41	DT	80/80 (100%)	69 (86%)	11 (14%)	3	10
42	BU	83/83 (100%)	71 (86%)	12 (14%)	3	9
42	DU	83/83 (100%)	68 (82%)	15 (18%)	1	5
43	BV	78/78 (100%)	61 (78%)	17 (22%)	1	3
43	DV	78/78 (100%)	65 (83%)	13 (17%)	2	6
44	BW	57/58 (98%)	48 (84%)	9 (16%)	2	8
44	DW	56/58 (97%)	48 (86%)	8 (14%)	3	10
45	BX	67/67 (100%)	59 (88%)	8 (12%)	5	15

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
45	DX	67/67 (100%)	57 (85%)	10 (15%)	3	9
46	BY	55/55 (100%)	49 (89%)	6 (11%)	6	19
46	DY	55/55 (100%)	42 (76%)	13 (24%)	1	2
47	BZ	48/48 (100%)	43 (90%)	5 (10%)	7	21
47	DZ	48/48 (100%)	38 (79%)	10 (21%)	1	3
48	B0	47/47 (100%)	43 (92%)	4 (8%)	10	31
48	D0	47/47 (100%)	42 (89%)	5 (11%)	6	20
49	B1	45/45 (100%)	42 (93%)	3 (7%)	16	43
49	D1	45/45 (100%)	38 (84%)	7 (16%)	2	8
50	B2	38/38 (100%)	34 (90%)	4 (10%)	7	21
50	D2	38/38 (100%)	32 (84%)	6 (16%)	2	8
51	B3	51/51 (100%)	45 (88%)	6 (12%)	5	16
51	D3	51/51 (100%)	46 (90%)	5 (10%)	8	24
52	B4	34/34 (100%)	32 (94%)	2 (6%)	19	49
52	D4	34/34 (100%)	28 (82%)	6 (18%)	2	5
53	B5	61/180 (34%)	47 (77%)	14 (23%)	1	2
All	All	9386/9518 (99%)	7782 (83%)	1604 (17%)	2	6

5 of 1604 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
42	BU	29	LEU
4	CD	142	VAL
39	DR	58	VAL
43	BV	90	ASP
2	CB	23	TRP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 51 such sidechains are listed below:

Mol	Chain	Res	Type
4	CD	136	GLN
14	CN	66	GLN
48	D0	19	HIS
7	CG	97	ASN
15	CO	42	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1537/1539 (99%)	327 (21%)	10 (0%)
1	CA	1538/1539 (99%)	330 (21%)	8 (0%)
22	BA	2896/2903 (99%)	569 (19%)	27 (0%)
22	DA	2895/2903 (99%)	685 (23%)	30 (1%)
23	BB	118/119 (99%)	17 (14%)	0
23	DB	117/119 (98%)	20 (17%)	0
All	All	9101/9122 (99%)	1948 (21%)	75 (0%)

5 of 1948 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	4	U
1	AA	5	U
1	AA	8	A
1	AA	9	G
1	AA	13	U

5 of 75 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
22	BA	2326	C
1	CA	484	G
22	DA	2307	G
22	BA	2585	U
1	CA	115	G

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 501 ligands modelled in this entry, 499 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
55	DOL	BA	3001	-	43,50,50	2.84	15 (34%)	51,70,70	2.93	17 (33%)
55	DOL	DA	3001	-	43,50,50	2.94	13 (30%)	51,70,70	2.84	11 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
55	DOL	BA	3001	-	-	15/58/77/77	0/2/3/3
55	DOL	DA	3001	-	-	11/58/77/77	0/2/3/3

The worst 5 of 28 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	DA	3001	DOL	O15-C14	9.24	1.37	1.21
55	BA	3001	DOL	O15-C14	9.11	1.37	1.21
55	DA	3001	DOL	C22-C23	7.99	1.52	1.32
55	BA	3001	DOL	C22-C23	7.21	1.50	1.32
55	BA	3001	DOL	O38-C37	6.58	1.37	1.21

The worst 5 of 28 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	DA	3001	DOL	O40-S39-O41	-15.59	100.41	118.19
55	BA	3001	DOL	O40-S39-O41	-11.60	104.96	118.19
55	BA	3001	DOL	C29-C28-C26	-7.33	104.35	122.69
55	BA	3001	DOL	C43-C42-S39	7.02	126.83	112.14
55	BA	3001	DOL	C8-C6-N5	7.00	127.83	119.76

There are no chirality outliers.

5 of 26 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
55	BA	3001	DOL	C43-C42-S39-C2
55	BA	3001	DOL	C43-C42-S39-O41
55	BA	3001	DOL	C43-C42-S39-O40
55	BA	3001	DOL	S39-C42-C43-N44
55	BA	3001	DOL	N25-C26-C28-C29


There are no ring outliers.

2 monomers are involved in 38 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
55	BA	3001	DOL	11	0
55	DA	3001	DOL	27	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AA	1538/1539 (99%)	-0.11	34 (2%) 62 59	11, 51, 132, 183	0
1	CA	1539/1539 (100%)	0.35	125 (8%) 12 9	24, 70, 147, 178	0
2	AB	218/218 (100%)	1.02	38 (17%) 1 1	40, 75, 101, 117	0
2	CB	218/218 (100%)	1.08	47 (21%) 0 0	60, 88, 108, 123	0
3	AC	206/206 (100%)	0.17	7 (3%) 45 40	37, 58, 80, 95	0
3	CC	206/206 (100%)	0.98	35 (16%) 1 1	55, 80, 98, 108	0
4	AD	205/205 (100%)	0.29	9 (4%) 34 30	33, 57, 80, 100	0
4	CD	205/205 (100%)	-0.08	6 (2%) 51 47	15, 36, 60, 84	0
5	AE	150/150 (100%)	0.15	3 (2%) 65 63	29, 48, 78, 94	0
5	CE	150/150 (100%)	0.27	7 (4%) 31 28	27, 53, 83, 104	0
6	AF	100/100 (100%)	0.48	10 (10%) 7 5	35, 56, 75, 79	0
6	CF	100/100 (100%)	0.54	6 (6%) 21 18	43, 73, 92, 104	0
7	AG	151/151 (100%)	0.79	17 (11%) 5 4	54, 76, 92, 100	0
7	CG	151/151 (100%)	2.73	88 (58%) 0 0	82, 106, 115, 119	0
8	AH	129/129 (100%)	0.02	2 (1%) 72 71	29, 48, 68, 79	0
8	CH	129/129 (100%)	0.26	4 (3%) 49 44	48, 64, 81, 96	0
9	AI	127/127 (100%)	1.09	24 (18%) 1 0	45, 75, 98, 107	0
9	CI	127/127 (100%)	1.74	44 (34%) 0 0	81, 97, 114, 121	0
10	AJ	98/98 (100%)	0.82	16 (16%) 1 1	41, 68, 88, 116	0
10	CJ	98/98 (100%)	2.56	53 (54%) 0 0	73, 98, 115, 124	0
11	AK	117/117 (100%)	0.44	12 (10%) 6 5	28, 62, 92, 120	0
11	CK	117/117 (100%)	0.33	4 (3%) 45 40	36, 68, 82, 90	0
12	AL	123/123 (100%)	0.05	4 (3%) 46 41	20, 35, 65, 97	0
12	CL	123/123 (100%)	0.33	7 (5%) 23 19	33, 50, 75, 96	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	AM	114/114 (100%)	1.16	26 (22%) 0 0	49, 72, 93, 104	0
13	CM	114/114 (100%)	3.75	90 (78%) 0 0	94, 115, 124, 126	0
14	AN	96/100 (96%)	0.71	11 (11%) 4 3	41, 62, 96, 105	0
14	CN	96/100 (96%)	2.36	51 (53%) 0 0	71, 97, 116, 123	0
15	AO	88/88 (100%)	0.20	3 (3%) 45 40	31, 48, 65, 90	0
15	CO	88/88 (100%)	0.38	6 (6%) 17 13	38, 65, 80, 103	0
16	AP	82/82 (100%)	0.33	4 (4%) 29 26	35, 48, 84, 109	0
16	CP	82/82 (100%)	0.63	7 (8%) 10 8	45, 62, 92, 113	0
17	AQ	80/80 (100%)	0.45	4 (5%) 28 25	28, 49, 75, 110	0
17	CQ	80/80 (100%)	1.22	18 (22%) 0 0	43, 79, 98, 100	0
18	AR	55/55 (100%)	0.67	8 (14%) 2 1	42, 55, 78, 101	0
18	CR	55/55 (100%)	0.48	7 (12%) 3 2	36, 55, 78, 109	0
19	AS	79/79 (100%)	1.31	24 (30%) 0 0	56, 72, 89, 97	0
19	CS	79/79 (100%)	3.39	57 (72%) 0 0	98, 115, 124, 129	0
20	AT	85/85 (100%)	0.46	7 (8%) 11 9	36, 48, 70, 95	0
20	CT	85/85 (100%)	1.54	25 (29%) 0 0	54, 78, 96, 101	0
21	AU	51/51 (100%)	1.44	17 (33%) 0 0	44, 76, 97, 105	0
21	CU	51/51 (100%)	0.65	4 (7%) 13 10	45, 71, 100, 103	0
22	BA	2897/2903 (99%)	0.06	140 (4%) 30 27	1, 14, 129, 195	0
22	DA	2897/2903 (99%)	0.60	229 (7%) 12 10	41, 85, 148, 181	0
23	BB	119/119 (100%)	-0.41	0 100 100	2, 23, 50, 80	0
23	DB	118/119 (99%)	0.77	14 (11%) 4 3	69, 115, 134, 143	0
24	BC	271/271 (100%)	-0.33	2 (0%) 87 87	2, 20, 37, 55	0
24	DC	271/271 (100%)	0.46	12 (4%) 34 30	47, 64, 77, 96	0
25	BD	209/209 (100%)	-0.44	0 100 100	0, 10, 36, 65	0
25	DD	209/209 (100%)	0.75	31 (14%) 2 1	53, 72, 88, 96	0
26	BE	201/201 (100%)	-0.37	0 100 100	2, 24, 55, 88	0
26	DE	201/201 (100%)	1.40	50 (24%) 0 0	53, 90, 107, 114	0
27	BF	177/177 (100%)	0.22	14 (7%) 12 10	23, 44, 76, 90	0
27	DF	177/177 (100%)	3.11	120 (67%) 0 0	97, 114, 126, 131	0
28	BG	176/176 (100%)	-0.29	1 (0%) 89 89	16, 36, 57, 72	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
28	DG	176/176 (100%)	2.16	86 (48%) 0 0	77, 96, 111, 121	0
29	BH	149/149 (100%)	2.72	74 (49%) 0 0	25, 102, 121, 129	0
29	DH	149/149 (100%)	1.28	36 (24%) 0 0	25, 92, 107, 115	0
30	BI	141/141 (100%)	3.80	96 (68%) 0 0	90, 117, 127, 134	0
30	DI	141/141 (100%)	5.64	131 (92%) 0 0	105, 126, 137, 143	0
31	BJ	142/142 (100%)	-0.37	0 100 100	1, 6, 23, 36	0
31	DJ	142/142 (100%)	0.55	10 (7%) 16 12	52, 69, 83, 91	0
32	BK	122/122 (100%)	-0.36	0 100 100	3, 12, 31, 62	0
32	DK	122/122 (100%)	0.53	8 (6%) 18 14	48, 66, 84, 96	0
33	BL	143/143 (100%)	-0.32	0 100 100	1, 19, 43, 65	0
33	DL	143/143 (100%)	1.70	53 (37%) 0 0	46, 87, 99, 115	0
34	BM	136/136 (100%)	-0.45	0 100 100	1, 10, 30, 83	0
34	DM	136/136 (100%)	0.62	15 (11%) 5 4	42, 71, 86, 100	0
35	BN	120/120 (100%)	-0.42	0 100 100	3, 8, 18, 63	0
35	DN	120/120 (100%)	0.99	18 (15%) 2 1	59, 79, 94, 112	0
36	BO	116/116 (100%)	-0.32	0 100 100	14, 26, 45, 55	0
36	DO	116/116 (100%)	2.11	59 (50%) 0 0	86, 100, 111, 118	0
37	BP	114/114 (100%)	-0.36	2 (1%) 68 67	8, 17, 41, 72	0
37	DP	114/114 (100%)	0.98	19 (16%) 1 1	61, 75, 86, 95	0
38	BQ	117/117 (100%)	-0.31	0 100 100	0, 3, 13, 34	0
38	DQ	117/117 (100%)	1.02	19 (16%) 1 1	57, 71, 80, 89	0
39	BR	103/103 (100%)	-0.38	0 100 100	1, 13, 30, 58	0
39	DR	103/103 (100%)	1.52	32 (31%) 0 0	58, 81, 94, 104	0
40	BS	110/110 (100%)	-0.42	0 100 100	2, 5, 24, 66	0
40	DS	110/110 (100%)	1.19	22 (20%) 1 0	62, 80, 95, 106	0
41	BT	93/93 (100%)	0.07	3 (3%) 47 43	9, 26, 68, 100	0
41	DT	93/93 (100%)	2.09	48 (51%) 0 0	73, 92, 106, 115	0
42	BU	102/102 (100%)	0.22	11 (10%) 5 4	12, 29, 63, 79	0
42	DU	102/102 (100%)	2.75	58 (56%) 0 0	78, 96, 110, 122	0
43	BV	94/94 (100%)	-0.38	0 100 100	5, 21, 43, 55	0
43	DV	94/94 (100%)	1.16	22 (23%) 0 0	74, 88, 99, 106	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	BW	76/76 (100%)	-0.35	1 (1%) 77 77	5, 12, 30, 57	0
44	DW	75/76 (98%)	1.42	22 (29%) 0 0	58, 83, 92, 105	0
45	BX	77/77 (100%)	-0.32	0 100 100	8, 22, 51, 68	0
45	DX	77/77 (100%)	1.02	16 (20%) 1 0	50, 72, 87, 92	0
46	BY	63/63 (100%)	0.21	3 (4%) 30 27	24, 41, 73, 95	0
46	DY	63/63 (100%)	2.05	34 (53%) 0 0	82, 99, 107, 110	0
47	BZ	58/58 (100%)	-0.32	0 100 100	2, 9, 29, 35	0
47	DZ	58/58 (100%)	0.80	6 (10%) 6 5	60, 74, 85, 103	0
48	B0	56/56 (100%)	-0.49	0 100 100	1, 10, 35, 60	0
48	D0	56/56 (100%)	1.41	15 (26%) 0 0	52, 83, 98, 105	0
49	B1	50/50 (100%)	-0.20	0 100 100	15, 27, 51, 58	0
49	D1	50/50 (100%)	2.05	22 (44%) 0 0	74, 90, 95, 105	0
50	B2	46/46 (100%)	-0.34	1 (2%) 62 59	5, 9, 16, 79	0
50	D2	46/46 (100%)	1.23	12 (26%) 0 0	58, 72, 87, 102	0
51	B3	64/64 (100%)	-0.40	0 100 100	4, 10, 20, 29	0
51	D3	64/64 (100%)	1.42	17 (26%) 0 0	62, 75, 84, 95	0
52	B4	38/38 (100%)	-0.08	1 (2%) 56 52	8, 19, 34, 54	0
52	D4	38/38 (100%)	2.51	20 (52%) 0 0	64, 79, 90, 100	0
53	B5	191/228 (83%)	6.30	188 (98%) 0 0	100, 122, 133, 142	0
All	All	20734/20794 (99%)	0.62	2764 (13%) 3 2	0, 64, 125, 195	0

The worst 5 of 2764 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
53	B5	218	THR	28.0
53	B5	140	ASN	21.5
29	BH	130	VAL	18.3
30	BI	53	LEU	17.3
10	AJ	102	LEU	17.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
54	MG	DA	3133	1/1	-0.13	1.03	105,105,105,105	0
54	MG	CA	1636	1/1	0.14	0.24	127,127,127,127	0
54	MG	DA	3077	1/1	0.14	0.37	115,115,115,115	0
54	MG	AA	1666	1/1	0.22	0.37	61,61,61,61	0
54	MG	DA	3100	1/1	0.30	0.42	86,86,86,86	0
54	MG	DA	3135	1/1	0.33	0.66	101,101,101,101	0
54	MG	DA	3026	1/1	0.34	0.49	100,100,100,100	0
54	MG	CA	1604	1/1	0.43	0.16	95,95,95,95	0
54	MG	DA	3019	1/1	0.44	0.32	109,109,109,109	0
54	MG	DA	3062	1/1	0.46	0.61	89,89,89,89	0
54	MG	DA	3029	1/1	0.46	0.25	77,77,77,77	0
54	MG	DA	3003	1/1	0.48	0.63	101,101,101,101	0
54	MG	DA	3119	1/1	0.49	0.81	112,112,112,112	0
54	MG	CA	1629	1/1	0.49	0.10	89,89,89,89	0
54	MG	DA	3099	1/1	0.52	0.39	91,91,91,91	0
54	MG	AA	1664	1/1	0.54	0.71	49,49,49,49	0
54	MG	CA	1615	1/1	0.56	0.18	52,52,52,52	0
54	MG	CA	1631	1/1	0.59	0.23	101,101,101,101	0
54	MG	DA	3005	1/1	0.60	0.53	103,103,103,103	0
54	MG	DA	3046	1/1	0.60	0.13	68,68,68,68	0
54	MG	DA	3028	1/1	0.60	1.15	104,104,104,104	0
54	MG	DL	201	1/1	0.60	0.52	68,68,68,68	0
54	MG	DA	3041	1/1	0.61	0.45	72,72,72,72	0
54	MG	DA	3070	1/1	0.61	0.18	108,108,108,108	0
54	MG	DA	3137	1/1	0.62	0.48	52,52,52,52	0
54	MG	CA	1602	1/1	0.62	0.12	87,87,87,87	0
54	MG	DA	3002	1/1	0.62	0.14	78,78,78,78	0
54	MG	DA	3111	1/1	0.63	0.19	103,103,103,103	0
54	MG	DA	3078	1/1	0.65	0.21	110,110,110,110	0
54	MG	DA	3061	1/1	0.65	2.99	102,102,102,102	0
54	MG	AA	1650	1/1	0.65	0.34	61,61,61,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
54	MG	CA	1630	1/1	0.66	0.34	120,120,120,120	0
54	MG	DA	3012	1/1	0.67	0.22	78,78,78,78	0
54	MG	DB	203	1/1	0.67	0.09	85,85,85,85	0
54	MG	DA	3071	1/1	0.67	0.22	87,87,87,87	0
54	MG	DA	3103	1/1	0.67	0.15	67,67,67,67	0
54	MG	DA	3147	1/1	0.68	0.26	67,67,67,67	0
54	MG	AA	1658	1/1	0.68	0.67	52,52,52,52	0
54	MG	DA	3093	1/1	0.68	0.36	94,94,94,94	0
54	MG	AA	1618	1/1	0.68	0.29	75,75,75,75	0
54	MG	DA	3136	1/1	0.68	0.18	94,94,94,94	0
54	MG	DA	3113	1/1	0.68	0.58	72,72,72,72	0
54	MG	DA	3009	1/1	0.68	0.20	91,91,91,91	0
54	MG	BA	3189	1/1	0.68	0.21	48,48,48,48	0
54	MG	AA	1637	1/1	0.68	0.14	81,81,81,81	0
54	MG	AA	1662	1/1	0.69	0.46	58,58,58,58	0
54	MG	CA	1628	1/1	0.69	0.31	99,99,99,99	0
54	MG	DA	3048	1/1	0.70	0.32	123,123,123,123	0
54	MG	AA	1669	1/1	0.71	0.28	45,45,45,45	0
54	MG	BA	3027	1/1	0.71	0.30	44,44,44,44	0
54	MG	DA	3044	1/1	0.71	0.46	113,113,113,113	0
54	MG	DA	3092	1/1	0.71	0.78	117,117,117,117	0
54	MG	DA	3091	1/1	0.71	0.17	82,82,82,82	0
54	MG	AA	1656	1/1	0.71	0.94	66,66,66,66	0
54	MG	AA	1668	1/1	0.72	0.91	54,54,54,54	0
54	MG	BA	3049	1/1	0.72	0.17	50,50,50,50	0
54	MG	DA	3106	1/1	0.73	0.19	49,49,49,49	0
54	MG	DA	3127	1/1	0.73	0.20	74,74,74,74	0
54	MG	CA	1635	1/1	0.73	0.35	122,122,122,122	0
54	MG	DB	201	1/1	0.73	0.13	113,113,113,113	0
54	MG	DA	3162	1/1	0.73	0.69	63,63,63,63	0
54	MG	DA	3010	1/1	0.74	0.06	80,80,80,80	0
54	MG	DA	3145	1/1	0.74	0.19	56,56,56,56	0
54	MG	DA	3104	1/1	0.74	0.08	80,80,80,80	0
54	MG	DA	3095	1/1	0.74	0.28	91,91,91,91	0
54	MG	DA	3034	1/1	0.75	0.17	69,69,69,69	0
54	MG	AA	1661	1/1	0.75	0.37	55,55,55,55	0
54	MG	CA	1632	1/1	0.75	0.17	79,79,79,79	0
54	MG	DA	3084	1/1	0.76	0.25	104,104,104,104	0
54	MG	BA	3120	1/1	0.76	0.18	47,47,47,47	0
54	MG	DA	3023	1/1	0.76	0.13	76,76,76,76	0
54	MG	BA	3082	1/1	0.76	0.12	16,16,16,16	0
54	MG	DA	3027	1/1	0.76	0.33	97,97,97,97	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
54	MG	BA	3058	1/1	0.77	0.16	9,9,9,9	0
54	MG	DA	3049	1/1	0.77	0.18	87,87,87,87	0
54	MG	DA	3159	1/1	0.77	0.34	47,47,47,47	0
54	MG	CA	1614	1/1	0.77	0.12	49,49,49,49	0
54	MG	DA	3056	1/1	0.77	0.29	91,91,91,91	0
54	MG	BA	3168	1/1	0.78	0.26	41,41,41,41	0
54	MG	DA	3151	1/1	0.78	0.58	56,56,56,56	0
54	MG	AA	1626	1/1	0.78	0.27	53,53,53,53	0
54	MG	CA	1603	1/1	0.78	0.08	37,37,37,37	0
54	MG	AA	1624	1/1	0.78	0.12	46,46,46,46	0
54	MG	AA	1645	1/1	0.79	0.26	54,54,54,54	0
54	MG	DA	3042	1/1	0.79	0.13	87,87,87,87	0
54	MG	CA	1621	1/1	0.79	0.14	72,72,72,72	0
54	MG	DA	3072	1/1	0.79	0.28	86,86,86,86	0
54	MG	CA	1617	1/1	0.79	0.19	57,57,57,57	0
54	MG	DA	3016	1/1	0.79	0.37	73,73,73,73	0
54	MG	DA	3165	1/1	0.80	0.15	100,100,100,100	0
54	MG	DA	3088	1/1	0.80	0.12	75,75,75,75	0
54	MG	DA	3045	1/1	0.80	0.14	87,87,87,87	0
54	MG	DA	3144	1/1	0.80	0.29	72,72,72,72	0
54	MG	DA	3014	1/1	0.80	0.20	78,78,78,78	0
54	MG	DA	3132	1/1	0.80	0.25	64,64,64,64	0
54	MG	CA	1606	1/1	0.80	0.22	90,90,90,90	0
54	MG	CA	1649	1/1	0.80	0.29	61,61,61,61	0
54	MG	AA	1638	1/1	0.81	0.09	64,64,64,64	0
54	MG	DA	3140	1/1	0.81	0.36	42,42,42,42	0
54	MG	DA	3125	1/1	0.81	0.17	59,59,59,59	0
54	MG	CA	1608	1/1	0.81	0.18	80,80,80,80	0
54	MG	DA	3143	1/1	0.81	0.10	73,73,73,73	0
54	MG	DA	3057	1/1	0.81	0.21	92,92,92,92	0
54	MG	AA	1659	1/1	0.81	0.18	62,62,62,62	0
54	MG	BA	3134	1/1	0.81	0.42	54,54,54,54	0
54	MG	DA	3098	1/1	0.81	0.19	60,60,60,60	0
54	MG	BA	3085	1/1	0.81	0.22	29,29,29,29	0
54	MG	DA	3126	1/1	0.82	0.20	77,77,77,77	0
54	MG	AA	1639	1/1	0.82	0.14	45,45,45,45	0
54	MG	BA	3194	1/1	0.82	0.85	41,41,41,41	0
54	MG	DA	3038	1/1	0.82	0.12	64,64,64,64	0
54	MG	DA	3060	1/1	0.82	0.36	81,81,81,81	0
54	MG	DA	3134	1/1	0.82	0.14	54,54,54,54	0
54	MG	CA	1637	1/1	0.82	0.23	64,64,64,64	0
54	MG	DA	3080	1/1	0.82	0.20	96,96,96,96	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
54	MG	BA	3005	1/1	0.82	0.14	45,45,45,45	0
54	MG	DA	3017	1/1	0.82	0.54	100,100,100,100	0
54	MG	DA	3085	1/1	0.83	0.17	76,76,76,76	0
54	MG	DA	3124	1/1	0.83	0.17	87,87,87,87	0
54	MG	CA	1605	1/1	0.83	0.17	86,86,86,86	0
54	MG	DA	3058	1/1	0.83	0.92	107,107,107,107	0
54	MG	DA	3008	1/1	0.83	0.30	102,102,102,102	0
54	MG	BA	3090	1/1	0.83	0.17	34,34,34,34	0
54	MG	CA	1610	1/1	0.83	0.08	65,65,65,65	0
54	MG	AA	1657	1/1	0.84	0.29	60,60,60,60	0
54	MG	DA	3006	1/1	0.84	0.06	95,95,95,95	0
54	MG	AA	1619	1/1	0.84	0.08	71,71,71,71	0
54	MG	CA	1653	1/1	0.84	0.17	47,47,47,47	0
54	MG	DA	3032	1/1	0.84	0.23	71,71,71,71	0
54	MG	DA	3011	1/1	0.84	0.15	73,73,73,73	0
54	MG	CA	1638	1/1	0.84	0.06	65,65,65,65	0
54	MG	BA	3057	1/1	0.84	0.20	68,68,68,68	0
54	MG	DA	3116	1/1	0.84	0.33	72,72,72,72	0
54	MG	CA	1626	1/1	0.84	0.20	54,54,54,54	0
54	MG	AA	1651	1/1	0.84	0.20	51,51,51,51	0
54	MG	DA	3089	1/1	0.85	0.32	87,87,87,87	0
54	MG	D2	101	1/1	0.85	0.17	76,76,76,76	0
54	MG	CA	1611	1/1	0.85	0.25	87,87,87,87	0
54	MG	DA	3161	1/1	0.85	0.30	46,46,46,46	0
54	MG	DA	3107	1/1	0.85	0.12	70,70,70,70	0
54	MG	BA	3076	1/1	0.85	0.17	33,33,33,33	0
54	MG	DA	3047	1/1	0.85	0.11	74,74,74,74	0
54	MG	DA	3120	1/1	0.85	0.18	81,81,81,81	0
54	MG	DA	3031	1/1	0.85	0.14	65,65,65,65	0
54	MG	DA	3040	1/1	0.86	0.12	80,80,80,80	0
54	MG	BA	3100	1/1	0.86	0.29	51,51,51,51	0
54	MG	DA	3163	1/1	0.86	0.26	64,64,64,64	0
54	MG	CA	1643	1/1	0.86	0.30	44,44,44,44	0
54	MG	BA	3059	1/1	0.86	0.35	36,36,36,36	0
54	MG	AA	1612	1/1	0.86	0.11	48,48,48,48	0
54	MG	AA	1614	1/1	0.86	0.23	74,74,74,74	0
54	MG	BA	3125	1/1	0.86	0.29	39,39,39,39	0
54	MG	DA	3022	1/1	0.86	0.07	55,55,55,55	0
54	MG	DA	3157	1/1	0.86	0.67	76,76,76,76	0
54	MG	AA	1622	1/1	0.86	0.18	50,50,50,50	0
54	MG	DA	3158	1/1	0.86	0.23	52,52,52,52	0
54	MG	DA	3083	1/1	0.86	0.23	74,74,74,74	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
54	MG	DA	3130	1/1	0.87	0.24	80,80,80,80	0
54	MG	DA	3004	1/1	0.87	0.08	78,78,78,78	0
54	MG	BA	3165	1/1	0.87	0.22	38,38,38,38	0
54	MG	DA	3007	1/1	0.87	0.34	119,119,119,119	0
54	MG	CA	1646	1/1	0.87	0.40	97,97,97,97	0
54	MG	DA	3021	1/1	0.87	0.16	53,53,53,53	0
54	MG	AA	1642	1/1	0.87	0.19	32,32,32,32	0
54	MG	DA	3067	1/1	0.87	0.12	53,53,53,53	0
54	MG	AA	1627	1/1	0.87	0.06	48,48,48,48	0
54	MG	DA	3087	1/1	0.87	0.15	64,64,64,64	0
54	MG	DA	3037	1/1	0.88	0.12	92,92,92,92	0
55	DOL	DA	3001	48/48	0.88	0.32	28,49,62,81	0
54	MG	AA	1665	1/1	0.88	0.27	47,47,47,47	0
54	MG	BA	3146	1/1	0.88	0.18	32,32,32,32	0
54	MG	BA	3078	1/1	0.88	0.49	87,87,87,87	0
54	MG	DA	3055	1/1	0.88	0.12	59,59,59,59	0
54	MG	BA	3104	1/1	0.88	0.11	8,8,8,8	0
54	MG	DA	3150	1/1	0.88	0.27	50,50,50,50	0
54	MG	DA	3081	1/1	0.88	0.22	66,66,66,66	0
54	MG	AM	201	1/1	0.88	0.85	59,59,59,59	0
54	MG	DA	3068	1/1	0.88	0.14	64,64,64,64	0
54	MG	BA	3137	1/1	0.88	0.36	46,46,46,46	0
54	MG	DA	3101	1/1	0.88	0.13	63,63,63,63	0
54	MG	AA	1633	1/1	0.88	0.12	51,51,51,51	0
54	MG	BA	3089	1/1	0.88	0.13	24,24,24,24	0
54	MG	DA	3025	1/1	0.88	0.23	68,68,68,68	0
54	MG	DA	3066	1/1	0.88	0.14	58,58,58,58	0
54	MG	CA	1609	1/1	0.88	0.07	87,87,87,87	0
54	MG	DA	3164	1/1	0.88	0.26	40,40,40,40	0
54	MG	DA	3053	1/1	0.88	0.12	44,44,44,44	0
54	MG	CA	1655	1/1	0.88	0.11	45,45,45,45	0
54	MG	BA	3167	1/1	0.88	0.26	32,32,32,32	0
54	MG	DA	3096	1/1	0.88	0.11	61,61,61,61	0
54	MG	DA	3149	1/1	0.89	0.41	55,55,55,55	0
54	MG	AA	1631	1/1	0.89	0.14	52,52,52,52	0
54	MG	CA	1633	1/1	0.89	0.53	76,76,76,76	0
54	MG	CA	1613	1/1	0.89	0.11	20,20,20,20	0
54	MG	DA	3094	1/1	0.89	0.30	87,87,87,87	0
54	MG	DA	3030	1/1	0.89	0.22	70,70,70,70	0
54	MG	DA	3035	1/1	0.89	0.10	79,79,79,79	0
54	MG	BA	3075	1/1	0.89	0.22	35,35,35,35	0
54	MG	DA	3079	1/1	0.89	0.12	98,98,98,98	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
54	MG	CA	1644	1/1	0.89	0.23	43,43,43,43	0
54	MG	BA	3042	1/1	0.89	0.34	2,2,2,2	0
54	MG	AA	1608	1/1	0.89	0.13	27,27,27,27	0
54	MG	AA	1667	1/1	0.90	0.16	30,30,30,30	0
54	MG	DA	3146	1/1	0.90	0.40	48,48,48,48	0
54	MG	AA	1647	1/1	0.90	0.17	48,48,48,48	0
54	MG	DA	3109	1/1	0.90	0.14	47,47,47,47	0
54	MG	DA	3024	1/1	0.90	0.19	46,46,46,46	0
54	MG	DA	3129	1/1	0.90	0.15	50,50,50,50	0
54	MG	DA	3118	1/1	0.90	0.09	55,55,55,55	0
54	MG	AA	1606	1/1	0.90	0.08	44,44,44,44	0
54	MG	BA	3101	1/1	0.90	0.10	1,1,1,1	0
54	MG	BA	3094	1/1	0.90	0.10	42,42,42,42	0
54	MG	BA	3116	1/1	0.90	0.20	32,32,32,32	0
54	MG	CA	1627	1/1	0.90	0.28	87,87,87,87	0
54	MG	DA	3112	1/1	0.90	0.42	92,92,92,92	0
54	MG	DA	3156	1/1	0.90	0.19	57,57,57,57	0
54	MG	DA	3075	1/1	0.90	0.19	83,83,83,83	0
54	MG	CA	1607	1/1	0.90	0.09	53,53,53,53	0
54	MG	BA	3079	1/1	0.90	0.08	22,22,22,22	0
54	MG	DA	3121	1/1	0.90	0.06	48,48,48,48	0
54	MG	BA	3147	1/1	0.90	0.47	23,23,23,23	0
54	MG	DA	3131	1/1	0.90	0.61	94,94,94,94	0
54	MG	CA	1656	1/1	0.90	0.27	50,50,50,50	0
54	MG	AA	1644	1/1	0.90	0.38	45,45,45,45	0
54	MG	AA	1607	1/1	0.90	0.05	54,54,54,54	0
54	MG	DA	3015	1/1	0.90	0.13	63,63,63,63	0
54	MG	BA	3119	1/1	0.90	0.09	21,21,21,21	0
54	MG	DA	3018	1/1	0.91	0.17	55,55,55,55	0
54	MG	DA	3153	1/1	0.91	0.12	45,45,45,45	0
54	MG	BA	3087	1/1	0.91	0.12	2,2,2,2	0
54	MG	DA	3043	1/1	0.91	0.10	68,68,68,68	0
54	MG	BA	3178	1/1	0.91	0.47	27,27,27,27	0
54	MG	BA	3017	1/1	0.91	0.14	13,13,13,13	0
54	MG	DA	3074	1/1	0.91	0.09	72,72,72,72	0
54	MG	BA	3015	1/1	0.91	0.09	4,4,4,4	0
54	MG	AA	1609	1/1	0.91	0.12	35,35,35,35	0
54	MG	BA	3195	1/1	0.91	0.57	31,31,31,31	0
54	MG	BA	3159	1/1	0.91	0.20	8,8,8,8	0
54	MG	BA	3073	1/1	0.91	0.08	12,12,12,12	0
54	MG	DA	3148	1/1	0.91	0.19	41,41,41,41	0
54	MG	AA	1663	1/1	0.91	0.11	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
54	MG	DA	3122	1/1	0.91	0.10	36,36,36,36	0
54	MG	DA	3117	1/1	0.91	0.07	72,72,72,72	0
54	MG	AA	1643	1/1	0.91	0.16	42,42,42,42	0
54	MG	DA	3123	1/1	0.91	0.14	62,62,62,62	0
54	MG	AA	1625	1/1	0.91	0.13	14,14,14,14	0
54	MG	CA	1634	1/1	0.91	0.12	51,51,51,51	0
54	MG	DA	3115	1/1	0.91	0.33	113,113,113,113	0
54	MG	AA	1630	1/1	0.92	0.07	35,35,35,35	0
54	MG	CA	1642	1/1	0.92	0.22	25,25,25,25	0
54	MG	BA	3170	1/1	0.92	0.15	36,36,36,36	0
54	MG	BA	3135	1/1	0.92	0.12	3,3,3,3	0
54	MG	BA	3016	1/1	0.92	0.34	51,51,51,51	0
54	MG	DA	3108	1/1	0.92	0.19	61,61,61,61	0
54	MG	BA	3081	1/1	0.92	0.11	18,18,18,18	0
54	MG	BA	3172	1/1	0.92	0.09	27,27,27,27	0
54	MG	AA	1601	1/1	0.92	0.10	53,53,53,53	0
54	MG	BA	3096	1/1	0.92	0.09	19,19,19,19	0
54	MG	BA	3190	1/1	0.92	0.14	39,39,39,39	0
54	MG	AA	1628	1/1	0.92	0.24	59,59,59,59	0
54	MG	AA	1613	1/1	0.92	0.12	33,33,33,33	0
54	MG	BA	3191	1/1	0.92	0.29	12,12,12,12	0
54	MG	DA	3020	1/1	0.92	0.22	49,49,49,49	0
54	MG	BA	3114	1/1	0.92	0.12	0,0,0,0	0
54	MG	CA	1639	1/1	0.92	0.08	49,49,49,49	0
54	MG	BA	3151	1/1	0.92	0.20	12,12,12,12	0
54	MG	DA	3105	1/1	0.92	0.21	81,81,81,81	0
54	MG	DA	3114	1/1	0.92	0.14	66,66,66,66	0
54	MG	DA	3152	1/1	0.92	0.10	45,45,45,45	0
54	MG	DA	3065	1/1	0.93	0.10	34,34,34,34	0
54	MG	CA	1652	1/1	0.93	0.15	86,86,86,86	0
54	MG	DA	3036	1/1	0.93	0.17	62,62,62,62	0
54	MG	BA	3054	1/1	0.93	0.09	6,6,6,6	0
54	MG	BA	3069	1/1	0.93	0.16	1,1,1,1	0
54	MG	BA	3012	1/1	0.93	0.08	19,19,19,19	0
54	MG	CA	1624	1/1	0.93	0.07	39,39,39,39	0
54	MG	DB	202	1/1	0.93	0.10	64,64,64,64	0
54	MG	AA	1660	1/1	0.93	0.34	45,45,45,45	0
54	MG	CA	1601	1/1	0.93	0.11	38,38,38,38	0
54	MG	AA	1604	1/1	0.93	0.11	56,56,56,56	0
54	MG	BA	3140	1/1	0.93	0.33	0,0,0,0	0
54	MG	BA	3156	1/1	0.93	0.35	26,26,26,26	0
54	MG	BA	3105	1/1	0.93	0.10	10,10,10,10	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
54	MG	BA	3103	1/1	0.93	0.16	0,0,0,0	0
54	MG	BA	3164	1/1	0.93	0.12	4,4,4,4	0
54	MG	BA	3169	1/1	0.93	0.16	29,29,29,29	0
54	MG	AA	1632	1/1	0.93	0.06	37,37,37,37	0
54	MG	BA	3122	1/1	0.93	0.11	25,25,25,25	0
54	MG	BA	3040	1/1	0.93	0.14	2,2,2,2	0
54	MG	BA	3031	1/1	0.93	0.10	20,20,20,20	0
54	MG	BA	3121	1/1	0.93	0.09	2,2,2,2	0
54	MG	BA	3095	1/1	0.93	0.07	17,17,17,17	0
54	MG	BA	3136	1/1	0.93	0.17	24,24,24,24	0
54	MG	AA	1603	1/1	0.93	0.14	44,44,44,44	0
54	MG	BA	3180	1/1	0.93	0.14	29,29,29,29	0
54	MG	BA	3047	1/1	0.93	0.17	4,4,4,4	0
54	MG	AA	1610	1/1	0.93	0.29	65,65,65,65	0
54	MG	BA	3036	1/1	0.93	0.14	10,10,10,10	0
54	MG	DA	3139	1/1	0.93	0.26	31,31,31,31	0
54	MG	DA	3069	1/1	0.93	0.17	80,80,80,80	0
54	MG	BA	3149	1/1	0.93	0.23	44,44,44,44	0
54	MG	DA	3110	1/1	0.93	0.23	39,39,39,39	0
54	MG	BA	3052	1/1	0.93	0.08	7,7,7,7	0
54	MG	DA	3073	1/1	0.93	0.31	61,61,61,61	0
54	MG	DA	3142	1/1	0.93	0.13	34,34,34,34	0
54	MG	BA	3150	1/1	0.94	0.14	29,29,29,29	0
54	MG	BA	3050	1/1	0.94	0.07	18,18,18,18	0
54	MG	AA	1602	1/1	0.94	0.42	55,55,55,55	0
54	MG	AA	1634	1/1	0.94	0.43	73,73,73,73	0
54	MG	CA	1622	1/1	0.94	0.16	46,46,46,46	0
54	MG	AA	1654	1/1	0.94	0.14	34,34,34,34	0
54	MG	BA	3014	1/1	0.94	0.14	0,0,0,0	0
54	MG	CA	1651	1/1	0.94	0.16	42,42,42,42	0
54	MG	AA	1616	1/1	0.94	0.08	57,57,57,57	0
54	MG	BA	3141	1/1	0.94	0.14	17,17,17,17	0
54	MG	DA	3033	1/1	0.94	0.16	63,63,63,63	0
54	MG	BA	3161	1/1	0.94	0.16	33,33,33,33	0
54	MG	CA	1648	1/1	0.94	0.25	19,19,19,19	0
54	MG	BA	3062	1/1	0.94	0.32	46,46,46,46	0
54	MG	DA	3064	1/1	0.94	0.17	53,53,53,53	0
54	MG	BA	3063	1/1	0.94	0.53	52,52,52,52	0
54	MG	DA	3128	1/1	0.94	0.12	79,79,79,79	0
54	MG	DA	3090	1/1	0.94	0.07	84,84,84,84	0
54	MG	BA	3162	1/1	0.94	0.11	21,21,21,21	0
54	MG	DA	3082	1/1	0.94	0.10	59,59,59,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
54	MG	DA	3063	1/1	0.94	0.17	50,50,50,50	0
54	MG	DA	3054	1/1	0.94	0.11	48,48,48,48	0
54	MG	DA	3013	1/1	0.94	0.18	45,45,45,45	0
54	MG	DA	3059	1/1	0.94	0.11	39,39,39,39	0
54	MG	BA	3086	1/1	0.94	0.15	24,24,24,24	0
54	MG	BA	3002	1/1	0.94	0.06	19,19,19,19	0
54	MG	AA	1653	1/1	0.94	0.25	47,47,47,47	0
54	MG	BA	3032	1/1	0.94	0.18	5,5,5,5	0
54	MG	BA	3152	1/1	0.94	0.18	12,12,12,12	0
54	MG	DA	3138	1/1	0.94	0.22	38,38,38,38	0
54	MG	BA	3113	1/1	0.94	0.15	39,39,39,39	0
54	MG	CA	1641	1/1	0.94	0.26	66,66,66,66	0
54	MG	DA	3160	1/1	0.94	0.26	64,64,64,64	0
54	MG	AA	1629	1/1	0.94	0.28	79,79,79,79	0
54	MG	AN	201	1/1	0.94	0.19	62,62,62,62	0
54	MG	BA	3035	1/1	0.95	0.15	3,3,3,3	0
54	MG	BA	3056	1/1	0.95	0.10	2,2,2,2	0
54	MG	CA	1616	1/1	0.95	0.09	38,38,38,38	0
54	MG	AA	1617	1/1	0.95	0.06	42,42,42,42	0
54	MG	BA	3181	1/1	0.95	0.14	16,16,16,16	0
54	MG	BA	3044	1/1	0.95	0.11	3,3,3,3	0
54	MG	CA	1623	1/1	0.95	0.19	50,50,50,50	0
54	MG	AA	1623	1/1	0.95	0.10	41,41,41,41	0
54	MG	BB	202	1/1	0.95	0.08	6,6,6,6	0
54	MG	BA	3143	1/1	0.95	0.31	22,22,22,22	0
54	MG	BA	3038	1/1	0.95	0.16	31,31,31,31	0
54	MG	BA	3033	1/1	0.95	0.10	9,9,9,9	0
54	MG	BA	3071	1/1	0.95	0.19	66,66,66,66	0
54	MG	BA	3093	1/1	0.95	0.15	57,57,57,57	0
54	MG	BA	3171	1/1	0.95	0.15	28,28,28,28	0
54	MG	DA	3052	1/1	0.95	0.10	60,60,60,60	0
54	MG	BA	3061	1/1	0.95	0.27	40,40,40,40	0
54	MG	DA	3102	1/1	0.95	0.14	61,61,61,61	0
54	MG	BA	3060	1/1	0.95	0.07	14,14,14,14	0
54	MG	BB	203	1/1	0.95	0.04	8,8,8,8	0
54	MG	BA	3112	1/1	0.95	0.06	29,29,29,29	0
54	MG	CA	1612	1/1	0.95	0.20	46,46,46,46	0
54	MG	BB	201	1/1	0.95	0.07	31,31,31,31	0
54	MG	DQ	201	1/1	0.95	0.27	37,37,37,37	0
54	MG	AA	1670	1/1	0.95	0.39	58,58,58,58	0
54	MG	BA	3174	1/1	0.95	0.12	14,14,14,14	0
54	MG	BA	3080	1/1	0.95	0.07	42,42,42,42	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
54	MG	BA	3020	1/1	0.95	0.07	24,24,24,24	0
54	MG	BA	3183	1/1	0.95	0.16	19,19,19,19	0
54	MG	BB	204	1/1	0.95	0.41	12,12,12,12	0
54	MG	CA	1640	1/1	0.95	0.13	27,27,27,27	0
54	MG	BA	3009	1/1	0.95	0.13	4,4,4,4	0
54	MG	BA	3115	1/1	0.95	0.14	17,17,17,17	0
54	MG	DA	3097	1/1	0.95	0.21	87,87,87,87	0
54	MG	BA	3007	1/1	0.95	0.10	24,24,24,24	0
54	MG	BA	3179	1/1	0.95	0.33	30,30,30,30	0
54	MG	BA	3066	1/1	0.96	0.14	0,0,0,0	0
54	MG	BA	3163	1/1	0.96	0.39	12,12,12,12	0
54	MG	BA	3092	1/1	0.96	0.09	21,21,21,21	0
54	MG	BA	3043	1/1	0.96	0.12	5,5,5,5	0
54	MG	BA	3133	1/1	0.96	0.20	39,39,39,39	0
54	MG	AA	1640	1/1	0.96	0.10	21,21,21,21	0
54	MG	BA	3176	1/1	0.96	0.08	28,28,28,28	0
54	MG	AA	1635	1/1	0.96	0.05	23,23,23,23	0
54	MG	BA	3129	1/1	0.96	0.15	3,3,3,3	0
54	MG	BA	3127	1/1	0.96	0.12	5,5,5,5	0
54	MG	BA	3166	1/1	0.96	0.13	23,23,23,23	0
54	MG	CA	1625	1/1	0.96	0.13	17,17,17,17	0
54	MG	BA	3004	1/1	0.96	0.07	22,22,22,22	0
54	MG	BA	3030	1/1	0.96	0.14	6,6,6,6	0
54	MG	BA	3173	1/1	0.96	0.15	38,38,38,38	0
54	MG	BA	3098	1/1	0.96	0.08	3,3,3,3	0
54	MG	BA	3097	1/1	0.96	0.06	8,8,8,8	0
54	MG	DA	3039	1/1	0.96	0.07	57,57,57,57	0
54	MG	CA	1647	1/1	0.96	0.09	36,36,36,36	0
54	MG	CA	1645	1/1	0.96	0.14	28,28,28,28	0
54	MG	BA	3145	1/1	0.96	0.27	17,17,17,17	0
54	MG	CA	1619	1/1	0.96	0.09	34,34,34,34	0
54	MG	BA	3138	1/1	0.96	0.37	1,1,1,1	0
54	MG	BA	3021	1/1	0.96	0.27	0,0,0,0	0
54	MG	AA	1605	1/1	0.96	0.17	26,26,26,26	0
54	MG	BA	3091	1/1	0.96	0.09	4,4,4,4	0
54	MG	DA	3155	1/1	0.96	0.32	42,42,42,42	0
54	MG	DA	3141	1/1	0.96	0.21	39,39,39,39	0
54	MG	BA	3064	1/1	0.96	0.14	1,1,1,1	0
54	MG	CA	1654	1/1	0.96	0.19	55,55,55,55	0
55	DOL	BA	3001	48/48	0.96	0.20	1,7,30,58	0
54	MG	BA	3175	1/1	0.96	0.13	34,34,34,34	0
54	MG	BA	3022	1/1	0.96	0.07	16,16,16,16	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
54	MG	BA	3008	1/1	0.96	0.15	33,33,33,33	0
54	MG	BA	3013	1/1	0.96	0.22	0,0,0,0	0
54	MG	BA	3157	1/1	0.96	0.07	18,18,18,18	0
54	MG	BA	3124	1/1	0.96	0.10	20,20,20,20	0
54	MG	BA	3192	1/1	0.96	0.18	23,23,23,23	0
54	MG	AA	1611	1/1	0.96	0.07	20,20,20,20	0
54	MG	DA	3154	1/1	0.97	0.45	57,57,57,57	0
54	MG	BA	3034	1/1	0.97	0.13	2,2,2,2	0
54	MG	BA	3187	1/1	0.97	0.15	30,30,30,30	0
54	MG	BA	3106	1/1	0.97	0.18	5,5,5,5	0
54	MG	DA	3076	1/1	0.97	0.07	66,66,66,66	0
54	MG	BA	3107	1/1	0.97	0.19	0,0,0,0	0
54	MG	BA	3153	1/1	0.97	0.10	26,26,26,26	0
54	MG	BA	3186	1/1	0.97	0.20	14,14,14,14	0
54	MG	BA	3102	1/1	0.97	0.08	9,9,9,9	0
54	MG	BA	3155	1/1	0.97	0.10	18,18,18,18	0
54	MG	BA	3132	1/1	0.97	0.16	27,27,27,27	0
54	MG	BA	3110	1/1	0.97	0.20	4,4,4,4	0
54	MG	BA	3077	1/1	0.97	0.13	12,12,12,12	0
54	MG	AA	1652	1/1	0.97	0.18	18,18,18,18	0
54	MG	BA	3026	1/1	0.97	0.11	3,3,3,3	0
54	MG	BA	3011	1/1	0.97	0.08	0,0,0,0	0
54	MG	BA	3158	1/1	0.97	0.25	22,22,22,22	0
54	MG	AA	1649	1/1	0.97	0.14	32,32,32,32	0
54	MG	BA	3188	1/1	0.97	0.14	6,6,6,6	0
54	MG	BA	3070	1/1	0.97	0.14	0,0,0,0	0
54	MG	AA	1615	1/1	0.97	0.11	62,62,62,62	0
54	MG	BA	3055	1/1	0.97	0.18	0,0,0,0	0
54	MG	BA	3045	1/1	0.97	0.06	27,27,27,27	0
54	MG	BA	3154	1/1	0.97	0.14	12,12,12,12	0
54	MG	CA	1620	1/1	0.97	0.04	61,61,61,61	0
54	MG	BA	3193	1/1	0.97	0.21	32,32,32,32	0
54	MG	BA	3074	1/1	0.97	0.12	1,1,1,1	0
54	MG	CA	1650	1/1	0.97	0.09	42,42,42,42	0
54	MG	BA	3003	1/1	0.97	0.08	18,18,18,18	0
54	MG	BA	3182	1/1	0.97	0.16	16,16,16,16	0
54	MG	BA	3018	1/1	0.97	0.19	0,0,0,0	0
54	MG	BA	3160	1/1	0.97	0.10	3,3,3,3	0
54	MG	BA	3148	1/1	0.97	0.17	28,28,28,28	0
54	MG	BA	3023	1/1	0.97	0.08	1,1,1,1	0
54	MG	AA	1648	1/1	0.97	0.16	33,33,33,33	0
54	MG	AA	1620	1/1	0.97	0.06	30,30,30,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
54	MG	BA	3046	1/1	0.97	0.15	6,6,6,6	0
54	MG	BA	3131	1/1	0.98	0.24	1,1,1,1	0
54	MG	CA	1618	1/1	0.98	0.16	35,35,35,35	0
54	MG	DA	3086	1/1	0.98	0.10	74,74,74,74	0
54	MG	BA	3084	1/1	0.98	0.08	16,16,16,16	0
54	MG	BA	3053	1/1	0.98	0.10	6,6,6,6	0
54	MG	BA	3130	1/1	0.98	0.14	0,0,0,0	0
54	MG	BA	3118	1/1	0.98	0.12	4,4,4,4	0
54	MG	DA	3050	1/1	0.98	0.10	48,48,48,48	0
54	MG	BA	3048	1/1	0.98	0.16	9,9,9,9	0
56	ZN	D4	101	1/1	0.98	0.06	91,91,91,91	0
54	MG	BA	3142	1/1	0.98	0.37	0,0,0,0	0
54	MG	BA	3072	1/1	0.98	0.08	7,7,7,7	0
54	MG	BA	3128	1/1	0.98	0.07	0,0,0,0	0
54	MG	BA	3177	1/1	0.98	0.19	12,12,12,12	0
54	MG	AA	1646	1/1	0.98	0.07	54,54,54,54	0
54	MG	AA	1636	1/1	0.98	0.09	17,17,17,17	0
54	MG	BA	3139	1/1	0.98	0.36	0,0,0,0	0
54	MG	BA	3051	1/1	0.98	0.12	1,1,1,1	0
54	MG	BA	3123	1/1	0.98	0.18	0,0,0,0	0
54	MG	AA	1655	1/1	0.98	0.11	44,44,44,44	0
54	MG	BA	3099	1/1	0.98	0.04	5,5,5,5	0
54	MG	BA	3126	1/1	0.98	0.17	4,4,4,4	0
54	MG	AA	1621	1/1	0.98	0.17	19,19,19,19	0
54	MG	BA	3025	1/1	0.98	0.17	2,2,2,2	0
54	MG	BQ	201	1/1	0.98	0.14	7,7,7,7	0
54	MG	BA	3029	1/1	0.98	0.13	23,23,23,23	0
54	MG	BA	3185	1/1	0.98	0.11	13,13,13,13	0
54	MG	DA	3051	1/1	0.98	0.10	32,32,32,32	0
54	MG	BA	3109	1/1	0.99	0.16	6,6,6,6	0
54	MG	BA	3065	1/1	0.99	0.17	1,1,1,1	0
54	MG	BA	3028	1/1	0.99	0.04	6,6,6,6	0
54	MG	BA	3024	1/1	0.99	0.12	0,0,0,0	0
54	MG	BA	3010	1/1	0.99	0.09	0,0,0,0	0
54	MG	BA	3041	1/1	0.99	0.14	2,2,2,2	0
54	MG	BA	3068	1/1	0.99	0.14	1,1,1,1	0
54	MG	BA	3144	1/1	0.99	0.28	6,6,6,6	0
54	MG	AA	1641	1/1	0.99	0.07	24,24,24,24	0
54	MG	BA	3019	1/1	0.99	0.07	14,14,14,14	0
54	MG	BA	3083	1/1	0.99	0.14	2,2,2,2	0
54	MG	BA	3067	1/1	0.99	0.11	1,1,1,1	0
54	MG	BA	3006	1/1	0.99	0.10	43,43,43,43	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
54	MG	BA	3111	1/1	0.99	0.15	4,4,4,4	0
54	MG	BA	3184	1/1	0.99	0.16	3,3,3,3	0
54	MG	BA	3088	1/1	0.99	0.21	2,2,2,2	0
54	MG	BA	3117	1/1	0.99	0.16	2,2,2,2	0
54	MG	BA	3037	1/1	1.00	0.16	0,0,0,0	0
56	ZN	B4	101	1/1	1.00	0.06	36,36,36,36	0
54	MG	BA	3039	1/1	1.00	0.23	0,0,0,0	0
54	MG	BA	3108	1/1	1.00	0.20	1,1,1,1	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around DOL DA 3001:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around DOL BA 3001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.