



Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 12:53 am BST

PDB ID : 5U7L
Title : PDE2 catalytic domain complexed with inhibitors
Authors : Pandit, J.; Parris, K.
Deposited on : 2016-12-12
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5509 (2.40-2.36)
Clashscore	141614	6082 (2.40-2.36)
Ramachandran outliers	138981	5973 (2.40-2.36)
Sidechain outliers	138945	5975 (2.40-2.36)
RSRZ outliers	127900	5397 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	345	<div> <div>%</div> <div> <div></div> <div>80%</div> <div>17%</div> <div>••</div> </div> </div>
1	B	345	<div> <div>3%</div> <div> <div></div> <div>75%</div> <div>12%</div> <div>•</div> <div>10%</div> </div> </div>
1	C	345	<div> <div>2%</div> <div> <div></div> <div>76%</div> <div>19%</div> <div>••</div> </div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8376 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called cGMP-dependent 3',5'-cyclic phosphodiesterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	339	Total	C	N	O	S	0	0	0
			2775	1767	475	508	25			
1	B	310	Total	C	N	O	S	0	0	0
			2551	1627	440	459	25			
1	C	338	Total	C	N	O	S	0	0	0
			2767	1763	474	505	25			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	575	GLY	-	expression tag	UNP O00408
A	576	SER	-	expression tag	UNP O00408
A	577	ALA	-	expression tag	UNP O00408
A	578	MET	-	expression tag	UNP O00408
B	575	GLY	-	expression tag	UNP O00408
B	576	SER	-	expression tag	UNP O00408
B	577	ALA	-	expression tag	UNP O00408
B	578	MET	-	expression tag	UNP O00408
C	575	GLY	-	expression tag	UNP O00408
C	576	SER	-	expression tag	UNP O00408
C	577	ALA	-	expression tag	UNP O00408
C	578	MET	-	expression tag	UNP O00408

- Molecule 2 is (3R)-1-{3-[5-(4-ethylphenyl)-1-methyl-1H-pyrazol-4-yl]-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl}-N,N-dimethylpyrrolidin-3-amine (three-letter code: 7Y4) (formula: C₂₄H₃₀N₈).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	N	0	0
			32	24	8		
2	B	1	Total	C	N	0	0
			32	24	8		
2	C	1	Total	C	N	0	0
			32	24	8		

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Zn	0	0
			1	1		
3	A	1	Total	Zn	0	0
			1	1		
3	C	1	Total	Zn	0	0
			1	1		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Mg	0	0
			1	1		
4	A	1	Total	Mg	0	0
			1	1		
4	C	1	Total	Mg	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	65	Total 65	O 65	0	0
5	B	53	Total 53	O 53	0	0
5	C	63	Total 63	O 63	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cGMP-dependent 3',5'-cyclic phosphodiesterase



- Molecule 1: cGMP-dependent 3',5'-cyclic phosphodiesterase



- Molecule 1: cGMP-dependent 3',5'-cyclic phosphodiesterase



R905	G906	L907	F908	S909	M910	M911	S912	L913	D914	F915	L916	ASP	GLU	GLU

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	168.02Å 73.92Å 92.14Å 90.00° 109.51° 90.00°	Depositor
Resolution (Å)	43.00 – 2.38 42.96 – 2.38	Depositor EDS
% Data completeness (in resolution range)	92.5 (43.00-2.38) 92.6 (42.96-2.38)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.74 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.4.0069	Depositor
R, R_{free}	0.208 , 0.281 0.207 , 0.277	Depositor DCC
R_{free} test set	1999 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	30.1	Xtriage
Anisotropy	0.012	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 43.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8376	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 19.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, 7Y4, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	0/2842	0.76	2/3835 (0.1%)
1	B	0.69	0/2613	0.77	1/3523 (0.0%)
1	C	0.69	1/2834 (0.0%)	0.78	0/3824
All	All	0.68	1/8289 (0.0%)	0.77	3/11182 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	643	CYS	CB-SG	-5.08	1.73	1.81

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	701	ARG	NE-CZ-NH1	6.55	123.58	120.30
1	A	811	ASP	CB-CG-OD1	5.25	123.03	118.30
1	A	916	LEU	CB-CG-CD1	-5.05	102.41	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	784	ALA	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2775	0	2713	37	0
1	B	2551	0	2502	37	0
1	C	2767	0	2709	56	0
2	A	32	0	0	0	0
2	B	32	0	0	1	0
2	C	32	0	0	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
5	A	65	0	0	11	0
5	B	53	0	0	2	1
5	C	63	0	0	3	0
All	All	8376	0	7924	129	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:908:PRO:HG2	1:C:912:SER:O	1.44	1.15
1:C:907:LEU:O	1:C:908:PRO:O	1.68	1.11
1:A:851:GLU:HA	1:A:851:GLU:OE1	1.53	1.04
1:C:908:PRO:HG3	1:C:915:PHE:HE2	1.27	0.99
1:B:778:LYS:CD	1:B:778:LYS:H	1.69	0.99
1:B:778:LYS:H	1:B:778:LYS:HD3	1.29	0.96
1:B:805:THR:HB	2:B:1001:7Y4:C19	2.05	0.86
1:C:783:MET:HE1	1:C:795:HIS:HA	1.60	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:908:PRO:HG3	1:C:915:PHE:CE2	2.14	0.82
1:B:778:LYS:CD	1:B:778:LYS:N	2.43	0.81
1:A:851:GLU:CA	1:A:851:GLU:OE1	2.29	0.81
1:C:790:ARG:H	1:C:790:ARG:HD2	1.46	0.81
1:A:643:CYS:HB3	5:A:1160:HOH:O	1.83	0.78
1:A:864:GLU:HG3	5:A:1140:HOH:O	1.82	0.78
1:B:723:GLY:O	1:B:728:ARG:NH1	2.16	0.78
1:A:864:GLU:OE2	1:A:892:ARG:NH2	2.15	0.77
1:C:599:ASN:OD1	1:C:602:SER:HB3	1.85	0.77
1:A:794:GLN:OE1	1:A:797:ARG:NH2	2.16	0.76
1:C:907:LEU:O	1:C:908:PRO:C	2.24	0.75
1:C:907:LEU:C	1:C:908:PRO:O	2.26	0.73
1:B:794:GLN:OE1	1:B:797:ARG:NH1	2.23	0.71
1:C:785:GLU:HG3	1:C:786:VAL:H	1.54	0.71
1:C:914:ASP:O	1:C:916:LEU:N	2.25	0.69
1:A:828:LYS:HB2	5:A:1154:HOH:O	1.93	0.68
1:A:713:SER:HA	5:A:1119:HOH:O	1.94	0.67
1:A:617:MET:HG3	5:A:1159:HOH:O	1.94	0.67
1:B:797:ARG:HD3	5:B:1130:HOH:O	1.94	0.66
1:A:852:LYS:HE3	5:A:1157:HOH:O	1.94	0.66
1:C:783:MET:HE3	1:C:798:LEU:HB2	1.76	0.66
1:A:864:GLU:CG	5:A:1140:HOH:O	2.41	0.66
1:C:788:TYR:CE1	1:C:795:HIS:HB3	2.31	0.66
1:C:864:GLU:HG3	1:C:892:ARG:HE	1.62	0.64
1:B:701:ARG:HG2	1:B:701:ARG:HH11	1.62	0.63
1:C:790:ARG:CD	1:C:790:ARG:H	2.12	0.63
1:C:864:GLU:OE2	1:C:892:ARG:NH2	2.25	0.62
1:C:783:MET:CE	1:C:795:HIS:HA	2.30	0.61
1:B:631:ASN:C	1:B:631:ASN:HD22	2.01	0.60
1:A:875:GLN:HE21	1:A:882:ALA:HA	1.65	0.60
1:C:591:GLN:HG3	1:C:617:MET:SD	2.43	0.59
1:C:707:PHE:HB2	1:C:833:GLN:NE2	2.18	0.59
1:C:809:LEU:HD21	2:C:1001:7Y4:C3	2.33	0.59
1:C:907:LEU:HD23	1:C:913:LEU:HD21	1.84	0.59
1:A:862:PHE:CD1	1:A:866:ILE:HD12	2.38	0.58
1:A:707:PHE:HB2	1:A:833:GLN:NE2	2.19	0.58
1:B:875:GLN:HE21	1:B:882:ALA:HA	1.69	0.58
1:B:778:LYS:N	1:B:778:LYS:HD3	2.11	0.58
1:C:785:GLU:CG	1:C:786:VAL:H	2.16	0.57
1:C:635:ASP:OD2	1:C:637:PRO:HD2	2.04	0.56
1:A:813:THR:O	1:A:887:ARG:HG2	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:628:PHE:HZ	1:C:686:ILE:HG22	1.72	0.55
1:C:814:LYS:O	1:C:887:ARG:HD2	2.07	0.55
1:C:909:SER:OG	1:C:910:ASN:N	2.40	0.55
1:B:789:ASP:HB3	1:B:792:ASN:CB	2.38	0.54
5:A:1141:HOH:O	1:B:787:GLY:HA3	2.07	0.54
1:C:854:TYR:HD2	1:C:857:GLU:HG2	1.72	0.54
1:A:701:ARG:NH1	1:A:715:LEU:HD11	2.24	0.53
1:C:783:MET:HE1	1:C:795:HIS:CA	2.36	0.53
1:C:783:MET:CE	1:C:798:LEU:HB2	2.38	0.53
1:C:854:TYR:CD2	1:C:857:GLU:HG2	2.43	0.52
1:A:704:ASN:O	1:A:708:GLN:HG2	2.10	0.52
1:C:788:TYR:HE1	1:C:795:HIS:HB3	1.75	0.52
1:A:664:VAL:HG13	1:A:807:CYS:HB3	1.91	0.52
1:C:675:LEU:HD22	1:C:878:PHE:HB3	1.90	0.52
1:C:723:GLY:O	1:C:728:ARG:HD2	2.09	0.52
1:B:789:ASP:HB3	1:B:792:ASN:HB2	1.91	0.51
1:B:681:LEU:HD21	1:B:799:LEU:HD23	1.92	0.51
1:A:862:PHE:HD1	1:A:866:ILE:HD12	1.75	0.51
1:B:624:GLN:HB2	1:B:629:ILE:HD12	1.93	0.51
1:C:783:MET:HB2	5:C:1154:HOH:O	2.11	0.51
1:B:839:ALA:C	1:B:841:GLY:H	2.14	0.50
1:C:851:GLU:HA	1:C:851:GLU:OE1	2.12	0.50
1:A:859:GLN:O	1:A:863:MET:HG2	2.12	0.50
1:A:630:ASN:HB2	5:A:1114:HOH:O	2.12	0.49
1:A:675:LEU:O	1:A:676:GLU:HB2	2.12	0.49
1:B:682:GLU:OE1	1:B:756:ARG:NH2	2.45	0.49
1:A:772:HIS:HD2	5:A:1153:HOH:O	1.95	0.49
1:C:755:GLN:NE2	1:C:759:ASP:OD2	2.46	0.49
1:A:828:LYS:HD2	5:A:1154:HOH:O	2.13	0.49
1:C:614:ASP:HB3	5:C:1151:HOH:O	2.13	0.49
1:C:751:ARG:HB3	1:C:751:ARG:HH11	1.78	0.48
1:B:701:ARG:CG	1:B:701:ARG:HH11	2.25	0.48
1:C:790:ARG:HD2	1:C:790:ARG:N	2.23	0.47
1:B:887:ARG:HA	1:B:887:ARG:NE	2.30	0.46
1:B:660:HIS:O	1:B:664:VAL:HG23	2.15	0.46
1:A:872:LYS:NZ	1:A:875:GLN:OE1	2.43	0.46
1:C:910:ASN:O	1:C:911:ASN:HB2	2.15	0.46
1:B:638:THR:HG23	1:B:742:GLY:O	2.17	0.45
1:C:590:ILE:O	1:C:590:ILE:HG22	2.16	0.45
1:C:666:HIS:O	1:C:669:TYR:HB3	2.17	0.44
1:A:916:LEU:HD12	1:A:916:LEU:HA	1.76	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:792:ASN:OD1	1:C:794:GLN:HB3	2.17	0.44
1:C:882:ALA:O	1:C:886:GLU:HG2	2.18	0.44
1:A:667:PHE:CD1	1:A:810:SER:HB2	2.53	0.44
1:B:692:SER:O	1:B:696:HIS:HB3	2.17	0.44
1:B:878:PHE:O	1:B:879:PRO:C	2.56	0.44
1:C:785:GLU:CG	1:C:786:VAL:N	2.80	0.43
1:B:863:MET:HG2	1:B:892:ARG:HB2	2.00	0.43
1:C:671:LEU:HD13	1:C:803:LEU:HD22	1.99	0.43
1:A:862:PHE:CD1	1:A:866:ILE:CD1	3.02	0.43
1:A:751:ARG:CB	1:A:751:ARG:HH11	2.32	0.43
1:C:907:LEU:CD2	1:C:913:LEU:HD21	2.48	0.43
1:B:797:ARG:HG3	1:B:798:LEU:N	2.34	0.43
1:A:722:GLU:OE2	1:C:728:ARG:NH2	2.52	0.43
1:B:789:ASP:HB3	1:B:792:ASN:HB3	2.01	0.42
1:B:670:LEU:HD23	1:B:670:LEU:HA	1.68	0.42
1:B:631:ASN:C	1:B:631:ASN:ND2	2.72	0.42
1:B:673:LYS:HE3	1:B:673:LYS:HB3	1.93	0.42
1:C:682:GLU:HG3	1:C:682:GLU:H	1.63	0.42
1:A:644:LEU:HA	1:A:644:LEU:HD23	1.91	0.42
1:B:591:GLN:HG3	1:B:595:ALA:HB3	2.01	0.42
1:C:793:LYS:O	1:C:796:HIS:HB2	2.20	0.42
1:C:868:MET:HG3	1:C:888:VAL:HG12	2.02	0.42
1:B:839:ALA:C	1:B:841:GLY:N	2.73	0.42
1:A:727:GLU:HA	1:A:730:HIS:CD2	2.54	0.42
1:C:799:LEU:HD12	1:C:799:LEU:HA	1.83	0.42
1:A:812:GLN:OE1	1:A:819:THR:HG23	2.20	0.41
1:B:738:LEU:HD23	1:B:738:LEU:HA	1.95	0.41
1:A:684:ILE:HG12	1:A:757:MET:CE	2.50	0.41
1:C:812:GLN:HB3	1:C:863:MET:HE1	2.03	0.41
1:B:864:GLU:OE2	1:B:892:ARG:NH2	2.48	0.41
1:A:759:ASP:OD1	1:A:762:ARG:NH2	2.54	0.41
1:C:628:PHE:CZ	1:C:686:ILE:HG22	2.53	0.41
1:B:778:LYS:N	1:B:778:LYS:HD2	2.32	0.41
1:A:812:GLN:HB3	1:A:863:MET:HE1	2.02	0.41
1:C:812:GLN:HG3	1:C:863:MET:HE3	2.03	0.41
1:B:633:LYS:HD3	1:B:633:LYS:HA	1.86	0.40
1:B:817:LYS:HE2	5:B:1145:HOH:O	2.20	0.40
1:C:762:ARG:HD3	5:C:1111:HOH:O	2.21	0.40
1:A:671:LEU:HD13	1:A:803:LEU:HD22	2.02	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:1146:HOH:O	5:B:1146:HOH:O[2_556]	2.09	0.11

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	337/345 (98%)	322 (96%)	14 (4%)	1 (0%)	41	53
1	B	306/345 (89%)	287 (94%)	18 (6%)	1 (0%)	41	53
1	C	336/345 (97%)	319 (95%)	13 (4%)	4 (1%)	13	17
All	All	979/1035 (95%)	928 (95%)	45 (5%)	6 (1%)	25	34

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	786	VAL
1	C	908	PRO
1	C	915	PHE
1	A	710	ALA
1	B	790	ARG
1	C	782	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	306/310 (99%)	290 (95%)	16 (5%)	23	35

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	281/310 (91%)	263 (94%)	18 (6%)	17	25
1	C	305/310 (98%)	287 (94%)	18 (6%)	19	29
All	All	892/930 (96%)	840 (94%)	52 (6%)	20	30

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	586	LEU
1	A	593	VAL
1	A	712	LYS
1	A	714	VAL
1	A	721	SER
1	A	755	GLN
1	A	756	ARG
1	A	758	LEU
1	A	790	ARG
1	A	822	ILE
1	A	832	SER
1	A	842	ASN
1	A	851	GLU
1	A	872	LYS
1	A	892	ARG
1	A	899	SER
1	B	616	SER
1	B	624	GLN
1	B	631	ASN
1	B	652	ASP
1	B	701	ARG
1	B	778	LYS
1	B	790	ARG
1	B	794	GLN
1	B	797	ARG
1	B	822	ILE
1	B	828	LYS
1	B	836	LEU
1	B	837	GLU
1	B	843	ARG
1	B	845	MET
1	B	846	GLU
1	B	863	MET
1	B	892	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	586	LEU
1	C	587	HIS
1	C	593	VAL
1	C	602	SER
1	C	676	GLU
1	C	682	GLU
1	C	714	VAL
1	C	722	GLU
1	C	751	ARG
1	C	755	GLN
1	C	817	LYS
1	C	820	ARG
1	C	846	GLU
1	C	877	LEU
1	C	880	LYS
1	C	892	ARG
1	C	905	ARG
1	C	910	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	708	GLN
1	A	755	GLN
1	A	911	ASN
1	B	842	ASN
1	C	587	HIS
1	C	627	ASN
1	C	708	GLN
1	C	875	GLN
1	C	911	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 6 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	7Y4	A	1001	-	29,36,36	1.26	3 (10%)	32,53,53	1.80	7 (21%)
2	7Y4	B	1001	-	29,36,36	1.28	3 (10%)	32,53,53	2.31	9 (28%)
2	7Y4	C	1001	-	29,36,36	1.18	5 (17%)	32,53,53	2.02	12 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	7Y4	A	1001	-	-	3/14/27/27	0/5/5/5
2	7Y4	B	1001	-	-	5/14/27/27	0/5/5/5
2	7Y4	C	1001	-	-	3/14/27/27	0/5/5/5

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1001	7Y4	C9-C11	-3.48	1.44	1.49
2	A	1001	7Y4	C9-C11	-3.35	1.45	1.49
2	C	1001	7Y4	C9-C11	-3.05	1.45	1.49
2	B	1001	7Y4	C9-C12	-2.51	1.37	1.41
2	A	1001	7Y4	C11-N28	-2.45	1.33	1.35
2	B	1001	7Y4	C13-N26	-2.36	1.32	1.35
2	A	1001	7Y4	C8-C12	-2.24	1.42	1.48
2	C	1001	7Y4	C13-N26	-2.10	1.32	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1001	7Y4	C11-N28	-2.07	1.33	1.35
2	C	1001	7Y4	C14-N31	2.04	1.43	1.37
2	C	1001	7Y4	C9-C12	-2.04	1.38	1.41

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1001	7Y4	C9-C12-N29	-6.78	103.87	108.75
2	C	1001	7Y4	C9-C12-N29	-5.62	104.71	108.75
2	B	1001	7Y4	C16-N31-C14	-5.39	107.58	123.56
2	A	1001	7Y4	C9-C12-N29	-4.68	105.39	108.75
2	C	1001	7Y4	C16-N31-C14	-4.50	110.21	123.56
2	B	1001	7Y4	C17-N31-C14	-4.37	110.93	123.61
2	A	1001	7Y4	C16-N31-C14	-3.72	112.54	123.56
2	C	1001	7Y4	C7-C14-N31	3.55	127.75	121.11
2	A	1001	7Y4	C17-N31-C14	-3.52	113.40	123.61
2	B	1001	7Y4	C15-C18-C17	3.37	107.90	102.22
2	B	1001	7Y4	C5-N25-N29	-3.30	100.80	104.23
2	B	1001	7Y4	C23-N32-C18	-3.27	106.76	112.39
2	C	1001	7Y4	C15-C18-C17	2.89	107.09	102.22
2	B	1001	7Y4	C12-C9-C11	2.80	135.19	127.78
2	C	1001	7Y4	C9-C11-N28	-2.77	116.03	120.78
2	C	1001	7Y4	C1-C8-C12	-2.72	115.71	120.47
2	A	1001	7Y4	C15-C18-C17	2.63	106.65	102.22
2	C	1001	7Y4	C17-N31-C14	-2.49	116.37	123.61
2	B	1001	7Y4	C7-C14-N31	2.40	125.61	121.11
2	C	1001	7Y4	C2-C8-C12	2.39	124.66	120.47
2	A	1001	7Y4	C9-C11-N28	-2.35	116.75	120.78
2	A	1001	7Y4	C21-N30-C13	2.35	129.24	124.18
2	C	1001	7Y4	C11-C7-C13	-2.30	102.22	106.55
2	C	1001	7Y4	C20-N29-C12	-2.15	126.32	129.68
2	C	1001	7Y4	C21-N30-C13	2.13	128.77	124.18
2	A	1001	7Y4	C15-C16-N31	2.08	105.79	103.35
2	B	1001	7Y4	C20-N29-C12	-2.06	126.46	129.68
2	C	1001	7Y4	C12-C9-C11	2.03	133.13	127.78

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1001	7Y4	C7-C14-N31-C17
2	B	1001	7Y4	N27-C14-N31-C17

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	1001	7Y4	C7-C14-N31-C17
2	A	1001	7Y4	N27-C14-N31-C17
2	B	1001	7Y4	N29-C12-C8-C1
2	C	1001	7Y4	C17-C18-N32-C23
2	A	1001	7Y4	C17-C18-N32-C23
2	B	1001	7Y4	N29-C12-C8-C2
2	B	1001	7Y4	C9-C12-C8-C1
2	C	1001	7Y4	N27-C14-N31-C16
2	C	1001	7Y4	N27-C14-N31-C17


There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1001	7Y4	1	0
2	C	1001	7Y4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	339/345 (98%)	0.17	5 (1%) 73 75	13, 31, 52, 62	0
1	B	310/345 (89%)	0.21	12 (3%) 39 42	15, 31, 50, 58	0
1	C	338/345 (97%)	0.17	6 (1%) 68 70	11, 30, 54, 65	0
All	All	987/1035 (95%)	0.18	23 (2%) 60 62	11, 31, 52, 65	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	914	ASP	4.3
1	A	917	ASP	4.1
1	B	903	THR	3.2
1	A	916	LEU	3.2
1	B	917	ASP	3.1
1	C	916	LEU	3.1
1	B	591	GLN	2.9
1	C	914	ASP	2.9
1	B	916	LEU	2.9
1	B	595	ALA	2.7
1	B	590	ILE	2.6
1	B	914	ASP	2.6
1	B	876	ASP	2.5
1	C	910	ASN	2.4
1	B	845	MET	2.4
1	A	712	LYS	2.2
1	C	598	SER	2.2
1	C	591	GLN	2.1
1	A	722	GLU	2.1
1	C	886	GLU	2.1
1	B	842	ASN	2.0
1	B	797	ARG	2.0
1	B	786	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	MG	B	1003	1/1	0.87	0.18	16,16,16,16	0
4	MG	C	1003	1/1	0.93	0.12	19,19,19,19	0
4	MG	A	1003	1/1	0.94	0.14	24,24,24,24	0
2	7Y4	A	1001	32/32	0.95	0.14	16,27,33,35	0
2	7Y4	C	1001	32/32	0.96	0.14	14,21,25,26	0
2	7Y4	B	1001	32/32	0.96	0.14	19,26,34,39	0
3	ZN	A	1002	1/1	0.99	0.14	22,22,22,22	0
3	ZN	B	1002	1/1	0.99	0.14	25,25,25,25	0
3	ZN	C	1002	1/1	1.00	0.11	17,17,17,17	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around 7Y4 A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7Y4 C 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 7Y4 B 1001:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.