



Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 05:21 am BST

PDB ID : 4U9A
Title : Sulphur Anomalous Crystal Structure of Asymmetric IRAK4 Dimer
Authors : Ferrao, R.; Liu, Q.; Wu, H.
Deposited on : 2014-08-05
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	312	<div> <div>4%</div> <div>56%</div> <div>29%</div> <div>13%</div> </div>
1	B	312	<div> <div>7%</div> <div>62%</div> <div>23%</div> <div>13%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	B	502	-	-	X	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4349 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Interleukin-1 receptor-associated kinase 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	272	Total	C	N	O	S	0	0	0
			2137	1352	361	410	14			
1	B	270	Total	C	N	O	S	0	0	0
			2127	1344	359	410	14			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	149	GLY	-	expression tag	UNP Q9NWZ3
A	150	ALA	-	expression tag	UNP Q9NWZ3
A	151	MET	-	expression tag	UNP Q9NWZ3
A	152	GLY	-	expression tag	UNP Q9NWZ3
A	153	SER	-	expression tag	UNP Q9NWZ3
A	311	ASN	ASP	engineered mutation	UNP Q9NWZ3
B	149	GLY	-	expression tag	UNP Q9NWZ3
B	150	ALA	-	expression tag	UNP Q9NWZ3
B	151	MET	-	expression tag	UNP Q9NWZ3
B	152	GLY	-	expression tag	UNP Q9NWZ3
B	153	SER	-	expression tag	UNP Q9NWZ3
B	311	ASN	ASP	engineered mutation	UNP Q9NWZ3

- Molecule 2 is STAUROSPORINE (three-letter code: STU) (formula: C₂₈H₂₆N₄O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			35	28	4	3		
2	B	1	Total	C	N	O	0	0
			35	28	4	3		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Interleukin-1 receptor-associated kinase 4



- Molecule 1: Interleukin-1 receptor-associated kinase 4



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	87.50Å 87.50Å 424.04Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	38.88 – 2.80 38.88 – 2.80	Depositor EDS
% Data completeness (in resolution range)	97.0 (38.88-2.80) 97.0 (38.88-2.80)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.57 (at 2.81Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.4_1496)	Depositor
R, R_{free}	0.180 , 0.240 0.186 , 0.242	Depositor DCC
R_{free} test set	1991 reflections (8.23%)	wwPDB-VP
Wilson B-factor (Å ²)	86.1	Xtriage
Anisotropy	0.579	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 73.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4349	wwPDB-VP
Average B, all atoms (Å ²)	107.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: STU, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/2172	0.55	0/2927
1	B	0.42	0/2162	0.59	0/2913
All	All	0.40	0/4334	0.57	0/5840

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2137	0	2133	86	0
1	B	2127	0	2116	67	0
2	A	35	0	26	2	0
2	B	35	0	26	4	0
3	B	15	0	0	2	0
All	All	4349	0	4301	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:308:ILE:HG22	1:B:310:ARG:HG2	1.49	0.94
1:A:185:ILE:HD11	1:A:192:MET:HA	1.51	0.92
1:A:265:MET:CE	1:A:320:ASP:HB3	2.04	0.87
1:A:414:ILE:HD11	1:A:426:VAL:HG11	1.55	0.87
1:A:265:MET:HE3	1:A:320:ASP:HB3	1.56	0.86
2:A:501:STU:H261	2:A:501:STU:H16	1.63	0.80
1:B:345:THR:OG1	3:B:502:SO4:S	2.41	0.79
1:B:277:LEU:HD12	1:B:278:ASP:H	1.51	0.76
1:B:414:ILE:HD11	1:B:426:VAL:HG11	1.69	0.75
1:A:230:PHE:CD1	1:A:258:LEU:HD21	2.22	0.73
1:A:171:TYR:O	1:A:175:ASN:ND2	2.22	0.73
1:A:395:LEU:CD1	1:B:361:ARG:HD2	2.20	0.72
2:B:501:STU:H16	2:B:501:STU:H261	1.71	0.71
1:A:185:ILE:HD12	1:A:185:ILE:H	1.55	0.71
1:B:170:PHE:HB2	1:B:254:ASP:HB2	1.70	0.71
1:A:184:PRO:HG2	1:A:187:VAL:HG23	1.71	0.70
1:A:448:LYS:H	1:A:448:LYS:HD2	1.55	0.70
1:B:205:VAL:HG22	1:B:206:ASN:ND2	2.06	0.70
1:B:265:MET:HE1	1:B:326:LYS:HE3	1.73	0.69
1:A:445:PRO:HA	1:A:449:LYS:HE3	1.74	0.68
1:A:185:ILE:CD1	1:A:192:MET:HA	2.24	0.68
1:A:300:ASN:HA	1:A:447:ILE:HG21	1.75	0.67
1:A:361:ARG:HH11	1:A:361:ARG:HG2	1.61	0.65
1:A:185:ILE:HD11	1:A:192:MET:CA	2.25	0.64
1:B:378:LEU:O	1:B:382:THR:HG23	1.97	0.64
1:A:407:GLU:O	1:A:408:LYS:HD3	1.98	0.63
1:B:265:MET:CE	1:B:326:LYS:HE3	2.28	0.63
1:A:400:LYS:HE2	1:A:404:GLU:OE2	1.99	0.62
1:A:265:MET:HE1	1:A:326:LYS:HD2	1.81	0.62
1:A:361:ARG:HG2	1:A:361:ARG:NH1	2.14	0.62
1:A:265:MET:CE	1:A:326:LYS:HD2	2.30	0.61
1:A:356:ALA:HB1	1:A:357:PRO:HD2	1.83	0.61
1:B:345:THR:OG1	3:B:502:SO4:O2	2.17	0.61
1:B:248:LEU:HD12	1:B:261:VAL:O	2.01	0.61
1:B:173:LEU:HA	1:B:176:VAL:HG22	1.83	0.60
1:A:415:ASP:OD1	1:A:417:LYS:HE2	2.01	0.59
1:A:265:MET:HE1	1:A:320:ASP:HB3	1.82	0.59
1:A:248:LEU:HD12	1:A:261:VAL:O	2.03	0.58
1:B:269:SER:HB2	1:B:315:ALA:HA	1.86	0.58
1:B:308:ILE:HG22	1:B:310:ARG:CG	2.30	0.58
1:A:395:LEU:HD11	1:B:361:ARG:HD2	1.84	0.58
1:A:265:MET:HE2	1:A:326:LYS:CG	2.34	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:414:ILE:CD1	1:B:426:VAL:HG11	2.33	0.57
1:B:226:LEU:C	1:B:226:LEU:HD23	2.25	0.57
1:A:172:GLU:O	1:A:176:VAL:HG22	2.04	0.57
1:A:184:PRO:HG2	1:A:187:VAL:CG2	2.34	0.57
1:A:328:SER:OG	1:A:329:ASP:N	2.34	0.57
1:A:387:VAL:HG23	1:A:395:LEU:HD23	1.87	0.56
1:A:448:LYS:HD2	1:A:448:LYS:N	2.20	0.56
1:B:316:ASN:HA	2:B:501:STU:H272	1.87	0.56
1:A:414:ILE:CD1	1:A:426:VAL:HG11	2.32	0.56
1:B:277:LEU:HD12	1:B:278:ASP:N	2.19	0.55
1:A:348:ILE:HG22	1:B:348:ILE:HD13	1.88	0.55
1:A:351:THR:O	1:A:355:MET:HG3	2.06	0.55
1:A:248:LEU:HD11	1:A:260:LEU:HD22	1.87	0.55
1:B:170:PHE:CB	1:B:254:ASP:HB2	2.37	0.55
1:A:240:CYS:HA	1:A:301:PHE:HE2	1.72	0.54
1:A:236:VAL:HG13	1:A:307:HIS:CD2	2.42	0.54
1:A:205:VAL:O	1:A:208:THR:HG23	2.07	0.54
1:A:265:MET:HE2	1:A:326:LYS:HG3	1.90	0.54
1:B:348:ILE:H	1:B:348:ILE:HD12	1.72	0.54
1:A:236:VAL:HG22	1:A:307:HIS:NE2	2.23	0.53
1:A:215:LEU:HD13	1:A:258:LEU:HD23	1.90	0.53
1:B:446:ASP:OD2	1:B:448:LYS:HB3	2.09	0.53
1:B:348:ILE:HD12	1:B:348:ILE:N	2.25	0.52
1:A:395:LEU:HD13	1:B:361:ARG:HD2	1.90	0.52
1:B:308:ILE:HD11	1:B:366:PRO:HD3	1.92	0.52
1:B:356:ALA:HB1	1:B:357:PRO:HD2	1.91	0.52
1:B:431:SER:O	1:B:435:GLN:HG3	2.10	0.52
1:A:311:ASN:HB2	1:A:332:LEU:HD12	1.91	0.51
1:A:264:TYR:HE2	1:A:266:PRO:HB3	1.74	0.51
1:B:415:ASP:OD1	1:B:417:LYS:HE2	2.10	0.51
1:A:264:TYR:CE2	1:A:266:PRO:HB3	2.44	0.51
1:A:288:ARG:HB3	1:A:380:ILE:CG2	2.40	0.51
1:A:356:ALA:HB2	1:A:371:TYR:CG	2.46	0.51
2:A:501:STU:H261	2:A:501:STU:C16	2.36	0.50
1:B:287:MET:O	1:B:291:ILE:HG13	2.10	0.50
1:A:273:ARG:NH1	1:A:280:THR:HG21	2.27	0.50
1:B:315:ALA:O	2:B:501:STU:N4	2.45	0.49
1:B:287:MET:HA	1:B:287:MET:CE	2.42	0.49
1:B:395:LEU:O	1:B:398:ASP:HB2	2.12	0.49
1:A:242:HIS:HB3	1:A:245:LEU:HG	1.94	0.49
1:B:173:LEU:O	1:B:177:THR:HG23	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:166:HIS:HB3	1:A:249:LEU:O	2.13	0.49
1:A:190:ASN:O	1:A:201:TYR:HA	2.14	0.48
1:A:356:ALA:HB2	1:A:371:TYR:CB	2.42	0.48
1:A:215:LEU:HD13	1:A:258:LEU:CD2	2.43	0.48
1:A:418:MET:HE3	1:A:421:ALA:HB2	1.94	0.48
1:A:244:ASN:O	1:A:245:LEU:HD23	2.14	0.47
1:B:378:LEU:HB2	1:B:396:LEU:HD21	1.96	0.47
1:B:273:ARG:HA	1:B:273:ARG:HD3	1.63	0.47
1:A:353:ALA:HB2	1:B:343:VAL:HG11	1.97	0.47
1:A:308:ILE:HD13	1:A:365:THR:C	2.35	0.47
1:A:445:PRO:CA	1:A:449:LYS:HE3	2.45	0.46
1:B:313:LYS:HA	1:B:354:TYR:CE2	2.51	0.46
1:B:172:GLU:O	1:B:176:VAL:HG13	2.16	0.46
1:A:308:ILE:HD11	1:A:366:PRO:HD3	1.98	0.46
1:B:258:LEU:HD12	1:B:258:LEU:N	2.31	0.46
1:A:331:GLY:O	1:A:332:LEU:HD23	2.15	0.45
1:A:233:GLU:O	1:A:237:MET:HB2	2.17	0.44
1:A:249:LEU:HB2	1:A:261:VAL:HG12	1.98	0.44
1:A:436:CYS:O	1:A:444:ARG:HD3	2.17	0.44
1:B:226:LEU:C	1:B:226:LEU:CD2	2.86	0.44
1:B:205:VAL:O	1:B:205:VAL:HG13	2.18	0.44
1:A:297:ASN:HA	1:A:451:GLN:HE21	1.83	0.44
1:A:371:TYR:HA	1:A:436:CYS:O	2.18	0.44
1:B:194:GLU:HG2	1:B:199:VAL:HG22	1.98	0.44
1:B:312:ILE:O	1:B:372:SER:HB3	2.18	0.44
1:B:243:GLU:O	1:B:243:GLU:HG3	2.17	0.44
1:A:457:MET:O	1:A:457:MET:HG2	2.18	0.43
1:A:308:ILE:HG22	1:A:310:ARG:HG2	1.99	0.43
1:B:192:MET:HB3	1:B:192:MET:HE2	1.86	0.43
1:A:437:LEU:HA	1:A:437:LEU:HD23	1.83	0.43
1:B:205:VAL:HG22	1:B:206:ASN:CG	2.39	0.43
1:B:343:VAL:O	1:B:343:VAL:HG12	2.17	0.43
1:A:226:LEU:O	1:A:226:LEU:HD13	2.19	0.43
1:A:441:LYS:HG3	1:A:442:ASN:OD1	2.19	0.43
1:A:347:ARG:HA	1:B:347:ARG:HH22	1.84	0.42
1:B:416:LYS:HB2	1:B:416:LYS:HE3	1.80	0.42
1:A:168:PHE:CD2	1:A:250:GLY:HA3	2.54	0.42
1:A:454:LEU:O	1:A:457:MET:HB3	2.19	0.42
1:B:402:GLU:OE2	1:B:413:TYR:OH	2.27	0.42
1:B:417:LYS:HB2	1:B:417:LYS:HE2	1.84	0.42
1:A:182:GLU:O	1:A:191:LYS:HD2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:356:ALA:HB2	1:A:371:TYR:HB3	2.00	0.42
1:A:449:LYS:HB3	1:A:449:LYS:HE2	1.75	0.42
1:B:264:TYR:CE2	1:B:266:PRO:HA	2.54	0.42
1:A:401:GLU:OE2	1:B:442:ASN:HB2	2.20	0.42
1:A:370:ILE:HG22	1:A:436:CYS:HB3	2.02	0.41
1:A:348:ILE:CG2	1:B:348:ILE:HD13	2.49	0.41
1:B:447:ILE:O	1:B:447:ILE:HD12	2.20	0.41
1:A:265:MET:CE	1:A:326:LYS:HG3	2.49	0.41
1:B:356:ALA:HB2	1:B:371:TYR:CG	2.55	0.41
1:A:251:PHE:HB2	1:A:252:SER:H	1.70	0.41
1:A:288:ARG:HB3	1:A:380:ILE:HG23	2.03	0.41
1:B:199:VAL:O	1:B:213:LYS:HA	2.21	0.41
1:B:356:ALA:HB2	1:B:371:TYR:CB	2.51	0.41
1:A:354:TYR:OH	1:A:379:GLU:OE1	2.31	0.41
1:B:399:ILE:O	1:B:403:ILE:HG13	2.21	0.41
1:A:365:THR:OG1	1:A:366:PRO:HD2	2.21	0.41
1:B:378:LEU:CB	1:B:396:LEU:HD21	2.51	0.41
1:B:371:TYR:OH	1:B:397:LEU:HD22	2.21	0.40
1:B:213:LYS:HE3	1:B:215:LEU:HD11	2.02	0.40
1:A:265:MET:HE3	1:A:320:ASP:CB	2.38	0.40
2:B:501:STU:H261	2:B:501:STU:C16	2.45	0.40
1:A:277:LEU:O	1:A:278:ASP:HB2	2.21	0.40
1:B:173:LEU:HD22	1:B:212:VAL:HG21	2.03	0.40
1:B:274:LEU:HD23	1:B:274:LEU:HA	1.85	0.40
1:B:418:MET:HE3	1:B:421:ALA:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	264/312 (85%)	244 (92%)	19 (7%)	1 (0%)	34 66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	262/312 (84%)	236 (90%)	25 (10%)	1 (0%)	34	66
All	All	526/624 (84%)	480 (91%)	44 (8%)	2 (0%)	34	66

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	329	ASP
1	B	186	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	237/270 (88%)	229 (97%)	8 (3%)	37	71
1	B	237/270 (88%)	225 (95%)	12 (5%)	24	55
All	All	474/540 (88%)	454 (96%)	20 (4%)	30	63

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	173	LEU
1	A	208	THR
1	A	226	LEU
1	A	237	MET
1	A	252	SER
1	A	273	ARG
1	A	287	MET
1	A	349	VAL
1	B	243	GLU
1	B	253	SER
1	B	273	ARG
1	B	307	HIS
1	B	311	ASN
1	B	345	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	397	LEU
1	B	410	ILE
1	B	439	GLU
1	B	446	ASP
1	B	448	LYS
1	B	455	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	451	GLN
1	B	206	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	STU	B	501	-	30,42,42	2.31	9 (30%)	31,68,68	2.01	9 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	STU	A	501	-	30,42,42	2.36	8 (26%)	31,68,68	1.97	8 (25%)
3	SO4	B	503	-	4,4,4	0.10	0	6,6,6	0.18	0
3	SO4	B	504	-	4,4,4	0.14	0	6,6,6	0.14	0
3	SO4	B	502	-	4,4,4	0.12	0	6,6,6	0.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	STU	B	501	-	-	1/4/42/42	-
2	STU	A	501	-	-	1/4/42/42	-

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	STU	C8-N1	8.40	1.42	1.35
2	B	501	STU	C8-N1	7.70	1.41	1.35
2	B	501	STU	O4-C25	5.39	1.51	1.43
2	A	501	STU	O4-C25	5.29	1.51	1.43
2	A	501	STU	C9-C10	4.12	1.53	1.50
2	B	501	STU	C9-C10	3.88	1.53	1.50
2	A	501	STU	C24-C23	-3.63	1.47	1.53
2	B	501	STU	C24-C23	-3.21	1.48	1.53
2	B	501	STU	C22-C23	-3.07	1.49	1.52
2	B	501	STU	C9-N1	-2.53	1.43	1.45
2	B	501	STU	C10-C11	-2.53	1.38	1.42
2	A	501	STU	C19-C18	-2.51	1.36	1.42
2	A	501	STU	C9-N1	-2.47	1.43	1.45
2	A	501	STU	C10-C11	-2.42	1.39	1.42
2	B	501	STU	C19-C18	-2.27	1.36	1.42
2	B	501	STU	C7-C8	2.26	1.52	1.49
2	A	501	STU	C7-C8	2.06	1.52	1.49

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	STU	C10-C9-N1	5.48	107.34	101.76
2	B	501	STU	C9-N1-C8	-5.48	108.58	113.85
2	A	501	STU	C9-N1-C8	-5.31	108.75	113.85
2	A	501	STU	C10-C9-N1	4.89	106.73	101.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	STU	C13-C12-C17	3.27	123.53	119.39
2	A	501	STU	C6-C7-C8	3.19	134.53	129.76
2	B	501	STU	C6-C7-C8	2.68	133.76	129.76
2	B	501	STU	C13-C12-C17	2.55	122.61	119.39
2	B	501	STU	C14-C13-C12	-2.48	116.70	120.86
2	A	501	STU	C7-C8-N1	2.29	108.68	106.37
2	B	501	STU	C3-C4-C5	-2.28	117.03	120.86
2	A	501	STU	C14-C13-C12	-2.24	117.09	120.86
2	B	501	STU	C7-C8-N1	2.20	108.60	106.37
2	B	501	STU	C27-O6-C22	2.18	118.21	114.44
2	B	501	STU	C26-C21-C22	-2.10	108.55	112.64
2	A	501	STU	C16-C17-C12	-2.07	117.74	120.73
2	A	501	STU	C27-O6-C22	2.00	117.90	114.44

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	STU	C24-C23-N4-C28
2	B	501	STU	C24-C23-N4-C28


There are no ring outliers.

3 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	STU	4	0
2	A	501	STU	2	0
3	B	502	SO4	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand STU B 501




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	272/312 (87%)	0.19	13 (4%) 30 21	58, 103, 173, 224	0
1	B	270/312 (86%)	0.24	21 (7%) 13 7	58, 94, 167, 206	0
All	All	542/624 (86%)	0.22	34 (6%) 20 12	58, 98, 172, 224	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	240	CYS	6.0
1	A	236	VAL	5.2
1	A	240	CYS	5.2
1	A	216	ALA	4.6
1	B	237	MET	4.4
1	B	230	PHE	4.3
1	B	349	VAL	4.2
1	A	239	LYS	3.8
1	A	229	GLN	3.8
1	B	233	GLU	3.8
1	A	342	THR	3.7
1	A	230	PHE	3.6
1	A	226	LEU	3.1
1	B	348	ILE	3.0
1	A	343	VAL	3.0
1	A	217	ALA	2.9
1	B	227	LYS	2.6
1	B	231	ASP	2.6
1	B	259	CYS	2.6
1	B	197	PHE	2.5
1	A	167	SER	2.5
1	B	239	LYS	2.4
1	B	346	SER	2.3
1	B	168	PHE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	232	GLN	2.3
1	B	253	SER	2.3
1	B	216	ALA	2.3
1	B	251	PHE	2.3
1	B	423	SER	2.1
1	B	250	GLY	2.1
1	B	260	LEU	2.1
1	A	235	LYS	2.0
1	B	228	GLN	2.0
1	A	232	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	B	504	5/5	0.82	0.22	177,183,184,187	0
3	SO4	B	502	5/5	0.82	0.20	161,172,174,178	0
2	STU	A	501	35/35	0.95	0.18	61,91,99,106	0
3	SO4	B	503	5/5	0.95	0.10	131,131,134,135	0
2	STU	B	501	35/35	0.97	0.20	58,84,96,100	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around STU A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around STU B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.