



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 24, 2022 – 12:35 pm GMT

PDB ID : 4UBT  
Title : Structure of the C93S variant of the 3-ketoacyl-CoA thiolase FadA5 from M. tuberculosis in complex with a steroid and CoA.  
Authors : Schaefer, C.M.; Kisker, C.  
Deposited on : 2014-08-13  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.27
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0267
CCP4	:	7.1.010 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.27


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	399	<div> <div>9%</div> <div>89%</div> <div>10%</div> <div>..</div> </div>
1	B	399	<div> <div>7%</div> <div>89%</div> <div>8%</div> <div>..</div> </div>
1	C	399	<div> <div>8%</div> <div>89%</div> <div>9%</div> <div>.</div> </div>
1	D	399	<div> <div>6%</div> <div>86%</div> <div>8%</div> <div>6%</div> </div>

## 2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 13460 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-CoA acetyltransferase FadA5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	396	Total	C	N	O	S	0	20	0
			3065	1898	572	583	12			
1	B	392	Total	C	N	O	S	0	14	0
			2993	1851	555	574	13			
1	C	391	Total	C	N	O	S	0	18	0
			3001	1860	551	578	12			
1	D	376	Total	C	N	O	S	0	19	0
			2894	1801	527	554	12			

There are 36 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	HIS	-	expression tag	UNP I6XHI4
A	-6	HIS	-	expression tag	UNP I6XHI4
A	-5	HIS	-	expression tag	UNP I6XHI4
A	-4	HIS	-	expression tag	UNP I6XHI4
A	-3	HIS	-	expression tag	UNP I6XHI4
A	-2	HIS	-	expression tag	UNP I6XHI4
A	-1	GLY	-	expression tag	UNP I6XHI4
A	0	SER	-	expression tag	UNP I6XHI4
A	93	SER	CYS	engineered mutation	UNP I6XHI4
B	-7	HIS	-	expression tag	UNP I6XHI4
B	-6	HIS	-	expression tag	UNP I6XHI4
B	-5	HIS	-	expression tag	UNP I6XHI4
B	-4	HIS	-	expression tag	UNP I6XHI4
B	-3	HIS	-	expression tag	UNP I6XHI4
B	-2	HIS	-	expression tag	UNP I6XHI4
B	-1	GLY	-	expression tag	UNP I6XHI4
B	0	SER	-	expression tag	UNP I6XHI4
B	93	SER	CYS	engineered mutation	UNP I6XHI4
C	-7	HIS	-	expression tag	UNP I6XHI4
C	-6	HIS	-	expression tag	UNP I6XHI4
C	-5	HIS	-	expression tag	UNP I6XHI4

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-4	HIS	-	expression tag	UNP I6XHI4
C	-3	HIS	-	expression tag	UNP I6XHI4
C	-2	HIS	-	expression tag	UNP I6XHI4
C	-1	GLY	-	expression tag	UNP I6XHI4
C	0	SER	-	expression tag	UNP I6XHI4
C	93	SER	CYS	engineered mutation	UNP I6XHI4
D	-7	HIS	-	expression tag	UNP I6XHI4
D	-6	HIS	-	expression tag	UNP I6XHI4
D	-5	HIS	-	expression tag	UNP I6XHI4
D	-4	HIS	-	expression tag	UNP I6XHI4
D	-3	HIS	-	expression tag	UNP I6XHI4
D	-2	HIS	-	expression tag	UNP I6XHI4
D	-1	GLY	-	expression tag	UNP I6XHI4
D	0	SER	-	expression tag	UNP I6XHI4
D	93	SER	CYS	engineered mutation	UNP I6XHI4

- Molecule 2 is COENZYME A (three-letter code: COA) (formula: C<sub>21</sub>H<sub>36</sub>N<sub>7</sub>O<sub>16</sub>P<sub>3</sub>S).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P	S		
2	A	1	48	21	7	16	3	1	0	0
2	B	1	52	23	8	16	3	2	0	1
2	C	1	48	21	7	16	3	1	0	0
2	D	1	57	26	9	17	3	2	0	1

- Molecule 3 is (2S)-2-[(8S,9S,10R,13S,14S,17R)-10,13-dimethyl-3-oxo-2,3,6,7,8,9,10,11,12,13,14,15,16,17-tetradecahydro-1H-cyclopenta[a]phenanthren-17-yl]propanoic acid (non-preferred name) (three-letter code: 3G6) (formula:  $C_{22}H_{32}O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			25	22	3		
3	B	1	Total	C	O	0	0
			25	22	3		
3	C	1	Total	C	O	0	0
			25	22	3		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 12 6 6	0	1
4	C	1	Total C O 12 6 6	0	1
4	D	1	Total C O 12 6 6	0	1

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	2	Total Cl 2 2	0	0
5	B	5	Total Cl 5 5	0	0
5	C	1	Total Cl 1 1	0	0
5	D	2	Total Cl 2 2	0	0

- Molecule 6 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	C	1	Total C O 7 4 3	0	0

- Molecule 7 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	C	1	Total 1	Na 1	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	304	Total 304	O 304	0	0
8	B	312	Total 312	O 312	0	0
8	C	282	Total 282	O 282	0	0
8	D	263	Total 263	O 263	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Acetyl-CoA acetyltransferase FadA5




#### • Molecule 1: Acetyl-CoA acetyltransferase FadA5




#### • Molecule 1: Acetyl-CoA acetyltransferase FadA5



#### • Molecule 1: Acetyl-CoA acetyltransferase FadA5







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	76.66Å 100.18Å 107.95Å 90.00° 99.90° 90.00°	Depositor
Resolution (Å)	37.68 – 1.70 47.49 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.7 (37.68-1.70) 99.7 (47.49-1.70)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.44 (at 1.70Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8_1069)	Depositor
R, $R_{free}$	0.145 , 0.174 0.147 , 0.175	Depositor DCC
$R_{free}$ test set	8796 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.3	Xtriage
Anisotropy	0.128	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	(Not available) , (Not available)	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	13460	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.89% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: COA, CL, NA, GOL, 3G6, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.35	0/3159	0.52	0/4279
1	B	0.34	0/3065	0.52	0/4152
1	C	0.33	0/3080	0.52	0/4176
1	D	0.35	0/2984	0.53	0/4039
All	All	0.34	0/12288	0.52	0/16646

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3065	0	3084	33	2
1	B	2993	0	3000	34	0
1	C	3001	0	3006	36	0
1	D	2894	0	2942	25	0
2	A	48	0	32	0	0
2	B	52	0	12	0	0
2	C	48	0	32	0	0
2	D	57	0	22	0	0
3	A	25	0	31	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	25	0	31	5	0
3	C	25	0	31	1	0
4	A	24	0	32	0	0
4	C	12	0	16	0	0
4	D	12	0	16	1	2
5	A	2	0	0	1	0
5	B	5	0	0	2	0
5	C	1	0	0	0	0
5	D	2	0	0	0	0
6	C	7	0	10	1	0
7	C	1	0	0	0	0
8	A	304	0	0	7	0
8	B	312	0	0	6	0
8	C	282	0	0	5	1
8	D	263	0	0	0	1
All	All	13460	0	12297	129	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:204:GLN:OE1	1:A:204:GLN:N	1.96	0.98
1:C:234[B]:VAL:O	8:C:501:HOH:O	1.83	0.97
1:A:134[A]:PRO:O	8:A:501:HOH:O	1.87	0.93
1:B:17[D]:ARG:HH21	1:B:17[D]:ARG:HG2	1.34	0.91
1:A:327[A]:ARG:CG	1:A:327[A]:ARG:HH21	1.86	0.88
1:B:204:GLN:O	1:B:205:ASN:HB2	1.74	0.86
1:B:17[D]:ARG:HH21	1:B:17[D]:ARG:CG	1.91	0.83
1:C:200:VAL:CG2	1:C:212[A]:ARG:HG3	2.10	0.81
1:A:48[A]:HIS:CD2	1:A:50:GLY:H	2.01	0.78
1:B:323:LEU:O	1:B:327:ARG:HG2	1.85	0.76
1:A:182:ARG:NH1	8:A:502:HOH:O	2.20	0.74
1:D:212[A]:ARG:CG	1:D:212[A]:ARG:HH11	2.02	0.73
1:C:323:LEU:O	1:C:327:ARG:HG3	1.90	0.72
1:A:48[A]:HIS:ND1	5:A:407:CL:CL	2.60	0.71
1:A:327[A]:ARG:HH21	1:A:327[A]:ARG:HG2	1.55	0.69
1:C:200:VAL:HG22	1:C:212[A]:ARG:CG	2.24	0.68
1:A:369:GLN:O	1:A:390:ARG:HD3	1.94	0.67
1:B:44:GLN:OE1	8:B:501:HOH:O	2.12	0.67

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:327[A]:ARG:CG	1:A:327[A]:ARG:NH2	2.52	0.67
1:C:200:VAL:CG2	1:C:212[A]:ARG:CG	2.74	0.66
1:C:200:VAL:HG22	1:C:212[A]:ARG:HG3	1.77	0.65
1:C:200:VAL:HG23	1:C:212[A]:ARG:HG3	1.77	0.64
1:A:327[A]:ARG:NH2	1:A:327[A]:ARG:HG3	2.12	0.63
1:A:300[B]:GLU:HG3	8:A:685:HOH:O	1.98	0.63
1:C:234[B]:VAL:O	1:C:235[B]:LEU:HB2	1.97	0.63
1:B:204:GLN:O	1:B:205:ASN:CB	2.46	0.62
1:C:140:ARG:NH2	8:C:504:HOH:O	2.32	0.62
1:A:135[B]:ASP:N	8:A:501:HOH:O	2.26	0.62
1:C:25[B]:HIS:CE1	1:C:125:ARG:NH2	2.67	0.62
1:B:48[B]:HIS:NE2	5:B:404:CL:CL	2.55	0.62
1:D:156:GLU:HB3	4:D:402[B]:GOL:H31	1.83	0.60
1:B:200:VAL:HB	1:B:210:GLU:HB2	1.82	0.60
1:A:89:VAL:HG12	1:B:89:VAL:HG12	1.82	0.60
1:A:-4:HIS:O	1:A:-3:HIS:HB3	2.01	0.60
1:C:391[A]:ILE:HG22	1:C:391[A]:ILE:O	2.00	0.60
1:D:323:LEU:O	1:D:327:ARG:HG3	2.01	0.60
1:C:202[B]:ASP:OD1	1:C:205:ASN:N	2.35	0.60
1:A:-4:HIS:O	1:A:-3:HIS:CB	2.49	0.60
1:C:7:VAL:O	1:C:8[A]:GLU:HG2	2.03	0.59
1:A:327[A]:ARG:HH21	1:A:327[A]:ARG:HG3	1.64	0.57
1:D:212[A]:ARG:CG	1:D:212[A]:ARG:NH1	2.65	0.57
1:D:60:VAL:HG21	1:D:349[B]:VAL:HG12	1.87	0.57
1:A:8[A]:GLU:HG3	1:A:41:ALA:HB2	1.87	0.57
1:B:48[B]:HIS:CD2	1:B:50[B]:GLY:H	2.23	0.56
1:B:140:ARG:NH1	5:B:407:CL:CL	2.73	0.56
1:A:40:LYS:NZ	8:A:507:HOH:O	2.36	0.55
1:A:260:GLU:OE2	1:A:264:ARG:NH2	2.36	0.55
1:D:60:VAL:HG21	1:D:349[B]:VAL:CG1	2.35	0.55
1:D:325:TRP:CZ3	1:D:331:PRO:HG3	2.42	0.55
1:D:8[A]:GLU:HG3	1:D:41:ALA:HB2	1.89	0.54
1:B:17[D]:ARG:NH1	8:B:505:HOH:O	2.40	0.54
1:C:8[A]:GLU:HG3	1:C:41:ALA:HB2	1.89	0.53
1:B:174:LEU:HD22	1:B:225[B]:MET:HG2	1.89	0.53
1:D:212[A]:ARG:HH11	1:D:212[A]:ARG:HG3	1.74	0.53
1:A:44:GLN:HA	1:A:44:GLN:OE1	2.09	0.53
1:D:212[A]:ARG:NH1	1:D:212[A]:ARG:HG2	2.24	0.52
1:B:325:TRP:CZ3	1:B:331:PRO:HG3	2.44	0.52
1:B:201:LEU:HD22	1:B:201:LEU:N	2.24	0.52
1:C:140:ARG:HH11	1:C:148:LEU:HD23	1.75	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:151:GLN:HB3	3:B:402:3G6:H11	1.91	0.51
1:B:17[D]:ARG:CG	1:B:17[D]:ARG:NH2	2.58	0.51
1:C:149:PRO:HB2	1:C:153[A]:GLU:HB2	1.93	0.51
1:C:200:VAL:HG22	1:C:212[A]:ARG:HG2	1.93	0.51
1:B:342:ALA:HB1	1:B:347:HIS:HB2	1.93	0.50
1:C:25[A]:HIS:HB3	1:C:28:GLU:HG3	1.92	0.50
6:C:404:PEG:H12	8:C:681:HOH:O	2.12	0.50
1:B:92:GLN:HB3	3:B:402:3G6:OAE	2.12	0.50
1:A:296:ALA:O	1:A:300[B]:GLU:HG3	2.12	0.50
1:B:225[B]:MET:HE3	1:B:225[B]:MET:HA	1.94	0.49
3:B:402:3G6:H7	3:B:402:3G6:H16	1.93	0.49
1:C:325:TRP:CZ3	1:C:331:PRO:HG3	2.46	0.49
1:B:212[A]:ARG:NH1	8:B:509:HOH:O	2.45	0.49
1:B:260[A]:GLU:HG3	1:B:261:ALA:N	2.27	0.49
1:B:260[B]:GLU:OE2	1:B:264:ARG:HD2	2.12	0.49
1:A:-4:HIS:O	1:A:-3:HIS:CG	2.67	0.48
1:A:174:LEU:HD22	1:A:225:MET:HG2	1.95	0.48
1:D:3:TYR:N	1:D:3:TYR:CD1	2.81	0.48
1:D:316:GLU:CD	1:D:341:GLY:HA3	2.34	0.48
1:C:140:ARG:NH1	1:C:148:LEU:HD23	2.29	0.48
1:C:151:GLN:HB3	3:C:401:3G6:H11	1.96	0.47
1:C:202[A]:ASP:HB3	1:C:204:GLN:H	1.80	0.47
1:B:124:SER:HB2	8:B:644:HOH:O	2.14	0.47
1:A:122:ALA:HB1	8:A:694:HOH:O	2.15	0.47
1:C:25[B]:HIS:CE1	1:C:125:ARG:HH21	2.32	0.47
1:D:121:GLU:HG2	1:D:349[A]:VAL:HG22	1.97	0.47
1:B:171:VAL:HG22	1:B:225[A]:MET:HE3	1.96	0.47
1:A:151:GLN:HB3	3:A:402:3G6:H11	1.97	0.46
1:D:38:VAL:HG11	1:D:49:ALA:HB2	1.96	0.46
1:A:48[A]:HIS:CG	1:A:49:ALA:N	2.84	0.46
1:D:93[B]:SER:OG	1:D:349[B]:VAL:HG13	2.16	0.46
1:A:171:VAL:O	1:A:175[B]:GLU:HG3	2.16	0.46
1:A:325:TRP:CZ3	1:A:331:PRO:HG3	2.50	0.46
1:B:47:LEU:HD13	1:B:258:MET:HE1	1.97	0.45
1:B:212[A]:ARG:NH1	1:B:213:LEU:O	2.48	0.45
1:C:48[A]:HIS:CD2	8:C:568:HOH:O	2.70	0.45
1:C:234[B]:VAL:O	1:C:235[B]:LEU:CB	2.64	0.45
1:A:258:MET:CE	1:A:262:VAL:HG12	2.46	0.45
1:D:258:MET:CE	1:D:262:VAL:HG12	2.46	0.45
1:B:42:GLY:O	8:B:503:HOH:O	2.21	0.45
1:C:297:LYS:NZ	8:C:511:HOH:O	2.45	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:212[A]:ARG:HH11	1:D:212[A]:ARG:HG2	1.79	0.44
1:C:290:GLY:N	1:C:291:PRO:CD	2.80	0.44
1:D:369:GLN:O	1:D:390:ARG:HD3	2.17	0.44
1:C:316:GLU:CD	1:C:341:GLY:HA3	2.39	0.43
1:A:364:LEU:HB3	1:A:390:ARG:HD2	2.00	0.43
1:C:342:ALA:HB1	1:C:347:HIS:HB2	2.00	0.43
1:D:258:MET:HE2	1:D:262:VAL:HG12	2.00	0.43
1:C:212[B]:ARG:HG3	1:C:213:LEU:O	2.19	0.42
1:B:93[B]:SER:OG	3:B:402:3G6:OAF	2.29	0.42
1:D:347:HIS:CE1	1:D:349[A]:VAL:HA	2.54	0.42
1:C:7:VAL:C	1:C:8[A]:GLU:HG2	2.40	0.42
1:D:184:TRP:CH2	1:D:216:ARG:HA	2.54	0.42
1:A:8[B]:GLU:HG2	1:A:40:LYS:HB3	2.02	0.41
1:A:125:ARG:HG3	8:A:694:HOH:O	2.19	0.41
1:C:311:ILE:O	1:C:372:ALA:HA	2.20	0.41
1:D:332:ASP:HB3	1:D:335:ARG:HG3	2.03	0.41
1:D:206:GLN:HA	1:D:207:PRO:HD3	1.94	0.41
1:D:240:HIS:CE1	1:D:320:SER:HB3	2.56	0.41
1:B:136:ARG:HD3	3:B:402:3G6:OAD	2.21	0.41
1:B:17[D]:ARG:CZ	8:B:505:HOH:O	2.68	0.41
3:A:402:3G6:H16	3:A:402:3G6:H7	2.03	0.41
1:A:281:GLY:HA3	1:B:82:GLU:O	2.21	0.40
1:C:391[A]:ILE:O	1:C:391[A]:ILE:CG2	2.69	0.40
1:D:347:HIS:CE1	1:D:349[B]:VAL:HA	2.56	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:264:ARG:NH1	4:D:402[B]:GOL:O3[1_655]	1.81	0.39
1:A:264:ARG:NH1	4:D:402[A]:GOL:O3[1_655]	2.11	0.09
8:C:511:HOH:O	8:D:675:HOH:O[2_446]	2.12	0.08

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	414/399 (104%)	400 (97%)	13 (3%)	1 (0%)	47	30
1	B	404/399 (101%)	395 (98%)	8 (2%)	1 (0%)	47	30
1	C	405/399 (102%)	395 (98%)	10 (2%)	0	100	100
1	D	390/399 (98%)	379 (97%)	11 (3%)	0	100	100
All	All	1613/1596 (101%)	1569 (97%)	42 (3%)	2 (0%)	51	33

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	-3	HIS
1	B	205	ASN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/303 (105%)	307 (96%)	11 (4%)	36	17
1	B	308/303 (102%)	303 (98%)	5 (2%)	62	48
1	C	311/303 (103%)	306 (98%)	5 (2%)	62	48
1	D	302/303 (100%)	295 (98%)	7 (2%)	50	33
All	All	1239/1212 (102%)	1211 (98%)	28 (2%)	65	33

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-2	HIS
1	A	142[A]	GLN
1	A	142[B]	GLN
1	A	178[A]	ARG
1	A	178[B]	ARG
1	A	193	ILE

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	211[A]	ARG
1	A	211[B]	ARG
1	A	327[A]	ARG
1	A	327[B]	ARG
1	A	368	ASP
1	B	193	ILE
1	B	212[A]	ARG
1	B	212[B]	ARG
1	B	260[A]	GLU
1	B	260[B]	GLU
1	C	1	MET
1	C	201	LEU
1	C	212[A]	ARG
1	C	212[B]	ARG
1	C	351	CYS
1	D	181[A]	GLN
1	D	181[B]	GLN
1	D	212[A]	ARG
1	D	212[B]	ARG
1	D	221[A]	ARG
1	D	221[B]	ARG
1	D	351	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	92	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry

Of 29 ligands modelled in this entry, 11 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	COA	D	401[B]	-	41,50,50	2.24	12 (29%)	52,75,75	2.28	16 (30%)
4	GOL	C	403[B]	-	5,5,5	0.36	0	5,5,5	0.26	0
6	PEG	C	404	-	6,6,6	0.63	0	5,5,5	0.65	0
2	COA	C	402	-	41,50,50	2.08	11 (26%)	52,75,75	1.50	9 (17%)
4	GOL	A	405[A]	-	5,5,5	0.38	0	5,5,5	0.23	0
4	GOL	D	402[A]	-	5,5,5	0.35	0	5,5,5	0.33	0
3	3G6	A	402	-	25,28,28	1.65	5 (20%)	40,45,45	1.67	12 (30%)
2	COA	B	401[A]	-	41,50,50	2.07	11 (26%)	52,75,75	1.41	7 (13%)
4	GOL	D	402[B]	-	5,5,5	0.36	0	5,5,5	0.24	0
2	COA	A	401	-	41,50,50	2.04	11 (26%)	52,75,75	1.46	9 (17%)
4	GOL	A	403	-	5,5,5	0.38	0	5,5,5	0.35	0
2	COA	B	401[B]	-	41,50,50	2.07	11 (26%)	52,75,75	1.38	7 (13%)
4	GOL	C	403[A]	-	5,5,5	0.38	0	5,5,5	0.15	0
4	GOL	A	405[B]	-	5,5,5	0.34	0	5,5,5	0.24	0
3	3G6	B	402	-	25,28,28	1.68	8 (32%)	40,45,45	1.63	9 (22%)
4	GOL	A	404	-	5,5,5	0.37	0	5,5,5	0.26	0
2	COA	D	401[A]	-	41,50,50	2.10	12 (29%)	52,75,75	1.38	7 (13%)
3	3G6	C	401	-	25,28,28	1.69	6 (24%)	40,45,45	1.74	12 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	COA	D	401[B]	-	-	6/44/64/64	0/3/3/3
4	GOL	C	403[B]	-	-	2/4/4/4	-
6	PEG	C	404	-	-	2/4/4/4	-
2	COA	C	402	-	-	3/44/64/64	0/3/3/3

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	405[A]	-	-	4/4/4/4	-
4	GOL	D	402[A]	-	-	1/4/4/4	-
3	3G6	A	402	-	-	0/4/66/66	0/4/4/4
2	COA	B	401[A]	-	-	3/44/64/64	0/3/3/3
4	GOL	D	402[B]	-	-	2/4/4/4	-
2	COA	A	401	-	-	3/44/64/64	0/3/3/3
4	GOL	A	403	-	-	2/4/4/4	-
2	COA	B	401[B]	-	-	3/44/64/64	0/3/3/3
4	GOL	C	403[A]	-	-	2/4/4/4	-
4	GOL	A	405[B]	-	-	4/4/4/4	-
3	3G6	B	402	-	-	0/4/66/66	0/4/4/4
4	GOL	A	404	-	-	0/4/4/4	-
2	COA	D	401[A]	-	-	6/44/64/64	0/3/3/3
3	3G6	C	401	-	-	0/4/66/66	0/4/4/4

All (87) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	401[B]	COA	C9P-N8P	7.02	1.48	1.33
2	D	401[A]	COA	C9P-N8P	6.26	1.47	1.33
2	B	401[A]	COA	C9P-N8P	5.94	1.46	1.33
2	B	401[B]	COA	C9P-N8P	5.94	1.46	1.33
2	D	401[B]	COA	C5P-N4P	5.94	1.46	1.33
2	A	401	COA	C9P-N8P	5.79	1.46	1.33
2	C	402	COA	C9P-N8P	5.76	1.46	1.33
2	C	402	COA	C2B-C3B	-5.50	1.40	1.52
2	B	401[A]	COA	C2B-C3B	-5.29	1.41	1.52
2	B	401[B]	COA	C2B-C3B	-5.29	1.41	1.52
2	D	401[A]	COA	C2B-C3B	-5.22	1.41	1.52
2	D	401[B]	COA	C2B-C3B	-5.22	1.41	1.52
2	A	401	COA	C2B-C3B	-5.19	1.41	1.52
2	B	401[A]	COA	C5P-N4P	5.11	1.45	1.33
2	B	401[B]	COA	C5P-N4P	5.05	1.44	1.33
2	C	402	COA	C5P-N4P	5.04	1.44	1.33
2	D	401[A]	COA	C5P-N4P	4.99	1.44	1.33
2	A	401	COA	C5P-N4P	4.93	1.44	1.33
2	C	402	COA	C2B-C1B	-3.87	1.47	1.53
3	C	401	3G6	CAG-CAR	3.83	1.40	1.34
3	A	402	3G6	CAG-CAR	3.80	1.40	1.34
3	B	402	3G6	CAG-CAR	3.80	1.40	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401[A]	COA	C2B-C1B	-3.76	1.48	1.53
2	B	401[B]	COA	C2B-C1B	-3.76	1.48	1.53
2	A	401	COA	C2B-C1B	-3.69	1.48	1.53
2	D	401[A]	COA	C6A-N6A	3.58	1.47	1.34
2	D	401[B]	COA	C6A-N6A	3.58	1.47	1.34
2	B	401[A]	COA	C6A-N6A	3.57	1.47	1.34
2	B	401[B]	COA	C6A-N6A	3.57	1.47	1.34
2	C	402	COA	C6A-N6A	3.49	1.46	1.34
2	A	401	COA	C6A-N6A	3.40	1.46	1.34
2	D	401[A]	COA	C2B-C1B	-3.39	1.48	1.53
2	D	401[B]	COA	C2B-C1B	-3.39	1.48	1.53
2	B	401[A]	COA	O4B-C4B	-3.18	1.37	1.45
2	B	401[B]	COA	O4B-C4B	-3.18	1.37	1.45
2	C	402	COA	O4B-C4B	-3.16	1.37	1.45
2	D	401[A]	COA	O4B-C4B	-3.14	1.38	1.45
2	D	401[B]	COA	O4B-C4B	-3.14	1.38	1.45
2	A	401	COA	O4B-C4B	-3.08	1.38	1.45
3	A	402	3G6	CAI-CAR	2.94	1.55	1.50
3	B	402	3G6	CAI-CAR	2.81	1.55	1.50
3	C	401	3G6	CAI-CAR	2.71	1.55	1.50
2	D	401[A]	COA	OAP-CAP	-2.69	1.37	1.42
2	D	401[B]	COA	OAP-CAP	-2.69	1.37	1.42
2	B	401[A]	COA	C3B-C4B	-2.62	1.45	1.52
2	B	401[B]	COA	C3B-C4B	-2.62	1.45	1.52
3	B	402	3G6	CAY-CAW	-2.60	1.50	1.55
2	D	401[A]	COA	C3B-C4B	-2.59	1.45	1.52
2	D	401[B]	COA	C3B-C4B	-2.59	1.45	1.52
2	A	401	COA	C3B-C4B	-2.59	1.45	1.52
2	C	402	COA	C3B-C4B	-2.58	1.46	1.52
3	C	401	3G6	CAB-CAX	-2.52	1.50	1.54
3	C	401	3G6	CAY-CAW	-2.51	1.50	1.55
2	D	401[A]	COA	C4A-N3A	2.47	1.39	1.35
2	D	401[B]	COA	C4A-N3A	2.47	1.39	1.35
3	A	402	3G6	CAN-CAH	-2.45	1.48	1.53
3	B	402	3G6	CAN-CAH	-2.43	1.48	1.53
3	A	402	3G6	CAB-CAX	-2.41	1.50	1.54
3	B	402	3G6	CAB-CAX	-2.39	1.50	1.54
2	A	401	COA	C2P-S1P	-2.35	1.72	1.80
2	A	401	COA	C4A-N3A	2.35	1.38	1.35
3	A	402	3G6	CAY-CAW	-2.34	1.50	1.55
2	B	401[B]	COA	C2P-S1P	-2.33	1.72	1.80
3	C	401	3G6	CAN-CAH	-2.32	1.48	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	402	3G6	CAO-CAY	-2.31	1.50	1.54
2	B	401[A]	COA	C4A-N3A	2.30	1.38	1.35
2	B	401[B]	COA	C4A-N3A	2.30	1.38	1.35
2	C	402	COA	OAP-CAP	-2.29	1.38	1.42
2	D	401[A]	COA	C2A-N3A	2.28	1.35	1.32
2	D	401[B]	COA	C2A-N3A	2.28	1.35	1.32
2	D	401[B]	COA	C6P-C5P	2.27	1.55	1.51
2	B	401[A]	COA	C2P-S1P	-2.26	1.73	1.80
2	C	402	COA	C2P-S1P	-2.22	1.73	1.80
2	B	401[A]	COA	C2A-N3A	2.22	1.35	1.32
2	B	401[B]	COA	C2A-N3A	2.22	1.35	1.32
2	C	402	COA	C4A-N3A	2.21	1.38	1.35
3	C	401	3G6	CAK-CAV	-2.17	1.49	1.54
2	B	401[A]	COA	OAP-CAP	-2.14	1.38	1.42
2	B	401[B]	COA	OAP-CAP	-2.14	1.38	1.42
2	A	401	COA	OAP-CAP	-2.14	1.38	1.42
2	D	401[A]	COA	O9P-C9P	-2.13	1.19	1.23
2	D	401[B]	COA	O9P-C9P	-2.13	1.19	1.23
2	D	401[A]	COA	C2P-S1P	-2.09	1.73	1.80
2	A	401	COA	C2A-N3A	2.08	1.35	1.32
3	B	402	3G6	CAK-CAV	-2.02	1.50	1.54
3	B	402	3G6	CAY-CAV	-2.01	1.51	1.55
2	C	402	COA	O9P-C9P	-2.01	1.19	1.23

All (88) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401[B]	COA	C6P-C5P-N4P	6.32	127.06	116.42
2	D	401[B]	COA	C6P-C7P-N8P	6.23	124.48	111.90
2	D	401[B]	COA	CAP-C9P-N8P	5.39	127.31	116.58
2	D	401[A]	COA	N3A-C2A-N1A	-5.00	120.87	128.68
2	D	401[B]	COA	N3A-C2A-N1A	-5.00	120.87	128.68
2	A	401	COA	N3A-C2A-N1A	-4.93	120.97	128.68
2	B	401[A]	COA	N3A-C2A-N1A	-4.78	121.21	128.68
2	B	401[B]	COA	N3A-C2A-N1A	-4.78	121.21	128.68
2	C	402	COA	N3A-C2A-N1A	-4.66	121.40	128.68
2	D	401[B]	COA	O9P-C9P-N8P	-4.60	113.13	122.99
3	C	401	3G6	CAV-CAY-CAW	-4.13	95.18	100.07
2	C	402	COA	C7P-N8P-C9P	-3.95	115.54	122.59
2	D	401[B]	COA	C7P-N8P-C9P	-3.92	115.60	122.59
3	B	402	3G6	CAN-CAX-CAU	-3.46	103.89	108.73
2	D	401[A]	COA	O6A-CCP-CBP	3.40	116.01	110.55

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401[B]	COA	O6A-CCP-CBP	3.40	116.01	110.55
2	D	401[B]	COA	O5P-C5P-N4P	-3.37	116.65	123.01
3	A	402	3G6	CAN-CAX-CAU	-3.36	104.03	108.73
3	A	402	3G6	CAH-CAP-CAG	3.29	121.81	116.74
2	D	401[B]	COA	C7P-C6P-C5P	3.24	117.75	112.36
3	B	402	3G6	CAV-CAY-CAW	-3.19	96.29	100.07
2	D	401[B]	COA	O5P-C5P-C6P	-3.13	116.29	122.02
2	D	401[A]	COA	P2A-O3A-P1A	-3.11	122.14	132.83
2	D	401[B]	COA	P2A-O3A-P1A	-3.11	122.14	132.83
3	B	402	3G6	CAH-CAP-CAG	3.10	121.51	116.74
2	B	401[A]	COA	O4B-C1B-C2B	-3.04	102.48	106.93
2	B	401[B]	COA	O4B-C1B-C2B	-3.04	102.48	106.93
3	C	401	3G6	CAN-CAX-CAU	-3.01	104.52	108.73
3	A	402	3G6	CAV-CAY-CAW	-3.01	96.51	100.07
3	C	401	3G6	CAH-CAP-CAG	2.99	121.34	116.74
2	D	401[B]	COA	C3P-N4P-C5P	2.96	128.33	122.84
2	B	401[A]	COA	C7P-C6P-C5P	-2.91	107.52	112.36
2	B	401[B]	COA	C7P-C6P-C5P	-2.91	107.52	112.36
3	A	402	3G6	CAX-CAR-CAG	-2.87	118.04	122.68
3	A	402	3G6	CAI-CAR-CAX	2.85	122.03	116.77
2	A	401	COA	C7P-N8P-C9P	-2.84	117.52	122.59
2	A	401	COA	C3P-N4P-C5P	-2.79	117.66	122.84
3	A	402	3G6	CAK-CAV-CAS	-2.77	108.02	111.86
2	C	402	COA	C6P-C7P-N8P	2.73	117.40	111.90
2	C	402	COA	C3P-N4P-C5P	-2.69	117.84	122.84
3	C	401	3G6	CAI-CAR-CAX	2.67	121.70	116.77
3	C	401	3G6	CAC-CAY-CAW	2.67	116.69	111.71
3	C	401	3G6	CAK-CAV-CAS	-2.64	108.20	111.86
2	B	401[A]	COA	C6P-C5P-N4P	2.64	120.87	116.42
2	C	402	COA	C6P-C5P-N4P	2.61	120.81	116.42
2	C	402	COA	O4B-C1B-C2B	-2.59	103.14	106.93
2	B	401[A]	COA	C3P-N4P-C5P	-2.59	118.03	122.84
2	A	401	COA	C6P-C7P-N8P	2.55	117.05	111.90
3	A	402	3G6	CAC-CAY-CAW	2.53	116.43	111.71
3	C	401	3G6	CAM-CAO-CAY	2.48	117.04	112.78
3	A	402	3G6	CAX-CAU-CAT	2.44	116.40	112.73
3	B	402	3G6	CAI-CAR-CAX	2.43	121.24	116.77
2	B	401[B]	COA	C3P-N4P-C5P	-2.38	118.41	122.84
3	B	402	3G6	CAB-CAX-CAU	2.38	114.51	111.68
2	A	401	COA	C2P-C3P-N4P	-2.37	106.88	112.31
2	A	401	COA	C7P-C6P-C5P	-2.36	108.43	112.36
2	C	402	COA	P2A-O3A-P1A	-2.31	124.89	132.83

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	COA	O4B-C1B-C2B	-2.28	103.60	106.93
2	D	401[A]	COA	O4B-C1B-C2B	-2.27	103.61	106.93
2	D	401[B]	COA	O4B-C1B-C2B	-2.27	103.61	106.93
2	C	402	COA	C7P-C6P-C5P	-2.27	108.58	112.36
2	D	401[A]	COA	C6P-C7P-N8P	2.25	116.44	111.90
3	B	402	3G6	CAK-CAV-CAY	2.24	106.54	103.84
2	B	401[A]	COA	C6P-C7P-N8P	2.23	116.40	111.90
2	B	401[B]	COA	C6P-C7P-N8P	2.23	116.40	111.90
3	B	402	3G6	CAX-CAR-CAG	-2.23	119.08	122.68
2	A	401	COA	C1B-N9A-C4A	-2.20	122.78	126.64
3	C	401	3G6	CAK-CAV-CAY	2.19	106.48	103.84
3	C	401	3G6	CAX-CAR-CAG	-2.19	119.14	122.68
2	B	401[A]	COA	C7P-N8P-C9P	-2.18	118.70	122.59
2	B	401[B]	COA	C7P-N8P-C9P	-2.18	118.70	122.59
3	B	402	3G6	CAU-CAX-CAR	-2.15	106.29	109.65
2	B	401[B]	COA	C6P-C5P-N4P	2.12	119.99	116.42
2	D	401[B]	COA	C2P-C3P-N4P	2.12	117.14	112.31
3	C	401	3G6	CAA-CAS-CAQ	-2.11	105.60	112.25
2	D	401[A]	COA	C3B-C2B-C1B	2.09	104.52	99.89
2	D	401[B]	COA	C3B-C2B-C1B	2.09	104.52	99.89
3	B	402	3G6	CAA-CAS-CAQ	-2.08	105.72	112.25
3	C	401	3G6	CAM-CAU-CAX	2.07	115.81	113.08
3	A	402	3G6	CAK-CAV-CAY	2.06	106.32	103.84
3	A	402	3G6	CAA-CAS-CAQ	-2.05	105.80	112.25
2	A	401	COA	P2A-O3A-P1A	-2.05	125.79	132.83
3	A	402	3G6	CAO-CAY-CAW	-2.04	104.11	107.27
3	C	401	3G6	CAB-CAX-CAU	2.04	114.11	111.68
2	C	402	COA	O5P-C5P-C6P	-2.02	118.31	122.02
3	A	402	3G6	CAB-CAX-CAU	2.01	114.08	111.68
2	D	401[A]	COA	C4A-C5A-N7A	-2.00	107.31	109.40
2	D	401[B]	COA	C4A-C5A-N7A	-2.00	107.31	109.40

There are no chirality outliers.

All (43) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	401[A]	COA	S1P-C2P-C3P-N4P
2	B	401[B]	COA	S1P-C2P-C3P-N4P
2	C	402	COA	S1P-C2P-C3P-N4P
2	D	401[A]	COA	C3B-O3B-P3B-O7A
2	D	401[A]	COA	S1P-C2P-C3P-N4P
2	D	401[B]	COA	C3B-O3B-P3B-O7A

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	A	405[A]	GOL	O1-C1-C2-O2
4	A	405[A]	GOL	O1-C1-C2-C3
4	A	405[A]	GOL	C1-C2-C3-O3
4	A	405[B]	GOL	O1-C1-C2-O2
4	A	405[B]	GOL	O1-C1-C2-C3
4	C	403[B]	GOL	O1-C1-C2-C3
4	D	402[B]	GOL	O1-C1-C2-C3
2	D	401[B]	COA	C6P-C5P-N4P-C3P
2	D	401[B]	COA	O5P-C5P-N4P-C3P
6	C	404	PEG	O1-C1-C2-O2
4	A	403	GOL	O1-C1-C2-C3
4	A	405[B]	GOL	C1-C2-C3-O3
4	C	403[A]	GOL	O1-C1-C2-C3
4	A	405[A]	GOL	O2-C2-C3-O3
4	A	405[B]	GOL	O2-C2-C3-O3
4	C	403[B]	GOL	O1-C1-C2-O2
4	D	402[B]	GOL	O1-C1-C2-O2
4	A	403	GOL	O1-C1-C2-O2
2	B	401[A]	COA	P2A-O3A-P1A-O1A
2	B	401[B]	COA	P2A-O3A-P1A-O1A
2	D	401[A]	COA	CCP-O6A-P2A-O3A
2	D	401[B]	COA	CCP-O6A-P2A-O3A
2	D	401[A]	COA	C6P-C7P-N8P-C9P
2	C	402	COA	P2A-O3A-P1A-O1A
2	D	401[A]	COA	P2A-O3A-P1A-O1A
2	D	401[B]	COA	P2A-O3A-P1A-O1A
2	A	401	COA	C4B-C3B-O3B-P3B
6	C	404	PEG	C4-C3-O2-C2
4	C	403[A]	GOL	O1-C1-C2-O2
2	D	401[A]	COA	P2A-O3A-P1A-O2A
2	D	401[B]	COA	P2A-O3A-P1A-O2A
2	A	401	COA	C2B-C3B-O3B-P3B
2	A	401	COA	C3B-O3B-P3B-O8A
2	B	401[A]	COA	P2A-O3A-P1A-O2A
2	B	401[B]	COA	P2A-O3A-P1A-O2A
2	C	402	COA	P2A-O3A-P1A-O2A
4	D	402[A]	GOL	O1-C1-C2-C3


There are no ring outliers.



6 monomers are involved in 12 short contacts:







Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	C	404	PEG	1	0
4	D	402[A]	GOL	0	1
3	A	402	3G6	2	0
4	D	402[B]	GOL	1	1
3	B	402	3G6	5	0
3	C	401	3G6	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å <sup>2</sup> )	Q<0.9
1	A	396/399 (99%)	0.40	34 (8%)	10	12	15, 25, 52, 83	3 (0%)
1	B	392/399 (98%)	0.39	29 (7%)	14	16	14, 26, 50, 85	0
1	C	391/399 (97%)	0.38	30 (7%)	13	15	16, 28, 56, 107	0
1	D	376/399 (94%)	0.39	24 (6%)	19	21	15, 25, 51, 113	0
All	All	1555/1596 (97%)	0.39	117 (7%)	14	16	14, 26, 52, 113	3 (0%)

All (117) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	203	GLU	7.8
1	A	-3	HIS	6.5
1	A	43	ILE	6.5
1	A	44	GLN	6.0
1	A	-1	GLY	5.5
1	D	204	GLN	5.5
1	D	208	THR	5.4
1	D	203	GLU	5.3
1	D	201	LEU	5.3
1	B	202	ASP	5.1
1	C	134	PRO	4.9
1	A	46	GLY	4.8
1	B	205	ASN	4.7
1	C	204	GLN	4.6
1	C	202[A]	ASP	4.4
1	D	1	MET	4.3
1	B	200	VAL	4.2
1	C	391[A]	ILE	4.1
1	B	201	LEU	4.0
1	D	207	PRO	3.9
1	A	265	ALA	3.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	206	GLN	3.7
1	C	205	ASN	3.7
1	C	89	VAL	3.6
1	D	234	VAL	3.6
1	D	212[A]	ARG	3.5
1	A	-2	HIS	3.5
1	C	201	LEU	3.5
1	C	102	LEU	3.4
1	C	3	TYR	3.4
1	D	206	GLN	3.4
1	B	206	GLN	3.3
1	D	44	GLN	3.2
1	A	279	LEU	3.2
1	A	45	SER	3.2
1	C	142[A]	GLN	3.2
1	D	210[A]	GLU	3.2
1	B	204	GLN	3.2
1	C	135	ASP	3.1
1	B	207	PRO	3.1
1	D	56	ILE	3.1
1	A	-4	HIS	3.1
1	D	202	ASP	3.1
1	B	89	VAL	3.0
1	A	203	GLU	3.0
1	A	135[A]	ASP	3.0
1	C	200	VAL	3.0
1	A	91	CYS	2.9
1	B	91	CYS	2.9
1	D	46	GLY	2.9
1	A	48[A]	HIS	2.9
1	D	89	VAL	2.9
1	A	391	ILE	2.9
1	B	84	VAL	2.9
1	B	209	GLY	2.8
1	A	134[A]	PRO	2.8
1	C	208	THR	2.8
1	A	382	LEU	2.8
1	A	42	GLY	2.8
1	D	205	ASN	2.8
1	B	120	ILE	2.8
1	A	47	LEU	2.8
1	A	56	ILE	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	3	TYR	2.7
1	C	232	LYS	2.7
1	B	134	PRO	2.7
1	A	142[A]	GLN	2.7
1	C	44	GLN	2.7
1	A	267	GLY	2.7
1	A	268	LEU	2.6
1	C	206	GLN	2.6
1	B	56	ILE	2.6
1	A	89	VAL	2.6
1	A	266	HIS	2.6
1	B	203	GLU	2.6
1	B	86	ALA	2.6
1	C	91	CYS	2.6
1	B	279	LEU	2.5
1	B	116	ILE	2.5
1	D	102	LEU	2.5
1	B	212[A]	ARG	2.5
1	D	391[A]	ILE	2.5
1	A	0	SER	2.4
1	C	137	SER	2.4
1	B	1	MET	2.4
1	D	99	ALA	2.4
1	B	210	GLU	2.4
1	C	138	LEU	2.4
1	B	164	ILE	2.3
1	D	91	CYS	2.3
1	A	1	MET	2.3
1	D	211	ARG	2.3
1	B	0	SER	2.3
1	C	234[A]	VAL	2.3
1	B	87	THR	2.3
1	A	202	ASP	2.3
1	B	88	THR	2.2
1	A	222	GLU	2.2
1	A	102	LEU	2.2
1	A	70	ILE	2.2
1	C	266	HIS	2.2
1	C	120	ILE	2.2
1	C	212[A]	ARG	2.2
1	C	86	ALA	2.2
1	B	70	ILE	2.2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	237	GLY	2.2
1	C	58	GLY	2.2
1	B	235	LEU	2.1
1	D	88	THR	2.1
1	C	236	GLU	2.1
1	B	305	LYS	2.1
1	C	56	ILE	2.1
1	D	197	GLN	2.0
1	C	118	CYS	2.0
1	C	57	GLY	2.0
1	A	137	SER	2.0
1	A	73	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	GOL	A	405[A]	6/6	0.60	0.27	69,70,73,73	6
4	GOL	A	405[B]	6/6	0.60	0.27	70,73,74,79	6
6	PEG	C	404	7/7	0.74	0.29	54,58,62,62	0
2	COA	D	401[B]	48/48	0.77	0.25	29,49,78,80	24
2	COA	D	401[A]	48/48	0.77	0.25	29,49,78,80	24
4	GOL	D	402[B]	6/6	0.78	0.38	56,58,60,63	6
4	GOL	D	402[A]	6/6	0.78	0.38	57,58,60,63	6
4	GOL	C	403[B]	6/6	0.81	0.14	47,52,52,52	6
4	GOL	C	403[A]	6/6	0.81	0.14	48,50,52,53	6
4	GOL	A	404	6/6	0.82	0.12	35,46,47,48	0
3	3G6	B	402	25/25	0.82	0.21	28,38,57,64	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	CL	B	407	1/1	0.84	0.06	74,74,74,74	0
3	3G6	C	401	25/25	0.86	0.12	29,42,61,68	0
3	3G6	A	402	25/25	0.86	0.12	21,30,49,60	0
5	CL	A	406	1/1	0.87	0.20	74,74,74,74	0
4	GOL	A	403	6/6	0.87	0.27	64,67,69,71	0
2	COA	C	402	48/48	0.87	0.17	30,41,145,148	0
7	NA	C	406	1/1	0.87	0.06	56,56,56,56	0
5	CL	C	405	1/1	0.88	0.31	65,65,65,65	0
5	CL	B	404	1/1	0.90	0.07	55,55,55,55	0
2	COA	A	401	48/48	0.91	0.16	23,36,153,156	0
5	CL	B	406	1/1	0.91	0.12	78,78,78,78	0
5	CL	A	407	1/1	0.92	0.24	67,67,67,67	0
5	CL	B	403	1/1	0.92	0.34	60,60,60,60	0
2	COA	B	401[B]	48/48	0.92	0.12	26,35,147,150	4
2	COA	B	401[A]	48/48	0.92	0.12	26,35,147,150	4
5	CL	D	403	1/1	0.94	0.22	62,62,62,62	0
5	CL	B	405	1/1	0.97	0.15	67,67,67,67	0
5	CL	D	404	1/1	0.99	0.08	35,35,35,35	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around COA D 401 (B):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around COA D 401 (A):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 3G6 B 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 3G6 C 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 3G6 A 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around COA C 402:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)









**Electron density around COA A 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around COA B 401 (B):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.