



Full wwPDB X-ray Structure Validation Report ⓘ

May 28, 2020 – 08:35 pm BST

PDB ID : 1UD9
Title : Crystal Structure of Proliferating Cell Nuclear Antigen (PCNA) Homolog From *Sulfolobus tokodaii*
Authors : Tanabe, E.; Yasutake, Y.; Tanaka, Y.; Yao, M.; Tsumoto, K.; Kumagai, I.; Tanaka, I.
Deposited on : 2003-04-28
Resolution : 1.68 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	7310 (1.70-1.66)
Ramachandran outliers	138981	7173 (1.70-1.66)
Sidechain outliers	138945	7172 (1.70-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	245	
1	B	245	
1	C	245	
1	D	245	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7996 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase sliding clamp A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	242	Total	C	N	O	S	0	0	0
			1894	1219	297	374	4			
1	B	238	Total	C	N	O	S	0	0	0
			1863	1198	293	368	4			
1	C	239	Total	C	N	O	S	0	0	0
			1871	1204	294	369	4			
1	D	241	Total	C	N	O	S	0	0	0
			1886	1213	297	372	4			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ALA	-	SEE REMARK 999	UNP Q975N2
B	1	ALA	-	SEE REMARK 999	UNP Q975N2
C	1	ALA	-	SEE REMARK 999	UNP Q975N2
D	1	ALA	-	SEE REMARK 999	UNP Q975N2

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	4	Total	Zn	0	0
			4	4		
2	A	8	Total	Zn	0	0
			8	8		
2	D	6	Total	Zn	0	0
			6	6		
2	C	5	Total	Zn	0	0
			5	5		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	83	Total 83	O 83	0	0
3	B	120	Total 120	O 120	0	0
3	C	129	Total 129	O 129	0	0
3	D	127	Total 127	O 127	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: DNA polymerase sliding clamp A




• Molecule 1: DNA polymerase sliding clamp A



• Molecule 1: DNA polymerase sliding clamp A



• Molecule 1: DNA polymerase sliding clamp A



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	79.40 Å 75.44 Å 88.14 Å 90.00° 98.83° 90.00°	Depositor
Resolution (Å)	10.00 – 1.68	Depositor
% Data completeness (in resolution range)	97.8 (10.00-1.68)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.202 , 0.238	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	7996	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.90	0/1921	0.98	3/2591 (0.1%)
1	B	1.08	2/1889 (0.1%)	1.03	0/2546
1	C	1.14	7/1897 (0.4%)	1.04	6/2557 (0.2%)
1	D	1.00	0/1912	0.96	1/2578 (0.0%)
All	All	1.03	9/7619 (0.1%)	1.00	10/10272 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	43	HIS	CA-CB	11.73	1.79	1.53
1	C	43	HIS	CB-CG	6.74	1.62	1.50
1	C	86	GLU	CD-OE1	5.92	1.32	1.25
1	C	17	ALA	CA-CB	5.63	1.64	1.52
1	C	196	TYR	CE2-CZ	5.62	1.45	1.38
1	B	58	GLU	CD-OE1	-5.44	1.19	1.25
1	C	86	GLU	CB-CG	-5.41	1.41	1.52
1	C	43	HIS	CA-C	5.32	1.66	1.52
1	B	216	VAL	CB-CG2	5.24	1.63	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	46	LEU	CA-CB-CG	8.55	134.98	115.30
1	C	43	HIS	CB-CA-C	7.76	125.91	110.40
1	C	83	ARG	NE-CZ-NH2	-6.23	117.18	120.30
1	C	151	ASP	CB-CG-OD1	5.68	123.42	118.30
1	A	106	ASN	N-CA-C	5.36	125.47	111.00
1	C	86	GLU	CG-CD-OE2	-5.28	107.75	118.30
1	C	240	LEU	CA-CB-CG	5.27	127.41	115.30
1	A	40	ASP	CB-CG-OD1	5.24	123.01	118.30
1	A	183	LEU	CA-CB-CG	5.21	127.29	115.30
1	C	86	GLU	CG-CD-OE1	5.01	128.31	118.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	196	TYR	Sidechain
1	B	213	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1894	0	1937	49	0
1	B	1863	0	1904	33	0
1	C	1871	0	1915	45	0
1	D	1886	0	1930	23	0
2	A	8	0	0	0	0
2	B	4	0	0	0	0
2	C	5	0	0	0	0
2	D	6	0	0	0	0
3	A	83	0	0	4	1
3	B	120	0	0	5	0
3	C	129	0	0	4	0
3	D	127	0	0	4	1
All	All	7996	0	7686	149	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:43:HIS:CA	1:C:43:HIS:CB	1.79	1.59
1:A:171:LYS:HD3	1:A:171:LYS:H	1.17	1.07
1:C:170:ASN:HD22	1:C:172:VAL:HG23	1.22	1.01
1:B:140:LYS:HA	1:B:205:ILE:HD11	1.47	0.95
1:A:227:GLU:HG3	1:A:235:LYS:HE3	1.52	0.91
1:A:171:LYS:HD3	1:A:171:LYS:N	1.82	0.91
1:A:26:LEU:HD11	1:A:66:LYS:HB3	1.58	0.86
1:C:118:PRO:HB2	1:C:119:PRO:HD2	1.55	0.86
1:B:136:ALA:HB2	1:B:214:VAL:HG23	1.59	0.84
1:C:140:LYS:HG3	1:C:205:ILE:CD1	2.08	0.84
1:A:85:GLU:OE2	1:A:103:GLY:HA3	1.78	0.83
1:A:26:LEU:CD2	1:A:118:PRO:HG3	2.12	0.78
1:A:175:GLU:O	1:A:180:THR:HG21	1.84	0.77
1:B:171:LYS:O	1:B:172:VAL:HG12	1.84	0.77
1:A:227:GLU:CG	1:A:235:LYS:HE3	2.15	0.77
1:C:43:HIS:CB	1:C:43:HIS:HA	2.11	0.75
1:C:170:ASN:HD22	1:C:172:VAL:CG2	1.97	0.75
1:A:103:GLY:O	1:A:105:LEU:N	2.20	0.74
1:C:203:ASP:OD1	3:C:1040:HOH:O	2.06	0.74
1:B:140:LYS:CA	1:B:205:ILE:HD11	2.17	0.72
1:B:140:LYS:HG3	1:B:205:ILE:CD1	2.21	0.70
1:C:169:GLU:N	1:C:169:GLU:OE1	2.24	0.70
1:C:169:GLU:O	1:C:170:ASN:HB3	1.91	0.69
1:B:203:ASP:OD2	3:B:1051:HOH:O	2.11	0.67
1:C:149:VAL:HG21	1:C:172:VAL:HG21	1.77	0.67
1:C:118:PRO:HB2	1:C:119:PRO:CD	2.25	0.66
1:C:170:ASN:ND2	1:C:172:VAL:HG23	2.03	0.66
1:B:79:LYS:HD2	3:B:1448:HOH:O	1.96	0.65
1:C:118:PRO:CB	1:C:119:PRO:CD	2.75	0.65
1:A:26:LEU:HD23	1:A:118:PRO:HG3	1.79	0.64
1:A:103:GLY:O	1:A:104:ALA:C	2.36	0.64
1:C:118:PRO:CB	1:C:119:PRO:HD2	2.30	0.61
1:A:77:LEU:HD22	1:A:109:PHE:CD2	2.35	0.61
1:A:12:LYS:NZ	1:A:81:ALA:O	2.30	0.60
1:C:36:LEU:HD22	1:C:49:ILE:HD12	1.82	0.60
1:A:227:GLU:CD	1:A:235:LYS:HE3	2.22	0.60
1:C:180:THR:HG21	3:C:1358:HOH:O	2.02	0.59
1:B:119:PRO:HG3	3:B:1050:HOH:O	2.02	0.59
1:A:80:ALA:O	1:A:107:ARG:NH1	2.32	0.59
1:D:117:LEU:HD23	1:D:118:PRO:CD	2.32	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:140:LYS:HG3	1:B:205:ILE:HD13	1.85	0.58
1:B:154:LEU:HD11	1:B:167:GLU:HG3	1.84	0.58
1:B:136:ALA:CB	1:B:214:VAL:HG23	2.30	0.58
1:C:40:ASP:O	1:C:43:HIS:HD2	1.87	0.58
1:C:63:GLU:O	1:C:63:GLU:HG2	2.02	0.57
1:A:180:THR:HG22	1:A:182:SER:OG	2.05	0.57
1:B:178:LYS:NZ	1:B:186:ILE:HG22	2.19	0.57
1:D:92:ASP:OD2	3:D:1045:HOH:O	2.17	0.57
1:B:244:LEU:O	1:B:245:SER:HB3	2.05	0.57
1:A:169:GLU:CG	1:A:170:ASN:H	2.17	0.56
1:C:134:ILE:HD11	1:C:139:LEU:HG	1.87	0.56
1:D:36:LEU:HD22	1:D:49:ILE:HD12	1.85	0.56
1:B:172:VAL:O	1:B:172:VAL:HG13	2.04	0.56
1:A:171:LYS:C	1:A:173:GLU:H	2.09	0.55
1:C:140:LYS:HG3	1:C:205:ILE:CG1	2.37	0.55
1:C:140:LYS:HG3	1:C:205:ILE:HD13	1.86	0.55
1:A:180:THR:CG2	1:A:182:SER:OG	2.54	0.55
1:A:140:LYS:HG2	1:A:205:ILE:HG12	1.87	0.55
1:A:12:LYS:HZ1	1:A:81:ALA:C	2.11	0.55
1:B:46:LEU:HD23	1:B:46:LEU:C	2.26	0.54
1:A:103:GLY:C	1:A:105:LEU:N	2.56	0.54
1:C:32:GLU:H	1:C:32:GLU:CD	2.11	0.54
1:D:172:VAL:HG23	1:D:172:VAL:O	2.07	0.54
1:D:85:GLU:OE1	1:D:85:GLU:HA	2.07	0.54
1:B:57:LYS:HD2	3:B:1325:HOH:O	2.07	0.54
1:B:214:VAL:HG22	1:B:228:PHE:CE2	2.42	0.53
1:D:117:LEU:HD23	1:D:118:PRO:HD3	1.90	0.53
1:D:143:ILE:HD12	1:D:205:ILE:HD11	1.91	0.53
1:C:140:LYS:HG3	1:C:205:ILE:HG12	1.90	0.53
1:B:196:TYR:HB3	1:B:240:LEU:HD13	1.90	0.53
1:C:116:VAL:O	1:C:116:VAL:CG2	2.57	0.52
1:C:57:LYS:NZ	1:C:86:GLU:OE2	2.32	0.52
1:D:107:ARG:NH2	3:D:1235:HOH:O	2.42	0.52
1:A:12:LYS:NZ	1:A:81:ALA:C	2.63	0.52
1:D:26:LEU:HD11	1:D:66:LYS:HB3	1.91	0.52
1:C:86:GLU:HB2	1:C:102:SER:HB3	1.92	0.52
1:A:126:LEU:HD12	1:A:127:GLU:HG3	1.92	0.51
1:A:26:LEU:HD22	1:A:118:PRO:HG3	1.92	0.51
1:C:220:ASP:OD2	3:C:1077:HOH:O	2.19	0.51
1:C:63:GLU:CG	1:C:63:GLU:O	2.58	0.51
1:A:227:GLU:OE1	1:A:235:LYS:NZ	2.38	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:74:MET:HA	1:D:74:MET:HE2	1.91	0.51
1:C:43:HIS:CB	1:C:43:HIS:N	2.67	0.51
1:A:131:LYS:NZ	3:A:1412:HOH:O	2.41	0.51
1:A:169:GLU:HG3	1:A:170:ASN:N	2.27	0.50
1:D:46:LEU:HD13	1:D:239:LEU:HD12	1.94	0.50
1:D:212:ASP:OD2	3:D:1145:HOH:O	2.19	0.50
1:A:159:GLU:HG2	3:A:1416:HOH:O	2.12	0.49
1:A:140:LYS:HG2	1:A:205:ILE:CG1	2.43	0.48
1:B:214:VAL:HG22	1:B:228:PHE:CD2	2.47	0.48
1:C:32:GLU:N	1:C:32:GLU:CD	2.65	0.48
1:B:159:GLU:O	1:B:178:LYS:HE2	2.14	0.48
1:A:89:ILE:HG12	1:A:99:LEU:CD2	2.45	0.47
1:D:41:LYS:HG3	3:D:1168:HOH:O	2.14	0.47
1:A:169:GLU:CG	1:A:170:ASN:N	2.77	0.47
1:C:140:LYS:HG3	1:C:205:ILE:HD11	1.95	0.47
1:A:119:PRO:HG3	3:A:1029:HOH:O	2.14	0.47
1:B:171:LYS:O	1:B:172:VAL:CG1	2.60	0.47
1:C:116:VAL:HG22	1:C:116:VAL:O	2.14	0.47
1:C:196:TYR:HB3	1:C:240:LEU:HD13	1.97	0.47
1:D:48:LYS:HE2	1:D:50:GLU:OE2	2.15	0.47
1:C:186:ILE:O	1:C:186:ILE:HG23	2.15	0.46
1:A:145:GLU:HA	1:A:148:GLU:HG2	1.96	0.46
1:B:134:ILE:HD11	1:B:139:LEU:HG	1.97	0.46
1:A:105:LEU:CD2	1:A:105:LEU:H	2.27	0.46
1:C:170:ASN:ND2	1:C:172:VAL:CG2	2.70	0.46
1:A:171:LYS:HG2	1:A:173:GLU:HB2	1.98	0.45
1:A:171:LYS:CD	1:A:171:LYS:N	2.66	0.45
1:A:146:ILE:HA	1:A:172:VAL:HG21	1.99	0.45
1:B:214:VAL:CG2	1:B:228:PHE:CE2	3.00	0.44
1:A:183:LEU:C	1:A:183:LEU:HD13	2.37	0.44
1:B:169:GLU:O	1:B:170:ASN:C	2.54	0.44
1:B:178:LYS:HZ1	1:B:186:ILE:HG22	1.80	0.44
1:D:80:ALA:O	1:D:82:LYS:HG3	2.18	0.44
1:C:89:ILE:HG12	1:C:99:LEU:CD2	2.48	0.44
1:A:190:LYS:HE2	1:D:106:ASN:OD1	2.18	0.44
1:C:80:ALA:O	1:C:82:LYS:HG3	2.18	0.43
1:C:89:ILE:HG23	1:C:97:VAL:HG13	1.99	0.43
1:D:125:ASN:OD1	1:D:127:GLU:HB3	2.18	0.43
1:B:11:LEU:O	1:B:15:ILE:HG12	2.17	0.43
1:C:169:GLU:O	1:C:170:ASN:CB	2.63	0.43
1:C:63:GLU:CD	1:C:63:GLU:H	2.22	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:170:ASN:OD1	1:D:172:VAL:HG22	2.18	0.43
1:A:214:VAL:HG13	1:A:214:VAL:O	2.18	0.43
1:B:153:LEU:HD23	1:B:153:LEU:C	2.39	0.43
1:D:117:LEU:HA	1:D:117:LEU:HD23	1.79	0.43
1:A:88:ILE:HB	1:A:100:THR:HB	2.01	0.42
1:C:89:ILE:HG12	1:C:99:LEU:HD22	2.00	0.42
1:C:126:LEU:C	1:C:126:LEU:HD13	2.39	0.42
1:A:168:GLY:O	1:A:169:GLU:O	2.37	0.42
1:D:117:LEU:CD2	1:D:118:PRO:HD2	2.50	0.42
1:A:140:LYS:HG2	1:A:205:ILE:CD1	2.50	0.42
1:A:203:ASP:OD1	3:A:1443:HOH:O	2.22	0.41
1:D:117:LEU:HD23	1:D:118:PRO:HD2	2.01	0.41
1:A:140:LYS:HG2	1:A:205:ILE:HD11	2.01	0.41
1:C:139:LEU:HD12	1:C:214:VAL:HG11	2.01	0.41
1:C:185:ASP:OD1	1:C:186:ILE:N	2.53	0.41
1:D:74:MET:HE3	1:D:74:MET:HB2	1.90	0.41
1:A:82:LYS:O	1:A:82:LYS:HD2	2.21	0.41
1:B:204:ILE:HD12	1:B:204:ILE:C	2.41	0.41
1:A:117:LEU:HA	1:A:118:PRO:HD3	1.76	0.41
1:B:21:LEU:N	1:B:21:LEU:HD12	2.36	0.41
1:D:117:LEU:HA	1:D:118:PRO:HD3	1.92	0.41
1:A:153:LEU:HD23	1:A:153:LEU:C	2.42	0.40
1:B:160:GLU:HA	1:B:178:LYS:HE2	2.03	0.40
1:B:19:LEU:HD12	1:B:19:LEU:C	2.42	0.40
1:C:243:LYS:HD3	3:C:1422:HOH:O	2.20	0.40
1:B:168:GLY:O	1:B:170:ASN:N	2.55	0.40
1:B:16:GLN:OE1	3:B:1450:HOH:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1250:HOH:O	3:D:1214:HOH:O[1_554]	2.08	0.12

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	238/245 (97%)	228 (96%)	5 (2%)	5 (2%)	7	1
1	B	234/245 (96%)	226 (97%)	5 (2%)	3 (1%)	12	2
1	C	235/245 (96%)	227 (97%)	7 (3%)	1 (0%)	34	17
1	D	237/245 (97%)	235 (99%)	2 (1%)	0	100	100
All	All	944/980 (96%)	916 (97%)	19 (2%)	9 (1%)	15	3

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	104	ALA
1	A	105	LEU
1	A	106	ASN
1	A	169	GLU
1	B	170	ASN
1	B	169	GLU
1	C	170	ASN
1	B	172	VAL
1	A	172	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	210/213 (99%)	202 (96%)	8 (4%)	33	12
1	B	206/213 (97%)	200 (97%)	6 (3%)	42	21
1	C	207/213 (97%)	197 (95%)	10 (5%)	25	8
1	D	209/213 (98%)	205 (98%)	4 (2%)	57	38
All	All	832/852 (98%)	804 (97%)	28 (3%)	37	15

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	LEU
1	A	46	LEU
1	A	126	LEU
1	A	170	ASN
1	A	171	LYS
1	A	172	VAL
1	A	180	THR
1	A	183	LEU
1	B	11	LEU
1	B	64	GLU
1	B	115	GLU
1	B	139	LEU
1	B	160	GLU
1	B	240	LEU
1	C	32	GLU
1	C	63	GLU
1	C	116	VAL
1	C	119	PRO
1	C	139	LEU
1	C	169	GLU
1	C	171	LYS
1	C	192	SER
1	C	239	LEU
1	C	240	LEU
1	D	46	LEU
1	D	115	GLU
1	D	231	GLU
1	D	242	PRO

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	43	HIS
1	A	170	ASN
1	C	43	HIS
1	C	170	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 23 ligands modelled in this entry, 23 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.