



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 8, 2020 – 04:13 PM BST

PDB ID : 6UEZ
Title : Human sterol 14a-demethylase (CYP51) in complex with the substrate lanosterol
Authors : Hargrove, T.Y.; Wawrzak, Z.; Lepesheva, G.I.
Deposited on : 2019-09-23
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	11647 (2.00-1.96)
Clashscore	141614	1014 (1.98-1.98)
Ramachandran outliers	138981	1006 (1.98-1.98)
Sidechain outliers	138945	1006 (1.98-1.98)
RSRZ outliers	127900	11410 (2.00-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	454	<div> <div>9%</div> <div>85%</div> <div>12%</div> <div>••</div> </div>
1	B	454	<div> <div>6%</div> <div>88%</div> <div>9%</div> <div>••</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7789 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lanosterol 14-alpha demethylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	446	Total	C	N	O	S	0	0	0
			3586	2309	611	650	16			
1	B	445	Total	C	N	O	S	0	0	0
			3541	2283	594	648	16			

There are 26 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	50	MET	-	expression tag	UNP Q16850
A	51	ALA	-	expression tag	UNP Q16850
A	52	LYS	-	expression tag	UNP Q16850
A	53	LYS	-	expression tag	UNP Q16850
A	54	THR	-	expression tag	UNP Q16850
A	55	SER	-	expression tag	UNP Q16850
A	56	SER	-	expression tag	UNP Q16850
A	57	LYS	-	expression tag	UNP Q16850
A	58	GLY	-	expression tag	UNP Q16850
A	59	LYS	-	expression tag	UNP Q16850
A	60	LEU	-	expression tag	UNP Q16850
A	231	ALA	ASP	engineered mutation	UNP Q16850
A	314	ALA	HIS	engineered mutation	UNP Q16850
B	50	MET	-	expression tag	UNP Q16850
B	51	ALA	-	expression tag	UNP Q16850
B	52	LYS	-	expression tag	UNP Q16850
B	53	LYS	-	expression tag	UNP Q16850
B	54	THR	-	expression tag	UNP Q16850
B	55	SER	-	expression tag	UNP Q16850
B	56	SER	-	expression tag	UNP Q16850
B	57	LYS	-	expression tag	UNP Q16850
B	58	GLY	-	expression tag	UNP Q16850
B	59	LYS	-	expression tag	UNP Q16850
B	60	LEU	-	expression tag	UNP Q16850
B	231	ALA	ASP	engineered mutation	UNP Q16850


Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	314	ALA	HIS	engineered mutation	UNP Q16850

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			31	30	1		
3	B	1	Total	C	O	0	0
			31	30	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	225	Total	O	0	0
			225	225		
4	B	289	Total	O	0	0
			289	289		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Lanosterol 14-alpha demethylase



• Molecule 1: Lanosterol 14-alpha demethylase



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	91.18Å 165.07Å 154.03Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.60 – 1.98 43.60 – 1.98	Depositor EDS
% Data completeness (in resolution range)	89.6 (43.60-1.98) 89.6 (43.60-1.98)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.66 (at 1.98Å)	Xtriage
Refinement program	REFMAC 5.8.0253	Depositor
R, R_{free}	0.191 , 0.222 0.202 , 0.226	Depositor DCC
R_{free} test set	3643 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	45.1	Xtriage
Anisotropy	0.084	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 59.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.000 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7789	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 47.17 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.0306e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, LAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.63	0/3678	0.71	1/4981 (0.0%)
1	B	0.69	3/3633 (0.1%)	0.76	3/4929 (0.1%)
All	All	0.66	3/7311 (0.0%)	0.74	4/9910 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	248	PRO	N-CA	13.92	1.71	1.47
1	B	245	LEU	C-N	8.68	1.50	1.34
1	B	247	LEU	C-N	6.13	1.46	1.34

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	248	PRO	CA-N-CD	-7.67	100.76	111.50
1	B	246	PRO	N-CA-C	6.99	130.28	112.10
1	B	245	LEU	CA-C-N	5.24	131.77	117.10
1	A	248	PRO	N-CA-C	5.11	125.38	112.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3586	0	3584	45	0
1	B	3541	0	3499	42	0
2	A	43	0	30	5	0
2	B	43	0	30	3	0
3	A	31	0	50	4	0
3	B	31	0	50	1	0
4	A	225	0	0	1	0
4	B	289	0	0	0	0
All	All	7789	0	7243	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:248:PRO:N	1:B:248:PRO:CA	1.70	1.46
1:B:247:LEU:HB2	1:B:248:PRO:HD2	1.35	1.04
1:A:229:ASP:HB2	1:A:252:ARG:HG3	1.37	1.02
1:A:229:ASP:CB	1:A:252:ARG:HG3	2.02	0.90
1:A:268:ILE:HA	1:A:271:ARG:HB3	1.56	0.86
1:A:270:LYS:O	1:A:274:SER:HB3	1.80	0.80
1:A:268:ILE:HA	1:A:271:ARG:CB	2.12	0.80
1:B:270:LYS:HD2	1:B:270:LYS:O	1.82	0.79
1:A:378:MET:SD	1:A:379:ILE:HG23	2.25	0.76
1:B:264:PHE:O	1:B:268:ILE:N	2.23	0.72
1:B:245:LEU:O	1:B:245:LEU:HD12	1.90	0.70
3:A:602:LAN:H262	3:A:602:LAN:H2C3	1.74	0.70
1:B:198:LEU:O	1:B:202:ILE:HG12	1.92	0.70
1:B:348:ASN:N	1:B:348:ASN:OD1	2.19	0.69
1:A:270:LYS:O	1:A:274:SER:CB	2.44	0.64
1:B:331:LYS:HE2	1:B:473:ASP:OD1	1.98	0.64
3:B:602:LAN:H2C3	3:B:602:LAN:H262	1.80	0.63
1:B:247:LEU:HD12	1:B:247:LEU:C	2.19	0.62
1:B:247:LEU:HB2	1:B:248:PRO:CD	2.23	0.61
1:B:260:ILE:HG21	1:B:302:ALA:HA	1.81	0.60
1:A:252:ARG:N	1:A:252:ARG:HD3	2.16	0.59
1:B:202:ILE:CD1	1:B:462:ILE:CD1	2.81	0.58
1:B:267:ALA:O	1:B:271:ARG:CB	2.51	0.58
1:B:281:ILE:H	1:B:282:LEU:CD1	2.18	0.57
1:A:456:TYR:O	1:A:460:LYS:HB2	2.05	0.56
1:A:159:LEU:HD11	3:A:602:LAN:H183	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:273:GLN:O	1:B:273:GLN:HG2	2.05	0.56
1:B:281:ILE:C	1:B:282:LEU:HD12	2.26	0.56
1:A:260:ILE:HG21	1:A:302:ALA:HA	1.87	0.56
1:A:260:ILE:HG23	1:A:305:LEU:HD12	1.88	0.55
1:A:257:HIS:ND1	1:A:306:ILE:CD1	2.68	0.55
1:B:456:TYR:O	1:B:460:LYS:HB2	2.07	0.55
1:A:274:SER:OG	1:A:276:GLU:OE2	2.26	0.54
1:B:270:LYS:O	1:B:274:SER:C	2.47	0.54
1:B:283:GLN:O	1:B:287:ASP:N	2.39	0.53
1:A:248:PRO:O	1:A:252:ARG:HG2	2.09	0.53
1:B:325:PHE:CE1	1:B:496:ILE:HD12	2.44	0.52
1:A:442:PHE:CE2	1:A:452:GLU:HG3	2.44	0.52
1:A:191:GLU:OE1	1:A:497:ARG:NH2	2.43	0.51
1:A:260:ILE:CG2	1:A:305:LEU:HD12	2.41	0.51
1:B:247:LEU:CB	1:B:248:PRO:HD2	2.21	0.51
1:A:257:HIS:ND1	1:A:306:ILE:HD11	2.27	0.50
1:B:270:LYS:HD2	1:B:270:LYS:C	2.31	0.50
1:B:415:TRP:CE2	1:B:431:PRO:HG2	2.46	0.49
1:A:245:LEU:HB3	1:A:246:PRO:HD2	1.93	0.49
1:B:281:ILE:H	1:B:282:LEU:HD12	1.78	0.49
1:A:261:LYS:O	1:A:265:TYR:CD1	2.67	0.48
1:A:283:GLN:O	1:A:287:ASP:N	2.40	0.48
1:A:254:ASP:OD1	1:A:254:ASP:N	2.45	0.48
1:A:270:LYS:C	1:A:274:SER:HB3	2.33	0.48
1:A:415:TRP:CE2	1:A:431:PRO:HG2	2.49	0.48
1:A:380:MET:HG2	2:A:601:HEM:CGA	2.44	0.48
1:B:260:ILE:CG2	1:B:302:ALA:HA	2.44	0.47
1:A:159:LEU:CD1	3:A:602:LAN:H183	2.44	0.47
1:B:202:ILE:HD11	1:B:462:ILE:HD13	1.95	0.47
1:A:265:TYR:O	1:A:269:GLN:N	2.45	0.47
1:B:270:LYS:O	1:B:274:SER:O	2.33	0.47
1:A:389:THR:HA	1:A:393:TYR:O	2.15	0.47
1:A:326:PHE:CG	1:A:421:PHE:CD2	3.03	0.47
1:A:268:ILE:HA	1:A:271:ARG:HB2	1.91	0.46
1:B:167:HIS:NE2	1:B:281:ILE:CD1	2.78	0.46
1:B:311:ALA:HB1	2:B:601:HEM:C3C	2.51	0.46
1:A:281:ILE:O	1:A:284:THR:N	2.44	0.46
4:A:871:HOH:O	1:B:277:LYS:CB	2.64	0.46
1:A:260:ILE:CG2	1:A:302:ALA:HA	2.46	0.45
1:A:264:PHE:O	1:A:268:ILE:N	2.34	0.45
1:B:270:LYS:HD3	1:B:276:GLU:HG2	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:202:ILE:CD1	1:B:462:ILE:HD13	2.47	0.45
2:A:601:HEM:HBC2	2:A:601:HEM:CMC	2.47	0.45
1:A:124:ASP:HB3	1:A:388:GLN:NE2	2.32	0.45
2:A:601:HEM:CMB	2:A:601:HEM:HBB2	2.47	0.45
1:A:207:SER:O	1:A:211:HIS:HB2	2.17	0.45
1:A:342:LYS:CE	1:A:347:GLU:OE1	2.65	0.45
1:A:164:ASN:OD1	1:A:166:ALA:HB3	2.16	0.44
1:A:311:ALA:HB1	2:A:601:HEM:C3C	2.52	0.44
1:A:57:LYS:N	1:A:394:THR:HG1	2.15	0.44
1:A:290:TYR:CE2	1:A:296:LEU:HD23	2.53	0.44
1:A:325:PHE:CE1	1:A:496:ILE:HD12	2.53	0.44
1:B:265:TYR:CE1	1:B:269:GLN:HG2	2.53	0.43
1:B:449:CYS:HA	2:B:601:HEM:C4D	2.53	0.43
2:A:601:HEM:HMC2	2:A:601:HEM:HBC2	2.00	0.42
1:A:482:VAL:HG13	1:A:489:HIS:HB3	2.01	0.42
1:A:307:GLY:HA3	3:A:602:LAN:H192	2.01	0.41
1:B:167:HIS:NE2	1:B:281:ILE:HD12	2.35	0.41
1:B:202:ILE:HD11	1:B:462:ILE:CD1	2.49	0.41
1:B:442:PHE:CE2	1:B:452:GLU:HG3	2.56	0.41
1:B:260:ILE:HG23	1:B:305:LEU:HD12	2.02	0.41
1:B:247:LEU:CB	1:B:248:PRO:CD	2.94	0.41
1:B:471:GLU:O	1:B:498:TYR:HA	2.21	0.41
1:A:70:PHE:O	1:A:102:GLY:N	2.51	0.40
1:B:347:GLU:O	1:B:347:GLU:HG3	2.21	0.40
1:B:380:MET:HG2	2:B:601:HEM:CGA	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	444/454 (98%)	439 (99%)	5 (1%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	443/454 (98%)	430 (97%)	13 (3%)	0	100	100
All	All	887/908 (98%)	869 (98%)	18 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	387/395 (98%)	380 (98%)	7 (2%)	59	51
1	B	379/395 (96%)	374 (99%)	5 (1%)	69	64
All	All	766/790 (97%)	754 (98%)	12 (2%)	62	56

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	244	TRP
1	A	254	ASP
1	A	257	HIS
1	A	268	ILE
1	A	281	ILE
1	A	378	MET
1	A	496	ILE
1	B	188	GLU
1	B	255	ARG
1	B	348	ASN
1	B	378	MET
1	B	496	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	LAN	A	602	-	34,34,34	0.40	0	56,56,56	0.77	2 (3%)
2	HEM	A	601	1	27,50,50	1.06	2 (7%)	17,82,82	1.79	5 (29%)
3	LAN	B	602	-	34,34,34	0.41	0	56,56,56	0.77	1 (1%)
2	HEM	B	601	1	27,50,50	1.06	1 (3%)	17,82,82	1.62	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LAN	A	602	-	-	0/10/82/82	0/4/4/4
2	HEM	A	601	1	-	0/6/54/54	-
3	LAN	B	602	-	-	0/10/82/82	0/4/4/4
2	HEM	B	601	1	-	0/6/54/54	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	HEM	C3B-C2B	-3.27	1.35	1.40
2	B	601	HEM	C3B-C2B	-3.08	1.36	1.40
2	A	601	HEM	C4D-C3D	2.04	1.47	1.42

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	HEM	C4A-C3A-C2A	4.01	109.79	107.00
2	B	601	HEM	C4A-C3A-C2A	3.45	109.40	107.00
2	B	601	HEM	CBD-CAD-C3D	3.07	118.14	112.48
2	A	601	HEM	CBD-CAD-C3D	2.92	117.86	112.48
2	B	601	HEM	CMA-C3A-C4A	-2.49	124.64	128.46
2	A	601	HEM	CMC-C2C-C3C	2.34	129.05	124.68
2	A	601	HEM	CMA-C3A-C4A	-2.32	124.90	128.46
3	A	602	LAN	C3-C25-C28	-2.23	104.92	107.65
3	A	602	LAN	C9-C21-C12	2.14	108.83	104.58
2	A	601	HEM	C3B-C4B-NB	-2.12	106.47	109.21
3	B	602	LAN	C9-C21-C12	2.02	108.58	104.58

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.


4 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	602	LAN	4	0
2	A	601	HEM	5	0
3	B	602	LAN	1	0
2	B	601	HEM	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	446/454 (98%)	0.93	43 (9%) 8 9	35, 53, 85, 170	0
1	B	445/454 (98%)	0.68	29 (6%) 18 20	35, 50, 81, 172	0
All	All	891/908 (98%)	0.81	72 (8%) 12 13	35, 51, 85, 172	0

All (72) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	278	ILE	18.8
1	B	279	ASP	17.2
1	B	278	ILE	14.2
1	B	265	TYR	14.2
1	A	273	GLN	13.8
1	B	271	ARG	13.7
1	A	245	LEU	13.0
1	A	271	ARG	13.0
1	A	279	ASP	12.1
1	A	277	LYS	11.6
1	A	274	SER	11.0
1	A	57	LYS	10.4
1	A	275	GLN	10.3
1	B	272	ARG	9.8
1	B	281	ILE	9.2
1	A	272	ARG	8.9
1	B	274	SER	8.4
1	A	502	SER	8.3
1	A	265	TYR	8.2
1	B	277	LYS	8.0
1	A	268	ILE	7.8
1	A	269	GLN	7.6
1	A	246	PRO	7.2
1	B	502	SER	6.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	58	GLY	6.4
1	A	247	LEU	6.2
1	B	269	GLN	6.0
1	B	244	TRP	5.4
1	B	273	GLN	5.4
1	B	264	PHE	5.3
1	B	268	ILE	5.2
1	A	276	GLU	5.1
1	A	264	PHE	4.9
1	A	65	PHE	4.9
1	B	276	GLU	4.5
1	A	283	GLN	4.3
1	B	259	GLU	4.3
1	A	270	LYS	3.9
1	A	346	GLY	3.7
1	A	281	ILE	3.7
1	A	260	ILE	3.1
1	B	433	SER	3.1
1	A	63	TYR	3.1
1	A	339	LEU	3.0
1	A	282	LEU	2.9
1	A	347	GLU	2.9
1	A	280	ASP	2.9
1	B	337	CYS	2.8
1	A	500	ARG	2.6
1	A	501	ARG	2.6
1	B	65	PHE	2.6
1	B	262	ASP	2.6
1	B	254	ASP	2.5
1	A	60	LEU	2.4
1	A	187	GLY	2.4
1	A	252	ARG	2.3
1	A	289	THR	2.3
1	A	59	LYS	2.3
1	A	379	ILE	2.3
1	B	339	LEU	2.3
1	B	186	TRP	2.3
1	A	315	THR	2.3
1	A	293	GLY	2.2
1	A	377	ILE	2.2
1	B	282	LEU	2.2
1	B	338	TYR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	499	LYS	2.1
1	B	263	ILE	2.1
1	B	275	GLN	2.1
1	B	245	LEU	2.0
1	B	469	LEU	2.0
1	A	497	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	LAN	A	602	31/31	0.95	0.19	32,39,49,57	0
3	LAN	B	602	31/31	0.96	0.13	34,39,46,49	0
2	HEM	A	601	43/43	0.98	0.16	33,38,44,51	0
2	HEM	B	601	43/43	0.98	0.14	31,37,44,47	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around LAN A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LAN B 602:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.