



Full wwPDB EM Validation Report ⓘ

Nov 27, 2022 – 02:03 AM EST

PDB ID : 5UF6
EMDB ID : EMD-8574
Title : The 2.8 Å Electron Microscopy Structure of Adeno-Associated Virus-DJ Bound by a Heparanoid Pentasaccharide
Authors : Xie, Q.; Spear, J.M.; Noble, A.J.; Sousa, D.R.; Meyer, N.L.; Davulcu, O.; Zhang, F.; Linhardt, R.J.; Stagg, S.M.; Chapman, M.
Deposited on : 2017-01-03
Resolution : 2.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	517	<div> <div>5%</div> <div>68%</div> <div>27%</div> <div>.</div> </div>
2	B	5	<div> <div>20%</div> <div>80%</div> <div>100%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	IDS	B	2	-	-	X	-

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 4360 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called capsid protein VP1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	517	Total	C	N	O	S	10	0
			4215	2652	736	813	14		

- Molecule 2 is an oligosaccharide called 2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-beta-D-glucopyranuronic acid-(1-4)-2-deoxy-3,6-di-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-2-O-sulfo-alpha-L-idopyranuronic acid-(1-4)-methyl 2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranoside.



Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	5	Total	C	N	O	S	0	0
			91	31	3	49	8		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		AltConf
3	A	54	Total	O	0
			54	54	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: capsid protein VP1



- Molecule 2: 2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-beta-D-glucopyranuronic acid-(1-4)-2-deoxy-3,6-di-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-2-O-sulfo-alpha-L-idopyranuronic acid-(1-4)-methyl 2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranoside



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, I	Depositor
Number of particles used	107454	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	66	Depositor
Minimum defocus (nm)	750	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	29000	Depositor
Image detector	DIRECT ELECTRON DE-20 (5k x 3k)	Depositor
Maximum map value	0.564	Depositor
Minimum map value	-0.307	Depositor
Average map value	-0.010	Depositor
Map value standard deviation	0.048	Depositor
Recommended contour level	0.09	Depositor
Map size (Å)	330.7248, 330.7248, 330.7248	wwPDB
Map dimensions	272, 272, 272	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.2159, 1.2159, 1.2159	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BDP, IDS, SUS, SGN, ZDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	1/4338 (0.0%)	0.69	3/5910 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	523	PRO	N-CD	5.30	1.55	1.47

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	455	GLY	N-CA-C	-5.93	98.28	113.10
1	A	454	GLY	N-CA-C	5.74	127.44	113.10
1	A	522	GLY	C-N-CD	5.60	140.15	128.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4215	0	3979	139	0
2	B	91	0	27	8	0
3	A	54	0	0	10	0
All	All	4360	0	4006	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:302:ILE:HD11	1:A:730:THR:HG22	1.28	1.10
1:A:590[A]:ARG:NH2	2:B:2:IDS:O3S	1.87	1.07
1:A:590[A]:ARG:NH2	2:B:2:IDS:S	2.32	1.03
1:A:690:LYS:CG	3:A:920:HOH:O	2.18	0.89
1:A:697:ASN:H	1:A:697:ASN:HD22	1.16	0.87
1:A:349:GLU:HB2	1:A:351:GLN:HE21	1.40	0.86
1:A:690:LYS:HG3	3:A:920:HOH:O	1.75	0.86
1:A:287:ASN:ND2	1:A:619:ILE:H	1.77	0.81
1:A:287:ASN:HD21	1:A:619:ILE:H	1.29	0.81
1:A:523:PRO:HA	1:A:635:LEU:HD22	1.64	0.79
1:A:403:GLN:HE21	1:A:405:LEU:HD21	1.49	0.78
1:A:425:SER:HB2	1:A:730:THR:HB	1.68	0.75
1:A:389:VAL:HG12	1:A:390:GLY:N	2.02	0.75
1:A:359:ALA:HB2	1:A:636:MET:HE1	1.71	0.73
1:A:449:ARG:NH1	1:A:461:THR:HG21	2.05	0.72
1:A:449:ARG:HH12	1:A:461:THR:HG21	1.53	0.71
1:A:457:THR:HG22	3:A:951:HOH:O	1.90	0.71
1:A:697:ASN:HD22	1:A:697:ASN:N	1.90	0.69
1:A:302:ILE:HG13	1:A:730:THR:HA	1.74	0.69
1:A:389:VAL:HG12	1:A:390:GLY:H	1.54	0.69
1:A:717:ASN:ND2	1:A:721:VAL:H	1.91	0.68
1:A:486:ARG:O	1:A:508:THR:HG21	1.95	0.67
1:A:482:GLY:HA3	1:A:608:TRP:HB3	1.75	0.66
1:A:418:GLU:HG2	3:A:909:HOH:O	1.95	0.65
1:A:590[A]:ARG:HD3	2:B:1:ZDO:OS1	1.97	0.64
1:A:690:LYS:HB3	1:A:690:LYS:NZ	2.13	0.64
1:A:382:LEU:HD12	1:A:391:ARG:HB2	1.81	0.62
1:A:285:ASP:OD1	1:A:356:LEU:HD22	1.99	0.62
1:A:302:ILE:CD1	1:A:730:THR:HG22	2.17	0.62
1:A:264:THR:HG22	3:A:947:HOH:O	1.98	0.61
1:A:345:PHE:HB3	1:A:402:SER:HA	1.83	0.61
1:A:590[A]:ARG:CZ	2:B:2:IDS:O1S	2.48	0.61
1:A:690:LYS:HG2	3:A:920:HOH:O	1.95	0.61
1:A:717:ASN:HD21	1:A:721:VAL:H	1.49	0.60
1:A:454:GLY:O	1:A:455:GLY:C	2.40	0.60
1:A:697:ASN:H	1:A:697:ASN:ND2	1.95	0.59
1:A:359:ALA:HB2	1:A:636:MET:CE	2.32	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:452:THR:O	1:A:458:ASN:HB2	2.02	0.59
1:A:403:GLN:NE2	1:A:405:LEU:HD21	2.18	0.59
1:A:655:VAL:HG12	1:A:672:ILE:HD12	1.85	0.58
1:A:706:TYR:HD2	1:A:706:TYR:O	1.87	0.58
1:A:341:THR:HG22	1:A:406:ARG:HG3	1.85	0.58
1:A:590[B]:ARG:HB2	1:A:590[B]:ARG:HH11	1.68	0.58
1:A:327:GLN:NE2	3:A:903:HOH:O	2.35	0.58
1:A:381:THR:HG21	1:A:393:SER:H	1.69	0.58
1:A:587[A]:ARG:HG2	1:A:588[A]:GLY:H	1.67	0.58
1:A:316:LYS:HE2	1:A:412:GLN:OE1	2.04	0.57
2:B:3:SUS:H6	2:B:4:BDP:C1	2.35	0.57
1:A:389:VAL:CG1	1:A:390:GLY:H	2.18	0.57
1:A:457:THR:CG2	3:A:951:HOH:O	2.52	0.56
1:A:577:GLN:H	1:A:577:GLN:HE21	1.53	0.56
1:A:591[A]:GLN:NE2	3:A:901:HOH:O	2.23	0.56
1:A:489:ARG:HB2	1:A:575:THR:HB	1.88	0.55
1:A:436:MET:HG2	1:A:475:GLN:NE2	2.22	0.55
1:A:614:TYR:O	1:A:616:GLN:N	2.40	0.55
1:A:426:TYR:O	1:A:731:ARG:HG3	2.08	0.54
1:A:449:ARG:HD2	1:A:453:THR:HG23	1.89	0.54
1:A:317:LEU:HB3	1:A:411:PHE:HB3	1.89	0.54
1:A:587[A]:ARG:HG2	1:A:588[A]:GLY:N	2.22	0.54
1:A:389:VAL:CG1	1:A:390:GLY:N	2.69	0.53
1:A:255:HIS:CD2	1:A:654:PRO:HG3	2.43	0.53
1:A:438:PRO:O	1:A:469:PRO:HB3	2.09	0.52
1:A:352:LEU:HD11	1:A:397:LEU:HD13	1.91	0.51
1:A:482:GLY:CA	1:A:608:TRP:HB3	2.41	0.51
1:A:488:GLN:HB3	1:A:538:GLN:HE21	1.75	0.51
1:A:244:THR:O	1:A:245:ARG:HD2	2.11	0.51
1:A:225:SER:H	1:A:319:ASN:ND2	2.10	0.50
1:A:661:THR:HG22	1:A:661:THR:O	2.10	0.50
1:A:590[A]:ARG:NH2	2:B:2:IDS:O1S	2.43	0.50
1:A:449:ARG:HH11	1:A:449:ARG:HG2	1.77	0.50
1:A:238:ARG:HB3	1:A:238:ARG:CZ	2.42	0.50
1:A:443:TYR:CE1	1:A:444:LEU:HD13	2.47	0.50
1:A:438:PRO:HG2	1:A:439:LEU:HD22	1.93	0.50
1:A:584[B]:ASN:ND2	1:A:593[B]:ALA:HB3	2.26	0.49
1:A:566:GLU:HG3	1:A:731:ARG:CB	2.41	0.49
1:A:349:GLU:CB	1:A:351:GLN:HE21	2.20	0.49
1:A:580:SER:HA	1:A:595:ALA:O	2.12	0.49
1:A:315:PHE:HB3	1:A:413:PHE:HD1	1.77	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:566:GLU:HG3	1:A:731:ARG:HB3	1.94	0.49
1:A:583:THR:HG21	1:A:595:ALA:HB2	1.95	0.49
1:A:563:ASP:OD1	1:A:565:GLU:HG2	2.12	0.49
1:A:285:ASP:O	1:A:363:CYS:HA	2.13	0.48
1:A:590[A]:ARG:CZ	2:B:2:IDS:S	2.98	0.48
1:A:235:MET:HE3	1:A:240:ILE:HG13	1.95	0.48
1:A:349:GLU:HB2	1:A:351:GLN:NE2	2.21	0.48
1:A:690:LYS:HB3	1:A:690:LYS:HZ2	1.79	0.48
1:A:287:ASN:HD21	1:A:619:ILE:N	2.06	0.48
1:A:487:GLN:OE1	1:A:539:SER:HB2	2.14	0.47
1:A:391:ARG:NH1	1:A:391:ARG:HG2	2.29	0.47
1:A:587[A]:ARG:CG	1:A:588[A]:GLY:H	2.27	0.47
1:A:614:TYR:HA	1:A:728:ILE:O	2.15	0.47
1:A:584[A]:ASN:HD21	1:A:593[A]:ALA:H	1.63	0.47
1:A:560:MET:HB3	1:A:727:PRO:HD3	1.96	0.47
1:A:391:ARG:HG2	1:A:391:ARG:HH11	1.80	0.46
1:A:341:THR:HG22	1:A:406:ARG:CG	2.46	0.46
1:A:443:TYR:CD1	1:A:444:LEU:HD13	2.51	0.46
1:A:590[B]:ARG:HB2	1:A:590[B]:ARG:NH1	2.29	0.45
1:A:457:THR:O	1:A:459:THR:HG23	2.17	0.45
1:A:225:SER:HB2	1:A:318:PHE:HB2	1.99	0.45
1:A:253:ASN:HD21	1:A:278:SER:HB3	1.81	0.45
1:A:577:GLN:H	1:A:577:GLN:NE2	2.13	0.45
1:A:253:ASN:HD21	1:A:278:SER:CB	2.31	0.44
1:A:367:PHE:CE2	1:A:369:ALA:HB3	2.52	0.44
1:A:225:SER:HB2	1:A:319:ASN:H	1.83	0.44
1:A:287:ASN:C	1:A:287:ASN:HD22	2.19	0.44
1:A:717:ASN:HD22	1:A:717:ASN:N	2.15	0.44
1:A:622:LYS:HB2	1:A:644:PRO:HG3	1.99	0.44
1:A:587[B]:ARG:HG2	1:A:588[B]:GLY:N	2.33	0.43
1:A:262:ASN:HD22	1:A:274:TYR:H	1.66	0.43
1:A:491:SER:HB2	1:A:535:PHE:CE1	2.53	0.43
1:A:505:THR:HG23	3:A:946:HOH:O	2.17	0.43
1:A:232:SER:HB2	1:A:297:ASP:OD2	2.19	0.43
1:A:587[B]:ARG:CG	1:A:588[B]:GLY:N	2.82	0.43
1:A:585[B]:LEU:O	1:A:590[B]:ARG:NH2	2.52	0.43
1:A:432:LEU:HD22	1:A:432:LEU:O	2.18	0.43
1:A:529:LYS:HD3	1:A:576:GLU:OE1	2.18	0.43
1:A:616:GLN:HE22	1:A:727:PRO:HA	1.84	0.43
1:A:590[B]:ARG:NH1	1:A:590[B]:ARG:CB	2.82	0.42
1:A:655:VAL:CG1	1:A:672:ILE:HD12	2.47	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:307:GLY:HA2	1:A:423:HIS:O	2.19	0.42
1:A:587[A]:ARG:CG	1:A:588[A]:GLY:N	2.81	0.42
1:A:238:ARG:HB3	1:A:238:ARG:NH1	2.34	0.42
2:B:1:ZDO:O3	2:B:2:IDS:H5	2.20	0.41
1:A:487:GLN:HA	1:A:508:THR:HG21	2.02	0.41
1:A:542:LEU:O	1:A:562:THR:HG23	2.21	0.41
1:A:238:ARG:NH1	1:A:238:ARG:CB	2.83	0.41
1:A:450:THR:O	1:A:450:THR:CG2	2.68	0.41
1:A:494:SER:HA	1:A:497:ASN:ND2	2.35	0.41
1:A:587[B]:ARG:CG	1:A:588[B]:GLY:H	2.33	0.41
1:A:287:ASN:ND2	1:A:287:ASN:C	2.74	0.41
1:A:329:GLU:C	1:A:331:THR:H	2.24	0.41
1:A:432:LEU:HD21	1:A:479:TRP:HB2	2.02	0.41
1:A:644:PRO:O	1:A:645:PRO:C	2.59	0.41
1:A:232:SER:OG	1:A:241:THR:HG22	2.21	0.41
1:A:428:HIS:HA	1:A:735:ARG:O	2.21	0.41
1:A:584[B]:ASN:HD21	1:A:593[B]:ALA:H	1.67	0.40
1:A:612:ASP:OD2	1:A:730:THR:OG1	2.35	0.40
1:A:436:MET:HE1	1:A:472:MET:CE	2.52	0.40
1:A:554:VAL:HG13	1:A:558:LYS:HB2	2.03	0.40
1:A:287:ASN:HD21	1:A:620:TRP:H	1.69	0.40
1:A:556:ILE:HG12	1:A:556:ILE:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	525/517 (102%)	492 (94%)	27 (5%)	6 (1%)	14	41

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	615	LEU
1	A	550	GLU
1	A	731	ARG
1	A	267	GLY
1	A	540	GLY
1	A	632	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	465/458 (102%)	422 (91%)	43 (9%)	9	27

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	249	LEU
1	A	254	ASN
1	A	287	ASN
1	A	290	HIS
1	A	297	ASP
1	A	301	LEU
1	A	302	ILE
1	A	311	LYS
1	A	325	VAL
1	A	329	GLU
1	A	371	VAL
1	A	381	THR
1	A	397	LEU
1	A	419	ASP
1	A	436	MET
1	A	444	LEU
1	A	447	LEU
1	A	466	GLN
1	A	487	GLN
1	A	490	VAL
1	A	512	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	554	VAL
1	A	557	GLU
1	A	565	GLU
1	A	566	GLU
1	A	570	THR
1	A	577	GLN
1	A	584[A]	ASN
1	A	584[B]	ASN
1	A	591[A]	GLN
1	A	591[B]	GLN
1	A	596	ASP
1	A	599	THR
1	A	616	GLN
1	A	629	HIS
1	A	649	LEU
1	A	664	ASN
1	A	691	GLU
1	A	697	ASN
1	A	703	THR
1	A	706	TYR
1	A	717	ASN
1	A	731	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	253	ASN
1	A	254	ASN
1	A	255	HIS
1	A	262	ASN
1	A	272	ASN
1	A	287	ASN
1	A	290	HIS
1	A	319	ASN
1	A	343	GLN
1	A	351	GLN
1	A	403	GLN
1	A	442	GLN
1	A	458	ASN
1	A	475	GLN
1	A	538	GLN
1	A	553	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	577	GLN
1	A	616	GLN
1	A	664	ASN
1	A	692	ASN
1	A	697	ASN
1	A	705	ASN
1	A	717	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

5 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ZDO	B	1	2	20,21,21	0.96	1 (5%)	25,32,32	1.22	1 (4%)
2	IDS	B	2	2	16,16,17	1.15	2 (12%)	17,24,26	1.37	2 (11%)
2	SUS	B	3	2	22,23,24	1.04	2 (9%)	24,36,38	1.54	4 (16%)
2	BDP	B	4	2	12,12,13	0.69	0	14,17,19	1.21	1 (7%)
2	SGN	B	5	2	18,19,20	0.94	1 (5%)	22,29,31	1.22	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ZDO	B	1	2	-	3/13/33/33	0/1/1/1
2	IDS	B	2	2	-	2/9/26/29	0/1/1/1
2	SUS	B	3	2	-	8/16/33/36	0/1/1/1
2	BDP	B	4	2	-	0/4/21/24	0/1/1/1
2	SGN	B	5	2	-	2/11/28/31	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	IDS	O2-C2	-2.79	1.43	1.47
2	B	3	SUS	O6S-S2	2.22	1.64	1.50
2	B	5	SGN	O6S-S2	2.22	1.64	1.50
2	B	1	ZDO	OS3-S6	2.21	1.64	1.50
2	B	2	IDS	O3S-S	2.20	1.63	1.50
2	B	3	SUS	O9S-S3	2.17	1.63	1.50

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	5	SGN	O1S-S1-O2S	-4.83	108.75	120.16
2	B	1	ZDO	OSA-S2-OSB	-4.75	108.93	120.16
2	B	3	SUS	O1S-S1-O3S	-4.26	110.10	120.16
2	B	2	IDS	C1-C2-C3	3.62	114.81	109.40
2	B	2	IDS	C2-O2-S	3.25	122.15	117.91
2	B	3	SUS	O5-C1-C2	-3.21	106.21	111.29
2	B	4	BDP	C1-C2-C3	-3.21	105.72	109.67
2	B	3	SUS	C3-C4-C5	2.96	115.97	109.66
2	B	3	SUS	C1-C2-C3	-2.26	105.94	109.17

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1	ZDO	C1-C2-N2-S2
2	B	1	ZDO	C3-C2-N2-S2
2	B	1	ZDO	O5-C5-C6-O6
2	B	2	IDS	C1-C2-O2-S
2	B	3	SUS	C2-N2-S1-O3S
2	B	3	SUS	C1-C2-N2-S1
2	B	3	SUS	C3-C2-N2-S1
2	B	3	SUS	C3-O3-S3-O8S

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	5	SGN	C4-C5-C6-O6
2	B	5	SGN	O5-C5-C6-O6
2	B	3	SUS	O5-C5-C6-O6
2	B	3	SUS	C3-O3-S3-O7S
2	B	3	SUS	C3-O3-S3-O9S
2	B	3	SUS	C4-C5-C6-O6
2	B	2	IDS	C2-O2-S-O1S

There are no ring outliers.

4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	3	SUS	1	0
2	B	4	BDP	1	0
2	B	1	ZDO	2	0
2	B	2	IDS	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8574. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 136



Y Index: 136




Z Index: 136


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 190



Y Index: 82




Z Index: 82


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.09. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1354 nm³; this corresponds to an approximate mass of 1223 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.357 Å⁻¹

8 Fourier-Shell correlation ⓘ


This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-8574 and PDB model 5UF6. Per-residue inclusion information can be found in section 3 on page 4.

9.1 Map-model overlays

9.1.1 Map-model overlay [i](#)




9.1.2 Map-model assembly overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.09 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.09).

9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.09) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.8478	<div></div> 0.5910
A	<div></div> 0.8668	<div></div> 0.6040
B	<div></div> 0.0000	<div></div> 0.0070

