



# Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 04:31 pm BST

PDB ID : 1UIR  
Title : Crystal Structure of Polyamine Aminopropyltransfease from *Thermus thermophilus*  
Authors : Ganbe, T.; Ohnuma, M.; Sato, T.; Kumasaka, T.; Oshima, T.; Tanaka, N.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)  
Deposited on : 2003-07-18  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	<div> <div>5%</div> <div> <div></div> <div>73%</div> <div>22%</div> <div>• •</div> </div> </div>
1	B	314	<div> <div>5%</div> <div> <div></div> <div>70%</div> <div>25%</div> <div>•</div> </div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5415 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polyamine Aminopropyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	309	Total	C	N	O	S	0	0	0
			2503	1609	427	456	11			
1	B	313	Total	C	N	O	S	0	0	0
			2539	1631	436	461	11			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	174	Total	O	0	0
			174	174		
2	B	199	Total	O	0	0
			199	199		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Polyamine Aminopropyltransferase



#### • Molecule 1: Polyamine Aminopropyltransferase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	87.78 Å 87.78 Å 190.82 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.87 – 2.00 39.87 – 2.00	Depositor EDS
% Data completeness (in resolution range)	96.4 (39.87-2.00) 96.5 (39.87-2.00)	Depositor EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	0.03	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	9.94 (at 2.00 Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.199 , 0.239 0.199 , 0.239	Depositor DCC
$R_{free}$ test set	4972 reflections (10.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	29.1	Xtriage
Anisotropy	0.080	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 52.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5415	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.78% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.39	0/2566	0.65	1/3480 (0.0%)
1	B	0.40	0/2605	0.69	2/3534 (0.1%)
All	All	0.39	0/5171	0.67	3/7014 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	237	LEU	CA-CB-CG	6.35	129.90	115.30
1	A	232	LEU	CA-CB-CG	5.83	128.71	115.30
1	B	249	SER	N-CA-C	-5.14	97.11	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2503	0	2471	63	0
1	B	2539	0	2506	77	0
2	A	174	0	0	5	0
2	B	199	0	0	6	0
All	All	5415	0	4977	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:195:THR:HG21	1:B:237:LEU:HD13	1.35	1.08
1:B:194:GLN:HE21	1:B:196:GLY:H	1.08	1.00
1:B:193:MET:HG2	1:B:237:LEU:HD22	1.50	0.91
1:B:214:ARG:HB3	1:B:214:ARG:HH11	1.41	0.83
1:B:43:PHE:HB3	1:B:56:THR:HG23	1.61	0.81
1:B:170:ARG:NH1	1:B:298:PRO:HG2	2.00	0.77
1:B:176:GLU:HG3	1:B:295:ASP:OD1	1.86	0.74
1:B:194:GLN:NE2	1:B:196:GLY:H	1.84	0.72
1:A:195:THR:HG23	1:A:209:VAL:HG11	1.73	0.71
1:A:218:ARG:O	1:A:218:ARG:HD3	1.92	0.70
1:A:30:THR:HB	1:A:31:PRO:HD2	1.74	0.69
1:B:144:TYR:O	1:B:148:THR:HG22	1.91	0.69
1:A:195:THR:HG22	1:A:195:THR:O	1.94	0.68
1:A:7:PHE:CZ	1:A:48:ILE:HG21	2.29	0.68
1:B:43:PHE:HB3	1:B:56:THR:CG2	2.25	0.67
1:A:302:THR:HB	1:A:303:PRO:HD2	1.76	0.67
1:B:56:THR:HG22	1:B:59:ASP:H	1.59	0.66
1:A:195:THR:HG23	1:A:209:VAL:CG1	2.25	0.66
1:A:170:ARG:NH1	1:A:298:PRO:HG2	2.12	0.65
1:B:9:GLU:OE2	1:B:53:VAL:HG12	1.97	0.63
1:A:221:ARG:HG2	1:A:246:ALA:HB3	1.79	0.63
1:B:195:THR:HG1	1:B:206:HIS:CE1	2.17	0.62
1:A:119:ARG:HD2	1:A:120:HIS:NE2	2.15	0.61
1:A:298:PRO:HG3	1:A:312:TYR:HB2	1.81	0.61
1:A:9:GLU:CD	1:A:53:VAL:HG23	2.20	0.61
1:B:175:VAL:HG23	1:B:293:SER:O	2.02	0.60
1:B:214:ARG:HA	1:B:220:VAL:HG21	1.82	0.60
1:B:193:MET:CG	1:B:237:LEU:HD22	2.30	0.60
1:B:47:LEU:HD13	1:B:54:GLN:HB3	1.86	0.58
1:A:19:ARG:CZ	1:A:53:VAL:HG21	2.33	0.58
1:A:238:LEU:HD23	1:A:245:PRO:HB2	1.84	0.58
1:A:226:HIS:CD2	1:B:226:HIS:HD2	2.22	0.57
1:A:226:HIS:CE1	1:B:233:ASN:HB2	2.39	0.57
1:A:144:TYR:O	1:A:148:THR:HG22	2.04	0.56
1:B:195:THR:OG1	1:B:206:HIS:CE1	2.59	0.56
1:A:205:VAL:HG22	1:A:301:VAL:HG21	1.87	0.55
1:B:98:HIS:CE1	1:B:262:LEU:HD11	2.42	0.55
1:B:193:MET:HG3	1:B:195:THR:CG2	2.37	0.55
1:A:310:ALA:HB1	1:A:311:PRO:HD2	1.88	0.54
1:B:10:HIS:HD2	1:B:52:ASP:OD1	1.91	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:287:GLU:HG3	2:B:486:HOH:O	2.07	0.54
1:A:218:ARG:C	1:A:218:ARG:HD3	2.28	0.54
1:B:193:MET:HG3	1:B:195:THR:HG22	1.89	0.54
1:B:70:PRO:O	1:B:74:THR:HG23	2.08	0.54
1:B:195:THR:CG2	1:B:237:LEU:HD13	2.24	0.53
1:B:176:GLU:HG3	1:B:295:ASP:CG	2.28	0.53
1:B:2:ASP:HB3	2:B:440:HOH:O	2.09	0.53
1:A:226:HIS:CD2	1:B:226:HIS:CD2	2.96	0.53
1:B:49:LEU:HD22	1:B:54:GLN:HG2	1.89	0.53
1:B:48:ILE:HD13	1:B:53:VAL:HA	1.92	0.52
1:B:107:VAL:HA	1:B:137:VAL:O	2.10	0.52
1:A:278:LEU:HG	1:A:282:LEU:HD13	1.91	0.52
1:A:214:ARG:HA	1:A:220:VAL:HG21	1.91	0.52
1:B:204:ARG:HB3	1:B:207:PRO:HG2	1.93	0.51
1:A:195:THR:CG2	1:A:209:VAL:HB	2.41	0.51
1:A:194:GLN:NE2	1:A:196:GLY:H	2.09	0.51
1:A:300:TYR:CE1	1:A:308:ARG:HB3	2.46	0.50
1:B:194:GLN:HA	1:B:236:PHE:CD1	2.47	0.50
1:A:23:ARG:NH2	1:A:39:GLU:HG3	2.27	0.50
1:B:280:LYS:HE2	2:B:408:HOH:O	2.10	0.50
1:A:205:VAL:HG22	1:A:301:VAL:CG2	2.42	0.49
1:B:237:LEU:HD23	1:B:237:LEU:C	2.33	0.49
1:A:221:ARG:HG2	1:A:246:ALA:CB	2.42	0.49
1:A:280:LYS:HE3	2:A:487:HOH:O	2.10	0.49
1:B:99:PRO:HD2	1:B:260:ARG:HB3	1.95	0.49
1:B:56:THR:HB	1:B:59:ASP:OD2	2.12	0.49
1:A:6:TYR:CD2	1:A:18:VAL:HG12	2.47	0.49
1:A:226:HIS:HD2	1:B:226:HIS:CD2	2.31	0.49
1:B:60:GLU:OE1	1:B:64:HIS:HD2	1.96	0.48
1:A:112:GLU:HB2	2:A:481:HOH:O	2.12	0.48
1:A:31:PRO:HG2	1:A:32:PHE:CD2	2.49	0.48
1:A:249:SER:HB2	1:A:252:VAL:HG21	1.95	0.48
1:B:278:LEU:HG	1:B:282:LEU:HD23	1.96	0.48
1:A:23:ARG:HH12	1:A:25:ILE:HG12	1.78	0.48
1:B:204:ARG:CB	1:B:207:PRO:HG2	2.43	0.48
2:A:359:HOH:O	1:B:280:LYS:HE3	2.13	0.48
1:B:12:THR:HB	1:B:13:PRO:HD2	1.95	0.47
1:A:297:ASN:O	1:A:309:GLN:HG3	2.14	0.47
1:B:7:PHE:CZ	1:B:48:ILE:HG21	2.49	0.47
1:B:226:HIS:HE1	2:B:334:HOH:O	1.97	0.47
1:A:205:VAL:CG2	1:A:301:VAL:HG21	2.43	0.47

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:186:ASN:HB3	1:B:187:PRO:HD2	1.96	0.47
1:A:269:ALA:N	1:A:270:PRO:HD2	2.30	0.47
1:B:182:LYS:HE3	1:B:216:ALA:O	2.14	0.47
1:B:283:LEU:O	1:B:287:GLU:HG3	2.14	0.47
1:A:80:ARG:HG3	1:A:80:ARG:HH11	1.80	0.47
1:A:206:HIS:HB3	1:A:207:PRO:HD3	1.96	0.46
1:A:299:PHE:HA	1:A:308:ARG:O	2.16	0.46
1:B:176:GLU:CG	1:B:295:ASP:CG	2.84	0.46
1:A:29:LYS:HE3	1:A:34:ASP:OD1	2.16	0.46
1:A:13:PRO:HG2	1:A:14:TYR:CE1	2.51	0.45
1:A:23:ARG:NH1	1:A:25:ILE:HG12	2.30	0.45
1:B:13:PRO:HG2	1:B:14:TYR:CE1	2.51	0.45
1:A:271:TYR:CE2	1:B:279:PRO:HD3	2.51	0.45
1:A:80:ARG:HG3	1:A:80:ARG:NH1	2.32	0.45
1:A:99:PRO:HD2	1:A:260:ARG:HB3	1.97	0.45
1:B:30:THR:HB	1:B:31:PRO:HD2	1.99	0.45
1:B:255:ALA:O	1:B:259:GLU:HB2	2.17	0.45
1:A:108:ASP:O	1:A:138:ILE:HA	2.17	0.44
1:B:167:ASN:O	1:B:170:ARG:HG3	2.17	0.44
1:B:272:LEU:HD23	1:B:272:LEU:C	2.38	0.44
1:B:80:ARG:NH1	1:B:102:GLU:OE1	2.50	0.44
1:A:122:PRO:HA	1:A:125:HIS:NE2	2.33	0.44
1:A:170:ARG:NH1	1:A:310:ALA:O	2.50	0.44
1:A:272:LEU:C	1:A:272:LEU:HD23	2.38	0.43
1:B:302:THR:HB	1:B:303:PRO:HD2	2.00	0.43
1:B:193:MET:HG2	1:B:237:LEU:CD2	2.35	0.43
1:B:231:PHE:O	1:B:232:LEU:HD13	2.19	0.43
1:B:64:HIS:HE1	2:B:325:HOH:O	2.01	0.42
1:A:182:LYS:HE2	1:A:216:ALA:O	2.19	0.42
1:A:188:GLY:HA2	1:A:242:ALA:CB	2.50	0.42
1:A:182:LYS:HG3	1:A:217:PHE:CE1	2.54	0.42
1:A:48:ILE:CD1	1:A:53:VAL:HG22	2.49	0.42
1:A:10:HIS:HA	2:A:451:HOH:O	2.20	0.42
1:B:258:ARG:HD2	2:B:355:HOH:O	2.18	0.42
1:B:142:ARG:NH2	1:B:295:ASP:OD1	2.48	0.42
1:B:138:ILE:N	1:B:138:ILE:HD12	2.34	0.42
1:B:218:ARG:HB3	1:B:219:TYR:CD1	2.54	0.42
1:B:145:LEU:HA	1:B:148:THR:HG22	2.02	0.42
1:B:21:MET:HG2	1:B:38:PHE:CD2	2.55	0.41
1:A:170:ARG:HB3	1:A:298:PRO:HB2	2.02	0.41
1:B:140:ASP:OD2	1:B:142:ARG:HB3	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:195:THR:CG2	1:A:195:THR:O	2.63	0.41
1:B:238:LEU:HB3	1:B:245:PRO:HB2	2.02	0.41
1:B:113:LEU:C	1:B:113:LEU:HD13	2.41	0.41
1:B:170:ARG:CZ	1:B:298:PRO:HG2	2.49	0.41
1:B:49:LEU:O	1:B:50:ASP:HB2	2.20	0.41
1:B:210:HIS:O	1:B:214:ARG:HG3	2.21	0.41
1:B:214:ARG:CB	1:B:214:ARG:HH11	2.22	0.41
1:B:199:LEU:HD12	1:B:199:LEU:HA	1.93	0.41
1:A:64:HIS:HE1	2:A:323:HOH:O	2.03	0.41
1:A:144:TYR:CE1	1:A:148:THR:HG21	2.56	0.40
1:A:279:PRO:HG2	1:A:282:LEU:HB2	2.03	0.40
1:B:42:GLY:O	1:B:58:ARG:HD3	2.21	0.40
1:A:48:ILE:HD13	1:A:53:VAL:HA	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	305/314 (97%)	296 (97%)	9 (3%)	0	100	100
1	B	311/314 (99%)	300 (96%)	9 (3%)	2 (1%)	25	19
All	All	616/628 (98%)	596 (97%)	18 (3%)	2 (0%)	41	37

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	248	PHE
1	B	249	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	267/271 (98%)	254 (95%)	13 (5%)	25	21
1	B	271/271 (100%)	253 (93%)	18 (7%)	16	12
All	All	538/542 (99%)	507 (94%)	31 (6%)	20	15

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	HIS
1	A	29	LYS
1	A	47	LEU
1	A	59	ASP
1	A	140	ASP
1	A	166	ASP
1	A	194	GLN
1	A	218	ARG
1	A	232	LEU
1	A	238	LEU
1	A	278	LEU
1	A	282	LEU
1	A	299	PHE
1	B	22	GLU
1	B	47	LEU
1	B	49	LEU
1	B	56	THR
1	B	59	ASP
1	B	96	LEU
1	B	194	GLN
1	B	204	ARG
1	B	214	ARG
1	B	218	ARG
1	B	225	ASN
1	B	232	LEU
1	B	233	ASN
1	B	237	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	238	LEU
1	B	278	LEU
1	B	299	PHE
1	B	313	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	HIS
1	A	126	GLN
1	A	186	ASN
1	A	194	GLN
1	A	226	HIS
1	A	261	ASN
1	A	296	GLN
1	B	10	HIS
1	B	33	GLN
1	B	64	HIS
1	B	126	GLN
1	B	186	ASN
1	B	194	GLN
1	B	225	ASN
1	B	226	HIS
1	B	233	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

There are no ligands in this entry.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	309/314 (98%)	0.23	16 (5%) 27 26	17, 31, 55, 76	0
1	B	313/314 (99%)	0.12	17 (5%) 25 24	17, 29, 50, 74	0
All	All	622/628 (99%)	0.18	33 (5%) 26 25	17, 30, 52, 76	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	312	TYR	3.9
1	A	200	LEU	3.9
1	A	303	PRO	3.7
1	B	166	ASP	3.4
1	A	198	ILE	3.3
1	B	1	MET	3.2
1	B	313	LYS	3.2
1	B	249	SER	3.1
1	A	305	GLY	3.0
1	B	187	PRO	2.9
1	A	195	THR	2.9
1	A	166	ASP	2.8
1	A	312	TYR	2.8
1	B	248	PHE	2.7
1	B	232	LEU	2.7
1	A	258	ARG	2.5
1	B	195	THR	2.3
1	A	199	LEU	2.3
1	A	29	LYS	2.3
1	A	232	LEU	2.3
1	A	149	GLU	2.3
1	A	31	PRO	2.3
1	A	80	ARG	2.3
1	B	228	PRO	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	151	ARG	2.2
1	B	303	PRO	2.1
1	B	227	ILE	2.1
1	B	143	ALA	2.1
1	B	226	HIS	2.1
1	B	62	ILE	2.1
1	A	227	ILE	2.0
1	A	151	ARG	2.0
1	B	218	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.