



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 31, 2021 – 09:12 AM EDT

PDB ID : 1UKS
Title : Crystal structure of F183L/F259L mutant cyclodextrin glucanotransferase complexed with a pseudo-maltotetraose derived from acarbose
Authors : Haga, K.; Kanai, R.; Sakamoto, O.; Harata, K.; Yamane, K.
Deposited on : 2003-09-01
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	686	 84% 14% •
1	B	686	 83% 14% •
2	C	2	 100%
2	D	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GAL	C	1	X	-	-	X
2	GLD	C	2	-	-	-	X
2	GAL	D	1	X	-	-	X
2	GLD	D	2	-	-	-	X
3	GLC	A	701	-	-	-	X
3	GLC	B	705	-	-	-	X
4	ACI	A	702	-	-	-	X
4	ACI	B	706	-	-	-	X

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 11443 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cyclomaltodextrin glucanotransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	686	Total	C	N	O	S	0	0	0
			5306	3348	906	1036	16			
1	B	686	Total	C	N	O	S	0	0	0
			5306	3348	906	1036	16			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	183	LEU	PHE	engineered mutation	UNP P05618
A	259	LEU	PHE	engineered mutation	UNP P05618
A	452	PRO	ARG	SEE REMARK 999	UNP P05618
A	454	GLY	ALA	SEE REMARK 999	UNP P05618
B	183	LEU	PHE	engineered mutation	UNP P05618
B	259	LEU	PHE	engineered mutation	UNP P05618
B	452	PRO	ARG	SEE REMARK 999	UNP P05618
B	454	GLY	ALA	SEE REMARK 999	UNP P05618

- Molecule 2 is an oligosaccharide called 4,6-dideoxy-alpha-D-xylo-hexopyranose-(1-4)-beta-D-galactopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	C	2	Total	C	O	0	0	0
			21	12	9			
2	D	2	Total	C	O	0	0	0
			21	12	9			

- Molecule 3 is alpha-D-glucopyranose (three-letter code: GLC) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			11	6	5		
3	B	1	Total	C	O	0	0
			11	6	5		

- Molecule 4 is 6-AMINO-4-HYDROXYMETHYL-CYCLOHEX-4-ENE-1,2,3-TRIOL (three-letter code: ACI) (formula: $C_7H_{13}NO_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			12	7	1	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			12	7	1	4		

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Ca	0	0
			2	2		
5	B	2	Total	Ca	0	0
			2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	386	Total	O	0	0
			386	386		
6	B	353	Total	O	0	0
			353	353		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cyclomaltodextrin glucanotransferase



• Molecule 1: Cyclomaltodextrin glucanotransferase



• Molecule 2: 4,6-dideoxy-alpha-D-xylo-hexopyranose-(1-4)-beta-D-galactopyranose



GAL1
GLD2

- Molecule 2: 4,6-dideoxy-alpha-D-xylo-hexopyranose-(1-4)-beta-D-galactopyranose

Chain D:

100%

GAL1
GLD2

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	64.85Å 74.53Å 78.94Å 85.19° 104.86° 101.04°	Depositor
Resolution (Å)	10.00 – 1.90 19.62 – 1.86	Depositor EDS
% Data completeness (in resolution range)	78.3 (10.00-1.90) 88.3 (19.62-1.86)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.73 (at 1.86Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.162 , 0.215 0.168 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	18.7	Xtriage
Anisotropy	0.126	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 57.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11443	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GLC, GAL, GLD, ACI, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	0/5438	1.43	67/7419 (0.9%)
1	B	0.76	0/5438	1.42	68/7419 (0.9%)
All	All	0.76	0/10876	1.43	135/14838 (0.9%)

There are no bond length outliers.

All (135) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	668	ARG	NE-CZ-NH1	-19.39	110.60	120.30
1	B	331	ARG	NE-CZ-NH2	-16.42	112.09	120.30
1	A	668	ARG	NE-CZ-NH2	15.78	128.19	120.30
1	B	331	ARG	NE-CZ-NH1	14.11	127.35	120.30
1	A	331	ARG	NE-CZ-NH1	13.18	126.89	120.30
1	A	331	ARG	NE-CZ-NH2	-11.96	114.32	120.30
1	B	520	ARG	NE-CZ-NH2	11.89	126.25	120.30
1	B	590	ARG	NE-CZ-NH1	11.64	126.12	120.30
1	A	375	ARG	NE-CZ-NH1	11.26	125.93	120.30
1	A	590	ARG	NE-CZ-NH1	10.30	125.45	120.30
1	A	375	ARG	NE-CZ-NH2	-10.10	115.25	120.30
1	A	590	ARG	NE-CZ-NH2	-9.69	115.45	120.30
1	B	520	ARG	NE-CZ-NH1	-9.25	115.67	120.30
1	A	662	TRP	CD1-CG-CD2	9.16	113.63	106.30
1	B	490	TRP	CD1-CG-CD2	8.63	113.20	106.30
1	A	284	ARG	NE-CZ-NH1	8.53	124.57	120.30
1	B	238	TRP	CD1-CG-CD2	8.40	113.02	106.30
1	A	284	ARG	NE-CZ-NH2	-8.25	116.17	120.30
1	B	590	ARG	NE-CZ-NH2	-8.23	116.19	120.30
1	B	290	ARG	NE-CZ-NH2	8.20	124.40	120.30
1	B	662	TRP	CD1-CG-CD2	8.20	112.86	106.30
1	B	616	TRP	CD1-CG-CD2	8.18	112.84	106.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	684	TRP	CD1-CG-CD2	7.96	112.66	106.30
1	B	238	TRP	CE2-CD2-CG	-7.84	101.03	107.30
1	B	112	TYR	CB-CG-CD2	-7.81	116.32	121.00
1	B	413	TRP	CD1-CG-CD2	7.78	112.52	106.30
1	B	616	TRP	CE2-CD2-CG	-7.76	101.09	107.30
1	A	490	TRP	CD1-CG-CD2	7.71	112.46	106.30
1	B	544	TRP	CD1-CG-CD2	7.69	112.45	106.30
1	B	490	TRP	CE2-CD2-CG	-7.67	101.17	107.30
1	A	662	TRP	CE2-CD2-CG	-7.62	101.20	107.30
1	B	684	TRP	CE2-CD2-CG	-7.61	101.21	107.30
1	A	54	TRP	CD1-CG-CD2	7.59	112.37	106.30
1	B	662	TRP	CE2-CD2-CG	-7.56	101.25	107.30
1	A	75	TRP	CD1-CG-CD2	7.55	112.34	106.30
1	A	616	TRP	CD1-CG-CD2	7.52	112.31	106.30
1	A	413	TRP	CD1-CG-CD2	7.50	112.30	106.30
1	B	353	ARG	NE-CZ-NH2	-7.42	116.59	120.30
1	B	436	ARG	NE-CZ-NH1	7.42	124.01	120.30
1	B	413	TRP	CE2-CD2-CG	-7.41	101.37	107.30
1	A	249	TYR	CB-CG-CD2	-7.38	116.57	121.00
1	A	54	TRP	CE2-CD2-CG	-7.33	101.44	107.30
1	A	218	TRP	CE2-CD2-CG	-7.30	101.46	107.30
1	A	490	TRP	CE2-CD2-CG	-7.29	101.47	107.30
1	A	398	ARG	NE-CZ-NH1	7.26	123.93	120.30
1	A	684	TRP	CE2-CD2-CG	-7.26	101.50	107.30
1	A	218	TRP	CD1-CG-CD2	7.24	112.09	106.30
1	A	544	TRP	CD1-CG-CD2	7.22	112.08	106.30
1	A	684	TRP	CD1-CG-CD2	7.19	112.05	106.30
1	B	636	TRP	CD1-CG-CD2	7.17	112.04	106.30
1	B	75	TRP	CD1-CG-CD2	7.16	112.03	106.30
1	A	238	TRP	CE2-CD2-CG	-7.14	101.58	107.30
1	B	258	TRP	CD1-CG-CD2	7.14	112.01	106.30
1	A	103	ARG	NE-CZ-NH2	-7.12	116.74	120.30
1	A	636	TRP	CD1-CG-CD2	7.08	111.97	106.30
1	B	636	TRP	CE2-CD2-CG	-7.08	101.64	107.30
1	B	218	TRP	CD1-CG-CD2	7.06	111.95	106.30
1	A	216	LYS	CB-CG-CD	-7.05	93.27	111.60
1	B	544	TRP	CE2-CD2-CG	-7.00	101.70	107.30
1	A	616	TRP	CE2-CD2-CG	-6.97	101.72	107.30
1	A	101	TRP	CD1-CG-CD2	6.94	111.86	106.30
1	A	636	TRP	CE2-CD2-CG	-6.91	101.77	107.30
1	B	101	TRP	CD1-CG-CD2	6.90	111.82	106.30
1	A	238	TRP	CD1-CG-CD2	6.87	111.80	106.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	564	ARG	NE-CZ-NH1	-6.85	116.88	120.30
1	B	564	ARG	NE-CZ-NH1	-6.84	116.88	120.30
1	A	413	TRP	CE2-CD2-CG	-6.83	101.83	107.30
1	B	637	TYR	CB-CG-CD2	-6.76	116.94	121.00
1	A	544	TRP	CE2-CD2-CG	-6.76	101.89	107.30
1	B	436	ARG	NE-CZ-NH2	-6.76	116.92	120.30
1	A	75	TRP	CE2-CD2-CG	-6.75	101.90	107.30
1	A	258	TRP	CD1-CG-CD2	6.69	111.65	106.30
1	B	24	ARG	NE-CZ-NH1	6.65	123.63	120.30
1	A	606	LEU	CA-CB-CG	6.65	130.59	115.30
1	A	47	ARG	NE-CZ-NH1	6.57	123.58	120.30
1	B	218	TRP	CE2-CD2-CG	-6.56	102.05	107.30
1	A	383	THR	N-CA-CB	-6.50	97.94	110.30
1	B	75	TRP	CE2-CD2-CG	-6.49	102.11	107.30
1	B	231	VAL	N-CA-CB	-6.45	97.32	111.50
1	A	101	TRP	CE2-CD2-CG	-6.43	102.15	107.30
1	A	112	TYR	CB-CG-CD2	-6.40	117.16	121.00
1	A	103	ARG	NE-CZ-NH1	6.38	123.49	120.30
1	A	668	ARG	CG-CD-NE	-6.30	98.57	111.80
1	A	47	ARG	NE-CZ-NH2	-6.30	117.15	120.30
1	B	682	VAL	N-CA-CB	-6.23	97.80	111.50
1	B	598	THR	N-CA-CB	-6.18	98.56	110.30
1	B	383	THR	N-CA-CB	-6.12	98.67	110.30
1	B	101	TRP	CE2-CD2-CG	-6.06	102.45	107.30
1	B	413	TRP	CB-CG-CD1	-6.02	119.17	127.00
1	A	301	TYR	CB-CG-CD2	-6.01	117.40	121.00
1	B	54	TRP	CE2-CD2-CG	-5.99	102.51	107.30
1	B	456	TYR	CB-CG-CD1	-5.96	117.42	121.00
1	A	398	ARG	NE-CZ-NH2	-5.95	117.33	120.30
1	B	199	ASP	CB-CG-OD2	5.91	123.62	118.30
1	B	47	ARG	NE-CZ-NH2	-5.88	117.36	120.30
1	B	616	TRP	CG-CD2-CE3	5.86	139.17	133.90
1	B	54	TRP	CD1-CG-CD2	5.84	110.98	106.30
1	B	325	ASP	CB-CG-OD1	5.84	123.55	118.30
1	A	258	TRP	CE2-CD2-CG	-5.82	102.65	107.30
1	B	216	LYS	CB-CG-CD	-5.79	96.55	111.60
1	B	616	TRP	CB-CG-CD1	-5.75	119.52	127.00
1	B	238	TRP	CG-CD1-NE1	-5.71	104.39	110.10
1	A	675	SER	C-N-CA	5.69	134.24	122.30
1	A	662	TRP	CG-CD1-NE1	-5.67	104.44	110.10
1	B	453	ARG	NE-CZ-NH2	5.66	123.13	120.30
1	A	54	TRP	CG-CD2-CE3	5.53	138.87	133.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	24	ARG	NE-CZ-NH2	-5.47	117.57	120.30
1	B	684	TRP	CG-CD2-CE3	5.45	138.81	133.90
1	A	561	TYR	CB-CG-CD2	-5.42	117.75	121.00
1	A	436	ARG	NE-CZ-NH2	-5.41	117.59	120.30
1	B	290	ARG	NE-CZ-NH1	-5.40	117.60	120.30
1	B	413	TRP	CG-CD2-CE3	5.38	138.74	133.90
1	A	378	LEU	CB-CG-CD2	-5.38	101.86	111.00
1	B	18	TYR	CB-CG-CD1	-5.36	117.78	121.00
1	B	668	ARG	NE-CZ-NH2	5.33	122.97	120.30
1	B	258	TRP	CE2-CD2-CG	-5.33	103.03	107.30
1	B	238	TRP	CG-CD2-CE3	5.33	138.69	133.90
1	A	24	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	A	531	PHE	N-CA-C	-5.30	96.70	111.00
1	A	75	TRP	CG-CD1-NE1	-5.26	104.84	110.10
1	B	342	LEU	CA-CB-CG	5.26	127.39	115.30
1	B	301	TYR	CB-CG-CD2	-5.25	117.85	121.00
1	B	104	ASP	CB-CG-OD2	5.24	123.01	118.30
1	A	258	TRP	N-CA-C	-5.21	96.92	111.00
1	A	393	LYS	CA-CB-CG	5.20	124.84	113.40
1	A	675	SER	N-CA-C	5.14	124.88	111.00
1	B	75	TRP	CG-CD1-NE1	-5.12	104.98	110.10
1	B	531	PHE	N-CA-C	-5.07	97.30	111.00
1	A	218	TRP	CG-CD2-CE3	5.07	138.46	133.90
1	A	642	VAL	N-CA-CB	-5.06	100.38	111.50
1	A	269	TYR	CB-CG-CD1	-5.04	117.97	121.00
1	A	194	LEU	CA-CB-CG	5.03	126.88	115.30
1	B	490	TRP	CG-CD2-CE3	5.02	138.42	133.90
1	B	662	TRP	CG-CD1-NE1	-5.02	105.08	110.10
1	B	662	TRP	CG-CD2-CE3	5.01	138.41	133.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5306	0	5054	32	0
1	B	5306	0	5054	32	0
2	C	21	0	20	0	0
2	D	21	0	20	2	0
3	A	11	0	10	0	0
3	B	11	0	10	0	0
4	A	12	0	11	0	0
4	B	12	0	10	1	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
6	A	386	0	0	3	0
6	B	353	0	0	2	0
All	All	11443	0	10189	63	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (63) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:528:THR:HG23	1:B:566:ALA:HB3	1.69	0.74
1:A:560:ILE:HD12	1:A:578:ASN:HA	1.71	0.72
1:A:203:ASN:O	1:A:677:THR:HG21	1.92	0.69
1:B:231:VAL:HG22	1:B:239:GLN:HE22	1.59	0.67
1:B:226:ILE:HB	1:B:254:THR:HB	1.77	0.66
1:A:653:LEU:HD12	1:A:660:VAL:HG13	1.78	0.65
1:B:333:HIS:HD2	6:B:1258:HOH:O	1.83	0.60
1:B:340:ARG:HH12	1:B:465:ASN:ND2	1.99	0.60
1:B:453:ARG:HH11	1:B:473:ALA:HB2	1.67	0.59
1:A:238:TRP:HD1	1:A:588:THR:HG21	1.68	0.59
1:A:78:GLN:NE2	1:A:137:ALA:H	2.03	0.57
1:A:361:GLY:HA3	1:A:366:MET:SD	2.45	0.57
1:B:642:VAL:HG22	1:B:643:PRO:HD2	1.89	0.55
1:A:170:ASP:OD1	1:A:177:HIS:HE1	1.90	0.54
1:B:126:HIS:HE1	1:B:224:ASP:OD1	1.91	0.54
1:A:378:LEU:HD21	1:A:381:PHE:CZ	2.43	0.54
1:B:124:THR:O	1:B:128:HIS:HD2	1.91	0.53
1:A:397:LEU:HD11	1:A:459:VAL:HG11	1.90	0.53
1:A:339:ARG:HG2	1:A:365:TYR:CD1	2.45	0.52
1:B:590:ARG:HD3	1:B:639:ASP:OD2	2.10	0.52
1:B:231:VAL:HG22	1:B:239:GLN:NE2	2.24	0.51
1:A:333:HIS:HD2	6:A:1153:HOH:O	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:560:ILE:HD12	1:B:578:ASN:HA	1.93	0.51
1:B:434:ILE:HG12	1:B:487:THR:HG23	1.92	0.51
1:B:197:LEU:HD21	2:D:2:GLD:H63	1.93	0.50
1:B:378:LEU:HD21	1:B:381:PHE:CZ	2.46	0.50
1:B:649:GLU:HA	1:B:668:ARG:O	2.11	0.50
1:A:126:HIS:HE1	1:A:224:ASP:OD2	1.95	0.49
1:A:499:PRO:HB2	1:A:573:SER:HB3	1.93	0.49
1:B:143:PRO:HG3	4:B:706:ACI:O6	2.12	0.48
1:B:401:ASN:HD22	1:B:403:ALA:H	1.59	0.48
1:B:435:ASN:HB2	1:B:482:LEU:HD13	1.95	0.48
1:B:562:ASP:HB3	1:B:575:ILE:HG23	1.95	0.48
1:A:590:ARG:HD3	1:A:639:ASP:OD2	2.13	0.48
1:B:361:GLY:HA3	1:B:366:MET:SD	2.54	0.47
1:A:603:ASN:HB3	1:A:624:PRO:HB3	1.98	0.46
1:B:605:PHE:HB2	1:B:653:LEU:HG	1.97	0.46
1:A:40:ASP:HB2	1:A:48:LEU:HD12	1.97	0.46
1:A:273:ALA:HB2	1:A:280:LEU:HD22	1.98	0.46
1:A:587:VAL:CG1	1:A:675:SER:HA	2.46	0.45
1:B:228:VAL:HG22	1:B:231:VAL:HG23	1.97	0.45
1:B:229:ASP:OD1	2:D:1:GAL:H2	2.17	0.45
1:A:308:GLU:OE2	1:B:410:HIS:HE1	2.00	0.44
1:A:453:ARG:HH12	1:A:473:ALA:HB2	1.82	0.44
1:B:280:LEU:H	1:B:320:GLN:NE2	2.14	0.44
1:A:227:ARG:HG2	1:A:255:PHE:CE1	2.53	0.44
1:A:564:ARG:HD2	1:A:575:ILE:CD1	2.48	0.44
1:B:386:THR:O	1:B:390:VAL:HG13	2.17	0.44
1:A:562:ASP:HB3	1:A:575:ILE:HG23	2.00	0.43
1:B:592:VAL:HB	1:B:681:ASN:HA	2.00	0.43
1:B:21:PHE:CE1	1:B:327:HIS:HB3	2.55	0.42
1:A:124:THR:O	1:A:128:HIS:HD2	2.02	0.42
1:B:606:LEU:HB3	1:B:622:ILE:HB	2.01	0.42
1:A:25:PHE:HB3	6:A:1019:HOH:O	2.20	0.41
1:A:296:ASN:HB2	6:A:1479:HOH:O	2.21	0.41
1:B:401:ASN:ND2	1:B:403:ALA:H	2.17	0.41
1:A:378:LEU:HD21	1:A:381:PHE:CE1	2.56	0.41
1:A:81:GLU:OE2	1:A:103:ARG:HD2	2.21	0.41
1:A:520:ARG:HH21	1:A:520:ARG:HD2	1.74	0.41
1:A:75:TRP:CZ2	1:A:227:ARG:HG3	2.55	0.41
1:A:401:ASN:HA	1:A:402:PRO:HD2	1.95	0.40
1:B:25:PHE:HB3	6:B:1040:HOH:O	2.22	0.40
1:A:560:ILE:HA	1:A:579:PHE:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	684/686 (100%)	664 (97%)	20 (3%)	0	100	100
1	B	684/686 (100%)	667 (98%)	16 (2%)	1 (0%)	51	42
All	All	1368/1372 (100%)	1331 (97%)	36 (3%)	1 (0%)	51	42

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	657	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	564/564 (100%)	528 (94%)	36 (6%)	17	8
1	B	564/564 (100%)	518 (92%)	46 (8%)	11	4
All	All	1128/1128 (100%)	1046 (93%)	82 (7%)	14	6

All (82) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ASN
1	A	21	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	46	LEU
1	A	66	LEU
1	A	74	ILE
1	A	85	SER
1	A	103	ARG
1	A	119	LYS
1	A	160	ASN
1	A	163	LEU
1	A	199	ASP
1	A	221	LEU
1	A	228	VAL
1	A	263	ASN
1	A	280	LEU
1	A	281	LEU
1	A	350	LEU
1	A	353	ARG
1	A	367	SER
1	A	372	PRO
1	A	375	ARG
1	A	378	LEU
1	A	383	THR
1	A	393	LYS
1	A	429	VAL
1	A	435	ASN
1	A	439	ASN
1	A	464	LEU
1	A	497	THR
1	A	536	VAL
1	A	590	ARG
1	A	606	LEU
1	A	613	LEU
1	A	642	VAL
1	A	658	SER
1	A	677	THR
1	B	21	PHE
1	B	46	LEU
1	B	66	LEU
1	B	74	ILE
1	B	119	LYS
1	B	157	LEU
1	B	163	LEU
1	B	164	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	169	ASN
1	B	171	THR
1	B	173	ASN
1	B	197	LEU
1	B	200	LEU
1	B	204	ASN
1	B	206	SER
1	B	211	LEU
1	B	228	VAL
1	B	231	VAL
1	B	252	VAL
1	B	254	THR
1	B	259	LEU
1	B	307	LEU
1	B	342	LEU
1	B	346	LEU
1	B	353	ARG
1	B	372	PRO
1	B	378	LEU
1	B	383	THR
1	B	390	VAL
1	B	401	ASN
1	B	410	HIS
1	B	415	ASN
1	B	451	LEU
1	B	453	ARG
1	B	482	LEU
1	B	513	VAL
1	B	528	THR
1	B	529	VAL
1	B	560	ILE
1	B	590	ARG
1	B	598	THR
1	B	613	LEU
1	B	620	ASN
1	B	653	LEU
1	B	656	GLN
1	B	682	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	ASN
1	A	55	GLN
1	A	78	GLN
1	A	126	HIS
1	A	128	HIS
1	A	177	HIS
1	A	239	GLN
1	A	247	ASN
1	A	333	HIS
1	A	435	ASN
1	A	594	ASN
1	B	55	GLN
1	B	62	ASN
1	B	126	HIS
1	B	169	ASN
1	B	204	ASN
1	B	239	GLN
1	B	270	HIS
1	B	320	GLN
1	B	333	HIS
1	B	364	GLN
1	B	401	ASN
1	B	410	HIS
1	B	415	ASN
1	B	465	ASN
1	B	548	GLN
1	B	595	ASN
1	B	615	ASN
1	B	683	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	GAL	C	1	2	12,12,12	2.22	6 (50%)	17,17,17	2.47	7 (41%)
2	GLD	C	2	2,4	9,9,10	3.02	4 (44%)	10,12,14	1.96	3 (30%)
2	GAL	D	1	2	12,12,12	2.42	6 (50%)	17,17,17	2.46	7 (41%)
2	GLD	D	2	2,4	9,9,10	2.19	3 (33%)	10,12,14	2.09	6 (60%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	C	1	2	1/1/5/5	0/2/22/22	0/1/1/1
2	GLD	C	2	2,4	-	-	0/1/1/1
2	GAL	D	1	2	1/1/5/5	0/2/22/22	0/1/1/1
2	GLD	D	2	2,4	-	-	0/1/1/1

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	2	GLD	O5-C5	5.07	1.48	1.43
2	C	1	GAL	C3-C2	4.03	1.62	1.52
2	C	2	GLD	O5-C1	3.94	1.50	1.43
2	C	2	GLD	C4-C5	3.79	1.58	1.51
2	C	2	GLD	C3-C2	3.74	1.57	1.52
2	D	1	GAL	O5-C1	3.74	1.52	1.42
2	D	1	GAL	C4-C5	3.67	1.60	1.53
2	D	2	GLD	C1-C2	3.62	1.60	1.52
2	D	2	GLD	C4-C3	3.52	1.58	1.52
2	D	1	GAL	C1-C2	3.31	1.60	1.52
2	D	2	GLD	C4-C5	3.19	1.57	1.51
2	D	1	GAL	O5-C5	2.96	1.51	1.44
2	D	1	GAL	O1-C1	2.95	1.49	1.39
2	C	1	GAL	O5-C5	2.92	1.51	1.44
2	C	1	GAL	C4-C5	2.91	1.59	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1	GAL	C4-C3	2.83	1.59	1.52
2	D	1	GAL	C6-C5	2.70	1.60	1.51
2	C	1	GAL	O4-C4	2.40	1.48	1.43
2	C	1	GAL	O5-C1	2.08	1.48	1.42

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1	GAL	O2-C2-C1	6.68	124.64	109.16
2	C	1	GAL	C1-C2-C3	-5.60	98.69	110.31
2	C	1	GAL	O2-C2-C3	5.08	122.10	110.35
2	C	2	GLD	C4-C3-C2	-4.26	105.00	110.27
2	D	1	GAL	C4-C3-C2	-3.87	104.07	110.82
2	C	1	GAL	O5-C1-C2	-3.83	103.45	110.28
2	D	1	GAL	O4-C4-C5	3.41	117.77	109.30
2	D	2	GLD	C4-C3-C2	-3.30	106.18	110.27
2	C	2	GLD	O3-C3-C2	2.94	116.73	110.22
2	D	1	GAL	C1-O5-C5	2.87	119.08	113.66
2	C	1	GAL	C4-C3-C2	-2.79	105.96	110.82
2	C	1	GAL	O1-C1-O5	2.64	118.30	110.38
2	D	2	GLD	C6-C5-C4	-2.43	109.58	113.40
2	D	1	GAL	O4-C4-C3	-2.41	104.77	110.35
2	D	2	GLD	O5-C1-C2	2.30	114.32	110.77
2	D	1	GAL	C1-C2-C3	-2.26	105.62	110.31
2	D	2	GLD	C3-C4-C5	2.25	114.85	111.23
2	D	2	GLD	O5-C5-C4	2.21	111.56	109.34
2	D	2	GLD	O2-C2-C1	2.16	113.58	109.15
2	D	1	GAL	C3-C4-C5	-2.16	106.38	110.24
2	C	2	GLD	C3-C4-C5	-2.12	107.81	111.23
2	C	1	GAL	C6-C5-C4	-2.01	108.29	113.00
2	C	1	GAL	O4-C4-C3	2.01	114.99	110.35

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	C	1	GAL	C4
2	D	1	GAL	C4


There are no torsion outliers.


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	2	GLD	1	0
2	D	1	GAL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	ACI	B	706	3,2	12,12,12	2.48	4 (33%)	11,17,17	1.60	3 (27%)
4	ACI	A	702	3,2	12,12,12	2.64	4 (33%)	11,17,17	1.91	3 (27%)
3	GLC	A	701	4	11,11,12	1.82	4 (36%)	15,15,17	1.93	4 (26%)
3	GLC	B	705	4	11,11,12	1.59	4 (36%)	15,15,17	1.54	4 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ACI	B	706	3,2	-	0/2/22/22	0/1/1/1
4	ACI	A	702	3,2	-	0/2/22/22	0/1/1/1
3	GLC	A	701	4	-	2/2/19/22	0/1/1/1
3	GLC	B	705	4	-	2/2/19/22	0/1/1/1

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	706	ACI	C7-C5	5.67	1.40	1.32
4	A	702	ACI	C7-C5	5.56	1.40	1.32
4	A	702	ACI	C4-C5	5.10	1.55	1.51
4	B	706	ACI	C4-C5	3.86	1.54	1.51
4	B	706	ACI	C2-C1	3.37	1.57	1.52
3	A	701	GLC	O5-C1	3.26	1.48	1.43
4	A	702	ACI	O4-C4	3.14	1.48	1.42
3	A	701	GLC	C1-C2	2.71	1.58	1.52
4	A	702	ACI	C2-C1	2.66	1.56	1.52
3	B	705	GLC	C1-C2	2.41	1.57	1.52
4	B	706	ACI	O4-C4	2.38	1.47	1.42
3	A	701	GLC	O5-C5	2.31	1.48	1.43
3	B	705	GLC	C4-C5	2.28	1.57	1.53
3	A	701	GLC	C6-C5	2.17	1.59	1.51
3	B	705	GLC	O5-C1	2.16	1.47	1.43
3	B	705	GLC	O5-C5	2.16	1.47	1.43

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	701	GLC	C1-O5-C5	4.83	118.73	112.19
3	A	701	GLC	O5-C1-C2	3.64	116.40	110.77
4	A	702	ACI	O6-C6-C5	-3.40	104.37	112.50
4	B	706	ACI	C7-C1-N1	-3.08	105.17	110.71
4	A	702	ACI	O4-C4-C5	-2.92	105.20	110.82
4	A	702	ACI	C2-C3-C4	2.75	114.55	110.18
4	B	706	ACI	C2-C3-C4	-2.71	105.87	110.18
3	B	705	GLC	O4-C4-C5	2.57	115.67	109.30
3	B	705	GLC	C3-C4-C5	-2.50	105.77	110.24
3	B	705	GLC	O2-C2-C1	2.44	114.15	109.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	705	GLC	C1-O5-C5	2.44	115.49	112.19
3	A	701	GLC	C6-C5-C4	-2.13	108.01	113.00
4	B	706	ACI	C2-C1-N1	-2.04	107.25	111.40
3	A	701	GLC	C2-C3-C4	-2.02	107.39	110.89

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	705	GLC	O5-C5-C6-O6
3	B	705	GLC	C4-C5-C6-O6
3	A	701	GLC	O5-C5-C6-O6
3	A	701	GLC	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	706	ACI	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	686/686 (100%)	-0.53	3 (0%) 92 93	8, 15, 27, 49	0
1	B	686/686 (100%)	-0.42	6 (0%) 84 85	9, 17, 34, 54	0
All	All	1372/1372 (100%)	-0.47	9 (0%) 87 88	8, 16, 32, 54	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	600	LEU	4.7
1	A	675	SER	3.7
1	A	90	SER	3.6
1	B	497	THR	2.8
1	B	90	SER	2.8
1	A	497	THR	2.7
1	B	656	GLN	2.6
1	B	91	GLY	2.5
1	B	453	ARG	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GAL	C	1	12/12	0.50	0.51	10,16,20,28	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	GLD	C	2	9/10	0.61	0.56	4,12,17,17	0
2	GLD	D	2	9/10	0.65	0.69	6,12,16,22	0
2	GAL	D	1	12/12	0.69	0.66	12,13,17,17	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	ACI	B	706	12/12	0.49	0.72	9,14,22,23	0
4	ACI	A	702	12/12	0.53	0.58	11,14,17,20	0
3	GLC	A	701	11/12	0.73	0.68	10,13,16,22	0
3	GLC	B	705	11/12	0.78	0.52	12,16,20,21	0
5	CA	A	688	1/1	0.92	0.07	36,36,36,36	0
5	CA	B	690	1/1	0.93	0.07	34,34,34,34	0
5	CA	A	687	1/1	0.97	0.06	12,12,12,12	0
5	CA	B	689	1/1	0.98	0.03	15,15,15,15	0

6.5 Other polymers [i](#)

There are no such residues in this entry.