



wwPDB X-ray Structure Validation Summary Report ⓘ

May 22, 2020 – 01:53 am BST

PDB ID : 3UK6
Title : Crystal Structure of the Tip48 (Tip49b) hexamer
Authors : Petukhov, M.; Dagkessamanskaja, A.; Bommer, M.; Barrett, T.; Tsaneva, I.; Yakimov, A.; Queval, R.; Shvetsov, A.; Khodorkovskiy, M.; Kas, E.; Grigoriev, M.
Deposited on : 2011-11-09
Resolution : 2.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3104 (3.00-2.92)
Clashscore	141614	3462 (3.00-2.92)
Ramachandran outliers	138981	3340 (3.00-2.92)
Sidechain outliers	138945	3343 (3.00-2.92)
RSRZ outliers	127900	2986 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	368	<div> <div></div> <div>73% 7% • 19%</div> </div>
1	B	368	<div> <div>%</div> <div>72% 8% • 18%</div> </div>
1	C	368	<div> <div></div> <div>78% 8% • 13%</div> </div>
1	D	368	<div> <div>%</div> <div>72% 8% • 19%</div> </div>
1	E	368	<div> <div>%</div> <div>70% 9% 21%</div> </div>
1	F	368	<div> <div>%</div> <div>73% 7% • 18%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	368	<div><div><div></div><div></div><div></div></div><div>2%80%10%10%</div></div>
1	H	368	<div><div><div></div><div></div><div></div></div><div>4%70%5%25%</div></div>
1	I	368	<div><div><div></div><div></div><div></div></div><div>3%73%6%20%</div></div>
1	J	368	<div><div><div></div><div></div><div></div></div><div>2%75%7%18%</div></div>
1	K	368	<div><div><div></div><div></div><div></div></div><div>12%71%5%23%</div></div>
1	L	368	<div><div><div></div><div></div><div></div></div><div>5%59%37%</div></div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 22870 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RuvB-like 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	298	Total	C	N	O	S	0	0	0
			1944	1211	345	379	9			
1	B	300	Total	C	N	O	S	0	0	0
			1962	1228	350	377	7			
1	C	321	Total	C	N	O	S	0	0	0
			2117	1324	372	412	9			
1	D	299	Total	C	N	O	S	0	0	0
			1932	1211	341	371	9			
1	E	290	Total	C	N	O	S	0	0	0
			1886	1178	331	368	9			
1	F	301	Total	C	N	O	S	0	0	0
			1964	1232	346	377	9			
1	G	330	Total	C	N	O	S	0	0	0
			2182	1368	387	417	10			
1	H	277	Total	C	N	O	S	0	0	0
			1731	1083	304	339	5			
1	I	294	Total	C	N	O	S	0	0	0
			1829	1140	323	359	7			
1	J	300	Total	C	N	O	S	0	0	0
			1857	1155	337	360	5			
1	K	283	Total	C	N	O	S	0	0	0
			1752	1089	310	351	2			
1	L	233	Total	C	N	O	S	0	0	0
			1392	868	246	274	4			

There are 131 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
A	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
A	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
A	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
A	465	GLU	-	EXPRESSION TAG	UNP Q9Y230

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
A	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
A	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
A	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
A	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
A	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
B	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
B	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
B	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
B	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
B	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
B	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
B	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
B	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
B	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
B	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
B	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
C	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
C	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
C	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
C	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
C	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
C	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
C	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
C	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
C	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
C	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
D	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
D	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
D	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
D	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
D	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
D	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
D	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
D	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
D	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
D	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
D	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
E	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
E	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
E	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
E	464	LEU	-	EXPRESSION TAG	UNP Q9Y230

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
E	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
E	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
E	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
E	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
E	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
E	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
F	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
F	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
F	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
F	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
F	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
F	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
F	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
F	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
F	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
F	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
F	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
G	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
G	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
G	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
G	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
G	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
G	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
G	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
G	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
G	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
G	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
G	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
H	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
H	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
H	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
H	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
H	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
H	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
H	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
H	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
H	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
H	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
H	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
I	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
I	237	GLY	-	EXPRESSION TAG	UNP Q9Y230

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
I	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
I	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
I	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
I	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
I	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
I	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
I	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
I	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
J	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
J	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
J	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
J	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
J	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
J	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
J	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
J	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
J	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
J	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
J	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
K	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
K	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
K	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
K	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
K	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
K	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
K	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
K	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
K	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
K	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
K	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
L	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
L	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
L	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
L	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
L	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
L	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
L	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
L	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
L	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
L	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
L	471	HIS	-	EXPRESSION TAG	UNP Q9Y230

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).




3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: RuvB-like 2

Chain A: 




• Molecule 1: RuvB-like 2

Chain B: 




• Molecule 1: RuvB-like 2


Chain C: 




- Molecule 1: RuvB-like 2




- Molecule 1: RuvB-like 2




- Molecule 1: RuvB-like 2





- Molecule 1: RuvB-like 2








• Molecule 1: RuvB-like 2



• Molecule 1: RuvB-like 2




• Molecule 1: RuvB-like 2




• Molecule 1: RuvB-like 2





● Molecule 1: RuvB-like 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	113.07Å 186.28Å 129.86Å 90.00° 108.95° 90.00°	Depositor
Resolution (Å)	43.19 – 2.95 59.49 – 2.95	Depositor EDS
% Data completeness (in resolution range)	97.1 (43.19-2.95) 97.1 (59.49-2.95)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.35 (at 2.96Å)	Xtriage
Refinement program	BUSTER 2.10.0	Depositor
R, R_{free}	0.241 , 0.264 0.268 , 0.269	Depositor DCC
R_{free} test set	5179 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	80.1	Xtriage
Anisotropy	0.407	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 118.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	22870	wwPDB-VP
Average B, all atoms (Å ²)	91.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/1965	0.65	0/2683
1	B	0.52	0/1985	0.70	1/2713 (0.0%)
1	C	0.54	0/2145	0.69	0/2934
1	D	0.50	0/1954	0.70	1/2671 (0.0%)
1	E	0.51	0/1907	0.67	0/2607
1	F	0.55	0/1986	0.70	0/2716
1	G	0.51	0/2210	0.70	0/3022
1	H	0.48	0/1750	0.63	0/2402
1	I	0.52	0/1850	0.71	2/2534 (0.1%)
1	J	0.50	0/1876	0.66	0/2571
1	K	0.50	0/1767	0.66	0/2426
1	L	0.49	0/1393	0.65	0/1907
All	All	0.51	0/22788	0.68	4/31186 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	69	ALA	C-N-CA	7.31	137.65	122.30
1	D	263	GLY	C-N-CA	5.89	136.43	121.70
1	B	265	THR	C-N-CA	5.41	133.66	122.30
1	I	381	GLU	N-CA-CB	5.33	120.20	110.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1944	0	1658	14	0
1	B	1962	0	1688	20	0
1	C	2117	0	1803	16	0
1	D	1932	0	1649	17	0
1	E	1886	0	1610	13	0
1	F	1964	0	1695	18	0
1	G	2182	0	1901	18	0
1	H	1731	0	1380	10	0
1	I	1829	0	1451	12	0
1	J	1857	0	1451	12	0
1	K	1752	0	1353	12	0
1	L	1392	0	1052	8	0
2	A	27	0	12	0	0
2	B	27	0	12	0	0
2	C	27	0	12	0	0
2	D	27	0	12	0	0
2	E	27	0	12	0	0
2	F	27	0	12	1	0
2	G	27	0	12	0	0
2	H	27	0	12	0	0
2	I	27	0	12	0	0
2	J	27	0	12	0	0
2	K	25	0	9	0	0
2	L	27	0	12	0	0
All	All	22870	0	18832	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 154 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:101:THR:HG21	1:I:125:ARG:HB3	1.58	0.83
1:A:101:THR:HG21	1:A:125:ARG:HB3	1.61	0.81
1:J:101:THR:HG21	1:J:125:ARG:HB3	1.60	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:101:THR:HG21	1:E:125:ARG:HB3	1.61	0.80
1:G:101:THR:HG21	1:G:125:ARG:HB3	1.62	0.80

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	288/368 (78%)	283 (98%)	5 (2%)	0	100	100
1	B	290/368 (79%)	280 (97%)	9 (3%)	1 (0%)	41	73
1	C	313/368 (85%)	304 (97%)	7 (2%)	2 (1%)	25	60
1	D	289/368 (78%)	278 (96%)	8 (3%)	3 (1%)	15	48
1	E	280/368 (76%)	275 (98%)	5 (2%)	0	100	100
1	F	291/368 (79%)	280 (96%)	8 (3%)	3 (1%)	15	48
1	G	324/368 (88%)	312 (96%)	12 (4%)	0	100	100
1	H	263/368 (72%)	259 (98%)	4 (2%)	0	100	100
1	I	282/368 (77%)	272 (96%)	9 (3%)	1 (0%)	34	69
1	J	284/368 (77%)	276 (97%)	6 (2%)	2 (1%)	22	56
1	K	265/368 (72%)	261 (98%)	4 (2%)	0	100	100
1	L	207/368 (56%)	203 (98%)	4 (2%)	0	100	100
All	All	3376/4416 (76%)	3283 (97%)	81 (2%)	12 (0%)	34	69

5 of 12 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	255	GLN
1	D	264	ASP
1	F	450	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	254	THR
1	F	445	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	153/307 (50%)	143 (94%)	10 (6%)	17	46
1	B	155/307 (50%)	146 (94%)	9 (6%)	20	51
1	C	168/307 (55%)	156 (93%)	12 (7%)	14	43
1	D	150/307 (49%)	141 (94%)	9 (6%)	19	50
1	E	149/307 (48%)	136 (91%)	13 (9%)	10	33
1	F	156/307 (51%)	145 (93%)	11 (7%)	14	43
1	G	175/307 (57%)	162 (93%)	13 (7%)	13	41
1	H	122/307 (40%)	115 (94%)	7 (6%)	20	52
1	I	125/307 (41%)	117 (94%)	8 (6%)	17	47
1	J	122/307 (40%)	116 (95%)	6 (5%)	25	58
1	K	116/307 (38%)	109 (94%)	7 (6%)	19	50
1	L	84/307 (27%)	80 (95%)	4 (5%)	25	59
All	All	1675/3684 (46%)	1566 (94%)	109 (6%)	17	46

5 of 109 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	384	GLU
1	F	411	LEU
1	K	324	LEU
1	E	390	LEU
1	F	336	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 20 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	302	HIS
1	F	49	GLN
1	J	251	ASN
1	D	302	HIS
1	E	49	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ADP	C	1450	-	24,29,29	0.76	1 (4%)	29,45,45	0.77	1 (3%)
2	ADP	E	1450	-	24,29,29	0.62	0	29,45,45	0.87	1 (3%)
2	ADP	H	1450	-	24,29,29	0.69	0	29,45,45	0.79	1 (3%)
2	ADP	G	1450	-	24,29,29	0.59	0	29,45,45	1.04	2 (6%)
2	ADP	I	1450	-	24,29,29	0.60	0	29,45,45	0.78	1 (3%)
2	ADP	K	1450	-	19,26,29	0.70	0	21,38,45	0.90	1 (4%)
2	ADP	B	1450	-	24,29,29	0.61	0	29,45,45	0.75	0
2	ADP	D	1450	-	24,29,29	0.58	0	29,45,45	0.77	1 (3%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ADP	F	1450	-	24,29,29	0.65	0	29,45,45	0.79	0
2	ADP	J	1450	-	24,29,29	0.65	0	29,45,45	0.80	1 (3%)
2	ADP	L	1450	-	24,29,29	0.58	0	29,45,45	0.77	1 (3%)
2	ADP	A	1450	-	24,29,29	0.61	0	29,45,45	0.75	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	C	1450	-	-	3/12/32/32	0/3/3/3
2	ADP	E	1450	-	-	3/12/32/32	0/3/3/3
2	ADP	H	1450	-	-	3/12/32/32	0/3/3/3
2	ADP	G	1450	-	-	4/12/32/32	0/3/3/3
2	ADP	I	1450	-	-	3/12/32/32	0/3/3/3
2	ADP	K	1450	-	-	0/2/22/32	0/3/3/3
2	ADP	B	1450	-	-	3/12/32/32	0/3/3/3
2	ADP	D	1450	-	-	4/12/32/32	0/3/3/3
2	ADP	F	1450	-	-	4/12/32/32	0/3/3/3
2	ADP	J	1450	-	-	6/12/32/32	0/3/3/3
2	ADP	L	1450	-	-	3/12/32/32	0/3/3/3
2	ADP	A	1450	-	-	3/12/32/32	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1450	ADP	PB-O1B	2.10	1.57	1.50

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	1450	ADP	PA-O3A-PB	-3.16	121.99	132.83
2	G	1450	ADP	C5-C6-N6	2.51	124.17	120.35
2	C	1450	ADP	C5-C6-N6	2.42	124.03	120.35
2	D	1450	ADP	C5-C6-N6	2.38	123.97	120.35
2	J	1450	ADP	C5-C6-N6	2.33	123.89	120.35

There are no chirality outliers.

5 of 39 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	1450	ADP	C5'-O5'-PA-O1A
2	C	1450	ADP	C5'-O5'-PA-O2A
2	E	1450	ADP	C5'-O5'-PA-O1A
2	E	1450	ADP	C5'-O5'-PA-O2A
2	H	1450	ADP	C5'-O5'-PA-O2A


There are no ring outliers.

1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	1450	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand ADP C 1450




Ligand ADP E 1450





Ligand ADP H 1450




Ligand ADP G 1450







Ligand ADP B 1450




Ligand ADP D 1450




Ligand ADP F 1450



Ligand ADP J 1450





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	298/368 (80%)	-0.01	1 (0%) 94 87	53, 87, 127, 149	0
1	B	300/368 (81%)	-0.04	4 (1%) 77 61	46, 82, 118, 137	0
1	C	321/368 (87%)	-0.06	1 (0%) 94 87	46, 76, 104, 125	0
1	D	299/368 (81%)	0.10	3 (1%) 82 68	57, 90, 125, 143	0
1	E	290/368 (78%)	0.01	4 (1%) 75 59	49, 85, 140, 170	0
1	F	301/368 (81%)	0.02	4 (1%) 77 61	43, 77, 114, 147	0
1	G	330/368 (89%)	0.00	7 (2%) 63 46	46, 81, 121, 146	0
1	H	277/368 (75%)	0.25	13 (4%) 31 20	73, 112, 148, 173	0
1	I	294/368 (79%)	0.23	11 (3%) 41 27	58, 106, 139, 154	0
1	J	300/368 (81%)	0.07	8 (2%) 54 38	61, 105, 136, 155	0
1	K	283/368 (76%)	0.69	45 (15%) 1 1	75, 95, 117, 159	0
1	L	233/368 (63%)	0.38	20 (8%) 10 6	69, 123, 170, 185	0
All	All	3526/4416 (79%)	0.13	121 (3%) 45 29	43, 92, 137, 185	0

The worst 5 of 121 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	K	89	GLY	6.4
1	K	272	VAL	6.0
1	B	259	ALA	5.9
1	K	413	CYS	5.7
1	L	399	LEU	5.2

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	ADP	K	1450	25/27	0.84	0.24	79,90,94,98	0
2	ADP	I	1450	27/27	0.86	0.30	110,126,135,137	0
2	ADP	L	1450	27/27	0.91	0.22	117,125,133,135	0
2	ADP	J	1450	27/27	0.93	0.19	92,113,131,133	0
2	ADP	F	1450	27/27	0.94	0.22	65,71,84,86	0
2	ADP	C	1450	27/27	0.94	0.21	66,74,80,82	0
2	ADP	H	1450	27/27	0.94	0.22	94,102,116,118	0
2	ADP	A	1450	27/27	0.95	0.18	73,78,83,84	0
2	ADP	G	1450	27/27	0.96	0.20	59,68,75,77	0
2	ADP	B	1450	27/27	0.96	0.17	58,70,81,83	0
2	ADP	E	1450	27/27	0.96	0.18	74,83,88,89	0
2	ADP	D	1450	27/27	0.97	0.19	73,78,94,101	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ADP K 1450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP I 1450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP L 1450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP J 1450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP F 1450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP C 1450:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP H 1450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP A 1450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP G 1450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP B 1450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP E 1450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ADP D 1450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.