



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 20, 2020 – 04:33 PM BST

PDB ID : 3UNB
Title : Mouse constitutive 20S proteasome in complex with PR-957
Authors : Huber, E.; Basler, M.; Schwab, R.; Heinemeyer, W.; Kirk, C.; Groettrup, M.; Groll, M.
Deposited on : 2011-11-15
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	234	<div> <div>%</div> <div> <div></div> <div>94%</div> <div>5%</div> </div> </div>
1	O	234	<div> <div>%</div> <div> <div></div> <div>94%</div> <div></div> </div> </div>
1	c	234	<div> <div>%</div> <div> <div></div> <div>95%</div> <div></div> </div> </div>
1	q	234	<div> <div>%</div> <div> <div></div> <div>94%</div> <div></div> </div> </div>
2	B	261	<div> <div>%</div> <div> <div></div> <div>89%</div> <div>6%</div> <div>5%</div> </div> </div>
2	P	261	<div> <div>%</div> <div> <div></div> <div>90%</div> <div>5%</div> <div>5%</div> </div> </div>
2	d	261	<div> <div>%</div> <div> <div></div> <div>90%</div> <div>5%</div> <div>5%</div> </div> </div>

























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	r	261	 91% 5%
3	C	248	 91% 5%
3	Q	248	 93% . .
3	e	248	 92% . .
3	s	248	 92% 5% .
4	D	241	 92% 5% .
4	R	241	 92% 5% .
4	f	241	 93% . .
4	t	241	 93% . .
5	E	263	 85% 6% 10%
5	S	263	 86% . 10%
5	g	263	 85% 5% 10%
5	u	263	 87% . 10%
6	F	255	 92% . . .
6	T	255	 92% . .
6	h	255	 91% . .
6	v	255	 89% 6% .
7	G	246	 93% 6% .
7	U	246	 93% 5% .
7	i	246	 93% 6% .
7	w	246	 94% . .
8	H	234	 91% . 6%
8	V	234	 91% . 6%
8	j	234	 89% 5% 6%
8	x	234	 89% 5% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	I	205	 96% .
9	W	205	 97% .
9	k	205	 95% .
9	y	205	 2% 96% .
10	J	201	 96% ..
10	X	201	 92% 5% .
10	l	201	 95% ..
10	z	201	 94% . .
11	1	205	 93% 5% .
11	K	205	 95% ..
11	Y	205	 92% 5% .
11	m	205	 95% . .
12	2	213	 % 97% .
12	L	213	 96% .
12	Z	213	 % 97% .
12	n	213	 % 98% .
13	3	219	 96% . .
13	M	219	 94% 5% .
13	a	219	 95% . .
13	o	219	 95% . .
14	4	205	 % 96% ..
14	N	205	 2% 96% ..
14	b	205	 % 95% . .
14	p	205	 2% 96% ..

2 Entry composition

There are 16 unique types of molecules in this entry. The entry contains 99236 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	231	Total	C	N	O	S	0	0	0
			1806	1153	309	338	6			
1	O	231	Total	C	N	O	S	0	0	0
			1806	1153	309	338	6			
1	c	231	Total	C	N	O	S	0	0	0
			1806	1153	309	338	6			
1	q	231	Total	C	N	O	S	0	0	0
			1806	1153	309	338	6			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	LYS	GLU	CONFLICT	UNP P49722
O	2	LYS	GLU	CONFLICT	UNP P49722
c	2	LYS	GLU	CONFLICT	UNP P49722
q	2	LYS	GLU	CONFLICT	UNP P49722

- Molecule 2 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	248	Total	C	N	O	S	0	0	0
			1950	1232	335	373	10			
2	P	248	Total	C	N	O	S	0	0	0
			1950	1232	335	373	10			
2	d	248	Total	C	N	O	S	0	0	0
			1950	1232	335	373	10			
2	r	248	Total	C	N	O	S	0	0	0
			1950	1232	335	373	10			

- Molecule 3 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	239	Total 1881	C 1182	N 332	O 362	S 5	0	0	0
3	Q	239	Total 1881	C 1182	N 332	O 362	S 5	0	0	0
3	e	239	Total 1881	C 1182	N 332	O 362	S 5	0	0	0
3	s	239	Total 1881	C 1182	N 332	O 362	S 5	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	45	ALA	GLU	CONFLICT	UNP Q9Z2U0
Q	45	ALA	GLU	CONFLICT	UNP Q9Z2U0
e	45	ALA	GLU	CONFLICT	UNP Q9Z2U0
s	45	ALA	GLU	CONFLICT	UNP Q9Z2U0

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	233	Total 1778	C 1116	N 294	O 357	S 11	0	0	0
4	R	233	Total 1778	C 1116	N 294	O 357	S 11	0	0	0
4	f	233	Total 1778	C 1116	N 294	O 357	S 11	0	0	0
4	t	233	Total 1778	C 1116	N 294	O 357	S 11	0	0	0

- Molecule 5 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	238	Total 1872	C 1171	N 336	O 354	S 11	0	0	0
5	S	238	Total 1872	C 1171	N 336	O 354	S 11	0	0	0
5	g	238	Total 1872	C 1171	N 336	O 354	S 11	0	0	0
5	u	238	Total 1872	C 1171	N 336	O 354	S 11	0	0	0

- Molecule 6 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	244	Total	C	N	O	S	0	0	0
			1903	1206	325	361	11			
6	T	244	Total	C	N	O	S	0	0	0
			1903	1206	325	361	11			
6	h	244	Total	C	N	O	S	0	0	0
			1903	1206	325	361	11			
6	v	244	Total	C	N	O	S	0	0	0
			1903	1206	325	361	11			

- Molecule 7 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	243	Total	C	N	O	S	0	0	0
			1890	1199	315	363	13			
7	U	243	Total	C	N	O	S	0	0	0
			1890	1199	315	363	13			
7	i	243	Total	C	N	O	S	0	0	0
			1890	1199	315	363	13			
7	w	243	Total	C	N	O	S	0	0	0
			1890	1199	315	363	13			

- Molecule 8 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	220	Total	C	N	O	S	0	0	0
			1656	1044	282	318	12			
8	V	220	Total	C	N	O	S	0	0	0
			1656	1044	282	318	12			
8	j	220	Total	C	N	O	S	0	0	0
			1656	1044	282	318	12			
8	x	220	Total	C	N	O	S	0	0	0
			1656	1044	282	318	12			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1592	1013	265	295	19			
9	W	204	Total	C	N	O	S	0	0	0
			1592	1013	265	295	19			
9	k	204	Total	C	N	O	S	0	0	0
			1592	1013	265	295	19			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	y	204	Total	C	N	O	S	0	0	0
			1592	1013	265	295	19			

- Molecule 10 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	196	Total	C	N	O	S	0	0	0
			1570	1006	267	288	9			
10	X	196	Total	C	N	O	S	0	0	0
			1570	1006	267	288	9			
10	l	196	Total	C	N	O	S	0	0	0
			1570	1006	267	288	9			
10	z	196	Total	C	N	O	S	0	0	0
			1570	1006	267	288	9			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	201	Total	C	N	O	S	0	0	0
			1557	983	271	294	9			
11	Y	201	Total	C	N	O	S	0	0	0
			1557	983	271	294	9			
11	m	201	Total	C	N	O	S	0	0	0
			1557	983	271	294	9			
11	1	201	Total	C	N	O	S	0	0	0
			1557	983	271	294	9			

- Molecule 12 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	213	Total	C	N	O	S	0	0	0
			1654	1047	284	313	10			
12	Z	213	Total	C	N	O	S	0	0	0
			1654	1047	284	313	10			
12	n	213	Total	C	N	O	S	0	0	0
			1654	1047	284	313	10			
12	2	213	Total	C	N	O	S	0	0	0
			1654	1047	284	313	10			


- Molecule 13 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	216	Total	C	N	O	S	0	0	0
			1685	1063	291	319	12			
13	a	216	Total	C	N	O	S	0	0	0
			1685	1063	291	319	12			
13	o	216	Total	C	N	O	S	0	0	0
			1685	1063	291	319	12			
13	3	216	Total	C	N	O	S	0	0	0
			1685	1063	291	319	12			

- Molecule 14 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	202	Total	C	N	O	S	0	0	0
			1519	952	259	296	12			
14	b	202	Total	C	N	O	S	0	0	0
			1519	952	259	296	12			
14	p	202	Total	C	N	O	S	0	0	0
			1519	952	259	296	12			
14	4	202	Total	C	N	O	S	0	0	0
			1519	952	259	296	12			

- Molecule 15 is 1,2,4-trideoxy-4-methyl-2-{[N-(morpholin-4-ylacetyl)-L-alanyl-O-methyl-L-tyrosyl]amino}-1-phenyl-D-xylitol (three-letter code: 04C) (formula: C₃₁H₄₄N₄O₇).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
15	H	1	Total	C	N	O	0	0
			42	31	4	7		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
15	K	1	Total	C	N	O	0	0
			42	31	4	7		
15	N	1	Total	C	N	O	0	0
			42	31	4	7		
15	V	1	Total	C	N	O	0	0
			42	31	4	7		
15	Y	1	Total	C	N	O	0	0
			42	31	4	7		
15	b	1	Total	C	N	O	0	0
			42	31	4	7		
15	j	1	Total	C	N	O	0	0
			42	31	4	7		
15	m	1	Total	C	N	O	0	0
			42	31	4	7		
15	p	1	Total	C	N	O	0	0
			42	31	4	7		
15	x	1	Total	C	N	O	0	0
			42	31	4	7		
15	1	1	Total	C	N	O	0	0
			42	31	4	7		
15	4	1	Total	C	N	O	0	0
			42	31	4	7		

- Molecule 16 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	A	19	Total	O	0	0
			19	19		
16	B	24	Total	O	0	0
			24	24		
16	C	13	Total	O	0	0
			13	13		
16	D	16	Total	O	0	0
			16	16		
16	E	21	Total	O	0	0
			21	21		
16	F	20	Total	O	0	0
			20	20		
16	G	22	Total	O	0	0
			22	22		
16	H	31	Total	O	0	0
			31	31		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	I	32	Total O 32 32	0	0
16	J	25	Total O 25 25	0	0
16	K	28	Total O 28 28	0	0
16	L	23	Total O 23 23	0	0
16	M	27	Total O 27 27	0	0
16	N	33	Total O 33 33	0	0
16	O	33	Total O 33 33	0	0
16	P	38	Total O 38 38	0	0
16	Q	16	Total O 16 16	0	0
16	R	19	Total O 19 19	0	0
16	S	25	Total O 25 25	0	0
16	T	25	Total O 25 25	0	0
16	U	37	Total O 37 37	0	0
16	V	35	Total O 35 35	0	0
16	W	37	Total O 37 37	0	0
16	X	33	Total O 33 33	0	0
16	Y	16	Total O 16 16	0	0
16	Z	32	Total O 32 32	0	0
16	a	33	Total O 33 33	0	0
16	b	40	Total O 40 40	0	0
16	c	21	Total O 21 21	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	d	19	Total O 19 19	0	0
16	e	14	Total O 14 14	0	0
16	f	13	Total O 13 13	0	0
16	g	15	Total O 15 15	0	0
16	h	19	Total O 19 19	0	0
16	i	29	Total O 29 29	0	0
16	j	25	Total O 25 25	0	0
16	k	30	Total O 30 30	0	0
16	l	22	Total O 22 22	0	0
16	m	20	Total O 20 20	0	0
16	n	29	Total O 29 29	0	0
16	o	27	Total O 27 27	0	0
16	p	32	Total O 32 32	0	0
16	q	26	Total O 26 26	0	0
16	r	34	Total O 34 34	0	0
16	s	19	Total O 19 19	0	0
16	t	17	Total O 17 17	0	0
16	u	27	Total O 27 27	0	0
16	v	31	Total O 31 31	0	0
16	w	27	Total O 27 27	0	0
16	x	34	Total O 34 34	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	y	32	Total 32	O 32	0	0
16	z	38	Total 38	O 38	0	0
16	1	27	Total 27	O 27	0	0
16	2	33	Total 33	O 33	0	0
16	3	37	Total 37	O 37	0	0
16	4	30	Total 30	O 30	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2



- Molecule 1: Proteasome subunit alpha type-2



- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-4





- Molecule 2: Proteasome subunit alpha type-4





- Molecule 2: Proteasome subunit alpha type-4



- Molecule 2: Proteasome subunit alpha type-4





- Molecule 3: Proteasome subunit alpha type-7



- Molecule 3: Proteasome subunit alpha type-7




- Molecule 3: Proteasome subunit alpha type-7




- Molecule 3: Proteasome subunit alpha type-7




- Molecule 4: Proteasome subunit alpha type-5




- Molecule 4: Proteasome subunit alpha type-5




- Molecule 4: Proteasome subunit alpha type-5




- Molecule 4: Proteasome subunit alpha type-5




- Molecule 5: Proteasome subunit alpha type-1




- Molecule 5: Proteasome subunit alpha type-1




- Molecule 5: Proteasome subunit alpha type-1






- Molecule 5: Proteasome subunit alpha type-1




- Molecule 6: Proteasome subunit alpha type-3




- Molecule 6: Proteasome subunit alpha type-3



- Molecule 6: Proteasome subunit alpha type-3



- Molecule 6: Proteasome subunit alpha type-3




- Molecule 7: Proteasome subunit alpha type-6




- Molecule 7: Proteasome subunit alpha type-6

Chain U:  93% 5%



- Molecule 7: Proteasome subunit alpha type-6

Chain i:  93% 6%



- Molecule 7: Proteasome subunit alpha type-6

Chain w:  94% 5%



- Molecule 8: Proteasome subunit beta type-7

Chain H:  91% 6%




- Molecule 8: Proteasome subunit beta type-7

Chain V:  91% 6%




- Molecule 8: Proteasome subunit beta type-7

Chain j:  89% 5% 6%




- Molecule 8: Proteasome subunit beta type-7

Chain x:  89% 5% 6%



- Molecule 9: Proteasome subunit beta type-3

Chain I:  96% .



- Molecule 9: Proteasome subunit beta type-3

Chain W:  97% .




- Molecule 9: Proteasome subunit beta type-3

Chain k:  95% .




- Molecule 9: Proteasome subunit beta type-3

Chain y:  96% .



- Molecule 10: Proteasome subunit beta type-2

Chain J:  96% ..



- Molecule 10: Proteasome subunit beta type-2

Chain X:  92% 5% .




- Molecule 10: Proteasome subunit beta type-2

Chain l:  95% ..



- Molecule 10: Proteasome subunit beta type-2

Chain z:  94% 



- Molecule 11: Proteasome subunit beta type-5

Chain K:  95% 



- Molecule 11: Proteasome subunit beta type-5

Chain Y:  92% 5% 



- Molecule 11: Proteasome subunit beta type-5

Chain m:  95% 



- Molecule 11: Proteasome subunit beta type-5

Chain 1:  93% 5% 



- Molecule 12: Proteasome subunit beta type-1

Chain L:  96% 




- Molecule 12: Proteasome subunit beta type-1


Chain Z:  97% 



- Molecule 12: Proteasome subunit beta type-1



- Molecule 12: Proteasome subunit beta type-1



- Molecule 13: Proteasome subunit beta type-4



- Molecule 13: Proteasome subunit beta type-4



- Molecule 13: Proteasome subunit beta type-4




- Molecule 13: Proteasome subunit beta type-4



- Molecule 14: Proteasome subunit beta type-6





- Molecule 14: Proteasome subunit beta type-6



- Molecule 14: Proteasome subunit beta type-6



- Molecule 14: Proteasome subunit beta type-6



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	171.72Å 198.59Å 226.75Å 90.00° 106.59° 90.00°	Depositor
Resolution (Å)	15.00 – 2.90 49.19 – 2.90	Depositor EDS
% Data completeness (in resolution range)	96.0 (15.00-2.90) 96.0 (49.19-2.90)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.57 (at 2.91Å)	Xtrriage
Refinement program	REFMAC 5.6.0119	Depositor
R, R_{free}	0.230 , 0.273 0.230 , 0.273	Depositor DCC
R_{free} test set	15447 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	56.0	Xtrriage
Anisotropy	0.424	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 45.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.23$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	99236	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 98.11 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.3244e-11. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 04C

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	1/1845 (0.1%)	0.49	0/2498
1	O	0.39	1/1845 (0.1%)	0.48	0/2498
1	c	0.39	1/1845 (0.1%)	0.48	0/2498
1	q	0.39	0/1845	0.47	0/2498
2	B	0.37	1/1980 (0.1%)	0.48	0/2667
2	P	0.37	1/1980 (0.1%)	0.48	0/2667
2	d	0.37	0/1980	0.48	0/2667
2	r	0.37	0/1980	0.48	0/2667
3	C	0.33	0/1908	0.47	0/2576
3	Q	0.34	0/1908	0.48	0/2576
3	e	0.33	0/1908	0.47	0/2576
3	s	0.34	1/1908 (0.1%)	0.47	0/2576
4	D	0.36	1/1805 (0.1%)	0.47	0/2437
4	R	0.36	1/1805 (0.1%)	0.46	0/2437
4	f	0.36	1/1805 (0.1%)	0.47	0/2437
4	t	0.37	0/1805	0.47	0/2437
5	E	0.37	0/1907	0.49	0/2578
5	S	0.38	1/1907 (0.1%)	0.51	0/2578
5	g	0.37	0/1907	0.48	0/2578
5	u	0.38	1/1907 (0.1%)	0.50	0/2578
6	F	0.39	1/1938 (0.1%)	0.48	0/2608
6	T	0.38	1/1938 (0.1%)	0.48	0/2608
6	h	0.38	1/1938 (0.1%)	0.48	0/2608
6	v	0.39	2/1938 (0.1%)	0.48	0/2608
7	G	0.37	1/1924 (0.1%)	0.48	0/2600
7	U	0.38	1/1924 (0.1%)	0.49	0/2600
7	i	0.37	1/1924 (0.1%)	0.48	0/2600
7	w	0.38	1/1924 (0.1%)	0.48	0/2600
8	H	0.35	0/1683	0.51	1/2276 (0.0%)
8	V	0.37	1/1683 (0.1%)	0.51	0/2276
8	j	0.33	0/1683	0.52	0/2276
8	x	0.36	1/1683 (0.1%)	0.52	1/2276 (0.0%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
9	I	0.34	0/1621	0.49	0/2185
9	W	0.35	0/1621	0.49	0/2185
9	k	0.34	0/1621	0.48	0/2185
9	y	0.35	0/1621	0.50	0/2185
10	J	0.33	0/1602	0.49	0/2167
10	X	0.33	0/1602	0.49	0/2167
10	l	0.33	0/1602	0.49	0/2167
10	z	0.33	0/1602	0.49	0/2167
11	1	0.44	1/1588 (0.1%)	0.50	0/2145
11	K	0.44	1/1588 (0.1%)	0.50	0/2145
11	Y	0.46	2/1588 (0.1%)	0.48	0/2145
11	m	0.45	1/1588 (0.1%)	0.50	0/2145
12	2	0.32	0/1685	0.48	0/2271
12	L	0.33	0/1685	0.48	0/2271
12	Z	0.33	0/1685	0.48	0/2271
12	n	0.33	0/1685	0.47	0/2271
13	3	0.40	0/1718	0.50	0/2325
13	M	0.41	3/1718 (0.2%)	0.50	0/2325
13	a	0.41	1/1718 (0.1%)	0.51	0/2325
13	o	0.40	1/1718 (0.1%)	0.48	0/2325
14	4	0.39	1/1546 (0.1%)	0.48	0/2094
14	N	0.39	2/1546 (0.1%)	0.48	0/2094
14	b	0.39	1/1546 (0.1%)	0.49	0/2094
14	p	0.39	1/1546 (0.1%)	0.48	0/2094
All	All	0.37	37/99000 (0.0%)	0.49	2/133708 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
8	H	0	1
8	V	0	1
8	j	0	1
11	1	0	1
11	K	0	1
11	Y	0	1
11	m	0	1
14	4	0	1
14	N	0	1
14	b	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
14	p	0	1
All	All	0	11

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	Y	1	THR	C-N	7.39	1.51	1.34
11	m	1	THR	C-N	7.02	1.50	1.34
11	K	1	THR	C-N	6.13	1.48	1.34
8	V	1	THR	C-N	6.04	1.48	1.34
8	x	1	THR	C-N	6.00	1.47	1.34
14	p	1	THR	C-N	5.49	1.46	1.34
7	G	100	TRP	CD2-CE2	5.19	1.47	1.41
14	b	1	THR	C-N	5.16	1.46	1.34
13	M	91	TRP	CD2-CE2	5.12	1.47	1.41
3	s	155	TRP	CD2-CE2	5.12	1.47	1.41
11	Y	55	TRP	CD2-CE2	5.10	1.47	1.41
14	N	1	THR	C-N	5.10	1.45	1.34
5	S	10	TRP	CD2-CE2	5.09	1.47	1.41
11	l	1	THR	C-N	5.09	1.45	1.34
7	U	188	TRP	CD2-CE2	5.09	1.47	1.41
4	R	92	TRP	CD2-CE2	5.08	1.47	1.41
14	4	103	TRP	CD2-CE2	5.07	1.47	1.41
4	f	92	TRP	CD2-CE2	5.06	1.47	1.41
1	A	138	TRP	CD2-CE2	5.05	1.47	1.41
4	D	92	TRP	CD2-CE2	5.05	1.47	1.41
6	F	215	TRP	CD2-CE2	5.04	1.47	1.41
6	T	215	TRP	CD2-CE2	5.03	1.47	1.41
7	i	100	TRP	CD2-CE2	5.03	1.47	1.41
14	N	103	TRP	CD2-CE2	5.03	1.47	1.41
13	M	209	TRP	CD2-CE2	5.03	1.47	1.41
6	v	215	TRP	CD2-CE2	5.03	1.47	1.41
6	v	161	TRP	CD2-CE2	5.02	1.47	1.41
13	o	91	TRP	CD2-CE2	5.02	1.47	1.41
6	h	161	TRP	CD2-CE2	5.02	1.47	1.41
13	M	107	TRP	CD2-CE2	5.02	1.47	1.41
1	O	138	TRP	CD2-CE2	5.02	1.47	1.41
1	c	138	TRP	CD2-CE2	5.01	1.47	1.41
2	P	138	TRP	CD2-CE2	5.01	1.47	1.41
13	a	209	TRP	CD2-CE2	5.01	1.47	1.41
5	u	10	TRP	CD2-CE2	5.01	1.47	1.41
2	B	158	TRP	CD2-CE2	5.00	1.47	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	w	188	TRP	CD2-CE2	5.00	1.47	1.41

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	H	1	THR	C-N-CA	6.26	137.36	121.70
8	x	1	THR	C-N-CA	5.11	134.48	121.70

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
11	1	1	THR	Peptide
14	4	1	THR	Peptide
8	H	1	THR	Peptide
11	K	1	THR	Peptide
14	N	1	THR	Peptide
8	V	1	THR	Mainchain
11	Y	1	THR	Peptide
14	b	1	THR	Peptide
8	j	1	THR	Mainchain
11	m	1	THR	Peptide
14	p	1	THR	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	229/234 (98%)	214 (93%)	9 (4%)	6 (3%)	5	20
1	O	229/234 (98%)	215 (94%)	9 (4%)	5 (2%)	6	24
1	c	229/234 (98%)	217 (95%)	7 (3%)	5 (2%)	6	24
1	q	229/234 (98%)	216 (94%)	9 (4%)	4 (2%)	9	31
2	B	246/261 (94%)	239 (97%)	7 (3%)	0	100	100
2	P	246/261 (94%)	238 (97%)	8 (3%)	0	100	100
2	d	246/261 (94%)	237 (96%)	9 (4%)	0	100	100
2	r	246/261 (94%)	239 (97%)	6 (2%)	1 (0%)	34	66
3	C	237/248 (96%)	220 (93%)	15 (6%)	2 (1%)	19	51
3	Q	237/248 (96%)	227 (96%)	8 (3%)	2 (1%)	19	51
3	e	237/248 (96%)	224 (94%)	10 (4%)	3 (1%)	12	37
3	s	237/248 (96%)	225 (95%)	11 (5%)	1 (0%)	34	66
4	D	231/241 (96%)	222 (96%)	9 (4%)	0	100	100
4	R	231/241 (96%)	220 (95%)	10 (4%)	1 (0%)	34	66
4	f	231/241 (96%)	217 (94%)	14 (6%)	0	100	100
4	t	231/241 (96%)	219 (95%)	12 (5%)	0	100	100
5	E	236/263 (90%)	223 (94%)	10 (4%)	3 (1%)	12	37
5	S	236/263 (90%)	219 (93%)	15 (6%)	2 (1%)	19	51
5	g	236/263 (90%)	220 (93%)	15 (6%)	1 (0%)	34	66
5	u	236/263 (90%)	221 (94%)	14 (6%)	1 (0%)	34	66
6	F	242/255 (95%)	232 (96%)	8 (3%)	2 (1%)	19	51
6	T	242/255 (95%)	234 (97%)	8 (3%)	0	100	100
6	h	242/255 (95%)	235 (97%)	5 (2%)	2 (1%)	19	51
6	v	242/255 (95%)	233 (96%)	7 (3%)	2 (1%)	19	51
7	G	241/246 (98%)	235 (98%)	3 (1%)	3 (1%)	13	40
7	U	241/246 (98%)	235 (98%)	6 (2%)	0	100	100
7	i	241/246 (98%)	234 (97%)	5 (2%)	2 (1%)	19	51
7	w	241/246 (98%)	234 (97%)	6 (2%)	1 (0%)	34	66
8	H	218/234 (93%)	213 (98%)	5 (2%)	0	100	100
8	V	218/234 (93%)	210 (96%)	8 (4%)	0	100	100
8	j	218/234 (93%)	212 (97%)	6 (3%)	0	100	100
8	x	218/234 (93%)	210 (96%)	7 (3%)	1 (0%)	29	61

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	I	202/205 (98%)	188 (93%)	9 (4%)	5 (2%)	5	21
9	W	202/205 (98%)	189 (94%)	12 (6%)	1 (0%)	29	61
9	k	202/205 (98%)	187 (93%)	12 (6%)	3 (2%)	10	34
9	y	202/205 (98%)	183 (91%)	16 (8%)	3 (2%)	10	34
10	J	194/201 (96%)	187 (96%)	6 (3%)	1 (0%)	29	61
10	X	194/201 (96%)	188 (97%)	4 (2%)	2 (1%)	15	45
10	l	194/201 (96%)	186 (96%)	7 (4%)	1 (0%)	29	61
10	z	194/201 (96%)	186 (96%)	7 (4%)	1 (0%)	29	61
11	1	199/205 (97%)	192 (96%)	7 (4%)	0	100	100
11	K	199/205 (97%)	193 (97%)	6 (3%)	0	100	100
11	Y	199/205 (97%)	196 (98%)	3 (2%)	0	100	100
11	m	199/205 (97%)	192 (96%)	7 (4%)	0	100	100
12	2	211/213 (99%)	204 (97%)	5 (2%)	2 (1%)	17	48
12	L	211/213 (99%)	204 (97%)	6 (3%)	1 (0%)	29	61
12	Z	211/213 (99%)	200 (95%)	11 (5%)	0	100	100
12	n	211/213 (99%)	205 (97%)	6 (3%)	0	100	100
13	3	214/219 (98%)	200 (94%)	13 (6%)	1 (0%)	29	61
13	M	214/219 (98%)	203 (95%)	10 (5%)	1 (0%)	29	61
13	a	214/219 (98%)	202 (94%)	11 (5%)	1 (0%)	29	61
13	o	214/219 (98%)	206 (96%)	7 (3%)	1 (0%)	29	61
14	4	200/205 (98%)	193 (96%)	7 (4%)	0	100	100
14	N	200/205 (98%)	191 (96%)	8 (4%)	1 (0%)	29	61
14	b	200/205 (98%)	189 (94%)	10 (5%)	1 (0%)	29	61
14	p	200/205 (98%)	188 (94%)	11 (6%)	1 (0%)	29	61
All	All	12400/12920 (96%)	11841 (96%)	482 (4%)	77 (1%)	25	58

All (77) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	F	181	MET
14	N	191	GLY
1	O	54	ILE
5	S	52	GLU
10	X	24	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	h	181	MET
10	l	24	ASN
1	q	52	LYS
5	u	52	GLU
10	z	24	ASN
12	2	163	HIS
1	A	41	ASN
3	C	200	SER
10	J	24	ASN
12	L	163	HIS
1	O	52	LYS
1	O	199	GLU
3	Q	49	VAL
5	S	148	ALA
14	b	191	GLY
1	c	41	ASN
1	c	180	ASP
3	e	51	LYS
9	k	46	ASP
14	p	191	GLY
1	q	54	ILE
9	y	100	GLY
1	A	54	ILE
1	A	180	ASP
1	A	199	GLU
5	E	52	GLU
7	G	2	ARG
9	I	100	GLY
9	W	46	ASP
1	c	199	GLU
3	e	200	SER
1	q	199	GLU
3	s	49	VAL
9	y	46	ASP
9	y	116	PHE
13	3	9	THR
1	A	201	GLN
3	C	215	PRO
9	I	155	PRO
13	M	9	THR
1	O	41	ASN
3	Q	200	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	X	50	ALA
1	c	201	GLN
5	g	237	PRO
6	h	207	LYS
7	i	2	ARG
9	k	155	PRO
13	o	9	THR
6	v	207	LYS
5	E	148	ALA
5	E	237	PRO
7	G	208	ASP
7	G	242	ALA
9	I	16	LYS
13	a	9	THR
7	i	208	ASP
1	q	201	GLN
2	r	205	LEU
12	2	191	ASP
6	F	4	GLY
9	I	45	GLY
9	I	116	PHE
1	O	201	GLN
9	k	100	GLY
6	v	3	ILE
7	w	208	ASP
1	c	54	ILE
4	R	123	GLY
3	e	215	PRO
8	x	187	ARG
1	A	200	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	189/191 (99%)	184 (97%)	5 (3%)	46 77

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	O	189/191 (99%)	185 (98%)	4 (2%)	53	81
1	c	189/191 (99%)	186 (98%)	3 (2%)	62	86
1	q	189/191 (99%)	183 (97%)	6 (3%)	39	73
2	B	208/221 (94%)	194 (93%)	14 (7%)	16	43
2	P	208/221 (94%)	195 (94%)	13 (6%)	18	46
2	d	208/221 (94%)	196 (94%)	12 (6%)	20	50
2	r	208/221 (94%)	198 (95%)	10 (5%)	25	58
3	C	202/210 (96%)	191 (95%)	11 (5%)	22	54
3	Q	202/210 (96%)	195 (96%)	7 (4%)	36	70
3	e	202/210 (96%)	192 (95%)	10 (5%)	24	57
3	s	202/210 (96%)	192 (95%)	10 (5%)	24	57
4	D	195/203 (96%)	185 (95%)	10 (5%)	24	56
4	R	195/203 (96%)	185 (95%)	10 (5%)	24	56
4	f	195/203 (96%)	186 (95%)	9 (5%)	27	60
4	t	195/203 (96%)	187 (96%)	8 (4%)	30	64
5	E	204/224 (91%)	192 (94%)	12 (6%)	19	49
5	S	204/224 (91%)	195 (96%)	9 (4%)	28	61
5	g	204/224 (91%)	191 (94%)	13 (6%)	17	45
5	u	204/224 (91%)	197 (97%)	7 (3%)	37	71
6	F	200/211 (95%)	192 (96%)	8 (4%)	31	65
6	T	200/211 (95%)	190 (95%)	10 (5%)	24	57
6	h	200/211 (95%)	191 (96%)	9 (4%)	27	61
6	v	200/211 (95%)	187 (94%)	13 (6%)	17	45
7	G	207/210 (99%)	196 (95%)	11 (5%)	22	54
7	U	207/210 (99%)	195 (94%)	12 (6%)	20	50
7	i	207/210 (99%)	195 (94%)	12 (6%)	20	50
7	w	207/210 (99%)	198 (96%)	9 (4%)	29	62
8	H	181/195 (93%)	174 (96%)	7 (4%)	32	66
8	V	181/195 (93%)	174 (96%)	7 (4%)	32	66
8	j	181/195 (93%)	170 (94%)	11 (6%)	18	48
8	x	181/195 (93%)	171 (94%)	10 (6%)	21	53

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	I	174/175 (99%)	171 (98%)	3 (2%)	60	86
9	W	174/175 (99%)	170 (98%)	4 (2%)	50	80
9	k	174/175 (99%)	168 (97%)	6 (3%)	37	71
9	y	174/175 (99%)	169 (97%)	5 (3%)	42	76
10	J	166/171 (97%)	164 (99%)	2 (1%)	71	91
10	X	166/171 (97%)	157 (95%)	9 (5%)	22	54
10	l	166/171 (97%)	161 (97%)	5 (3%)	41	75
10	z	166/171 (97%)	159 (96%)	7 (4%)	30	63
11	1	157/161 (98%)	147 (94%)	10 (6%)	17	45
11	K	157/161 (98%)	152 (97%)	5 (3%)	39	73
11	Y	157/161 (98%)	147 (94%)	10 (6%)	17	45
11	m	157/161 (98%)	151 (96%)	6 (4%)	33	67
12	2	178/178 (100%)	173 (97%)	5 (3%)	43	76
12	L	178/178 (100%)	170 (96%)	8 (4%)	27	61
12	Z	178/178 (100%)	171 (96%)	7 (4%)	32	66
12	n	178/178 (100%)	173 (97%)	5 (3%)	43	76
13	3	178/180 (99%)	173 (97%)	5 (3%)	43	76
13	M	178/180 (99%)	172 (97%)	6 (3%)	37	71
13	a	178/180 (99%)	172 (97%)	6 (3%)	37	71
13	o	178/180 (99%)	172 (97%)	6 (3%)	37	71
14	4	159/162 (98%)	156 (98%)	3 (2%)	57	84
14	N	159/162 (98%)	156 (98%)	3 (2%)	57	84
14	b	159/162 (98%)	153 (96%)	6 (4%)	33	67
14	p	159/162 (98%)	155 (98%)	4 (2%)	47	78
All	All	10392/10768 (96%)	9954 (96%)	438 (4%)	30	63

All (438) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	LYS
1	A	28	VAL
1	A	69	LYS
1	A	74	VAL
1	A	229	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	24	MET
2	B	43	LEU
2	B	49	ARG
2	B	79	THR
2	B	97	LEU
2	B	126	LYS
2	B	177	ASP
2	B	186	LYS
2	B	191	LEU
2	B	200	MET
2	B	204	LYS
2	B	217	ARG
2	B	221	LYS
2	B	242	GLU
3	C	42	LEU
3	C	46	LYS
3	C	78	ASP
3	C	124	ARG
3	C	140	THR
3	C	145	GLN
3	C	165	LYS
3	C	171	LEU
3	C	184	ASP
3	C	203	LYS
3	C	217	LYS
4	D	12	ARG
4	D	70	MET
4	D	81	ILE
4	D	127	ARG
4	D	131	VAL
4	D	158	ASP
4	D	195	LYS
4	D	209	LEU
4	D	216	GLN
4	D	229	VAL
5	E	7	VAL
5	E	35	LEU
5	E	38	LYS
5	E	53	LEU
5	E	71	ILE
5	E	98	ARG
5	E	153	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	E	184	LEU
5	E	205	LYS
5	E	225	ASP
5	E	226	VAL
5	E	238	GLN
6	F	56	LYS
6	F	66	LEU
6	F	71	ARG
6	F	83	ASP
6	F	181	MET
6	F	205	LYS
6	F	215	TRP
6	F	219	LEU
7	G	51	THR
7	G	58	LYS
7	G	77	CYS
7	G	113	LEU
7	G	130	MET
7	G	131	ARG
7	G	165	THR
7	G	178	LEU
7	G	180	LYS
7	G	204	VAL
7	G	220	THR
8	H	6	VAL
8	H	12	ILE
8	H	40	ASN
8	H	56	THR
8	H	68	LEU
8	H	180	LYS
8	H	198	ARG
9	I	19	VAL
9	I	70	LEU
9	I	144	GLN
10	J	68	LYS
10	J	143	LEU
11	K	41	LEU
11	K	58	LEU
11	K	71	LYS
11	K	73	ARG
11	K	93	MET
12	L	43	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	L	72	LEU
12	L	133	ASP
12	L	160	ASN
12	L	173	ARG
12	L	174	LEU
12	L	208	VAL
12	L	212	LYS
13	M	46	ASN
13	M	49	THR
13	M	94	ARG
13	M	100	ARG
13	M	152	GLU
13	M	195	LYS
14	N	20	THR
14	N	139	VAL
14	N	201	THR
1	O	2	LYS
1	O	28	VAL
1	O	69	LYS
1	O	176	ARG
2	P	24	MET
2	P	36	ILE
2	P	43	LEU
2	P	49	ARG
2	P	55	LEU
2	P	63	LYS
2	P	97	LEU
2	P	149	SER
2	P	177	ASP
2	P	216	THR
2	P	217	ARG
2	P	221	LYS
2	P	247	GLU
3	Q	42	LEU
3	Q	106	ILE
3	Q	124	ARG
3	Q	145	GLN
3	Q	171	LEU
3	Q	207	LEU
3	Q	218	ILE
4	R	2	ARG
4	R	33	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	R	131	VAL
4	R	144	GLN
4	R	148	MET
4	R	172	SER
4	R	195	LYS
4	R	206	ASN
4	R	223	LYS
4	R	229	VAL
5	S	35	LEU
5	S	52	GLU
5	S	57	GLN
5	S	81	LEU
5	S	98	ARG
5	S	179	CYS
5	S	203	THR
5	S	214	LYS
5	S	216	LEU
6	T	28	LYS
6	T	66	LEU
6	T	129	ARG
6	T	170	GLN
6	T	181	MET
6	T	188	ASP
6	T	200	VAL
6	T	215	TRP
6	T	219	LEU
6	T	237	LYS
7	U	51	THR
7	U	58	LYS
7	U	72	THR
7	U	80	THR
7	U	113	LEU
7	U	125	THR
7	U	165	THR
7	U	178	LEU
7	U	185	LYS
7	U	204	VAL
7	U	220	THR
7	U	227	ARG
8	V	12	ILE
8	V	22	GLU
8	V	40	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	V	56	THR
8	V	68	LEU
8	V	201	ARG
8	V	204	CYS
9	W	101	PRO
9	W	114	LYS
9	W	117	LYS
9	W	144	GLN
10	X	1	MET
10	X	45	LEU
10	X	47	VAL
10	X	62	LYS
10	X	103	LEU
10	X	143	LEU
10	X	154	GLU
10	X	155	ARG
10	X	167	LEU
11	Y	32	LYS
11	Y	41	LEU
11	Y	58	LEU
11	Y	62	GLN
11	Y	71	LYS
11	Y	87	VAL
11	Y	138	VAL
11	Y	148	LYS
11	Y	186	ARG
11	Y	190	ASP
12	Z	2	PHE
12	Z	102	PHE
12	Z	158	MET
12	Z	160	ASN
12	Z	162	GLU
12	Z	174	LEU
12	Z	201	GLU
13	a	37	ARG
13	a	46	ASN
13	a	94	ARG
13	a	100	ARG
13	a	119	GLU
13	a	182	ARG
14	b	43	CYS
14	b	68	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	b	72	GLU
14	b	139	VAL
14	b	150	ASP
14	b	201	THR
1	c	2	LYS
1	c	28	VAL
1	c	52	LYS
2	d	24	MET
2	d	36	ILE
2	d	43	LEU
2	d	51	ILE
2	d	63	LYS
2	d	177	ASP
2	d	186	LYS
2	d	209	LYS
2	d	217	ARG
2	d	230	LYS
2	d	240	GLU
2	d	242	GLU
3	e	4	ARG
3	e	22	GLN
3	e	51	LYS
3	e	106	ILE
3	e	140	THR
3	e	145	GLN
3	e	165	LYS
3	e	171	LEU
3	e	192	LYS
3	e	203	LYS
4	f	70	MET
4	f	81	ILE
4	f	127	ARG
4	f	158	ASP
4	f	178	HIS
4	f	195	LYS
4	f	201	LYS
4	f	209	LEU
4	f	229	VAL
5	g	35	LEU
5	g	53	LEU
5	g	71	ILE
5	g	98	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	g	112	LYS
5	g	136	ASP
5	g	153	CYS
5	g	184	LEU
5	g	205	LYS
5	g	206	ASN
5	g	215	ASP
5	g	225	ASP
5	g	226	VAL
6	h	64	LYS
6	h	66	LEU
6	h	129	ARG
6	h	165	ILE
6	h	170	GLN
6	h	181	MET
6	h	215	TRP
6	h	219	LEU
6	h	240	LYS
7	i	18	GLU
7	i	51	THR
7	i	58	LYS
7	i	113	LEU
7	i	130	MET
7	i	131	ARG
7	i	165	THR
7	i	178	LEU
7	i	185	LYS
7	i	204	VAL
7	i	220	THR
7	i	241	LEU
8	j	6	VAL
8	j	12	ILE
8	j	40	ASN
8	j	56	THR
8	j	68	LEU
8	j	89	ARG
8	j	180	LYS
8	j	199	LEU
8	j	202	TYR
8	j	211	VAL
8	j	216	VAL
9	k	16	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	k	114	LYS
9	k	136	VAL
9	k	144	GLN
9	k	152	LEU
9	k	174	VAL
10	l	1	MET
10	l	68	LYS
10	l	85	ARG
10	l	95	ARG
10	l	143	LEU
11	m	8	PHE
11	m	35	ILE
11	m	41	LEU
11	m	58	LEU
11	m	87	VAL
11	m	97	MET
12	n	43	CYS
12	n	72	LEU
12	n	133	ASP
12	n	160	ASN
12	n	174	LEU
13	o	46	ASN
13	o	49	THR
13	o	94	ARG
13	o	100	ARG
13	o	152	GLU
13	o	195	LYS
14	p	31	THR
14	p	43	CYS
14	p	139	VAL
14	p	196	LYS
1	q	2	LYS
1	q	17	LYS
1	q	28	VAL
1	q	69	LYS
1	q	123	SER
1	q	176	ARG
2	r	24	MET
2	r	43	LEU
2	r	49	ARG
2	r	99	GLN
2	r	198	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	r	217	ARG
2	r	228	LYS
2	r	230	LYS
2	r	238	LYS
2	r	247	GLU
3	s	4	ARG
3	s	106	ILE
3	s	124	ARG
3	s	145	GLN
3	s	171	LEU
3	s	176	THR
3	s	177	ASP
3	s	203	LYS
3	s	207	LEU
3	s	235	LYS
4	t	92	TRP
4	t	121	ASP
4	t	127	ARG
4	t	144	GLN
4	t	158	ASP
4	t	195	LYS
4	t	206	ASN
4	t	209	LEU
5	u	35	LEU
5	u	53	LEU
5	u	57	GLN
5	u	98	ARG
5	u	206	ASN
5	u	216	LEU
5	u	238	GLN
6	v	28	LYS
6	v	53	VAL
6	v	56	LYS
6	v	66	LEU
6	v	129	ARG
6	v	170	GLN
6	v	181	MET
6	v	188	ASP
6	v	200	VAL
6	v	205	LYS
6	v	215	TRP
6	v	229	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	v	244	LYS
7	w	51	THR
7	w	54	LYS
7	w	55	VAL
7	w	113	LEU
7	w	165	THR
7	w	178	LEU
7	w	185	LYS
7	w	204	VAL
7	w	241	LEU
8	x	9	LYS
8	x	22	GLU
8	x	40	ASN
8	x	56	THR
8	x	58	LEU
8	x	68	LEU
8	x	72	ARG
8	x	83	LEU
8	x	84	LYS
8	x	201	ARG
9	y	33	MET
9	y	102	TYR
9	y	125	LEU
9	y	144	GLN
9	y	171	LEU
10	z	1	MET
10	z	45	LEU
10	z	85	ARG
10	z	143	LEU
10	z	154	GLU
10	z	155	ARG
10	z	167	LEU
11	1	8	PHE
11	1	32	LYS
11	1	41	LEU
11	1	57	ARG
11	1	58	LEU
11	1	62	GLN
11	1	71	LYS
11	1	102	CYS
11	1	143	TYR
11	1	190	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	2	1	ARG
12	2	102	PHE
12	2	159	GLN
12	2	162	GLU
12	2	166	LEU
13	3	46	ASN
13	3	94	ARG
13	3	100	ARG
13	3	119	GLU
13	3	204	SER
14	4	72	GLU
14	4	139	VAL
14	4	150	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (160) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	111	GLN
1	A	139	ASN
2	B	94	GLN
2	B	108	GLN
2	B	122	GLN
2	B	154	ASN
3	C	22	GLN
3	C	91	GLN
4	D	196	GLN
4	D	216	GLN
5	E	2	GLN
5	E	28	GLN
5	E	57	GLN
5	E	143	GLN
6	F	147	GLN
6	F	180	GLN
7	G	126	GLN
8	H	30	ASN
8	H	40	ASN
8	H	62	ASN
8	H	66	HIS
9	I	6	ASN
9	I	64	GLN
9	I	144	GLN
10	J	55	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	K	29	GLN
11	K	178	HIS
12	L	8	ASN
12	L	108	ASN
12	L	146	GLN
12	L	151	ASN
12	L	163	HIS
13	M	46	ASN
13	M	81	HIS
13	M	104	ASN
13	M	108	ASN
14	N	123	GLN
1	O	111	GLN
1	O	139	ASN
2	P	94	GLN
2	P	101	GLN
2	P	108	GLN
2	P	122	GLN
2	P	197	ASN
3	Q	22	GLN
4	R	91	HIS
4	R	178	HIS
4	R	196	GLN
4	R	206	ASN
5	S	180	ASN
6	T	22	GLN
7	U	91	GLN
7	U	126	GLN
8	V	30	ASN
8	V	40	ASN
8	V	66	HIS
9	W	6	ASN
9	W	32	GLN
9	W	39	GLN
9	W	71	ASN
9	W	144	GLN
10	X	55	GLN
10	X	61	GLN
10	X	132	HIS
11	Y	29	GLN
11	Y	62	GLN
11	Y	162	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	Y	178	HIS
12	Z	8	ASN
12	Z	108	ASN
12	Z	146	GLN
12	Z	152	GLN
13	a	46	ASN
13	a	81	HIS
13	a	157	GLN
14	b	53	GLN
14	b	123	GLN
1	c	111	GLN
1	c	139	ASN
2	d	94	GLN
2	d	197	ASN
3	e	91	GLN
3	e	220	ASN
4	f	91	HIS
4	f	96	ASN
4	f	203	ASN
5	g	28	GLN
5	g	40	HIS
5	g	57	GLN
5	g	143	GLN
5	g	187	HIS
5	g	206	ASN
6	h	180	GLN
7	i	91	GLN
7	i	99	ASN
7	i	126	GLN
7	i	171	GLN
7	i	192	GLN
8	j	30	ASN
8	j	40	ASN
8	j	66	HIS
9	k	6	ASN
9	k	64	GLN
9	k	144	GLN
9	k	172	ASN
10	l	55	GLN
10	l	132	HIS
11	m	175	ASN
11	m	178	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	n	8	ASN
12	n	108	ASN
12	n	146	GLN
12	n	163	HIS
13	o	46	ASN
13	o	69	GLN
13	o	104	ASN
13	o	108	ASN
13	o	147	GLN
13	o	157	GLN
14	p	123	GLN
1	q	111	GLN
1	q	139	ASN
2	r	87	ASN
2	r	94	GLN
2	r	99	GLN
2	r	101	GLN
2	r	122	GLN
2	r	197	ASN
3	s	22	GLN
4	t	91	HIS
4	t	196	GLN
4	t	206	ASN
5	u	40	HIS
5	u	143	GLN
5	u	206	ASN
7	w	126	GLN
8	x	30	ASN
8	x	40	ASN
8	x	66	HIS
8	x	116	HIS
9	y	6	ASN
9	y	39	GLN
9	y	64	GLN
9	y	71	ASN
9	y	144	GLN
10	z	55	GLN
10	z	61	GLN
10	z	71	ASN
10	z	132	HIS
11	1	29	GLN
11	1	162	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	2	8	ASN
12	2	36	HIS
12	2	108	ASN
12	2	146	GLN
12	2	151	ASN
12	2	159	GLN
13	3	46	ASN
13	3	108	ASN
14	4	123	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
15	04C	Y	301	11	44,44,44	1.38	5 (11%)	56,58,58	1.09	3 (5%)
15	04C	x	301	8	44,44,44	1.24	3 (6%)	56,58,58	0.91	2 (3%)
15	04C	b	301	14	44,44,44	1.19	2 (4%)	56,58,58	1.01	3 (5%)
15	04C	N	301	14	44,44,44	1.24	3 (6%)	56,58,58	1.07	2 (3%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	04C	j	301	8	44,44,44	1.28	5 (11%)	56,58,58	0.84	0
15	04C	m	301	11	44,44,44	1.26	3 (6%)	56,58,58	1.12	2 (3%)
15	04C	V	301	8	44,44,44	1.28	4 (9%)	56,58,58	0.88	2 (3%)
15	04C	H	301	8	44,44,44	1.35	6 (13%)	56,58,58	0.87	1 (1%)
15	04C	K	301	11	44,44,44	1.27	4 (9%)	56,58,58	1.22	2 (3%)
15	04C	4	301	14	44,44,44	1.25	2 (4%)	56,58,58	1.00	3 (5%)
15	04C	1	301	11	44,44,44	1.88	8 (18%)	56,58,58	0.98	3 (5%)
15	04C	p	301	14	44,44,44	1.28	4 (9%)	56,58,58	1.11	4 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	04C	Y	301	11	-	13/44/52/52	0/3/3/3
15	04C	x	301	8	-	10/44/52/52	0/3/3/3
15	04C	b	301	14	-	15/44/52/52	0/3/3/3
15	04C	N	301	14	-	15/44/52/52	0/3/3/3
15	04C	j	301	8	-	15/44/52/52	0/3/3/3
15	04C	m	301	11	-	14/44/52/52	0/3/3/3
15	04C	V	301	8	-	13/44/52/52	0/3/3/3
15	04C	H	301	8	-	14/44/52/52	0/3/3/3
15	04C	K	301	11	-	12/44/52/52	0/3/3/3
15	04C	4	301	14	-	16/44/52/52	0/3/3/3
15	04C	1	301	11	-	14/44/52/52	0/3/3/3
15	04C	p	301	14	-	14/44/52/52	0/3/3/3

All (49) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	1	301	04C	O45-C44	-8.84	1.19	1.37
15	H	301	04C	C12-C10	3.47	1.56	1.52
15	j	301	04C	C12-C10	3.36	1.56	1.52
15	H	301	04C	C10-C9	3.35	1.59	1.53
15	K	301	04C	C10-C9	3.33	1.59	1.53
15	V	301	04C	C12-C10	3.32	1.56	1.52
15	x	301	04C	C12-C10	3.32	1.56	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	p	301	04C	C10-C9	3.31	1.59	1.53
15	l	301	04C	C47-C44	3.28	1.45	1.38
15	l	301	04C	C10-C9	3.27	1.59	1.53
15	4	301	04C	C12-C10	3.26	1.56	1.52
15	j	301	04C	C5-C6	3.21	1.45	1.38
15	4	301	04C	C10-C9	3.20	1.59	1.53
15	V	301	04C	C10-C9	3.18	1.59	1.53
15	Y	301	04C	C10-C9	3.17	1.59	1.53
15	m	301	04C	C10-C9	3.14	1.59	1.53
15	N	301	04C	C10-C9	3.13	1.59	1.53
15	b	301	04C	C10-C9	3.11	1.59	1.53
15	m	301	04C	C12-C10	3.11	1.56	1.52
15	K	301	04C	C12-C10	3.04	1.56	1.52
15	Y	301	04C	O45-C44	3.04	1.43	1.37
15	p	301	04C	C12-C10	3.02	1.56	1.52
15	p	301	04C	C7-C6	2.96	1.58	1.51
15	x	301	04C	C10-C9	2.95	1.58	1.53
15	b	301	04C	C12-C10	2.94	1.56	1.52
15	j	301	04C	C10-C9	2.93	1.58	1.53
15	Y	301	04C	C12-C10	2.91	1.56	1.52
15	N	301	04C	C12-C10	2.83	1.56	1.52
15	l	301	04C	C12-C10	2.80	1.56	1.52
15	Y	301	04C	C5-C6	2.65	1.44	1.38
15	H	301	04C	O45-C44	-2.61	1.32	1.37
15	H	301	04C	C47-C44	2.55	1.43	1.38
15	N	301	04C	C7-C6	2.46	1.57	1.51
15	m	301	04C	C5-C6	2.44	1.44	1.38
15	V	301	04C	C5-C6	2.32	1.43	1.38
15	K	301	04C	C5-C6	2.30	1.43	1.38
15	V	301	04C	C47-C44	2.29	1.43	1.38
15	j	301	04C	C2-C3	2.26	1.44	1.38
15	H	301	04C	C9-C8	2.25	1.57	1.53
15	Y	301	04C	C9-C8	2.20	1.57	1.53
15	l	301	04C	C40-C41	2.19	1.56	1.51
15	x	301	04C	C5-C6	2.18	1.43	1.38
15	l	301	04C	C9-C8	2.18	1.57	1.53
15	H	301	04C	C5-C6	2.17	1.43	1.38
15	K	301	04C	C9-C8	2.15	1.57	1.53
15	l	301	04C	C48-C41	2.15	1.43	1.38
15	l	301	04C	C5-C6	2.12	1.43	1.38
15	p	301	04C	C9-C8	2.06	1.57	1.53
15	j	301	04C	C47-C44	2.00	1.42	1.38

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	K	301	04C	C11-C10-C12	-5.42	102.76	109.88
15	p	301	04C	C11-C10-C12	-4.90	103.44	109.88
15	m	301	04C	C11-C10-C12	-4.76	103.62	109.88
15	N	301	04C	C11-C10-C12	-4.75	103.63	109.88
15	Y	301	04C	C6-C7-C8	4.55	121.23	113.33
15	b	301	04C	C11-C10-C12	-4.37	104.13	109.88
15	K	301	04C	C30-N31-C36	4.23	117.66	111.09
15	m	301	04C	C30-N31-C36	3.96	117.23	111.09
15	4	301	04C	C11-C10-C12	-3.93	104.72	109.88
15	V	301	04C	C11-C10-C12	-3.54	105.22	109.88
15	1	301	04C	C6-C7-C8	3.44	119.31	113.33
15	x	301	04C	C11-C10-C12	-3.16	105.73	109.88
15	p	301	04C	C6-C7-C8	2.63	117.90	113.33
15	Y	301	04C	C41-C40-C24	-2.55	106.34	113.39
15	1	301	04C	C11-C10-C12	-2.54	106.54	109.88
15	N	301	04C	C7-C8-N22	-2.50	106.42	110.07
15	Y	301	04C	C7-C8-C9	-2.29	106.40	111.11
15	x	301	04C	C32-N31-C36	2.25	113.90	108.83
15	H	301	04C	C11-C10-C12	-2.12	107.09	109.88
15	p	301	04C	C7-C8-N22	-2.09	107.02	110.07
15	p	301	04C	C30-N31-C32	2.09	114.33	111.09
15	4	301	04C	C30-N31-C32	2.09	114.33	111.09
15	b	301	04C	C32-N31-C36	2.08	113.50	108.83
15	4	301	04C	O37-C29-C30	-2.05	117.48	121.08
15	b	301	04C	C7-C8-N22	-2.02	107.12	110.07
15	1	301	04C	C32-N31-C36	2.01	113.36	108.83
15	V	301	04C	C32-N31-C36	2.01	113.36	108.83

There are no chirality outliers.

All (165) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
15	Y	301	04C	C11-C10-C9-C8
15	Y	301	04C	C12-C10-C9-C8
15	x	301	04C	C6-C7-C8-N22
15	x	301	04C	C6-C7-C8-C9
15	x	301	04C	C11-C10-C9-O21
15	b	301	04C	C6-C7-C8-N22
15	b	301	04C	C6-C7-C8-C9
15	b	301	04C	C11-C10-C9-O21
15	N	301	04C	C6-C7-C8-N22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	N	301	04C	C6-C7-C8-C9
15	j	301	04C	C6-C7-C8-N22
15	j	301	04C	C6-C7-C8-C9
15	j	301	04C	C11-C10-C9-O21
15	j	301	04C	C11-C10-C12-O13
15	m	301	04C	C29-C30-N31-C36
15	V	301	04C	C6-C7-C8-N22
15	V	301	04C	C6-C7-C8-C9
15	H	301	04C	C6-C7-C8-N22
15	H	301	04C	C6-C7-C8-C9
15	H	301	04C	C11-C10-C12-O13
15	K	301	04C	C29-C30-N31-C36
15	4	301	04C	C6-C7-C8-N22
15	4	301	04C	C6-C7-C8-C9
15	4	301	04C	C11-C10-C9-O21
15	1	301	04C	C11-C10-C9-C8
15	1	301	04C	C12-C10-C9-C8
15	p	301	04C	C6-C7-C8-N22
15	p	301	04C	C6-C7-C8-C9
15	p	301	04C	C11-C10-C9-O21
15	b	301	04C	C43-C44-O45-C46
15	K	301	04C	C43-C44-O45-C46
15	4	301	04C	C47-C44-O45-C46
15	4	301	04C	C43-C44-O45-C46
15	1	301	04C	C47-C44-O45-C46
15	b	301	04C	C47-C44-O45-C46
15	m	301	04C	C47-C44-O45-C46
15	m	301	04C	C43-C44-O45-C46
15	K	301	04C	C47-C44-O45-C46
15	1	301	04C	C43-C44-O45-C46
15	p	301	04C	C47-C44-O45-C46
15	p	301	04C	C43-C44-O45-C46
15	Y	301	04C	C47-C44-O45-C46
15	N	301	04C	C43-C44-O45-C46
15	H	301	04C	C47-C44-O45-C46
15	H	301	04C	C43-C44-O45-C46
15	Y	301	04C	C43-C44-O45-C46
15	x	301	04C	C47-C44-O45-C46
15	N	301	04C	C47-C44-O45-C46
15	j	301	04C	C47-C44-O45-C46
15	x	301	04C	C43-C44-O45-C46
15	V	301	04C	C47-C44-O45-C46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	V	301	04C	C43-C44-O45-C46
15	j	301	04C	C43-C44-O45-C46
15	H	301	04C	C1-C6-C7-C8
15	l	301	04C	C5-C6-C7-C8
15	x	301	04C	C1-C6-C7-C8
15	H	301	04C	C5-C6-C7-C8
15	Y	301	04C	C1-C6-C7-C8
15	Y	301	04C	C5-C6-C7-C8
15	x	301	04C	C5-C6-C7-C8
15	l	301	04C	C1-C6-C7-C8
15	j	301	04C	C1-C6-C7-C8
15	Y	301	04C	C11-C10-C9-O21
15	Y	301	04C	C12-C10-C9-O21
15	N	301	04C	C11-C10-C9-O21
15	V	301	04C	C11-C10-C9-O21
15	H	301	04C	C11-C10-C9-O21
15	l	301	04C	C12-C10-C9-O21
15	V	301	04C	C1-C6-C7-C8
15	V	301	04C	C5-C6-C7-C8
15	j	301	04C	C5-C6-C7-C8
15	m	301	04C	N28-C29-C30-N31
15	b	301	04C	C11-C10-C9-C8
15	N	301	04C	C11-C10-C9-C8
15	j	301	04C	C11-C10-C9-C8
15	V	301	04C	C11-C10-C9-C8
15	H	301	04C	C11-C10-C9-C8
15	4	301	04C	C11-C10-C9-C8
15	p	301	04C	C11-C10-C9-C8
15	m	301	04C	O37-C29-C30-N31
15	m	301	04C	C5-C6-C7-C8
15	j	301	04C	N28-C29-C30-N31
15	H	301	04C	N28-C29-C30-N31
15	K	301	04C	N28-C29-C30-N31
15	K	301	04C	C5-C6-C7-C8
15	j	301	04C	O37-C29-C30-N31
15	H	301	04C	O37-C29-C30-N31
15	m	301	04C	C1-C6-C7-C8
15	K	301	04C	C1-C6-C7-C8
15	K	301	04C	O37-C29-C30-N31
15	l	301	04C	N25-C24-C40-C41
15	m	301	04C	C11-C10-C9-O21
15	l	301	04C	C11-C10-C9-O21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	m	301	04C	N25-C24-C40-C41
15	N	301	04C	C1-C6-C7-C8
15	x	301	04C	N28-C29-C30-N31
15	4	301	04C	N28-C29-C30-N31
15	x	301	04C	O37-C29-C30-N31
15	b	301	04C	N25-C24-C40-C41
15	4	301	04C	N25-C24-C40-C41
15	4	301	04C	C1-C6-C7-C8
15	N	301	04C	C5-C6-C7-C8
15	x	301	04C	C11-C10-C9-C8
15	m	301	04C	C11-C10-C9-C8
15	b	301	04C	C5-C6-C7-C8
15	4	301	04C	C5-C6-C7-C8
15	b	301	04C	C1-C6-C7-C8
15	N	301	04C	C29-C30-N31-C36
15	K	301	04C	C29-C30-N31-C32
15	p	301	04C	C29-C30-N31-C36
15	p	301	04C	C29-C30-N31-C32
15	m	301	04C	C23-C24-C40-C41
15	p	301	04C	C1-C6-C7-C8
15	Y	301	04C	C6-C7-C8-N22
15	m	301	04C	C6-C7-C8-N22
15	l	301	04C	C6-C7-C8-N22
15	p	301	04C	N25-C24-C40-C41
15	N	301	04C	C29-C30-N31-C32
15	j	301	04C	C9-C10-C12-O13
15	N	301	04C	N25-C24-C40-C41
15	j	301	04C	C12-C10-C9-C8
15	p	301	04C	C5-C6-C7-C8
15	4	301	04C	O49-C23-C24-N25
15	K	301	04C	C11-C10-C9-O21
15	K	301	04C	N25-C24-C40-C41
15	l	301	04C	O49-C23-C24-N25
15	b	301	04C	C29-C30-N31-C36
15	V	301	04C	N28-C29-C30-N31
15	p	301	04C	O49-C23-C24-N25
15	b	301	04C	C23-C24-C40-C41
15	l	301	04C	N22-C23-C24-N25
15	b	301	04C	O49-C23-C24-N25
15	Y	301	04C	N25-C24-C40-C41
15	4	301	04C	O37-C29-C30-N31
15	K	301	04C	C23-C24-C40-C41

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
15	4	301	04C	C23-C24-C40-C41
15	b	301	04C	N28-C29-C30-N31
15	p	301	04C	C23-C24-C40-C41
15	H	301	04C	N25-C24-C40-C41
15	Y	301	04C	O49-C23-C24-N25
15	4	301	04C	N22-C23-C24-N25
15	p	301	04C	N22-C23-C24-N25
15	b	301	04C	N22-C23-C24-N25
15	N	301	04C	O49-C23-C24-N25
15	V	301	04C	O49-C23-C24-N25
15	Y	301	04C	C23-C24-C40-C41
15	m	301	04C	O49-C23-C24-N25
15	j	301	04C	N25-C24-C40-C41
15	N	301	04C	C23-C24-C40-C41
15	j	301	04C	C12-C10-C9-O21
15	H	301	04C	C12-C10-C9-O21
15	V	301	04C	O37-C29-C30-N31
15	1	301	04C	C23-C24-C40-C41
15	Y	301	04C	C6-C7-C8-C9
15	N	301	04C	C12-C10-C9-C8
15	m	301	04C	C6-C7-C8-C9
15	V	301	04C	C12-C10-C9-C8
15	H	301	04C	C12-C10-C9-C8
15	4	301	04C	C12-C10-C9-C8
15	1	301	04C	C6-C7-C8-C9
15	N	301	04C	N22-C23-C24-N25
15	4	301	04C	N25-C26-C27-N28
15	V	301	04C	N22-C23-C24-N25
15	K	301	04C	N22-C8-C9-C10
15	b	301	04C	O37-C29-C30-N31


There are no ring outliers.

No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand 04C b 301




Bond lengths




Bond angles




Torsions





Rings





Ligand 04C j 301
















Ligand 04C 1 301





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	231/234 (98%)	-0.35	3 (1%) 77 77	42, 62, 99, 145	0
1	O	231/234 (98%)	-0.34	3 (1%) 77 77	40, 59, 95, 145	0
1	c	231/234 (98%)	-0.34	3 (1%) 77 77	44, 64, 99, 143	0
1	q	231/234 (98%)	-0.34	3 (1%) 77 77	39, 61, 97, 140	0
2	B	248/261 (95%)	-0.31	2 (0%) 86 86	42, 69, 115, 156	0
2	P	248/261 (95%)	-0.30	2 (0%) 86 86	34, 62, 108, 155	0
2	d	248/261 (95%)	-0.27	2 (0%) 86 86	42, 71, 112, 161	0
2	r	248/261 (95%)	-0.28	1 (0%) 92 93	40, 63, 109, 143	0
3	C	239/248 (96%)	0.16	12 (5%) 28 25	47, 83, 153, 182	0
3	Q	239/248 (96%)	-0.07	0 100 100	42, 74, 129, 163	0
3	e	239/248 (96%)	0.16	11 (4%) 32 29	51, 85, 148, 175	0
3	s	239/248 (96%)	-0.06	0 100 100	45, 75, 129, 164	0
4	D	233/241 (96%)	-0.29	2 (0%) 84 84	50, 74, 104, 149	0
4	R	233/241 (96%)	-0.26	3 (1%) 77 77	43, 72, 108, 163	0
4	f	233/241 (96%)	-0.30	2 (0%) 84 84	47, 75, 108, 158	0
4	t	233/241 (96%)	-0.23	5 (2%) 63 61	47, 73, 111, 171	0
5	E	238/263 (90%)	0.00	7 (2%) 51 47	45, 81, 135, 180	0
5	S	238/263 (90%)	-0.09	5 (2%) 63 61	39, 65, 125, 160	0
5	g	238/263 (90%)	0.04	8 (3%) 45 40	48, 81, 136, 172	0
5	u	238/263 (90%)	-0.06	5 (2%) 63 61	41, 65, 126, 156	0
6	F	244/255 (95%)	-0.01	16 (6%) 18 14	44, 76, 134, 167	0
6	T	244/255 (95%)	-0.21	5 (2%) 65 63	40, 64, 106, 159	0
6	h	244/255 (95%)	0.02	13 (5%) 26 22	47, 77, 135, 156	0
6	v	244/255 (95%)	-0.21	5 (2%) 65 63	39, 65, 110, 158	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
7	G	243/246 (98%)	-0.15	3 (1%) 79 79	42, 68, 108, 161	0
7	U	243/246 (98%)	-0.37	0 100 100	39, 59, 87, 121	0
7	i	243/246 (98%)	-0.13	3 (1%) 79 79	44, 70, 108, 138	0
7	w	243/246 (98%)	-0.40	0 100 100	39, 59, 88, 122	0
8	H	220/234 (94%)	-0.30	0 100 100	24, 52, 91, 127	0
8	V	220/234 (94%)	-0.36	1 (0%) 91 91	23, 49, 89, 126	0
8	j	220/234 (94%)	-0.11	9 (4%) 37 32	27, 54, 113, 146	0
8	x	220/234 (94%)	-0.29	1 (0%) 91 91	33, 54, 91, 127	0
9	I	204/205 (99%)	-0.33	1 (0%) 91 91	40, 55, 87, 119	0
9	W	204/205 (99%)	-0.36	0 100 100	35, 54, 89, 122	0
9	k	204/205 (99%)	-0.31	0 100 100	40, 56, 88, 122	0
9	y	204/205 (99%)	-0.17	4 (1%) 65 63	41, 60, 89, 126	0
10	J	196/201 (97%)	-0.36	1 (0%) 91 91	44, 59, 87, 114	0
10	X	196/201 (97%)	-0.42	0 100 100	40, 58, 85, 107	0
10	l	196/201 (97%)	-0.37	0 100 100	42, 59, 88, 112	0
10	z	196/201 (97%)	-0.37	0 100 100	40, 59, 86, 106	0
11	1	201/205 (98%)	-0.33	1 (0%) 91 91	36, 57, 88, 111	0
11	K	201/205 (98%)	-0.39	1 (0%) 91 91	38, 58, 92, 113	0
11	Y	201/205 (98%)	-0.34	1 (0%) 91 91	35, 56, 86, 109	0
11	m	201/205 (98%)	-0.34	1 (0%) 91 91	40, 59, 92, 117	0
12	2	213/213 (100%)	-0.30	2 (0%) 84 84	36, 57, 84, 135	0
12	L	213/213 (100%)	-0.25	1 (0%) 91 91	40, 56, 90, 123	0
12	Z	213/213 (100%)	-0.35	2 (0%) 84 84	37, 54, 86, 135	0
12	n	213/213 (100%)	-0.22	2 (0%) 84 84	42, 57, 91, 132	0
13	3	216/219 (98%)	-0.30	0 100 100	34, 52, 79, 101	0
13	M	216/219 (98%)	-0.37	0 100 100	36, 53, 82, 115	0
13	a	216/219 (98%)	-0.37	0 100 100	33, 49, 79, 105	0
13	o	216/219 (98%)	-0.32	0 100 100	40, 56, 84, 123	0
14	4	202/205 (98%)	-0.38	3 (1%) 73 73	31, 50, 99, 152	0
14	N	202/205 (98%)	-0.25	4 (1%) 65 63	30, 52, 91, 148	0
14	b	202/205 (98%)	-0.38	3 (1%) 73 73	30, 49, 95, 161	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
14	p	202/205 (98%)	-0.24	4 (1%) 65 63	32, 53, 92, 147	0
All	All	12512/12920 (96%)	-0.24	166 (1%) 77 77	23, 62, 111, 182	0

All (166) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	t	233	ILE	9.0
6	T	1	SER	8.6
6	v	1	SER	8.4
8	j	212	LEU	7.2
14	N	201	THR	6.4
6	F	3	ILE	5.7
4	R	122	PRO	5.5
4	R	233	ILE	5.4
14	p	201	THR	5.3
6	T	2	SER	5.3
4	D	233	ILE	4.8
6	h	1	SER	4.8
6	F	2	SER	4.7
4	f	233	ILE	4.7
5	E	237	PRO	4.7
8	j	213	THR	4.6
1	O	2	LYS	4.3
14	b	201	THR	4.3
14	p	198	THR	4.3
6	h	60	GLU	4.3
1	O	3	ARG	4.1
14	p	200	ALA	4.0
4	t	122	PRO	4.0
3	e	202	GLY	3.9
6	v	2	SER	3.9
5	S	237	PRO	3.8
3	C	202	GLY	3.8
14	b	200	ALA	3.8
1	A	1	ALA	3.7
7	i	211	PRO	3.7
6	h	2	SER	3.7
8	j	209	THR	3.7
5	u	237	PRO	3.6
1	c	1	ALA	3.6
8	j	207	GLY	3.6
2	P	248	ARG	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
8	j	210	ALA	3.5
1	q	2	LYS	3.5
14	N	200	ALA	3.5
6	T	3	ILE	3.5
6	F	4	GLY	3.5
6	T	5	THR	3.5
7	G	211	PRO	3.4
11	Y	9	LEU	3.4
8	x	199	LEU	3.3
6	F	56	LYS	3.3
6	v	4	GLY	3.3
8	j	202	TYR	3.3
6	F	205	LYS	3.2
6	F	60	GLU	3.2
6	F	5	THR	3.2
11	1	9	LEU	3.2
5	g	237	PRO	3.2
6	v	3	ILE	3.2
14	4	201	THR	3.1
5	g	201	ASP	3.1
8	V	199	LEU	3.1
6	h	207	LYS	3.1
14	N	198	THR	3.1
7	i	185	LYS	3.0
6	h	56	LYS	3.0
6	h	5	THR	3.0
6	F	1	SER	3.0
3	C	200	SER	3.0
6	h	4	GLY	3.0
3	C	236	GLU	3.0
9	y	102	TYR	2.9
5	E	201	ASP	2.9
3	e	205	ILE	2.9
2	d	201	ASP	2.9
4	D	123	GLY	2.9
4	f	123	GLY	2.9
3	C	203	LYS	2.8
6	h	240	LYS	2.8
3	C	199	GLN	2.8
5	u	199	GLU	2.8
1	q	3	ARG	2.8
1	O	1	ALA	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	c	3	ARG	2.7
11	K	40	TYR	2.7
1	A	2	LYS	2.7
6	T	4	GLY	2.7
5	E	238	GLN	2.6
6	v	5	THR	2.6
8	j	199	LEU	2.6
3	C	213	ASP	2.6
1	c	2	LYS	2.6
12	n	162	GLU	2.6
6	F	208	ALA	2.6
3	e	236	GLU	2.5
3	e	213	ASP	2.5
6	h	208	ALA	2.5
5	u	233	LEU	2.5
7	G	187	ASP	2.5
3	e	200	SER	2.5
3	e	199	GLN	2.5
5	g	224	ASP	2.5
5	g	238	GLN	2.5
2	B	201	ASP	2.5
5	E	202	LEU	2.5
6	F	207	LYS	2.5
5	u	46	LEU	2.5
9	I	114	LYS	2.4
9	y	56	ALA	2.4
6	h	243	LEU	2.4
7	i	187	ASP	2.4
5	E	236	ARG	2.4
6	F	209	PHE	2.4
5	S	233	LEU	2.4
14	b	202	LEU	2.4
11	m	40	TYR	2.4
14	p	202	LEU	2.4
12	L	1	ARG	2.4
3	C	194	LEU	2.4
3	e	194	LEU	2.4
6	h	198	TYR	2.3
9	y	114	LYS	2.3
12	n	1	ARG	2.3
2	P	229	GLN	2.3
3	C	205	ILE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
5	S	199	GLU	2.3
3	e	238	ASN	2.3
8	j	214	GLU	2.3
6	F	240	LYS	2.3
5	E	200	GLN	2.3
4	R	175	GLU	2.3
7	G	243	GLU	2.3
6	F	7	TYR	2.3
5	u	52	GLU	2.3
10	J	95	ARG	2.2
9	y	57	THR	2.2
3	C	237	GLU	2.2
6	F	198	TYR	2.2
12	2	164	VAL	2.2
3	C	238	ASN	2.2
5	g	48	ARG	2.2
4	t	1	ASP	2.2
3	C	178	ASP	2.2
2	B	246	ALA	2.2
5	S	164	SER	2.2
8	j	204	CYS	2.2
3	e	178	ASP	2.2
5	E	48	ARG	2.1
12	Z	164	VAL	2.1
2	d	246	ALA	2.1
6	h	204	VAL	2.1
5	S	46	LEU	2.1
5	g	200	GLN	2.1
3	e	46	LYS	2.1
1	A	59	ARG	2.1
4	t	175	GLU	2.1
5	g	50	GLN	2.1
6	h	3	ILE	2.1
6	F	243	LEU	2.1
3	C	46	LYS	2.1
12	Z	1	ARG	2.1
5	g	235	GLU	2.1
14	N	202	LEU	2.0
12	2	1	ARG	2.0
14	4	200	ALA	2.0
6	F	54	LEU	2.0
1	q	231	ALA	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
14	4	202	LEU	2.0
3	e	224	ILE	2.0
4	t	192	ILE	2.0
2	r	248	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
15	04C	4	301	42/42	0.92	0.17	30,39,54,64	0
15	04C	p	301	42/42	0.93	0.18	25,37,63,75	0
15	04C	N	301	42/42	0.94	0.18	24,34,58,70	0
15	04C	m	301	42/42	0.94	0.17	27,42,84,90	0
15	04C	H	301	42/42	0.94	0.14	30,37,50,51	0
15	04C	Y	301	42/42	0.94	0.19	24,41,70,74	0
15	04C	l	301	42/42	0.94	0.19	24,39,71,77	0
15	04C	b	301	42/42	0.94	0.17	28,36,55,65	0
15	04C	V	301	42/42	0.95	0.16	28,40,52,54	0
15	04C	j	301	42/42	0.95	0.15	33,37,50,53	0
15	04C	K	301	42/42	0.95	0.17	24,41,79,87	0
15	04C	x	301	42/42	0.96	0.17	31,40,52,58	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 04C 4 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 04C p 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 04C N 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 04C m 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 04C H 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 04C Y 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 04C 1 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 04C b 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 04C V 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 04C j 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 04C K 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 04C x 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers

There are no such residues in this entry.